

A2-09(2000)

# World Multiconference on Systemics, Cybernetics and Informatics



July 23-26, 2000  
Orlando, Florida, USA

IST. EL. INF.  
BIBLIOTECA  
Posiz. ARXIVIO

A2-09  
2000

## PROCEEDINGS

Volume VII

Computer Science and Engineering:  
Part I

Organized by IIS



**International  
Institute of  
Informatics  
and Systemics**

Member of the International  
Federation of Systems Research

**IFSR**

Co-organized by IEEE Computer Society  
(Chapter: Venezuela)

### EDITORS

Belkis Sanchez  
Juan Manuel Pineda  
Jacques Wolfmann  
Zohra Bellahsene  
Francesc Ferri

correction  
k: Plenum  
ork.  
rbi  
on". IEEE  
Oct. 1971.  
Hirata.  
r Decision  
hnoI. Vol.  
nctured  
d  
of. 37. No.  
1. Geist.  
n and  
IEEE Trans.  
it Decision  
e Presence  
ol. 16. No.  
d-line  
where it is

## EUROgatherer: a Personalised Gathering and Delivery Service on the Web

Giuseppe Amato, Umberto Straccia and Costantino Thanos  
I.E.I. - C.N.R.  
Via S. Maria, 56, I-56126 Pisa, ITALY  
{amato,straccia,thanos}@iei.pi.cnr.it

### ABSTRACT

In this paper an overview of EUROgatherer will be presented. It is an advanced personalised information gathering and delivery service on the Web.

EUROgatherer satisfies user's information needs in several ways: through (i) ad-hoc search for satisfying users' short term information needs; (ii) content-based information filtering; and (iii) time scheduled search, both for satisfying users' long term information needs. Techniques of relevance feedback and a complex user profile schema are used to learn and store the preferences of subscribed users.

**Keywords:** Information Search and Retrieval, Information filtering, Distributed systems, User profiles and alert services, Web-based services

### 1. INTRODUCTION

The Web, and consequently the information contained in it, is growing rapidly. Every day a huge amount of "new" information is electronically published. This has made it increasingly difficult for individuals to control and effectively seek for information among the potentially infinite number of information sources (Web pages, online databases, News Groups, Publishers, Digital Libraries, News Agencies, etc.) available on the internet. Ironically, just as more and more information is getting on-line, it is getting increasingly difficult to find relevant information in a reasonable amount of time, unless one knows exactly *what* to get, *where* to get it from and *how* to get it.

Typical information sources on the Internet, like Search Engines, Digital Libraries and online database (e.g., Altavista [1], ACMDL [1], Medline [11], NCSTRL [12], just to mention some), provide a search and retrieval service to the web community at large.

A common characteristic of most of the traditional retrieval services is that *they do not provide any personalised support to individual users*, or poorly support it. Indeed, they are oriented towards a generic user. They answer queries crudely rather than, for instance, learning the long-term requirements idiosyncratic to a specific user.

Providing personalised information search and delivering services, as additional services to the uniform and generic information search offered today, is likely to be the first step to make *relevant* information available to people in the appropriate *form*, *amount* and *level of detail*, at the *right time* through the *right medium*, and with *minimal* user effort [4,13].

The EUROgatherer service, which is the result of a EU Telematics Information Engineering Programme founded project [6]<sup>1</sup>, was designed to cope with the requirement of personalised search according to the most wide meaning of it. Indeed, it is an advanced personalised information gathering and delivery service on the Web.

The topic of this paper is to give both a description of EUROgatherer in terms of provided functionalities as well as in terms of it's architecture.

We will proceed as follows. Section 2 introduces those concepts which have to be taken into account in a quite general information seek scenario; Section 3 gives an overall description of the system; Section 4 describes the user's profile model that has been used; Section 5 makes a brief comparison with other existing services; Section 6 concludes.

### 2. A GENERIC INFORMATION SEEK SCENARIO

From a quite general point of view, we may depict the scenario of the retrieval and delivery of relevant information as in Figure 1. We can distinguish two main actors and three main tasks in it. The actors are the *user information needs* and the *information sources*. The tasks are *fetching information from the Web sources*, *selecting which is relevant to the user* and *delivering it*. These will be described in the following sections.

#### User information needs

With user information needs we mean which information a user is interested in. An example of user information needs may be

- "I'm interested in news concerning the latest trend about stock quotes of High-Tech companies."

It is worth noting that a user information need may be a *short term* user information need or a *long term* user information need, depending on the interests of a user. In the former case we refer to an ad-hoc, occasional user information need, e.g. an economist which would like to go to the sea at the weekend is looking for the weather forecast. Whereas, in the latter case we refer to an user information need which is of interest during a relevant time period, e.g. an economist would like to be informed every morning about the economic trend. We will call any long-term information need of a user a *topic of*

<sup>1</sup> See Appendix for list of participants.

## Main Actors

- Information Sources
- User Information Needs




Figure 1: A general information seek scenario

interest. It is easy to verify that in fact our daily information seek process involves both short-term (occasional) interests as well as long-term interests. Of course, whether an information need is a short-term or a long-term interest depends on the user.

### Information sources

With information sources we mean all the heterogeneous digital information providers distributed over the internet, which make available any kind of information which might be of interest to internet users. Examples of information sources are web sites, online databases, news groups, news agencies, search engines, digital libraries, etc. Essentially, they differ in what kind of information they provide, what services they provide and which users they address to.

### Fetching, selecting and delivering relevant information

In order to satisfy the user, three tasks have to be executed: the first two tasks, typically the hardest ones, are (i) fetch information from a heterogeneous set of Web sources, (ii) select from the fetched information the one which is thought to be of interest to the users; and, once the information has been collected, (iii) deliver it to the users, according to their preferences. Delivery preferences should take into account both the delivery medium as well as the delivery time. Examples of delivery medium may be web (this is the usual case for which most of us are familiar with), e-mail, phone, fax (e.g., a user wants to receive stock quotes by phone) - to be delivered at a

## Main Tasks

- Fetch information from sources
- Select relevant information
- Deliver information

certain time, time interval or as soon as the information is made available, or surface mail (e.g., a user wants to receive the proceedings of a conference by surface mail).

## 3. AN OVERVIEW OF THE SYSTEM

In order to cope with all the parameters listed above, and since some needed services are already available on the Internet (in particular, some partners of the project consortium already provide some specific services), rather than building a system from scratch providing all the functionalities, the EUROgatherer service was designed as an *open architecture*: indeed, it is a federation of autonomous services (see Figure 2) distributed over the internet. Each service provides a set of functionalities. It may co-operate with other services and may work independently. The interoperability is guaranteed by relying mainly on a common

- inter-service communication protocol based on HTTP [17]; and
- a common user's profile schema. A user profile essentially describes user's information needs and user's delivery preferences.

The federation of services that form the EUROgatherer system offer the followings:

- (i) advanced feedback users;
- (ii) ad-hoc information;
- (iii) topic-oriented user search topic of interest;
- (iv) scheduled autonomous topic access;
- (v) transparent available database;
- (vi) customized delivery time.

Currently, the EUROgatherer system is implemented by the following services: the EUROgatherer Service (GS), the Web Sources (WS), which are distributed over the Web. Each of the source.




Figure 2: A federated view

- (i) advanced user profiling with the use of relevance feedback for automatically learn the interests of the users;
- (ii) ad-hoc querying, for satisfying a short term information need;
- (iii) topic-on demand, which allows users, profile during a user session, to retrieve documents pertaining to a topic of interest defined in their profile;
- (iv) scheduled topics, to deliver relevant document autonomously at a specific time (time interval or as soon as the systems gathers information relevant to a topic) according to the user preferences;
- (v) transparent access to multiple information sources available over the Internet, like the Web, online databascs and News from News Agencies;
- (vi) customised delivery modalities, defined in terms of the delivery medium to be used (Web, e-mail, SMS) and time (see point (iv)).

- (i) **Gatherer Service (GS):** This service is responsible for collecting HTML pages by spidering a set of predefined sites on the internet. The collected pages are sent to the Pull Service and the Push Service for indexing.
- (ii) **News Service (NS):** This service is responsible for managing the incoming news transmitted by News Agencies. The news are sent to the Push service for indexing.
- (iii) **Wrapper Service (WS):** This service is responsible for retrieving HTML pages by querying several online Web databascs and search engines [5]. The collected pages are sent to the Pull service and the Push Service for indexing. The WS uses the topics of interest defined by the users for automatically select good candidates of information sources to be queried (see [9]).

Therefore, through the GS, NS and the WS Eurogatherer is able to cover almost all information sources available on the Web. The collected Web pages are then indexed and classified by the Pull Service and the Push Service, which are indeed search engines. Both, given a topic of interest, select from their own document base those documents which are thought to be of interest to the user. But, they work in two complementary modes, i.e., pull modality and push modality, respectively:

Currently, the EUROgatherer service architecture is made out by the following services distributed over Europe. In Figure 2, from bottom up, there are three services, i.e., the Gatherer Service (GS), the News Service (NS), and the Wrapper Service (WS), which are responsible for fetching documents from the Web. Each of them is specialised for a certain information source.

- (iv) **Pull Service (PullS):** This is a typical search engine which given a query (expressed by a topic of interest), matches the query against the set of documents of its internal database. The PullS is specialised for managing documents spidered from the Web.
- (v) **Push Service (PushS):** The PushS acts as a filtering engine and is specialised for managing a continuous flow of incoming documents, as it is the case for news. The PushS, matches an incoming document from the NS against all topics of interest. If a document is considered being relevant to a topic (the matching is above a certain threshold), the document is assigned to the topic. Once, a query (topic of interest) is submitted to the PushS, the previous assigned documents are returned.

In summary, the PullS matches a topic against documents, whereas the PushS matches a document against topics (see also [4]). This has an important consequence. In fact, the PushS provides a functionality that cannot be provided by the PullS. In fact, since the PushS matches a document against the topics of interest of the users, the PushS is able to alert a user about the presence of a relevant document as soon as the document is made available.

- (vi) **Profile Service (PS):** This service is responsible for the management (storage, maintenance and retrieval) of the users' profiles.
- (vii) **Delivery Service (DelS):** This service is responsible for notification and delivering of the results to the users according to their delivery preferences. Currently, the notification modes are e-mail and SMS cellular phone messages.

Finally, there are the EUROgatherer User Service and the Dispatcher Service.

- (viii) **EUROgatherer User Service (EGUS):** This service is the main entry point to EUROgatherer. Through an usual Web browser, the users can subscribe to the EUROgatherer services, can log in and can interact with the service. The functionalities offered to each user can be broadly classified as

**User profile management:** these functionalities allow the users to create, modify and inspect their personal profiles stored in the PS.

**Query:** the user may submit queries corresponding to short-term information needs (called ad-hoc query) and inspect their topics of interest, i.e., long-term information needs (called topic on-demand).

**User Feedback:** when results are shown to the users, they can express their feedback, i.e., specifying which retrieved document is relevant and which is not. This information is used by other components of the service architecture to learn a better description of the users' information needs.

Once, an ad-hoc query or a topic on-demand request is submitted by the user through the interface, the request is sent to the Dispatcher Service.

- (ix) **Dispatcher Service (DispS):** This service is responsible for dispatching information requests to the search services, mainly PullS and the PushS. The two lists of ranked documents produced by the PullS and the PushS are submitted to a data fusion process (according to [8]). Once an unique result list has been generated, it is sent either to the DelS or to the EGUS. Additionally, the DispS has a scheduler which allows at user specific time to submit a topic of interest to the PullS and PushS (scheduled-topic).

It is worth noting that there is no limitation in the number of the typology of services that can be added. In particular, several DelSs, PullSs, PushSs, WSs, GSs, NSs may be further considered, as well as new service of different kind may be added (e.g., multilingual access).

#### 4. USER PROFILE MODEL

A prerequisite for developing a personalised search and delivery service is to rely on *user profiles*, i.e., a representation of the topics of interests of any individual user and his delivery preferences.

The model that we defined to represent user profiles relies on the P3P data schema [14], but extends it significantly. In fact, it adopts all data sets and data types proposed by the P3P specification, but in addition a new group of data sets and data types to represent information needed by the EUROgatherer service architecture have been defined. The overall profile schema is sketched out in Figure 3.

The P3P data sets are used to represent the user personal information such as its name, its address, etc.

The EUROgatherer specific data sets represent information concerning:

- (i) delivery preferences (Delivery data set)
- (ii) the description of user's information need (Content data set)
- (iii) The sources (e.g. web sites) where documents should be (or should not be) searched into (Source data set)
- (iv) Relevance feedback actions provided by the user (RF data set).

Topics of interest are represented in the profile by means of the EGTopic data set. Each user profile may contain a set of topics of interest. Each topic has a name and a unique identifier (different users may have topics with the same name; however the topic identifier is unique). For each topic, preferences corresponding to (i), (ii), (iii), and (iv) can be expressed.

The *Delivery data set* stores information about the delivery modality to be used when a certain document is judged to be relevant to the corresponding topic. In particular it contains preferences about the device to be used (i.e. e-mail, SMS), and the destination (e.g. the phone number, the e-mail address). The *Delivery data set* contains also information about the time when the user wants to be notified (e.g. every morning at 9.00 am. or as soon as possible). In addition some information to keep track

of which documents (Res-Management)

The *Content* information content by a predefined category hierarchy refine the category indicated by its category "sport" Ferrari, McLaren EUROgatherer predefined and category an identifier extended working

The *Source* lists of URLs. The list of URL that documents for the deny-list that considered to corresponding to want to receive to reject documents

The *RF data* user feedback data maintains all action document and a keywords to be EUROgatherer service update the "Keyw

5

To date, several personalised search personalisation engines like Alta




Figure 3: User's profile schema

of which documents have been seen by the user is provided (Res-Management data set).

The *Content data set* contains the description of the information content to be of interest. A topic may be described by a predefined category chosen from the EUROgatherer category hierarchy and a set of user specified keywords used to refine the category. For instance, the topic of interest of a user indicated by it with "Formula one" can be defined using the category "sport" and adding keywords like "Formula one, Ferrari, McLaren, etc.". It should be noted that the EUROgatherer service architecture currently relies on a predefined and common category hierarchy, where to each category an identifier is associated. The system may be easily extended working without the common category hierarchy.

The *Source data set* allows a user to specify two optional lists of URLs. The first one is the allow-list that contains the list of URL that should be used to search for interesting documents for the corresponding topic. The second one is the deny-list that contains the list of URL that should not be considered to search for documents relevant to the corresponding topic. For instance, for the topic "Java" one may want to receive documents originated in the SUN Web site and to reject documents originated in the Microsoft Web site.

The *RF data set* records for each topic of interest available user feedback data. It contains an attribute "Action" which maintains all actions performed by the user on a proposed document and a "Keywords" attribute that contains weighted keywords to be added to the ones specified by the user. EUROgatherer services, analysing the list of user actions, may update the "Keywords" attribute to refine the user profile.

## 5. RELATED SERVICES

To date, several search engines offers some form of personalised search. In this section we will describe the kind of personalisation offered in world wide and well known search engines like Altavista [1], Yahoo [18], Excite [7] and Infoseek

[10]. Certainly, there are many others, but we believe that the above are good candidates in showing what is going on about personalised content-based search.

Curiously, apart the differences concerning the different ways a user can personalise the layout of the to be displayed information, all the above search engines have a common characteristics:

1. a user may define different topics of interest
2. each topic is defined in terms of a category selected among the ones of the categorisation scheme of the search engine
3. for each topic, the result-on demand functionality is provided, i.e., by clicking on the topic name, a query is build from the topic and submitted to the search engine and the (pulled) result is displayed (this corresponds to the activity of the Pull Service in EUROgatherer).

It is immediate to verify that w.r.t. EUROgatherer

1. typically, no additional keywords are allowed to be specified for further topic refinement
2. no relevance feedback is managed (mark documents as "don't show me it next time", "relevant", "not relevant", "seen")
3. no scheduled delivery of documents relevant to a topic is provided. An exception is Yahoo which allows to specify some refresh rate (15, 20, 25, 30, ... Min) of the Web page showing the content of a topic.
4. no alerting service is provided (Push Service's functionality). As a consequence, the "delivery relevant information as soon as it has been gathered" functionality cannot be provided. An exception is Altavista which provides a week alerting service of the type "alert when you've got mail or your favourite stock moves" (a PC program should run on the client, for a continuous connection to the server)

5. information delivery is based on the Web browser only.

## 6. CONCLUSIONS

Undoubtedly, to rely on a personalised gathering and delivering service is an emerging need of most user's seeking on the Internet for information. We have presented the EUROgatherer service architecture which would help such users. Indeed the EUROgatherer service architecture (i) allows advanced user profiling; (ii) accesses multiple information sources available over the Internet; (iii) has customised delivery modalities defined in terms of the delivery medium (Web, e-mail, SMS) and defined in terms of the delivery time (at a specific time, timed interval, as soon as possible).

Moreover, besides offering all the above features, from a architectural point of view, we point out that the EUROgatherer service architecture is made out of a pool of standalone, and autonomous services, each offering specific functionalities. This allows it to be easily extended with other services, compliant to the common user profile model and the inter-communication protocol based on http making it a through appealing.

Though EUROgatherer, as outcome of an EU project, is a prototype, it offers several interesting functionalities. Most of them and the experience gained through the project have already be transferred by the commercial partners of the project into their products.

## 7. APPENDIX

The following is the complete list of the partners involved in the EUROgatherer project:

1. I.E.I. - C.N.R. (Istituto di Elaborazione della Informazione, Consiglio Nazionale delle Ricerche). Pisa, ITALY. Research Institute.
2. Italia OnLine. Pisa, ITALY. Internet Service Provider.
3. XEROX Research Center Europe. Grenoble, France.
4. Eurospider Information Technology AG. Zurich, Switzerland. Commercialise an in home build information retrieval system and Internet services
5. XarXa Cinet SL. Barcelona, Spain. Internet Service Provider.
6. University of Dortmund. Dortmund, Germany.
7. Dublin City University. Dublin, Ireland.

## 8. REFERENCES

1. Amato, G. and Straccia, U. User Profile Modeling and its Application to Digital Libraries. Proceedings of the Third European Conference on Research and Advanced Technology for Digital Libraries, LNCS 1696, pp. 184-197, 1999.
2. ACM Digital Library Home Page: <http://www.acm.org/dl>.
3. Altavista Search Engine Home Page: <http://www.altavista.com>
4. Nicholas J. Belkin and W. Bruce Croft. Information Filtering and Information Retrieval: Two Sides of the

5. Same Coin? In Communication of the ACM. December 1992, Vol 35, No. 12, pp. 29-38.
5. Boris Chidlovskii, Uwe M. Borghoff and Pierre-Yves Chevalier. Towards Sophisticated Wrapping of Web-based Information Repositories. In Proc. 5 th Int'l RIAO Conf., Montreal, Canada. June 25-27, 1997, pp. 123-135.
6. EUROgatherer. Telematics Information Engineering Project Number 8011". Home Page: <http://pc-crato2.iei.pi.cnr.it/eurogatherer/>. Access to the Service is also provided.
7. Excite Search Engine Home Page: <http://www.excite.com>
8. J. Lee. Analyses of Multiple Evidence Combination. In *Proceedings of the 20th Annual International ACM/SIGIR Conference*. 267 - 276. Philadelphia, USA, 1997.
9. Norbert Fuhr. A decision-theoretic approach to database selection in networked IR. *ACM Transactions on Information Systems*, 17, 1997.
10. Infoseek Search Engine Home Page: <http://www.infoseek.com>
11. Medline Home Page: <http://igm.nlm.nih.gov>.
12. Networked Computer Science Technical Reference Library Home Page: <http://www.ncstrl.org>.
13. Peter W. Foltz and Susan T. Dumais. Personalized Information Delivery: An Analysis of Information Filtering Methods. In Communication of the ACM. December 1992, Vol 35, No. 12, pp. 51-60.
14. P3P Home Page: <http://www.w3.org/P3P/>
15. Gerard Salton and J. Michael McGill. Introduction to Modern Information Retrieval. Addison Wesley Publ. Co., Reading, Massachusetts, 1989
16. S S L description: <http://home.netscape.com/products/security/ssl/protocol.html>
17. HTTP protocol: <http://www.w3.org/Protocols/>
18. Yahoo Search Engine Home Page: <http://www.yahoo.com>

MediMedia is an ' by the European integrating multi- large, federated In been achieved b technologies, first operation of sever search engine, int order to allow the anywhere in the shopping" query p system architectur relevance of Inter projects integratio content creation a the retrieval of i discussed with p databases.

Keywords: datab. XML, medical im

## 1. INTRO

Medical imaging [20], indeed, mos of different type patient care pro physicians, speci access, manage a pathology. Even both pathologica while developin specialization nec high specializati development of amounts of high specialized data clinical data. For data related to ea health care pr epidemiological numerous of hig information.

All the people in medical research

**Copyright and Reprint Permission:** Abstracting is permitted with credit to the source. Libraries are permitted to photocopy for private use. Instructors are permitted to photocopy for private use isolated articles for non-commercial classroom use without fee. For other copy, reprint, or republication permission, write to IIS Copyright Manager, 14269 Lord Barclay Dr., Orlando, FL 32837, USA.  
All rights reserved. Copyright 2000 © by the International Institute of Informatics and Systemics.

ISBN 980-07-6693-6



## PROGRAM COMMITTEE

Chairman: Prof. William Lesso (USA)

### Invited Sessions Organizers

Adamchik, Victor (USA)  
Agrawal, Dharma (USA)  
Allanson, Jen (UK)  
Andina de la Fuente, Diego (Spain)  
Arndt, Timothy (USA)  
Aveledo, Marianella (Venezuela)  
Aziz, Souhli (France)  
Barros Justo, José Luis (Spain)  
Begovic, Miroslav (USA)  
Bellahsene, Zohra (France)  
Bemley, Jesse (USA)  
Benedicenti, Luigi (Canada)  
Bordetsky, Alex (USA)  
Branco, Paulo Costa (Portugal)  
Bruzzone, Agostino (Italy)  
Cockburn, Alistair (USA)  
Crozat, Stephane (France)  
Cuthbert, Laurie (UK)  
Chen, Colin (USA)  
Cheng, Edward (USA)  
Cherif, Adel (Japan)  
David, Amos (France)  
Dillon, Tharam (Australia)  
Doepp, Manfred (Austria)  
Dudeck, Joachim W. (Japan)  
Eiji, Nakano (Japan)  
Erkmen, Ismet (Turkey)  
Erkollar, Alptekin (Austria)  
Feng, Ling (Netherlands)  
Fijani, Amir (USA)  
Ferri, Francesco J. (Spain)  
Freeman, Walter J. (USA)  
Fujita, Masahiro (Japan)  
Funabiki, Nobuo (Japan)  
Genero, Marcela (Spain)  
Gershman, Alex B. (Canada)  
Gutierrez, Rafael S. (USA)  
Hammell II, Robert J. (USA)  
Holmes, Donald (USA)  
Hu, Jiankun (Australia)  
Huber, Reinhold (Germany)  
Iglesias F., Carlos A. (Spain)  
Isern, Geminal (Venezuela)  
Izquierdo, Ebroul (UK)  
Juric, Matjaz B. (Slovenia)  
Kazemian, Hassan B. (UK)  
Kharatishvili, Guram (Georgia)  
Khenchaf, Ali (France)  
Kiguchi, Kazuo (Japan)  
Klovsky, Daniel (Russia)  
Kozma, Robert (USA)  
Kraiem, Naoufel (Tunisia)  
Kudo, Mineichi (Japan)  
Kurihara, Yukio (Japan)  
Labidi, Sofiane (Brazil)  
Lam, Kai Pui (Hong Kong)  
Laroussi, Bouguila (Japan)  
Lee, Dong-Ik (Korea)  
Lee, Jong Kun (Korea)  
Lombardo, Pierfrancesco (Italy)  
Loutfi, Mohamed (UK)  
Martinez Ramon, Manuel (France)  
Mayr, Heinrich C. (Austria)  
Millan, Thierry (France)  
Moreira, Joao (Austria)  
Murai, Tetsuya (Japan)  
Nada, Nader (USA)  
Nishida, Shogo (Japan)  
Novosel, Damir (USA)  
Norcio, Anthony (USA)  
Patel, Ahmed (Ireland)  
Perez Diaz, Arturo (Spain)  
Norcio, Anthony (USA)  
Pham, Tuan (Australia)  
Piattini, Mario (Spain)  
Rachera, Gopal (USA)  
Rashid, Awais (UK)  
Richard, Paul (France)  
Roan, Jinshyang (Taiwan)  
Rogozan, Alexandrina (France)  
Sancho, José Luis (Spain)  
Sankar, Ravi (USA)  
Shi, Yuhui (USA)  
Simen, Francis Yakam (France)  
Soriano, Miquel (Spain)  
Suarez, Alvaro (Spain)  
Succi, Giancarlo (Canada)  
Suehiro, Naoki (Japan)  
Tadj, Chakib (Canada)  
Tiako, Pierre F. (France)  
Tharam Dillon (Australia)  
Will, Hart (Canada)  
Wolfmann, Jacques (France)  
Wong, Kainam Thomas (Hong Kong)  
Yu, Kai-Bor (USA)  
Yuan, Dongfeng (China)  
Zurera, Manuel Rosa (Spain)

## Other PC Members

- Abi-Raad, M ( Australia )  
 Abolfazlian, K. ( Denmark )  
 Aguilar, José ( Venezuela )  
 Al-Qaimari, G. ( Australia )  
 Albanese, A. ( USA )  
 Albarran, Mario ( USA )  
 Alegria, Mario ( Italy )  
 Andonian, Greg ( Canada )  
 Artemis, G-H. ( Greece )  
 Atkinson-A., J. ( Chile )  
 Aveledo, M. ( Venezuela )  
 Aydin, Emin D. ( Turkey )  
 Barkaoui, K. ( France )  
 Barroso, C. ( Brazil )  
 Behar, P.A. ( Brazil )  
 Belkhatir, N. ( France )  
 Benzekri, A. ( France )  
 Boquete, L. ( Spain )  
 Botelho, Luis ( Portugal )  
 Bouras, Abdelaziz ( France )  
 Carvalho, J ( Portugal )  
 Cernuzzi, L ( Paraguay )  
 Cherif, Adel ( Japan )  
 Chiang, C. ( USA )  
 Cohen, Eli ( USA )  
 Coutinho, M. ( USA )  
 Crawfis, R. ( USA )  
 Cubero, J. ( Spain )  
 DeMichielli, R. ( USA )  
 Di Martino, B. ( Italy )  
 Diaz, G. ( France )  
 Drakunov, S. V. ( USA )  
 Druzdzeli, M. ( USA )  
 Dubois, D. ( Belgium )  
 Dumdund, UR. ( USA )  
 Elomaa, T. ( Finland )  
 Erosa, M ( Mexico )  
 Fernandez, Jorge ( USA )  
 Freilicot, C. ( France )  
 Frias, M. F. ( Brazil )  
 Fulantelli, G. ( Italy )  
 Galal, A. ( Egypt )  
 Ge, S. ( Singapore )  
 Gian, P. ( Italy )  
 Girardi, R. ( Uruguay )  
 Glanville, R. ( England )  
 Goldman, C. ( Israel )  
 González, C. ( Venezuela )  
 Gordillo, F. ( Spain )  
 Gordon, T. ( Germany )  
 Gori, M. ( Italy )  
 Granja A., J. C. ( Spain )  
 Grigoris, A. ( Australia )  
 Guvenir, A. H. ( Turkey )  
 Hamid, A. ( USA )  
 Herrera, F. ( Spain )  
 Heudin, J.C. ( France )  
 Hiong N. Anne Hee ( USA )  
 Ho, J. ( USA )  
 Horiuchi, Y. ( Japan )  
 Horvath, L. ( Hungary )  
 Hurlley, P. ( USA )  
 Husein, T. ( UK )  
 Hwang, Y. ( Taiwan )  
 Ibnkahla, M. ( France )  
 Jacomet, M. ( Switzerland )  
 Jarzabek, S. ( Singapore )  
 Kabanza, F. ( Canada )  
 Kasabov, N. ( New Zealand )  
 Kohout, L. ( USA )  
 Kribbe, W. ( Holland )  
 Kroell, C. ( Germany )  
 Kundu, S. ( USA )  
 Kutti, S. ( Australia )  
 Lara, F. ( Mexico )  
 Laurent, H. ( France )  
 Lee, I. ( Korea )  
 Lee, S. -Y. ( Korea )  
 Lee, Te-Won ( USA )  
 Lee-Kwang, Hyung ( Korea )  
 Lefevre, T ( Thailand )  
 Leonardis, A. ( Slovenia )  
 Li, J. ( USA )  
 Likothanassis, S. ( Greece )  
 Losavio, F. ( Venezuela )  
 Luzeaux, D. ( France )  
 Maciaszek, L. ( Australia )  
 Mammeri, Z. ( France )  
 Martens, R. ( Belgium )  
 MartinVide, C. ( Spain )  
 Masatake, S. ( Japan )  
 Mathur, A. ( USA )  
 Matsuura, T. ( Japan )  
 Mazure, B. ( France )  
 Megalooikonomou, V. ( USA )  
 Minai, A. ( USA )  
 Mordeson, J. ( USA )  
 Mosterman, P. ( Germany )  
 Nada, N. ( USA )  
 Naranjo, M. ( France )  
 Ng, P. ( USA )  
 Nyongesa, H. ( United Kingdom )  
 Ogier, J.c ( France )  
 Okada, Minoru ( Japan )  
 Pandzio, I. ( China )  
 Parul, S. ( India )  
 Pascal, L. ( France )  
 Pessoa, L. ( Brazil )  
 Phua, Ka. ( Singapore )  
 Ponomarev, D. ( Russia )  
 Pons, A. ( Canada )  
 Prueitt, P. ( USA )  
 Quaresma, Paulo ( Portugal )  
 Rahanu, Harjinder ( UK )  
 Ralf, S. ( Switzerland )  
 Raman, A. ( USA )  
 Ramaswamy, S. ( USA )  
 Randrup, A. ( Denmark )  
 Resteanu, C. ( Romania )  
 Roko, K. ( USA )  
 Ron, S. ( USA )  
 Rytter, W. ( Poland )  
 Saksonov, E. ( Russia )  
 Sala, D. ( USA )  
 Sanderson, M. ( USA )  
 Sanderson, M. ( USA )  
 Savolainen, V. ( Finland )  
 Schartz, David. ( Israel )  
 Selcuk, C. ( USA )  
 Shankle, W. ( USA )  
 Shen, W. ( Canada )  
 Shih, T. ( Taiwan )  
 Siv, F. ( Sweden )  
 Smith, M. ( Canada )  
 Sobh, T. ( USA )  
 Spenceley, S. ( Australia )  
 Sum, J. ( Kong Kong )  
 Suttner, C. ( Germany )  
 Takahashi, S. ( Colombia )  
 Takeda, F. ( Japan )  
 Takizawa, M. ( Japan )  
 Talia, D. ( Italy )  
 Tastie, W. ( USA )  
 Tezak, O. ( Slovenia )  
 Thawonmas, R. ( Japan )  
 Tianruo, Y. ( Sweden )  
 Tjhie, D. ( Canada )  
 Torra, V. ( Spain )  
 Toutain, F. ( France )  
 Van Solingen, R. ( USA )  
 Vasilakos, T. ( Greece )  
 Vityaev, E. ( Russia )  
 Wai, Lam ( Hong Kong )  
 Walker, E. ( USA )  
 Wang, J. ( Hong Kong )  
 Welzer, T. ( Slovenia )  
 Wermter, S. ( United Kingdom )  
 Wills, E. ( Venezuela )  
 Won, Y. ( USA )  
 Woodcock, A. ( United Kingdom )  
 Wrycza, S. ( Poland )  
 Wu, H. ( USA )  
 Xia, F. ( Macau )  
 Xiaoping, Jia ( USA )  
 Yang, J. ( USA )  
 Yasser, E. ( Egypt )  
 Zadeh, J. ( USA )  
 Zahariadis, T. ( Greece )  
 Zaliwski, A. ( Poland )  
 Zboril, F. ( Czech Republic )  
 Zeadally, S. ( USA )  
 Zeeuw, G. ( Holland )  
 Zhang, C. ( Canada )  
 Zheng, J. ( Australia )  
 Zhu, G. ( Singapore )  
 Zoltan, C. ( Venezuela )  
 Aboelela, E.  
 Adami, And  
 Adel, Cheril  
 Ajmone Ma  
 Akiyama, Y  
 Akoumianal  
 Alaya Cheik  
 Almeida Lir  
 Altun, Arif  
 Amann, Ber  
 Amer, Aishy  
 Andersen, T  
 Antani, Sam  
 Arabnia, Ha  
 Aracil, Javi  
 Arato, Peter  
 Arieli, Ofer  
 Arlitt, Marti  
 Arora, Raja  
 Arteaga Pér  
 Arts, Thom  
 Aziz, Soulh  
 Baggia, Pao  
 Barabanov,  
 Baran, Benj  
 Barbour, Al  
 Bartoli, Jac  
 Baboşlu, N  
 Batos, Vedr  
 Baumgartne  
 Belo, Orlan  
 Ben Dhaou,  
 Bergerman,  
 Beritelli, Fr  
 Berler, Alex  
 Bernardo, L  
 Berndtsson,  
 Bischof, Ho  
 Black, Paul  
 Boissiere, G  
 Bomarius, F  
 Boquete, Lu  
 Botelho, Lu  
 Brasileiro, F  
 Breedvelt, H  
 Bruin, D.D.  
 Burhard, H  
 Burian, Adr  
 Cai, Ning Q

Hulicki, Zbignieww (Poland)  
 Hulin, Martin (Germany)  
 Husar, Peter (Germany)  
 Huw, Oliver  
 Imae, Joe (Japan)  
 Impagliazzo, Leonardo (Italy)  
 Janczura, Chris (Australia)  
 Janousek, Vladimir (Czech Republic)  
 Jautzy, Olivier  
 Johnson, John (USA)  
 Jolion, Jean-Michel (France)  
 Juergen, Branke (Germany)  
 Kaaniche, Mohamed (France)  
 Kabiri, Peyman (UK)  
 Kalpic, Damir (Croatia)  
 Kamata, Hiroyuki (Japan)  
 Kang Hoh, Phua (Singapore)  
 Kankanhalli, Mohan (Singapore)  
 Kasemian, Hassan B (UK)  
 Kawahara, Hideki (Japan)  
 Kawarazaki, Noriyuki (Japan)  
 Keong, Ng Wee (Singapore)  
 Keravnou-Papaeliou, Elpida (Cyprus)  
 Khanbaghi, Maryam (Canada)  
 Kim, Sam Myo (Korea)  
 Komosinski, Maciej (Poland)  
 Krishnan, Paddy (New Zealand)  
 Kuhns, Fred  
 Kuo, Chin-Haw  
 Kusumoto, Shinji (Japan)  
 Lam, Wai (Hong Kong)  
 Lara R, Domingo (Mexico)  
 Larin, Vladimir (Ukraine)  
 Lamac, Mireille (France)  
 Lee, Hyo Jong  
 Lee, Lyndon (UK)  
 Lee, Richard  
 Leger, Alain (France)  
 Leonardis, Ales (Singapore)  
 Lien, Yao-Nan (Taiwan)  
 Likothanassis, Spiros (Greece)  
 Lima, Pedro (Portugal)  
 Lin, Ming  
 Liou, Jing-Chiou  
 Liu, Alan (Taiwan)  
 Lopes de Souza, Paulo (Brazil)  
 Lorenz, Pascal (France)  
 Loukas, Nikos (Greece)  
 Lundin, Fred J (Sweden)  
 Luo, Yupin (China)  
 Luzeaux, Dominique (France)  
 Maierhofer, Martin (UK)  
 Mämmelä, Aarne (Finland)  
 Man Lap, Chung (Hong Kong)  
 Manrer, Calvin (USA)  
 Marconi, Lorenzo (Italy)  
 Mareels, Iven (Australia)  
 Masahiro, Hiji (Japan)  
 Matsuura, Takenobu (Japan)  
 Maurer, Calvin  
 McLeod, Chris (UK)  
 Messa, Kenneth (USA)  
 Metter, Jeffrey  
 Michelucci, Dominique (France)  
 Mika, Sato-Ilic (Japan)  
 Milic, Ljiljana (Yugoslavia)  
 Mitobe, Kazutaka (Japan)  
 Moerkotte, Guido (Germany)  
 Monteiro, Edmundo (Portugal)  
 Mordes  
 Mordeson, John  
 Morimoto, Yasuhiko (Japan)  
 Mosterman, Peter (Australia)  
 Mullery, Geoff  
 Munack, Axel (Germany)  
 Nakajima, Tatsuo (Japan)  
 Neagu, Gabriel (Romania)  
 Nesi, Paolo (Italy)  
 Newby, Gregory (USA)  
 Newsome, Mark  
 Nguyen, Hung (Australia)  
 Nguyen, X.T. (Australia)  
 Nindholt, Anton (Netherlands)  
 Nordström, Kjell (Sweden)  
 Ohya, Akihisa (Japan)  
 Omologo, Maurizio (Italy)  
 Oonincx, Patrick J. (Netherlands)  
 Orth, W (Germany)  
 Osborn, Tom (Australia)  
 Paek, Yunheung (Korea)  
 Palm, Rainer (Germany)  
 Pavlidou, Niovi (Greece)  
 Perkowski, Marek (Portugal)  
 Petrou, Maria (UK)  
 Pham, Tuan (Australia)  
 Pietrobon, Steven S. (Australia)  
 Pin, Ooi Boon (Singapore)  
 Ping, Gan Boon (Singapore)  
 Pinto, Augusto Cesar (Brazil)  
 Polani, Daniel (Germany)  
 Potter, Don  
 Prakash, S.R. (India)  
 Puyul-Gruart, Josep (Spain)  
 Qi, Hairong  
 Qusay, H Mahmoud (Canada)  
 Ramakrishnan, Sita (Australia)  
 Raymond, N.G. (Hong Kong)  
 Reiter, Heinrich  
 Reza, Khorramshahgol  
 Richard, Paul (France)  
 Rihar, Marjan (Singapore)  
 Rittberger, Marc (Germany)  
 Rohr, Karl (Germany)  
 Romanczuk, Annya (France)  
 Roszkowska, Elzbieta (Poland)  
 Rybinski, Henryk (Poland)  
 Ryszard, Kowalczyk (USA)  
 Sahan, Sorina (Romania)  
 Santos del Riego, A. (Spain)  
 Santos, Rafael (Brazil)  
 Sarty, Gord (Canada)  
 Savolainen, Vesa (Finland)  
 Savorski, Victor (Russia)  
 Sawada, Hiroshi (Japan)  
 Schwartz, Alan  
 Schwartz, David (Israel)  
 Seckin, Gamze  
 Seetharaman, Aparna  
 Shalvi, Doron  
 Sharma, Gaurav  
 Shih, Timothy (Taiwan)  
 Sokolsky, Oleg  
 Solaiman, Bassel (France)  
 Stempokovsky, Alexander (Russia)  
 Sterian, Andrew  
 Steyer, Jean Philippe (France)  
 Sties, Manfred (Germany)  
 Suarez Sarmiento, Alvaro (Spain)  
 Suguri, Hiroki (Japan)  
 Sum, John (Hong Kong)  
 Sun, Koun Tem (Taiwan)  
 Sun, Ron (USA)  
 Surma, Jerzy (Poland)  
 Syed, Mahbub  
 Szabolcsi, Róbert (Hungary)  
 Szulman, Sylvie (France)  
 Tenreiro Machado, J.A. (Portugal)  
 Teraoka, Furnio (Japan)  
 Thaden, Larry  
 Thaden, Lawrence  
 Todd, Wareham (Canada)  
 Torrens, Francisco (Spain)  
 Torres, Luis (Spain)  
 Tronci, Enrico (Italy)  
 Tsakalis, Kostas  
 Tsukiyama, Shuji (Japan)  
 Ubar, Raimund (Estonia)  
 Usai, Elio (Italy)  
 Van de Walle, Rik (Belgium)  
 Venturini, Gilles (France)  
 Vuik, Kees (Netherlands)  
 Wang, Yanying  
 Wclam, Stephen (Hong Kong)  
 Wen, Jyh-Hong (Taiwan)  
 Westphall, Carlos B. (Brazil)  
 Will, Matthias O. (Germany)  
 Wong, Tom (Croatia)  
 Worring, Marcel (Netherlands)  
 Xi, Hongwei  
 Yahara, Taishi (Japan)  
 Yahya, Adnan  
 Yehia, Ramzi Riad  
 Yu, Weihai (Norway)  
 Zahan, Sorina (Romania)  
 Zara, Jiri (Czech Republic)  
 Zárate, L.E. (Brazil)  
 Zboril, Frantisek (Czech Republic)  
 Zecevic, Aleksandar  
 Zhang, Rongjun  
 Zhiying, Zhou (China)  
 Zhou, Duan Ning (Hong Kong)  
 Zoubir, Mammeri (France)

- WOSC and Cyl
- The Ce
- System:
- Society
- Sloveni
- Simon I
- Polish S
- Italian S
- ISSS: L
- Science
- ISI: The (USA)
- IEEE/L



## ACADEMIC AND SCIENTIFIC CO-SPONSORS

- WOSC: World Organization on Systemics and Cybernetics (France)
- The Centre for Systems Studies (UK)
- Systems Society of Poland
- Society Applied Systems Research (Canada)
- Slovenian Artificial Intelligence Society
- Simon Bolivar University (Venezuela)
- Polish System Society (Poland)
- Italian Society of Systemics
- ISSS: International Society for the Systems Sciences (USA)
- ISI: The International Systems Institute (USA)
- IEEE/Latin-America
- IFSR: International Federation of Systems Research (Austria/USA)
- IEEE Computer Society (Chapter: Venezuela)
- Cybernetics and Human Knowing: A Journal of Second Order Cybernetics and Cybersemiotics (Denmark)
- CUST, Engineer Science Institute of the Blaise Pascal University (France)
- Concurrency and Architecture Group, the Telematics Engineering Department of The University of Las Palmas of Gran Canaria, Spain.
- The Tunisian Scientific Society (Tunisia)

### HONORARY PRESIDENTS

Bela Banathy  
Stafford Beer  
George Klir

### PROGRAM COMMITTEE CHAIR

William Lesso

### GENERAL CHAIR

Nagib Callaos

### ORGANIZING COMMITTEE CHAIR

Belkis Sanchez

### PROCEEDINGS PRODUCTION PROCESS CHAIRS

María Sánchez  
Juan Manuel Pineda