

Mathematics and Visualization

Series Editors

Gerald Farin
Hans-Christian Hege
David Hoffman
Christopher R. Johnson
Konrad Polthier
Martin Rumpf

Leila De Floriani
Michela Spagnuolo

Editors

Shape Analysis and Structuring

With 156 Figures, 29 in Color and 7 Tables

 Springer

Leila De Floriani
Department of Computer
and Information Sciences (DISI)
University of Genova
Via Dodecaneso, 35
16146 Genova, Italy
deflo@disi.unige.it

Michela Spagnuolo
Istituto per la Matematica Applicata
e le Tecnologie Informatiche
Consiglio Nazionale delle Ricerche
Via De Marini, 6
16149 Genova, Italy
spagnuolo@ge.imati.cnr.it

and

Department of Computer Science
University of Maryland
College Park, MD 20740, USA

ISBN 978-3-540-33264-0

e-ISBN 978-3-540-33265-7

Springer Series in Mathematics and Visualization ISSN 1612-3786

Library of Congress Control Number: 2007935447

Mathematics Subject Classification Numbers (2000): 68U05, 68U07, 65D18, 65D17

© 2008 Springer-Verlag Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover image: Gershon Elber, TECHNION, Israel

Cover design: WMX Design GmbH, Heidelberg

Printed on acid-free paper.

9 8 7 6 5 4 3 2 1

springer.com

1 Introduction

The idea of composing this book arose from the desire to enrich and systematise the extensive state-of-the-art studies that were carried out within the framework of AIM@SHAPE, a Network of Excellence funded by European Commission under the FP6-IST ¹. The main goal of the network is to develop new methodologies for modelling and processing knowledge embedded in digital *shapes*.

Current approaches to modelling are focused on the geometry of shapes, while their semantics, e.g., meaning or functionality in a given context, is still overlooked. This is partly due to the lack of methods for the automatic extraction of the semantic content from digital shapes, known as the process of *semantic annotation* in research areas related to the development of the Semantic Web, and partly to the evolution of research on shape modelling which in the past years was highly focused on the geometric aspects of shapes. The shift from a purely geometric to a semantic-aware level of representation of digital shapes is the ultimate scientific objective of AIM@SHAPE.

In this scenario, a crucial role is played by geometry processing methods that are aimed to *preserve and enhance shape information* as well as to effectively *capture the structure of a shape* by identifying relevant shape components and their mutual relationships. Each chapter of the book provides a detailed state-of-the-art review on a specific topic, which is crucial for shape analysis and structuring, contains a classification of the techniques developed in the area, and discusses open problems.

Structural analysis play a fundamental role in the automatic extraction of semantic information. While shapes are fully characterized by a specific geometry, shape information is treated differently by the human brain with respect to several other forms of information. At a geometric level, a digital shape is a computational structure which defines a geometric representation. Different types of geometric models can be used to describe the same object. Examples are polygons, surface models (e.g., splines, NURBS surfaces), or solid models (e.g., triangle or tetrahedral meshes, boundary representations, constructive volumetric representations). The structural level in the representation is reached by organizing geometric information to reflect, or make explicit, the association between the various components of the shape. A structural description is the basis for developing semantic-based shape representations, since it abstracts from the low-level, detailed, description provided by a geometric model.

Several techniques have been developed in the literature for processing different aspects of the geometry of shapes, in particular shape interrogation and re-meshing techniques enhance a shape description with information which can be effectively used to attach semantics to the shape. *Shape interrogation* is the process of extracting information from a geometric model. Geometric models need to be analyzed with respect to different aspects, such as visual pleasantness, technical smoothing, geometric constraints, or surface intrinsic properties. The various methods devel-

¹ AIM@SHAPE, <http://www.aimatshape.net>

oped in the literature are used to detect surface imperfections, to analyze shapes, or to visualize different forms. Such methods are reviewed in *Chapter one*.

Re-meshing is often used for efficient shape approximation, and it consists of repartitioning a set of primitives so that they best fit the original shape. Re-meshing preserves the shape, in the sense that it still approximates the shape after re-meshing, and it can be designed to enhance the shape. Every shape feature is locally fit with a primitive that minimally characterizes the shape. In addition, some recent re-meshing techniques operate through a careful analysis based on multi-scale discrete differential geometry so as to estimate the main (and detailed) axis of symmetry of the shape. The shape is, thus, locally classified as spherical, parabolic, elliptic, and hyperbolic in order to drive the re-meshing process. Such classification may be also used for shape enhancement. *Chapter two* presents a survey on re-meshing techniques.

A first way of structuring shape information is provided by those techniques that organize a geometric shape description defined by a function, by a mesh, or by a set of points into a representation of the shape at different levels of resolutions, from which concise and adaptive shape descriptions can be extracted. This topic has received considerable attention in recent years in many fields of computer graphics, geometric modelling and visualization, and numerous research efforts have been devoted to it. This book contains two chapters on focused on multi-resolution analysis, and the other on subdivision surfaces.

Multi-resolution analysis provides a powerful tool for efficiently representing functions at multiple levels of detail. Herein, a complex function is decomposed into a coarser low-resolution part, together with a collection of detail coefficients, necessary to recover the original function. Multi-resolution analysis has many inherent advantages, including compression, progressive transmission, visualization and editing at different levels of detail. An overview of methods for multi-resolution analysis is presented in *Chapter three*.

Subdivision surfaces define the basis for generating a smooth surface from a coarse mesh, and, thus, they have been extensively used in geometric modeling for creating, editing and transmitting a shape. The surface is defined by the initial coarse mesh plus a subdivision scheme to progressively subdivide the mesh by inserting new vertices and connecting them to the edges and faces until a smooth surface is obtained in the limit. *Chapter four* contains a review of surface subdivision schemes and their application in geometric modeling.

The third part of the book is devoted to structural shape representations. In the above framework, many research efforts have been devoted to study concise, structural representations of a shape based on *skeletal structures*, such as the medial axis, or the Reeb graph. Skeletal structures provide an abstract shape representation by idealized lines that retain the connectivity of the original shape. In advanced fields, such as virtual human modeling, available modeling tools to represent structured geometry focus on adding a skeleton to the 3D geometry in order to animate it and provide different degrees of realism. A survey of different skeletal structures is presented in *Chapter five*.

Another class of structural representations is provided by *morphology-based descriptions for scalar and vector fields*. There has been a considerable amount of work

in the literature on extracting critical features (point, integral lines, etc.) from two-dimensional scalar fields describing grey-level images and terrains, and, more recently, some work has been done on volume data on extracting critical features and for representing the topological structure of the field iso-surfaces. A survey of morphological representations for two-dimensional and three-dimensional scalar fields is presented in *Chapter six*.

Topological methods based on features, like critical points or separatrix lines, have also been applied for the analysis of vector fields. The basic idea is to use such features for segmenting the flow into areas of different flow behaviour, and use this as a tool for understanding complex phenomena described by the vector fields. After introducing topological features for two-dimensional and three-dimensional vector fields, *Chapter seven* presents a survey of methods for extracting topological features from vector fields and using them as visualization tools for complex flow phenomena, represented both as static and dynamic fields. Applications of topological methods for compressing, simplifying, comparing, and constructing vector fields are also discussed.

The last part of the book, namely *Chapter eight*, provides a review on the use of structural data for modelling shapes with a high semantic characterization, e.g., *virtual humans*. In this case, the structural model, called the *control skeleton*, has by itself a specific role in the evaluation of the many different shapes associated with all the possible postures that the body model can reach. The first part of the Chapter discusses the control articulated skeleton structure and different approaches to build skeletons and bind it to the shape geometry. The second part addresses the generation of level-of-detail models for virtual humans, in terms of the geometry and of the articulated skeleton.

We would like to acknowledge the work of all the authors of the various chapters in this book, that contributed with their expertise and energy to assemble a substantial part of state-of-the-art reports on a variety of interesting topics. Our special thanks go to Bianca Falcidieno, the coordinator of the AIM@SHAPE Network of Excellence, for her enthusiasm and support in this work and for having inspired much of the motivations of this collection, and to all partners in AIM@SHAPE. Many people contributed to the preparation of the book, and we would like to thank specifically Emanuele Danovaro for his invaluable help in editing and preparation.

Finally, we would like to acknowledge the support of the European Network of Excellence AIM@SHAPE, contract number 506766.

Contents

1	Introduction	V
Shape Interrogation		
<i>Stefanie Hahmann, Alexander Belyaev, Laurent Busé, Gershon Elber,</i>		
<i>Bernard Mourrain, Christian Rössl</i>		
1	Introduction	1
2	Differential Geometry of curves and surfaces	2
2.1	Curves	2
2.2	Surfaces	3
3	Interrogation of discrete shapes	5
3.1	Surface Normal Estimation	5
3.2	Curvature Tensor Estimation	6
3.3	Applications to Discrete Shape Analysis	8
4	First-Order Shape Analysis	9
4.1	Reflection lines	9
4.2	Highlight lines	10
4.3	Isophotes	11
4.4	Detection of inflections	12
4.5	Geodesic paths on surfaces and meshes	13
5	Second-order shape analysis	13
5.1	Local shape analysis with Gaussian curvature	14
5.2	Focal Surface and Corresponding Surface Features	15
5.3	Hedgehog diagrams and curvature plots	17
5.4	Generalized focal surfaces	18
5.5	Color mappings	19
6	Characteristic lines	20
6.1	Isolines	21
6.2	Lines of curvature, umbilics	22
6.3	Curvature Extrema for Shape Interrogation	22
6.4	Special Surface Points	24
7	Robust Symbolic based Shape Interrogation and Analysis	25

X Contents

7.1	Curvature Analysis	26
7.2	Silhouette, Isoclines/Isophotes and Reflection lines	28
7.3	Surface Recognition	28
8	Interrogation of algebraic curves and surfaces	30
8.1	Subdivision methods	32
	Univariate polynomials	32
	Multivariate polynomials	33
	Univariate Root Solver	34
	Multivariate root finding	34
8.2	Algebraic methods	35
	Resultant-based methods	35
	Normal forms	39
9	Conclusion	41
	References	42

Recent Advances in Remeshing of Surfaces

	<i>Pierre Alliez, Giuliana Ucelli, Craig Gotsman, Marco Attene</i>	53
1	Introduction	53
1.1	Remeshing	54
1.2	Applications	54
1.3	Main Issues	54
2	State of the Art	56
2.1	Structured Remeshing	57
	Semi-Regular	57
	Completely Regular	61
	Highly Regular	62
2.2	Compatible Remeshing	63
2.3	High Quality Remeshing	66
2.4	Feature Remeshing	71
	Feature-preserving	72
	Feature-enhancing	73
2.5	Error-driven Remeshing	74
	References	78

Multiresolution Analysis

	<i>Georges-Pierre Bonneau, Gershon Elber, Stefanie Hahmann, Basile Sauvage</i>	83
1	Introduction	83
2	Hierarchical Freeform Representations	84
3	Multiresolution Methods for Freeform Representations	85
3.1	Wavelet Decomposition of B-spline Functions	86
3.2	Direct Freeform Curve and Surface Manipulation	88
3.3	Linear Constraints	91
3.4	Bi-Linear and Non-Linear Constraints	92
3.5	Intrinsic Multiresolution Decomposition of Freeform Shapes	96
3.6	Multiresolution Morphing	98

3.7	Variational Multiresolution Methods for Freeform Surface	100
	Variational Shape Design	101
	Variational Multiresolution Modeling	102
4	Multiresolution Analysis for Irregular Mesh-based Representations	102
4.1	Irregular Triangulations	103
4.2	Surface Meshes	108
5	Conclusions and Open Issues	109
	References	110

Subdivision Surfaces and Applications

	<i>Chiara Eva Catalano, Ioannis Ivrissimtzis, Ahmad Nasri</i>	115
1	Introduction	115
2	Subdivision basics	116
2.1	Subdivision schemes	116
2.2	Subdivision analysis	118
	Laurent polynomials	118
	Spectral analysis of the subdivision matrix	119
	The continuity degree of subdivision surfaces	120
3	Artifacts in subdivision surfaces	120
3.1	First order artifacts	121
3.2	Second order artifacts	123
3.3	Higher level artifacts	126
4	Implementation and usability issues	128
4.1	Direct evaluation of subdivision surfaces	128
4.2	Visual quality and shape predictability	129
4.3	Multi-resolution subdivision surfaces	131
5	Constraint-based subdivision surfaces	131
5.1	Point interpolation	132
5.2	Interpolation with normal constraints	132
5.3	Interpolation of isolated curves	132
5.4	Interpolation of isolated curves with cross derivative	135
5.5	Lofted subdivision surfaces	135
5.6	Interpolation of a net of curves	137
5.7	Non-uniform subdivision surfaces	138
6	Conclusions	138
	References	140

Skeletal Structures

	<i>Silvia Biasotti, Dominique Attali, Jean-Daniel Boissonnat, Herbert Edelsbrunner, Gershon Elber, Michela Mortara, Gabriella Sanniti di Baja, Michela Spagnuolo, Mirela Tanase, Remco Veltkamp</i>	145
1	Introduction	145
1.1	Overview	146
2	Definitions of geometric medial structures	148
3	Exact representation of medial structures	150

XII Contents

3.1	Bisectors for freeform shapes	150
3.2	Exact computation of the medial axis	154
4	Approximation of the medial axis	156
4.1	Skeletons from Voronoi Diagrams	157
	Instability and semi-continuity	157
	Approximation paradigm for the medial axis	158
	Punctured Euclidean spaces	159
	Pruning the Voronoi graph	160
4.2	Skeleton through the simulation of the grassfire	161
	Straight skeleton	161
	The Linear Axis	163
4.3	Skeletons based on topological thinning	164
4.4	Skeletons from distance maps	166
5	Skeletons from topological structures	168
5.1	Methods based on wavefront propagation	169
5.2	Methods based on the Reeb graph	172
6	Conclusions and future developments	175
	References	177

Morphological Representations of Scalar Fields

	<i>Silvia Biasotti, Leila De Floriani, Bianca Falcidieno, Laura Papaleo</i>	185
1	Introduction	185
2	Background Notions	186
2.1	Cell and Simplicial Complexes	186
2.2	Digital Models of a Scalar Field	188
2.3	Morse Theory	188
2.4	Morse Complexes and Morse-Smale Complexes	189
2.5	Contour Trees	191
3	Extracting Critical Points	193
3.1	Extracting Critical Points from a Piecewise Linear Field	193
3.2	Extracting Critical Points from a Regular Grid	195
3.3	Extracting Critical points from Contours	196
4	Extracting Approximations of a Morse-Smale Complex	197
4.1	Boundary-based Algorithms on a Simplicial Model	197
4.2	Boundary-based Algorithms on a Regular Model	198
4.3	Region-based Algorithms for Approximating Morse complexes	199
4.4	Generalization of Morse-Smale Complexes	200
5	Algorithms for Extracting a Contour Tree	202
6	Concluding Remarks	207
	References	208

Topological Representations of Vector Fields
Holger Theisel, Christian Rössl, Tino Weinkauff 215

- 1 Introduction 215
- 2 Topological features of 2D vector fields 216
 - 2.1 Concepts 216
 - Classification of critical points 216
 - Boundary switch points 218
 - Separatrices 218
 - 2.2 Visualizing 2D topology 219
- 3 Topological Features of 3D Vector Fields 220
 - 3.1 Concepts 220
 - Critical points 220
 - Boundary switch curves 222
 - Separatrices 223
 - Saddle- and boundary switch connectors 224
 - 3.2 Visualizing 3D topology 224
 - Example: 226
- 4 Topological features of time-dependent vector fields 226
 - 4.1 Stream line oriented topology 227
 - Tracking critical points 228
 - Saddle connections 229
 - Tracking closed stream lines 230
 - 4.2 Path line oriented topology 231
 - 4.3 An Example: 231
- 5 Further applications of topological features 231
 - 5.1 Compressing vector fields 232
 - 5.2 Topological simplification of vector fields 232
 - 5.3 Topological comparison of vector fields 234
 - 5.4 Constructing vector fields 236
- 6 Conclusions 237
- References 238

Control Structure and Multi-Resolution Techniques for Virtual Human Representation
Thomas Di Giacomo, HyungSeok Kim, Laurent Moccozet, Nadia Magnenat-Thalmann 241

- 1 Definitions and Background 241
 - 1.1 Control skeleton definition 242
 - 1.2 Historical background 242
- 2 Skeleton control methods 243
 - 2.1 Control Techniques 244
 - 2.2 Space-time Constraints and Controllers 246
- 3 Skeleton skinning and skin mapping 247
 - 3.1 Skeleton skinning 247
 - 3.2 Skin mapping 248

XIV Contents

4	Skeleton-driven deformation	249
5	Generation of Control Skeleton	253
5.1	Medial axis-based methods	253
5.2	Template-based methods	255
5.3	Mesh decomposition based methods	258
6	Discussion on skeleton for Virtual Humans	259
7	Multi-Resolution Techniques	261
7.1	Simplification of Shape and Control Structure	261
	Simplification of textured body surfaces	261
	Preservation of Features in Simplification	263
7.2	Multi-Resolution Modeling for Key Parameters	265
7.3	Discussion on LoD for Virtual Humans	268
	References	268
	Colour Plates: Shape Interrogation	275
	Colour Plates: Recent Advances in Remeshing of Surfaces	277
	Colour Plates of the Chapter: Multiresolution Analysis	279
	Colour Plates: Subdivision Surfaces and Applications	281
	Colour Plates: Skeletal Structures	285
	Colour Plates: Morphological Representations of Scalar Fields	287
	Colour Plates: Topological Representations of Vector Fields	289
	Index	293

List of Contributors

Pierre Alliez

INRIA Sophia-Antipolis, France
pierre.alliez@sophia.inria.fr

Dominique Attali

LIS-CNRS, Saint Martin d'Hères,
France.
dominique.attali@lis.inpg.fr

Marco Attene

IMATI-GE, CNR, Italy
jaiko@ge.imati.cnr.it

Alexander Belyaev

MPII, Max Planck Institut für Infor-
matik, Saarbrücken, Germany
belyaev@mpi-sb.mpg.de

Silvia Biasotti

IMATI-GE, CNR, Italy
silvia@ge.imati.cnr.it

Jean-Daniel Boissonnat

INRIA Sophia-Antipolis, France
jean-daniel.boissonnat@inria.fr

Georges-Pierre Bonneau

Université Joseph Fourier, Grenoble,
France,
georges-pierre.bonneau@imag.fr

Laurent Busé

INRIA Sophia-Antipolis, France
lbuse@sophia.inria.fr

Chiara Eva Catalano

IMATI-GE, CNR, Italy
chiara.catalano@ge.imati.cnr.it

Herbert Edelsbrunner

Duke University, Dept. of Computer
Science and Raindrop Geomagic, USA.
edels@cs.duke.edu

Gershon Elber

Technion - Israel Institute of Technol-
ogy, Haifa, Israel
gershon@cs.technion.ac.il

Bianca Falcidieno

IMATI-GE, CNR, Italy
bianca@ge.imati.cnr.it

Leila De Floriani

University of Genova, Dept. of
Computer Science, Genova, Italy
deflo@disi.unige.it

Thomas Di Giacomo

MIRAlab, University of Geneva,
Switzerland
giacomo@miralab.unige.ch

Craig Gotsman

Technion - Israel Institute of Technology, Haifa, Israel
gotsman@cs.technion.ac.il

Stefanie Hahmann

Laboratoire Jean Kuntzmann, Institut National Polytechnique de Grenoble, France
stefanie.hahmann@imag.fr

HyungSeok Kim

MIRAlab, University of Geneva,
hyung.kim@acm.org

Ioannis Ivrissimtzis

Durham University, Dept. of Computer Science, UK
ioannis.ivrissimtzis@durham.ac.uk

Nadia Magnenat-Thalmann

MIRAlab, University of Geneva,
thalmann@miralab.unige.ch

Laurent Moccozet

MIRAlab, University of Geneva,
moccozet@miralab.unige.ch

Michela Mortara

IMATI-GE, CNR, Italy
michela@ge.imati.cnr.it

Bernard Mourrain

INRIA Sophia-Antipolis, France
bernard.mourrain@sophia.inria.fr

Ahmad Nasri

American University of Beirut, Dept. of Computer Science, Lebanon
anasri@aub.edu.lb

Laura Papaleo

University of Genova, Dept. of Computer Science, Genova, Italy
papaleo@disi.unige.it

Christian Rössl

INRIA Sophia-Antipolis, France
christian.roessler@sophia.inria.fr

Gabriella Sanniti di Baja

CNR - Ist. di Cibernetica "E. Caianello", Pozzuoli, Napoli, Italy.
gsdb@imagm.cib.na.cnr.it

Basile Sauvage

Laboratoire Jean Kuntzmann, Institut National Polytechnique de Grenoble, France
basile.sauvage@imag.fr

Michela Spagnuolo

IMATI-GE, CNR, Italy
michi@ge.imati.cnr.it

Mirela Tanase

Universiteit Utrecht (UU), The Netherlands.

Holger Theisel

Bielefeld University, Germany
theisel@techfak.uni-bielefeld.de

Giuliana Ucelli

IGD / GraphiTech, Italy
giuliana.ucelli@infotn.it

Remco Veltkamp

Universiteit Utrecht (UU), The Netherlands.
remco.veltkamp@cs.uu.nl

Tino Weinkauff

Zuse Institute Berlin (ZIB), Germany
weinkauff@zib.de