

# A Mobile End-User Development Environment for IoT Applications Exploiting the Puzzle Metaphor

by Josè Danado and Fabio Paternò

***'Puzzle', a mobile end user development framework, allows the end user to opportunistically create, modify and execute applications for interacting with smart things, phone functions and web services. The framework simplifies development of such applications through an intuitive jigsaw metaphor that allows easy composition on touch-based devices. Users immediately identified the utility of this feature, and found it easy to envisage using the framework in various scenarios in their daily lives.***

The main purpose of this work is to allow users to do more with their existing devices and things within their homes or at work. This can be achieved by creating applications customized for individual needs on personal mobile devices. The Puzzle framework allows users to visualize the current status of intelligent objects, such as home appliances; how to operate them— for instance, through a voice command; apply the commands to

the object; and more generally, to prototype new Internet of Things (IoT) applications through a user-centred design approach in which users create and develop personalized applications.

In order to allow end users to create their own IoT applications and support their extensibility, the main challenges addressed in Puzzle [1] are twofold : how to create a User Interface (UI) that

seamlessly support IoT users to develop applications that meet individual needs, and how to create a flexible platform which supports customisation and interoperability of IoT applications. The mobile authoring environment has been designed taking into account how users can foresee the functions to compose and understand how the flow of their applications progresses, adopting a metaphor that is close to users' real life




Figure 1: Authoring and Execution of Puzzle Applications.

experiences, thus reducing their learning effort and increasing acceptance. On the other end, the platform needs to seamlessly control execution and communication through a plethora of objects and devices – e.g., light, heating, alarm systems, TVs, mobile devices. Consequently, it is important to be able to support interaction and communication between IoT devices and/or with the environment to exchange data and information ‘sensed’ about the environment, while reacting autonomously to events in the ‘real/physical world’, and influencing it by running processes that trigger actions and create services [2].

In the HIIS lab at CNR-ISTI, with support from an ERCIM post-doc fellowship, we have created Puzzle – a mobile end user development tool and a web-based platform to create applications including web services, phone functions and smart things. The mobile end-user development tool and related user interface (UI) considered current research in end-user development tools, limitations of mobile devices and focus on a user-centred design approach for IoT [3]. Puzzle is based on the metaphor conveyed by jigsaw pieces to stimulate end users to combine existing functions in ways that make sense to them. The decision to adopt that metaphor was based on its usage on other EUD environments, e.g., Scratch. In contrast to other visual languages, Puzzle adopts a higher level approach not just mimicking a traditional language through a graphical metaphor, but providing jigsaw pieces ready to be combined on the go, thus decreasing the learning curve and motivating users to explore and use it. Furthermore, jigsaw pieces were designed to facilitate users to combine them, and to solve errors and conflicts made during their combination.

Supported interaction techniques were developed in collaboration with end users, and their feedback was considered both to design and develop the UI and scenarios of use. The approach enabled us to avoid putting technology before the needs of the end user; consequently, allowing end-users to voice their requirements during the design and development of Puzzle, resulting in a user-friendly application able to interact with the physical environment.

At the framework level, end-users tinkering with IoT devices can stimulate creating and adding jigsaws as new building blocks to Puzzle, e.g. adding support to communicate with the lights in the house. New building blocks are created in Javascript; including their logic – i.e., inputs, outputs and functions, according to the Puzzle building block description. Once the building block is developed, it is added to a database storing its description to be combined and used in the authoring tool by end-users; thus enabling its execution management in Puzzle applications. During execution, building blocks follow top-down and left-to-right execution flow, where data outputted from the building block corresponding to a previous jigsaw is the input of a building block associated with the following jigsaw.

Use of IoT devices is triggered, during execution, inside a building block and through the use of web-services. Use of web-services provides a standard access to functionalities, hides platform dependent implementation and, consequently, provides the required interoperability in an IoT environment. Interoperability is also enforced through the Puzzle building block descriptions, which are used to check whether input and output jigsaw data

types match and manage the use of unpredicted values during application execution. This is important as the IoT is a heterogeneous environment; thus failure of one device needs to be mitigated by the environment.

Due to the heterogeneity of the environment, standard web-based technologies – e.g., HTML, CSS, Javascript and JSON – are used to support execution of Puzzle applications, wireless networks are used to support communication between IoT devices – e.g., Bluetooth or IEEE 802.15.4, and open hardware is used to foster contributions by a community of users – e.g., Arduino. Open hardware can be used to interface between proprietary devices and Puzzle, allow Puzzle to control IoT devices and be an incentive for a community of users – i.e., tinkering with current hardware - to increase hardware supported, and even create new solutions able to exploit Puzzle connection to existing hardware.

#### Links:

HIIS Lab: <http://giove.isti.cnr.it>

Framework information at:

<http://giove.isti.cnr.it/tools/Puzzle/home>

Documentation:

<http://hiis.isti.cnr.it:8080/AuthoringTool/v2/docs/>

Video:

[https://www.youtube.com/watch?feature=player\\_embedded&v=Asbqv7-QqqM](https://www.youtube.com/watch?feature=player_embedded&v=Asbqv7-QqqM)

#### References:

- [1] J. Danado, F. Paternò: “Puzzle: A mobile application development environment using a jigsaw metaphor”, in *J. Vis. Lang. Comput.* 25, Elsevier, 2014, 297-315.
- [2] S. Holloway, C. Julien: “The case for end-user programming of ubiquitous computing environments”, in *proc. of FoSER '10, ACM, New York, NY, USA, 2010, 167-172*
- [3] I.P. Cvijikj, F. Michahelles: “The Toolkit Approach for End-User Participation in the Internet of Things”, in: D. Uckelmann et. al. (Eds.) *Architecting the Internet of Things*, Springer, 2011, 65-93.

#### Please contact:

Jose Danado, Fabio Paternò  
CNR-ISTI, Italy.

E-mail: [danado@isti.cnr.it](mailto:danado@isti.cnr.it),  
[fabio.paterno@isti.cnr.it](mailto:fabio.paterno@isti.cnr.it)