

20th International Conference on **MAGNETISM**



JULY 5-10
2015
BARCELONA
SPAIN



FINAL PROGRAMME



www.icm2015.org





Contents

WELCOME ADDRESS	4
COMMITTEES	5
SCIENTIFIC PROGRAMME	15
SUNDAY, 5 JULY	16
MONDAY, 6 JULY	18
TUESDAY , 7 JULY	48
WEDNESDAY , 8 JULY	78
THURSDAY, 9 JULY	101
FRIDAY, 10 JULY	131
POSTER PRESENTATIONS	157
EXHIBITION	425
VENUE LAYOUT	426
GENERAL INFORMATION	427

| Welcome Address

On behalf of the Organizing Committees, it is a great pleasure for us welcoming you to Barcelona for the 20th International Conference on Magnetism. The ICM2015 will be held from Sunday, July 5th, until Friday, July 10th, At the Palau de Congressos de Catalunya in Barcelona, Spain. This triennial Conference, organized under the auspices of the International Union of Pure and Applied Physics (IUPAP), is one of the most important in the field of magnetism both from the most basic aspects and the applications and related technologies. As in previous editions, the ICM2015 also incorporates the International Conference on Strongly Correlated Systems (SCES) which is held annually.

We have planned an exciting scientific program including plenary lectures and invited talks, symposia, regular oral and poster presentations that review the latest developments in magnetism and we hope you find it interesting and fruitful.

The Spanish magnetics community members are extremely pleased to host ICM2015. Nowadays, the research in magnetism in Spain is among the most dynamic fields in condensed matter and materials science, widely distributed throughout academic and scientific institutions all throughout the country. The members of this community including permanent, post-doctoral, and PhD staff amount over 400 people. A number of active groups are spread all over the country with particular higher concentration along the axis Madrid-Zaragoza-Barcelona. These research groups cover most of the relevant topics in magnetism and magnetic materials, from basic to technological aspects. It is worth mentioning that the magnetic community benefits of the new synchrotron ALBA, located in the surroundings of Barcelona. On top of the synchrotron facilities, there is a specific soft X-ray beamline dedicated to polarization-dependent spectroscopy and is equipped with a two end-stations for magnetic dichroism and resonant soft X-ray scattering.

The host city, Barcelona, is a modern and sophisticated city with a very rich cultural life. Barcelona's Modernist architecture counts with the work of renowned architects, such as Gaudí or Domènech i Muntaner, the creators of emblematic buildings such as the Sagrada Família, La Pedrera or the Hospital de Sant Pau. Barcelona has also a broad offer of leisure opportunities to satisfy and delight delegates. Fantastic beaches, old Roman and Middle Age buildings are close to the city.

Looking forward to seeing you in the alluring Barcelona! We wish you a very fruitful and pleasant stay.

ICM 2015 Organizing Committee

| Organizing Committee

Chair

Amílcar Labarta, University of Barcelona, Barcelona, Spain

Secretary General

Benjamín Martínez, CMAB-CSIC, Barcelona, Spain

Local Committee Chair

Xavier Batlle, University of Barcelona, Barcelona, Spain

Treasurer

Fernando Bartolomé, ICMA CSIC-Universidad de Zaragoza, Zaragoza, Spain

Publications Committee

Jose Rivas, University of Santiago de Compostela, Santiago de Compostela, Spain

Dominique Givord, Institut Néel, Grenoble, France

Programme Committee

Manuel Vazquez, ICMM CSIC, Madrid, Spain

Josep Fontcuberta, ICMAB CSIC, Barcelona, Spain

Ivan Schuller, University of California, San Diego, United States

Local Committee

Xavier Batlle, University of Barcelona, Barcelona, Spain

Carlos Frontera, ICMAB CSIC, Barcelona, Spain

Antoni García Santiago, University of Barcelona, Barcelona, Spain

Jordi Sort, Universitat Autònoma de Barcelona, Barcelona, Spain

INT'L ADVISORY COMMITTEE

Gabriel Aepli

University College London, United Kingdom

Jun Akimitsu

Aoyama Gakuin University, Japan

Koji Ando

National Institute of Advanced Industrial Science and Technology (AIST), Japan

David Awschalom

University of California, United States

Elisa Baggio-Saitovitch

Brazilian Center for Research in Physics - CBPF, Brazil

Mario Baibich

Ministry of Science and Technology of Brazil, Brazil

Ganapathy Baskaran

The Institute of Mathematical Sciences, India

Ernst Bauer

Vienna University of Technology, Austria

Robert Buhrman

Cornell University, United States

Ching-Ray Chang

National Taiwan University, Taiwan

John Chapman

University of Glasgow, United Kingdom

Sang-Wook Cheong

Rutgers University, United States

Lesley Cohen

Imperial College, United Kingdom

Alessandra Continenza

Universita' degli studi dell' Aquila, Italy

E. Dan Dahlberg

University of Minnesota, United States

Bernard Diény

Commissariat à l'Energie Atomique, France

Tomasz Dietl

University of Warsaw, Poland

You-Wei Du

Nanjing University, China

Albert Fert

Universite Paris-Sud, France

Dino Fiorani

National Research Council, Italy

Peter Fischer Lawrence

Berkeley National Laboratory, United States

Zachary Fisk

University of California, United States

Jacques Flouquet

Commissariat à l'Energie Atomique, France

Catherine Foley

The Commonwealth Scientific and Industrial Research Organisation, Australia

Mark Freeman

University of Alberta Canada, Canada

Hiroyasu Fujimori

Tohoku University Japan, Japan

Peter Fulde

Asia Pacific Center for Theoretical Physics, Germany

Mohammad Ghafari

Karlsruhe Institute of Technology, Germany

Amitabha Ghoshray

Saha Institute of Nuclear Physics, India

Laura Greene

University of Illinois at Urbana Champaign, United States

Peter A. Grünberg

Institute of Solid State Research, Germany

Ott Hans Rudolf Eidgenössische Technische Hochschule Zürich, Switzerland

Bret Heinrich Simon
Fraser University, Canada

Laura Heyderman
Paul Scherrer Institute, Switzerland

Burkard Hillebrands
TU Kaiserslautern, Germany

Axel Hoffman
Argonne National Laboratory, United States

Nguyen Huu Duc
Vietnam National University, Vietnam

Manuel Ricardo Ibarra
Zaragoza University, Spain

Sung-Ho Jin
UC San Diego, United States

Xiaofeng Jin
Fudan University, China

Borje Johansson
University of Uppsala, Sweden

Il Koo Kang
The Korean Magnetics Society, Korea

Bernhard Keimer
Max Planck Institute for Solid State
Research, Germany

Zheong Gou Khim
Seoul National University, Korea

Chul Koo Kim
Yonsei University, Korea

Chul Sung Kim
Kookmin University, Korea

Jürgen Kirschner
Max Planck Institute of Microstructure
Physics, Germany

Guangli Kuang
Chinese Academy of Sciences, China

Budhy Kurniawan
University of Indonesia, Indonesia

J. Raynien Kwo
National Tsing Hua University, Taiwan

Patrick Lee
MIT, United States

Liang Li Huazhong
University of Science and Technology,
China

Peter Littlewood
Argonne National Laboratory, United
States

Bo Liu
Data Storage Institute, Singapore

Hilbert Löhneysen
Karlsruhe Institute of Technology, Germany

Jan Cees
Maan Radboud University Nijmegen,
Netherlands

Allan MacDonald
University of Texas at Austin, United
States

Sadamichi Maekawa
The Japan Atomic Energy Agency, Japan

Yoshiteru Maeno
Kyoto University, Japan

Brian Maple
University of California, San Diego
United States

Andrew Millis
Columbia University, United States

Laurens W. Molenkamp
Wuerzburg University, Germany

John Mydosh
Leiden University, Netherlands

Kevin O'Grady
The University of York, United Kingdom

Yoshichika Onuki
Osaka University, Japan

Martha Pardavi-Horvath
The George Washington University,
United States

Stuart Parkin
IBM Almaden Research Center, United
States

Massimo Pasquale
L'Istituto Nazionale di Ricerca
Metrologica, Italy

Danilo Pescia

Eidgenössische Technische Hochschule
Zürich, Switzerland

Stefania Pizzini

Centre National de la Recherche
Scientifique, France

Sergio Rezende

Universidade Federal de Pernambuco,
Brazil

John Sarrao

Los Alamos National Laboratory, United
States

Ivan Schuller

University of California-San Diego,
United States

Zhi-Xun Shen

Stanford University, United States

Teruya Shinjo

International Institute for Advanced
Studies, Japan

Qimiao Si

Rice University, United States

Manfred Sigrist

ETH Zürich, Switzerland

John Slonczewski

IBM Research Center, United States

Robert Stamps

University of Glasgow United, Kingdom

Frank Steglich

Max Planck Institute for Chemical
Physics of Solids, Germany

Takao Suzuki

University of Alabama, United States

Henryk Szymczak

Polish Academy of Sciences, Poland

Toshiro Takabatake

Hiroshima University, Japan

Hidenori Takagi

University of Tokyo, Japan

Migaku Takahashi

Tohoku University, Japan

Koki Takanashi

Tohoku University, Japan

Yoshinori Tokura

University of Tokyo, Japan

Kazuo Ueda

University of Tokyo, Japan

Chandra Varma

University of California, Riverside
United States

Manuel Vazquez

Spanish National Council for Research,
Spain

Hai-Hu Wen

Nanjing University, China

Yeong-Der Yao

Fu Jen University, Taiwan

PROGRAMME COMMITTEE

CHAIRS

Manuel Vazquez, ICMM CSIC, Madrid, Spain

Josep Fontcuberta, ICMA B CSIC, Barcelona, Spain

Ivan Schuller, University of California, San Diego, United States

TOPIC 1: Strongly Correlated Electron System (SCES) (including Superconductivity/Multiferroics)

Topic Chairs

Coordinator:

Jose Carlos Gómez-Sal, *Universidad de Cantabria, Santander, Spain*

Ernest Bauer, *Vienna University of Technology, Austria*

Laura Green, *University of Illinois at Urbana-Champaign, United States*

Subtopics

Ferroids and Multiferroics

Meigan Aronson, *Stony Brook, Univ., New York, United States*

Je-Geun Park, *Seoul National, University, Korea*

Superconductivity and magnetism, including exotic superconductivity

Yuji Matsuda, *Kyoto University, Japan*

Suchitra Sebastian, *University of Cambridge, United Kingdom*

Topological Insulators and metal-insulators transitions

Anne de Visser, *University of Amsterdam, The Netherlands*

Hermann Suderow, *Autonomous University, Madrid, Spain*

Heavy Fermion Physics including Valence and charge fluctuations

Joe Thompson, *Los Alamos Nat. Lab., United States*

Georg Knebel, *Inac - CEA, Grenoble, France*

Quantum magnetism and physics of frustration

Claudine Lacroix, *Institut Neel , CNRS, Grenoble, France*

Jose Ignacio Espeso , *University of Cantabria, Santander, Spain*

Non-Fermi Liquids and Quantum criticality

Qimiao Si, *Rice University, Houston, United States*

Tuson Park, *Sungkyunkwan University, Seoul, South Korea*

Kondo physics in bulk materials and nanoscale structures

Steffen Wirth *Max Planck-Inst. for Chemical Physics, Dresden, Germany*

Marian Reiffes, *Slovakian Acad. Science, Kosice, Slovakia*

Theory of Strongly Correlated Matter

Kazumasa Miyake, Osaka University, Japan

Mucio Continentino, Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

New Developments

Huiqiu Yuan, Zhejiang University, China

Marisa Medarde, Paul Scherrer Institute, Villigen, Switzerland

TOPIC 2: Spin Systems & Magnetic Structures

Topic Chairs

Coordinator:

- Ingrid Mertig, Martin-Luther-Universität Halle-Wittenberg, Germany
- Isabelle Mirebeau, CEA - Saclay, France
- Juan Bartolomé, ICMA, Zaragoza, Spain

Subtopics

Low-dimensional. Quantum Spin-Hall effect

Sergio Valenzuela, Institut Català de Nanotecnologia, Barcelona, Spain

Andrey Zheludev, ETH Zürich, Lab. f. Festkörperphysik, Switzerland

Molecular Magnetism

Fernando L. Vitala, Inst. Ciencia de Materiales de Aragón, Zaragoza, Spain

Alessandro Vindigni, ETH Zürich, Lab. f. Festkörperphysik, Switzerland

Highly frustrated magnetism

Robert Stamps, University of Glasgow, United Kingdom

Sylvain Petit, Lab. Léon Brillouin, Saclay, France

Spin-orbit and spin-lattice couplings

Pietro Gambardella, ETH Zürich, Lab. f. Festkörperphysik, Switzerland

Virginie Simonet, Inst. L. Neel, Grenoble, France

Magnetism theory & simulation of quantum and classical systems

Eugene Chudnovsky, The City University of New York, United States

Luis Brey, Inst. Ciencia de Materiales de Madrid-CSIC, Spain

Electronic Structure. Itinerant-electron magnetism. Half-metals. Insulators

Claudia Felser, Max Planck-Inst. for Chemical Physics, Dresden, Germany

Heiko Wende, University of Duisburg-Essen, Germany

Magnetic phase transitions and magnetic interactions

Teresa Fernandez-Diaz, Inst. Laue Langevin, Grenoble, France

Vitor Amaral, University Aveiro, Portugal

Magnetic semiconductors and Diluted magnets

Jesus Chaboy Nalda, University of Zaragoza, Spain

Tomasz Dietl, Polish Academy of Sciences, Warsaw, Poland

Actinides & Lanthanides

Jesús Rodríguez Fernández, University of Cantabria, Santander, Spain

António Pereira Gonçalves, Ciências e Tecnologias Nucleares, IST, Lisbon, Portugal

Advanced methods of spin structure determination

Urs Staub, Paul Scherrer Institut, Switzerland

Jose Luis García Muñoz, ICMAB CSIC, Barcelona (Spain)

TOPIC 3: Spin electronics and transport & magnetization dynamics and micro magnetics

Topic Chairs

Coordinator:

- Hideo Ohno, Tohoku University, Sendai, Japan
- Mark Stiles, NIST Gaithersburg, United States
- Oksana Chubykalo-Fesenko, ICMM CSIC, Madrid, Spain

Subtopics

Metal spintronics

Shinji Yuasa, Nat. Inst. Advanced Industrial Science and Technology (AIST), Tsukuba, Japan

Hyun-Woo Lee, Seoul National University, South Korea

Semiconductor spintronics

Jianhua Zhao, Inst Semiconducotrs, Chinese Ac. Sciences, Beijing, China

Gian Salis, Zurich Research Lab., IBM, Zurich, Switzerland

Organic spintronics. Carbon-based spintronics

Felix Casanova, Nanogune, S. Sebastian, Spain

Masashi Shiraishi, University of Kyoto, Japan

Spin transfer torque and spin transfer oscillators

Masamitsu Hayashi, Nat. Inst. for Materials Science, NIMS, Tsukuba, Japan

Matt Pufall, NIST, Boulder, United States

Domain wall motion

Andre Thiaville, University of Paris Sud, France

Eduardo Martinez, University of Salamanca, Spain

Electric field effect on magnetic systems

Daichi Chiba, University of Tokyo, Japan

Vincent Garcia, Unité Mixte de Physique CNRS/Thales, Paris, France

Spin caloritronics

Christian Heiliger, University of Giessen, Germany

Barry Zink, Denver University, United States

Fast and ultrafast magnetization dynamics

Markus Munzenberg, Ernst-Moritz-Arndt Univer., Greifswald, Germany

Andrzej Maziewski, University of Białystok, Poland

Spinwave dynamics and magnonics

Antonio Azevedo, University Federal Pernambuco, Brazil

Paolo Vavassori, Nanogune, San Sebastian, Spain

Vortex and skyrmion dynamics

Konstantin Guslienko, University of Basque Country, San Sebastian, Spain

Dora Altbir, University of Santiago, Chile

Mark Freeman, University of Alberta, Canada

TOPIC 4: Magnetism of nanoscale systems: thin films, nanostructures and nanoparticles

Topic Chairs

Coordinator:

- Sam Bader, Argonne National Laboratory, Illinois, United States
- Russell Cowburn, University of Cambridge, United Kingdom
- Dino Fiorani, CNR Rome, Italy

Subtopics

Magnetic thin films and multilayers

Jordi Sort, Aut. University of Barcelona, Spain

Jiyeong Gu, California St. University, Long Beach, United States

Thin film nanostructures

Burkhard Hillebrands, University of Kaiserslautern, Germany

Ernesto Marinero, Purdue University, United States

Magnetic nanoparticles

Peter Svedlindh, Uppsala University, Sweden

Anna Roig, Inst. Ciencia de Materiales, Barcelona, Spain

Perpendicular magnetic anisotropy materials

Massimo Solzi, University of Parma, Italy

Alberto Bollero, IMDEA, Madrid, Spain

Surface and interface effects

Aitor Mugarza, CIN2, Barcelona, Spain

Rosa Alejandra Lukaszew, College of William and Mary, Williamsburg, United States

Exchange bias and exchange springs

Axel Hoffmann, Argonne National Lab., Illinois, United States

Rafael Morales, University of Basque Country, Bilbao, Spain

Theory and modeling

Alessandra Continenza, University dell'Aquila, Italy
Kalliopi.N. Trohidou, NCSR Democritos, Athens, Greece

Hybrid nanostructures

Alexandre Buzdin, University of Bordeaux , France
Alexander Granovsky, Moscow State University, Russia

Arrays of magnetic nanostructures

Caroline Ross, MIT, United States
John Xiao, University of Delaware, United States

Magnetic nanodots, nanowires and nanotubes

Joao P. Araujo, Porto University, Portugal
Kristen Buchanan, Colorado St. University, United States

Manetophotonics and magnetoplasmonics

Vasily Temnov, CNRS Le Mans, France
Vladimir Belotelov, Lomonosov Moscow State University, Russia

TOPIC 5: Magnetic Materials and Technologies for: energy, in formation & life

Topic Chairs

Coordinator:

- Ricardo Ibarra, ICMA, Zaragoza, Spain
- Oliver Gutfleisch, Technische Universität Darmstadt, Germany
- Eric Fullerton, CMRR, UC San Diego, United States

Subtopics

Soft and Hard magnetic materials

Jose M. Barandiaran, University of Basque Country, Bilbao, Spain
George Hadjipanayis, University of Delaware, United States

Nanocrystalline & amorphous materials soft magnets
Ferrites, Garnets and oxide materials
Rare-earth hard magnetic materials
Intermetallic & other hard magnets
Nanostructured and composite hard magnetic materials
Coercivity Mechanisms

Materials for Energy applications

Franca Albertini , CNR, Parma, Italy
Victorino Franco, University of Seville, Spain

Applications of high performance soft and hard materials

Energy harvesting materials

Shape memory alloys

Magnetocaloric materials and magnetic refrigeration

Magnetic Devices and Novel materials

Cristina Gomez-Polo, Publ. University of Navarra, Spain

Frederic Petroff, Unité Mixte de Physique CNRS/Thales, Paris, France

Magnetostrictive devices

Magnetic sensors

Microwave materials and devices

Novel magnetic materials & Devices

Novel spintronic materials and devices

Magnetic information storage, memories and computation

Jose M. De Teresa, ICMA, CSIC-Universidad de Zaragoza, Spain

SUnited Statesna Cardoso, INESC-MN, Lisbon, Portugal

Advanced and bit-patterned recording media

Energy assisted magnetic recording

Magneto-resistive materials for novel read sensors

Magnetic random access memories

Magnetic information processing and logics

Applied magnetism of organic compounds and Biomedical applications

Gerardo Goya, INA, Zaragoza, Spain

Juergen Kosel, KAUST, Saudi Arabia

Magnetism in macromolecules and polymers

Magnetic nanoparticles: drug delivery image enhancement and magnetic hyperthermia

Magnetism in biological media, magnetic effects and biomedicine applications

Magnetic transducers and field sensors in biomedicine

Measuring techniques and instrumentation

Clemence Ritter, ILL, Grenoble, France

Agustina Asenjo, Inst. Ciencia de Materiales de Madrid-CSIC, Spain

Magnetometry at the nano-scale

Magnetic microscopies, scanning probes

Magnetism & superconductivity by large facilities (neutron, synchrotron)

Instrumentation and interdisciplinary technologies

Scientific Programme



Sunday, 5 July

SUNDAY, 5 JULY



SPECIAL LECTURE TRENDS IN MAGNETISM

16:00-17:15 (AUDITORIUM)

Chair: Sam Bader

16:00-17:15

Highlights from 30 years of Magnetism

Dominique Givord

CNRS/Univ. Grenoble-Alpes, Institut Néel, Grenoble, France

A quick review of Magnetism in Spain

Antonio Hernando

*Instituto de Magnetismo Aplicado-Universidad Complutense,
Madrid, Spain*

Sunday, 5 July



Monday, 6 July

MONDAY, 6 JULY



OPENING CEREMONY**08:30-09:00 (AUDITORIUM)****PLENARY-1****09:00-10:00 (AUDITORIUM)****Chair:** Sadamichi Maekaewa

09:00-10:00

PLENARY1 - Continuous Time Quantum Monte Carlo methods: from quantum impurity models to real materials.

Andrew J. Millis

*Department of Physics, Columbia University, New York, United States***MO.SYM_TOPOLOGICAL MATTER****10:00-13:00 (AUDITORIUM)****Chair:** Ernst Bauer

10:00-10:30

MO.SYM_1 - Topological Magnetism

Roderich Moessner

Mpi-Pks, Dresden, Germany

10:30-11:00

MO.SYM_2 - Low carrier concentration crystals of the topological insulator $\text{Bi}_{2-x}\text{Sb}_x\text{Te}_{3-y}\text{Se}_y$: a magnetotransport study

Anne De Visser

University of Amsterdam, Amsterdam, The Netherlands

11:00-11:30

MO.SYM 3 - Transport and induced superconductivity in the topological surface and edge states of HgTe

Cristoph Brüne

Experimentelle Physik 3 Universität Würzburg, WÜRZBURG, GERMANY

12:00-12:30

MO.SYM_4 - Topology in Heusler compounds – from a materials perspective

Claudia Felser

*Max Planck Institute Chemical Physics For Solids, Dresden,**Germany*

12:30-13:00

MO.SYM_5 - A spin-anisotropic harmonic honeycomb iridate

Ross McDonald

*Los Alamos National Laboratory, Los Alamos, United States***SPECIAL LECTURE****13:00 - 13:30 (AUDITORIUM)****Chair:** Masamitsu Hayashi

13:00 - 13:30

Highly Efficient Current Induced Domain Wall Motion in Synthetic Antiferromagnetic Racetracks

Stuart Parkin

Max Planck Institute of Microstructure Physics, Halle, Germany

MO.A.1_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY**10:00-11:30 (ROOM J)****Chair:** Laura Greene

- 10:00-10:30 **MO.A.1_I1 - Superconductivity of Sr₂RuO₄: Current Challenges**
Y. Maeno
Kyoto University, Kyoto, Japan
- 10:30-10:45 **MO.A.1_O2 - Controlling Superconductivity by Tunable AFM QCPs in the Heavy Fermion Compound CeRhIn₅**
T. Park¹, S. Seo¹, E. Park¹, E.D. Bauer², F. Ronning², J.N. Kim³, J.H. Shim³, J.D. Thompson²
 1. *Sungkyunkwan University, Seoul, Republic of Korea*
 2. *Los Alamos National Laboratory, New Mexico, United States*
 3. *POSTECH, Gyeongsangbuk-do, Republic of Korea*
- 10:45-11:00 **MO.A.1_O3 - Antiferromagnetic Order and Spatial Modulation in High Field Superconducting Phase of CeCoIn₅**
R. Ikeda¹, Y. Hatakeyama¹
 1. *Department Of Physics, Kyoto University, Kyoto, Japan*
- 11:00-11:15 **MO.A.1_O4 - Heat capacity measurements on UBe₁₃ in rotated magnetic fields: anisotropic response in the normal state and the absence of nodal quasiparticles**
Y. Shimizu¹, S. Kittaka¹, T. Sakakibara¹, Y. Haga², E. Yamamoto², H. Amitsuka³, Y. Tsutsumi⁴, K. Machida⁵
 1. *The Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan*
 2. *Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki, Japan*
 3. *Graduate School of Science, Hokkaido University, Hokkaido, Japan*
 4. *Condensed Matter Theory Laboratory, RIKEN, Saitama, Japan*
 5. *Department of Physics, Okayama University, Okayama, Japan*
- 11:15-11:30 **MO.A.1_O5 - Pr₂Pt₃Ge₅ - A novel magnetic Superconductor?**
J. Gavilano
 1. *Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland*

MO.B.1_MAGNETIC NANOPARTICLES

10:00-11:30 (ROOM F)

Chair: Jan Vogel

10:00-10:30

MO.B.1_I1 - Antiferromagnetic coupling in ferrimagnetic hard-soft core/shell nanoparticles

M. Estrader¹, A. López-Ortega², A. Juhin³, S. Estradé^{4,5}, I. Golosovsky⁶, M. Sikora⁷, C. Carvallo³, G. Salazar-Alvarez⁸, M. Vasilakaki⁹, K. N. Trohidou⁹, M. Varela¹⁰, D.C. Stanley¹¹, M.J. Pechan¹¹, P. Saintavitt³, P. Glatzel¹², D. J. Keavney¹³, F. Peiró⁴, Suriñach¹⁴, M.D. Baró¹⁴, J. Nogués¹⁵

1. Dept. de Química Inorgànica, Univ. de Barcelona, Barcelona, Spain

2. INSTM and Dept. di Chimica "U. Schi", Univ. degli Studi di Firenze, Firenze, Italy

3. IMPMC, UMR CNRS 7590, Univ. Pierre et Marie Curie, Paris, France

4. LENS, MIND-IN2UB, Dept. d'Electrònica, Univ. de Barcelona, Barcelona, Spain

5. TEM-MAT, CCI, Univ. de Barcelona, Barcelona, Spain.

6. St. Petersburg Nuclear Physics Institute, Gatchina, St. Petersburg, Russia.

7. AGH-Univ. of Science and Technology, PACS & ACMiN, Kraków, Poland

8. Dept. of Materials and Environmental Chemistry, Stockholm Univ., Stockholm, Sweden

9. INN, NCSR "Demokritos", Attiki, Greece.

10. Materials Science & Technology Division, Oak Ridge National Laboratory. Oak Ridge, United States and Univ. Complutense de Madrid, Madrid, Spain

11. Department of Physics, Miami Univ., Oxford, Ohio, United States

12. ESRF, BP220, Grenoble, France

13. Advanced Photon Source, Argonne National Laboratory, Argonne, United States

14. Dept. de Física, Univ. Autònoma de Barcelona, Bellaterra, Spain

15. ICREA and ICN2 - Institut Catala de Nanociencia i Nanotecnologia, Campus UAB, Bellaterra, Spain

10:30-10:45

MO.B.1_O2 - Core/shell bimagnetic nanoparticles: magnetic interactions and magnetization reversal

G. Lavorato¹, E. Lima Jr¹, D. Peddis², D. Tobia¹, H. Troiani¹, E. Agostinelli², D. Fiorani², R. Zysler¹, E. Winkler¹

1. Centro Atómico Bariloche CNEA-CONICET, Bariloche, Argentina

2. Istituto di Struttura della Materia, CNR, Roma, Italy

10:45-11:00

MO.B.1_O3 - Surface anisotropy and tunable exchange bias in core/shell and hollow magnetic nanoparticles

H. Srikanth¹, K. Stojak Repa¹, Z. Nemat¹, H. Khurshid¹, J. Alonso^{1,2}, M. Phan¹

1. University of South Florida, Tampa, United States

2. BC Materials, Derio, Spain

11:00-11:15 **MO.B.1_O4 - Synthesis and Magnetic Properties of CoPt(core)-Fe/FeCo(shell) Nanoparticles**
J. Cuya¹, H. Miyamura¹, S. Ishio², J. Balachandran¹
 1. *The University of Shiga Prefecture, Shiga Prefecture, Japan*
 2. *Akita University, Akita, Japan*

11:15-11:30 **MO.B.1_O5 - Optimizing the Magnetic Properties of inverse Antiferromagnetic-Core / Ferrimagnetic-Shell Nanoparticles**

M. Vasilakaki¹, K. Trohidou¹, J. Nogués²
 1. *Institute of Nanoscience and Nanotechnology, NCSR "Demokritos", Aghia Paraskevi, Attiki, Greece*
 2. *ICREA and ICN2 - Institut Catala de Nanociencia i Nanotecnologia, Campus UAB, Bellaterra, Spain*

MO.C.1_MAGNETIC THIN FILMS AND MULTILAYERS

10:00-11:30 (ROOM H1)

Chair: Jesus M. González

10:00-10:30 **MO.C.1_I1 - Emergent Interfacial Phenomena in Magnetic Complex Oxide Heterostructures**
S. G.E. Te Velthuis¹
 1. *Argonne National Laboratory, Argonne, United States*

10:30-10:45 **MO.C.1_O2 - Roughness influence in the barrier quality of ferroelectric/ferromagnetic tunnel junctions, model and experiments**
M. Sirena¹, J. Gonzales Sutter¹, L. Avilés Félix¹, L. Beatriz Steren², R. Bernard³, J. Villegas³, J. Briatico³, N. Bergeal⁴, A. Zimmers⁴, J. Lesueur⁴
 1. *Laboratorio de Resonancias Magnéticas & Instituto Balseiro (CNEA & UNCuyo), Bariloche, Argentina*
 2. *Centro Atomico Constituyentes, Buenos Aires, Argentina*
 3. *Unité Mixte de Physique CNRS/THALES, Université Paris Sud, Palaiseau Cedex, France*
 4. *Laboratoire de Physique et d'étude des Matériaux, Paris, France*

10:45-11:00 **MO.C.1_O3 - Magneto-electric coupling in Ca₃CoMnO₆ thin films**
J. Saha¹, G. Sharma¹, S. Patnaik¹
 1. *Jawaharlal Nehru University, New Delhi, India*

11:00-11:15 **MO.C.1_O4 - Magnetic and Dielectric Properties of BaTiO₃-Co Nano-composite Films**
Y. Zhang¹, N. Kobayashi², S. Ohnuma^{1,2}, M. Nose³, H. Masumoto¹

11:15-11:30

MO.C.1_05 - Temperature Dependent Transport Measurements of Epitaxially Grown Copper Manganese Arsenide

V.A. Hills¹, P. Wadley¹, R. Campion¹, V. Novak², K. Edmonds¹, B. Gallagher¹, T. Foxon¹, T. Jungwirth^{1,2}

1. School of Physics and Astronomy, University of Nottingham, Nottingham, United Kingdom
2. Institute of Physics ASCR, v.v.i., Prague, Czech Republic

MO.D.1_MATERIALS FOR ENERGY APPLICATIONS

10:00-11:30 (ROOM H2)

Chair: Ramon Burriel

10:00-10:30

MO.D.1_11 - Magnetic shape memory alloys for energy applications

L. Mañosa¹, A. Planes¹

1. Universitat de Barcelona, Barcelona, Spain

10:30-10:45

MO.D.1_02 - Tuning magnetic properties of isotropic ferrite powders as a feasible alternative for permanent magnet applications

F. J. Pedrosa^{1,2}, K. Golasinski¹, J. Rial¹, A. Quesada³, F. Rubio-Marcos³, M. N. Guzik⁴, S. Deledda⁴, J.F. Fernández³, J. Camarero^{1,5}, A. Bollero¹

1. IMDEA Nanoscience, Madrid, Spain
2. Ingeniería Magnética Aplicada, IMA S.L., Barcelona, Spain
3. Electroceramic Department, Instituto de Cerámica y Vidrio, CSIC, Madrid, Spain
4. Institute for Energy Technology, Kjeller, Norway
5. Dep. Física de la Materia Condensada, Instituto Nicolás Cabrera, UAM, Madrid, Spain

10:45-11:00

MO.D.1_03 - Phase Formation and Magnetic Properties of the L10 Phase in Mn-Ga Alloys

T. Mix^{1,2}, K. Müller¹, T.G. Woodcock¹, L. Schultz^{1,2}

1. IFW Dresden, Institute for Metallic Materials, Dresden, Germany
2. Department of Physics, TU Dresden, Dresden, Germany

11:00-11:15 **MO.D.1_O4 - Atomic-Scale Characterisation of Phase Boundaries in Hot Deformed Nd-Fe-Co-B-Ga Magnets Infiltrated with a Nd-Cu Eutectic**
 T.G. Woodcock¹, Q.M. Ramasse², T. Shoji³, M. Yano³, A. Kato³, O. Gutfleisch⁴
 1. IFW Dresden, Dresden, Germany
 2. SuperSTEM Laboratory, Warrington, United Kingdom
 3. Toyota Motor Corporation, Prefecture Aichi, Japan
 4. TU Darmstadt, Darmstadt, Germany

11:15-11:30 **MO.D.1_O5 - Bi doped Mn₂Sb: a novel rare-earth free permanent magnet material**
 K. Aanand¹, N. Singh¹, N. Chirstopher¹, A. Gupta¹, A. Dhar¹
 1. National Physical Laboratory, Middlesex, United Kingdom

MO.E.1_MEASURING TECHNIQUES AND INSTRUMENTATION

10:00-11:30 (ROOM H3)

Chair: Ulrike Wolf

10:00-10:30 **MO.E.1_I1 - Soft X-ray photoemission spectro-microscopy at the ALBA Synchrotron: applications in Magnetism**
 L. Aballe¹, M. Foerster¹, E. Pellegrin¹, J. Nicolas¹, S. Ferrer¹
 1. ALBA Synchrotron Light Facility, Cerdanyola, Spain

10:30-10:45 **MO.E.1_O2 - Ferromagnetic Nuclear Resonance for studying materials for spintronics, optics, and catalysis**
 C. Meny¹, K. Leguen², J.M. Andre², P. Jonnard², D. Halley¹, J.F. Dayen¹, Y. Liu³, C. PhamHuu³
 1. Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), University of Strasbourg, Strasbourg, France
 2. Sorbonne Universités, UPMC Univ. Paris 06, Laboratoire de Chimie Physique-Matière et Rayonnement, Paris, France
 3. Institut de Chimie et Procédés pour l'Énergie, l'Environnement et la Santé (ICPEES), University of Strasbourg, ECPM, Strasbourg, France

10:45-11:00 **MO.E.1_O3 - AGFM for magnetic characterization of samples in A.C. magnetic field**
 M. Pérez¹, R. Ranchal², I. De Mendizabal¹, P. Cobos¹, J.L. Mesa³, M. Díaz³, C. Aroca¹
 1. Universidad Politécnica de Madrid (ISOM), Madrid, Spain
 2. Universidad Complutense de Madrid, Madrid, Spain
 3. Instituto Nacional de Técnicas Aeroespacial (INTA), Madrid, Spain

11:00-11:15 **MO.E.1_O4 - Towards quantitative magnetic measurements with atomic spatial resolution**
 J. Rusz¹, J.C. Idrobo², J. Spiegelberg¹, A. Edström¹
 1. Department of Physics And Astronomy, Uppsala University, Uppsala, Sweden
 2. Center for Nanophase Materials Sciences, Oak Ridge National Laboratory, Oak Ridge, United States

11:15-11:30 **MO.E.1_05 - Bidirectional and co-resonant quantitative magnetic force microscopy sensors**
T. Muehl¹, C.F. Reiche¹, J. Koerner¹, S. Vock¹, V. Neu¹, L. Schultz^{1,2}, B. Buechner^{1,3}
1. IFW Dresden, Dresden, Germany
2. Institut Für Werkstoffwissenschaft, Dresden, Germany
3. Leibniz Institute For Solid State and Materials Research, Dresden, Germany

MO.F.1_SEMICONDUCTOR SPINTRONICS

10:00-11:30 (ROOM A)

Chair: Luis Hueso

10:00-10:30 **MO.F.1_I1 - Antiferromagnetic spintronics**
T. Jungwirth¹
1. Institute Of Physics ASCR And University Of Nottingham, Prague, Czech Republic

10:30-10:45 **MO.F.1_02 - High temperature spin dynamics studied by solid state nuclear resonance and electron paramagnetic resonance in 29Si:B crystals**
R. Morgunov¹, O. Koplak¹, A. Talantcev¹
1. Institute of Problems of Chemical Physics RAS, Moscow, Russian Federation

10:45-11:00 **MO.F.1_03 - Amplification of spin polarization using electro-nuclear spin-spin transistor**
K. Olejník¹, R. Campion², Z. Soban;¹, V. Novák¹, T. Jungwirth^{1,2}
1. Institute of Physics, ASCR, v.v.i., Prague, Czech Republic
2. School of Physics and Astronomy, University of Nottingham, Nottingham, United Kingdom

11:00-11:15 **MO.F.1_04 - Novel Bulk Form Diluted Magnetic Semiconductors with Decoupled Charge and Spin Doping: Synthesis and NMR Investigation**
F. Ning¹
1. Zhejiang University, Hangzhou, China

11:15-11:30 **MO.F.1_05 - Spin-to-Charge Conversion in 2D Electron Gas at LaAlO₃/SrTiO₃ Interfaces**
Y. Fu¹, E. Lesne², J.C. Rojas-Sánchez², S. Oyarzun¹, N. Reyren², E. Jacquet², V. Cros², G. Desfonds¹, S. Gambarelli¹, J.P. Attané¹
1. Institut Nanosciences et Cryogénie, CEA Grenoble, France
2. Unité Mixte de Physique CNRS/Thales, and Université Paris-Sud 11, Palaiseau, France
3. Peter Grünberg Institute, and Institute for Advanced Simulation, Jülich, Germany

MO.G.1_EXCHANGE BIAS AND EXCHANGE SPRINGS

10:00-11:30 (ROOM B1-B3)

Chair: Rafael Morales

- 10:00-10:30 **MO.G.1_I1 - A study of Antiferromagnetic/Ferromagnetic systems using X-ray Magnetic Dichroism**
Z. Q. Qiu¹
 1. *University Of California At Berkeley, Berkeley, United States*
- 10:30-10:45 **MO.G.1_O2 - Topologically protected magnetic helix for energy storage**
E. Vedmedenko¹
 1. *University Of Hamburg, Hamburg, Germany*
- 10:45-11:00 **MO.G.1_O3 - Atomistic Spin Dynamics and Effective Models of AFM/FM Multilayer Systems**
I. Stockem¹, C. Schröder¹, G. Reiss²
 1. *Department of Engineering Sciences and Mathematics, University of Applied Sciences Bielefeld, Bielefeld, Germany*
 2. *Department of Physics, Center for Spinelectronic Materials and Devices, Bielefeld University, Bielefeld, Germany*
- 11:00-11:15 **MO.G.1_O4 - Enhancement of Blocking Temperature of Cr2O3/Co Perpendicular Exchange Coupling System with Thin Cr2O3 Layer**
T. Nozaki¹, N. Shimomura², S.P. Pati³, M. Sahashi⁴
 1. *Tohoku University, Miyagi Prefecture, Japan*
- 11:15-11:30 **MO.G.1_O5 - A quantitative description of the Bias-Field and Coercive field in exchange-bias systems. Application to Mn2Au**
D. Givord^{1,2}, V.M.T.S. Barthem², A.Y. Ramos¹, H.C.N. Tolentino³, L.E. Fernández-Outon⁴, F. Herrera-Aragón⁵, W.A.A. Macedo⁵, A. Bernard-Mantel¹, L. Ranno¹
 1. *CNRS/Univ. Grenoble-Alpes, Institut Néel, Grenoble, France*
 2. *Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil*
 3. *Laboratorio Nacional de Luz Síncrotron, LNLS/CNPEM, Campinas, Brazil*
 4. *Departamento de Física, Universidade Federal de Minas Gerais, Belo Horizonte, Brazil*
 5. *Laboratorio de Física Aplicada, Centro de Desenvolvimento da Tecnologia Nuclear, Belo Horizonte, Brazil*

MO.H.1_SPIN-TRANSFER TORQUE AND SPIN-TRANSFER OSCILLATORS

10:00-11:30 (ROOM D1-D3)

Chair: Adriana I. Figueroa

- 10:00-10:30 **MO.H.1_I1 - Spin-torque nanodevices for bio-inspired computing**
J. Grollier¹
1. CNRS Thales, Palaiseau, France
- 10:30-10:45 **MO.H.1_O2 - Current-induced spin orbit torques and magnetization switching in antiferromagnet/ferromagnet/oxide structures**
B. Park¹
Kaist, Daejeon, Republic Of Korea
- 10:45-11:00 **MO.H.1_O3 - Spin-orbit torque switching in a ferromagnet/antiferromagnet bilayer system**
S. Fukami^{1,2}, C. Zhang³, S. DuttaGupta³, H. Ohno^{1,2,3,4}
1. CSIS, Tohoku University, Miyagi Prefecture, Japan
2. CIES, Tohoku University, Miyagi Prefecture, Japan
3. LNS, RIEC, Tohoku University, Miyagi Prefecture, Japan
4. WPI-AIMR, Tohoku Univeversity, Miyagi Prefecture, Japan
- 11:00-11:15 **MO.H.1_O4 - Magnetization manipulation by spin orbitronic effects in permalloy/heavy metal doped copper bilayers**
M. Gabor¹, C. TiUnited Statesn¹, M. Belmeguenai², F. Zighem², S. Colis³, D. Lacour⁴, M. Hehn⁴
1. Center for Superconductivity, Spintronics and Surface Science, Technical University of Cluj-Napoca, Cluj-Napoca, Romania
2. Laboratoire des Sciences des Procédes et des Matériaux, CNRS-Universite Paris XIII, Villetaneuse, France
3. Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR 7504 UDS-CNRS and Universite de Strasbourg (UDS-ECPM), Strasbourg, France
4. Institut Jean Lamour, CNRS, Universite de Lorraine, Vandoeuvre, France
- 11:15-11:30 **MO.H.1_O5 - Spin-orbit torque induced magnetization switching in Ta/CoFeB/MgO heterostructure with a diameter down to 30 nm**
C. Zhang¹, S. Fukami^{2,3}, H. Sato^{2,3}, F. Matsukura^{1,2,4}, H. Ohno^{1,2,3,4}
1. Laboratory for Nanoelectronics and Spintronics, Research Institute of Electrical Communication, Tohoku University, Miyagi Prefecture, Japan
2. Center for Spintronics Integrated Systems, Tohoku University, Miyagi Prefecture, Japan
3. Center for Innovative Integrated Electronic Systems, Tohoku University, Miyagi Prefecture, Japan
4. WPI Advanced Institute for Materials Research, Tohoku University, Miyagi Prefecture, Japan

MO.I.1_LOW DIMENSIONAL SYSTEMS AND QUANTUM SPIN HALL

10:00-11:30 (ROOM D4-D6)

Chair: Antoni García Santiago

- 10:00-10:30 **MO.I.1_I1 - TO BE CONFIRMED**
- 10:30-10:45 **MO.I.1_O2 - Emergent one-dimensional magnetism in a metal and a semiconductor.**
I. Zaliznyak¹, A. Savici², O. Garlea², S. Chang³, R. Hu¹, C. Petrovic¹
1. *CMPMSD, Brookhaven National Laboratory, New York City, United States*
2. *NSD, Oak Ridge National Laboratory, Oak Ridge, United States*
3. *NIST Center for Neutron Research, Gaithersburg, United States*
- 10:45-11:00 **MO.I.1_O3 - Longitudinal and Transverse Zeeman Ladders in the Ising-Like Chain Antiferromagnet BaCo₂V₂O₈**
S. Petit¹, B. Grenier², V. Simonet³, L.P. Regnault², S. Raymond², B. Canals³, E. Canevet⁴, C. Berthier⁵, P. Lejay³
1. *LLB, CEA-CNRS, Gif Sur Yvette, France*
2. *CEA, INAC-SPSMS, Grenoble, France*
3. *CNRS, Institut Néel, Grenoble, France*
4. *Institut Laue-Langevin, CS 20156, Grenoble, France*
5. *CNRS, Laboratoire National des Champs Magnétiques Intenses, Grenoble, France*
- 11:00-11:15 **MO.I.1_O4 - Pressure-induced quantum phase transitions in low-dimensional organic quantum magnets**
J. Möller¹, G. Perren¹, A. Mannig¹, A. Zheludev¹
1. *ETH Zürich, Zürich, Switzerland*
- 11:15-11:30 **MO.I.1_O5 - Phonon-modulated magnetic interactions and spin Tomonaga-Luttinger liquid in the p-orbital antiferromagnet CsO₂**
M. Klanjsek^{1,2}, D. Arcon^{1,3}
1. *Jozef Stefan Institute, Ljubljana, Slovenia*
2. *EN-FIST Centre of Excellence, Ljubljana, Slovenia*
3. *Faculty of Mathematics and Physics, University of Ljubljana, Ljubljana, Slovenia*

MO.A.2_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

12:00-13:30 (ROOM J)

Chair: Yoshiteru Maeno

12:00-12:30

MO.A.2_I1 - Phase competition and Fermi surface reconstruction by charge density-wave order in cuprate superconductors

N. Doiron-Leyraud¹, G. Grissonanche¹, S. Badoux², O. Cyr-Choinière¹, R. Liang^{3,4}, D. Bonn^{3,4}, W. Hardy^{3,4}, B. Vignolle², C. Proust^{2,4}, L. Taillefer^{1,3}

1. Université de Sherbrooke, Sherbrooke, Canada

2. Laboratoire National des Champs Magnétiques Intenses, Toulouse, France

3. University of British Columbia, Vancouver, Canada

4. Canadian Institute for Advanced Research, Toronto, Canada

12:30-12:45

MO.A.2_O2 - The evolution of microwave conductivity in YBa₂Cu₃O_{6+x} across the superconducting dome

J. Baglo¹, J. Day², P. Dosanjh², R. Liang², W. Hardy², D. Bonn²

1. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

2. Department of Physics and Astronomy, University of British Columbia, Vancouver, Canada

12:45-13:00

MO.A.2_O3 - Magnetoresistance in the pseudogap phase of the high-T_c cuprate HgBa₂CuO_{4+d}

M. Chan¹, K. Modic¹, B. Ramshaw¹, R. McDonald¹, N. Harrison¹, Y. Li², Y. Tang², M. Greven², S. Badoux³, W. Tabis², B. Vignolle³, J. Béard³, X. Zhao⁴, N. Barisic⁵

1. National High Magnetic Field Laboratory, Los Alamos, United States

2. University of Minnesota, Minneapolis, United States

3. Laboratoire National des Champs Magnétiques Intenses, Toulouse, France

4. State Key Lab of Inorganic Synthesis and Preparative Chemistry, Jilin University, China

5. Institute of Solid State Physics, Vienna University of Technology, Austria

13:00-13:15

MO.A.2_O4 - Observation of Charge Order in Electron-doped Cuprates

R. Greene¹, E. da Silva Neto², R. Comin², Y. Jiang¹, J. Higgins¹, A. Damascelli²

1. University of Maryland, College Park, United States

2. University of British Columbia, Vancouver, Canada

13:15-13:30

MO.A.2_05 - Hybridization and formation of coherent heavy fermions: Non-Fermi liquid detection with point contact spectroscopy

L.H. Greene¹, S. Narasiwodeyar¹, M. Dwyer¹, W.K. Park¹, P.C. Canfield², E.D. Bauer³, P.H. Tobash³, R.E Baumbach³, F. Ronning³, J.L. Sarrao³

1. University of Illinois at Urbana-Champaign, Champaign, United States
2. Ames Laboratory and Iowa State University, Ames, United States
3. Los Alamos National Laboratory, New Mexico, United States

MO.C.2_MAGNETIC THIN FILMS AND MULTILAYERS**12:00-13:30 (ROOM H1)****Chair:** Sebastian Faehler

12:00-12:30

MO.C.2_I1 – Magnetic shape memory nano-disks: effects of lateral confinement on magnetism, martensitic behaviour and microstructure

F. Albertini¹, M. Campanini¹, L. Nasi¹, F. Casoli¹, P. Ranzieri¹, S. Fabbrici^{1,2}, V. Chiesi¹, C. Magen³, V. Grillo⁴, F. Celgato⁵

1. IMEM-CNR, Parma, Italy
2. MIST E-R Laboratory, Bologna, Italy
3. LMA-INA, ARAID, University of Zaragoza, Spain
4. NANO-CNR, Modena, Italy
5. INRIM, Torino, Italy

12:30-12:45

MO.C.2_02 - Tuning magnetic anisotropy by structural strain in La₂CoMnO₆ thin films

R. Galceran¹, L. Balcells¹, J. Cisneros-Fernández¹, J. Roqueta², L. López-Mir¹, B. Bozzo¹, C. Frontera¹, B. Martínez¹

1. Instituto de Ciencia de Materiales de Barcelona, ICMAB – CSIC, Barcelona, Spain
2. Institut Català de Nanociència i Nanotecnologia, ICN2 (CSIC, CERCA), Barcelona, Spain

12:45-13:00

MO.C.2_03 - Stabilization of helical magnetic structures in thin multilayers

L. Dzemiantsova^{1,2}, G. Meier^{1,3}, R. Röhlberger^{1,2}

1. The Hamburg Centre of Ultrafast Imaging, Hamburg, Germany
2. Deutsches Elektronen Synchrotron, Hamburg, Germany
3. Max-Planck Institute for the Structure and Dynamics of Matter, Hamburg, Germany

13:00-13:30

MO.C.2_I4 - Shape-Critical Properties of Patterned Permalloy Thin Films

R. Shull¹, Y.P. Kabanov², V. Gornakov², A. Chen¹, V. Nikitenko²

1. National Institute of Standards and Technology, United States
2. Russian Academy of Science, Saint Petersburg, Russian Federation

- 12:00-12:30 **MO.D.2_I1 - Advances in magnetocaloric characterization**
M. Solzi¹, G. Porcari¹, F. Cugini¹
1. *Dipartimento di Fisica e Scienze della Terra - Università di Parma, Parma, Italy*
- 12:30-12:45 **MO.D.2_O2 - Quasi-zero volume change 1st order phase transition on (Mn,Fe)2(P,A) A = Ge, Si magnetocaloric compounds**
L. Caron^{1,2}, G. Porcari^{2,3}, X.F. Miao², N.T. Trung², N.H. Dung⁴, M. Solzi³, E. Brück²
1. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*
2. *Delft University of Technology, Delft, The Netherlands*
3. *Parma University, Parma, Italy*
4. *Institute Neel, Grenoble, France*
- 12:45-13:00 **MO.D.2_O3 - Gd-Zn biphasic magnetic composites synthesized in a single preparation step: increasing refrigerant capacity without decreasing magnetic entropy change**
J.Y. Law¹, L.M. Moreno-Ramírez¹, J.S. Blázquez¹, V. Franco¹, A. Conde¹
1. *Sevilla University, Seville, Spain*
- 13:00-13:15 **MO.D.2_O4 - Thermal Conductivity study of (Mn-Fe)P_{1-x}Si_x magnetocaloric materials with first and second order phase transitions**
A. Davarpanah¹, X.F. Miao², L. Caron², E. Bruck², J.S. Amaral¹, V.S. Amaral¹
1. *Department of Physics / CICECO - Aveiro Institute of Materials, University Of Aveiro, Aveiro, Portugal*
2. *Department of Radiation Science & Technology, Delft University of Technology, Delft, Netherlands*
- 13:15-13:30 **MO.D.2_O5 - Conventional and rotating magnetocaloric effects in RAl2 (R=Ho and Nd)**
N. Antunes De Oliveira¹, J. Caro Patiño¹, P. von Ranke¹
1. *Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
- 13:30-13:45 **MO.D.2_O6 -Magnetic entropy change in materials with first- order magnetic transitions under cycling**
B. Kaeswurm, B. Kaeswurm¹, V. Franco², K.P. Skokov¹, M. Fries¹, T. Gottschall¹, O. Gutfleisch¹
1. *Institut für Geo- und Materialwissenschaften, Technische Universität Darmstadt, Darmstadt, Germany*
2. *Departamento Física de la Materia Condensada, Universidad de Sevilla, Sevilla, Spain.*

- 12:00-12:15 **MO.E.2_01 - Sensitive nanoSQUIDs for magnetization reversal measurements on single magnetic nanoparticles, nanotubes and nanowires**
 M.J. Martínez-Pérez ¹, R. Wölbing ¹, A. Buchter ², M. Wyss ², C. Reiche ³, T. Mühl ³, B. Müller ¹, T. Schwarz ¹, A. Zorin ⁴, B. Büchner ³, J. Sesé ⁸, A. Fontcuberta i Morral ⁵, D. Grundler ^{6,7}, R. Kleiner ¹, M. Poggio ², D. Koelle ¹
 1. *Physikalisches Institut, Universität Tübingen, Tübingen, Germany*
 2. *Dept. of Physics, Univ. Basel, Basel, Switzerland*
 3. *IFW Dresden, Dresden, Germany*
 4. *PTB Braunschweig, Braunschweig, Germany*
 5. *EPFL LaUnited Statesnne, LaUnited Statesnne, Switzerland*
 6. *TU München, Munich, Germany*
 7. *STI, EPFL LaUnited Statesnne, LaUnited Statesnne, Switzerland*
 8. *Dpto. de Física de la Materia Condensada, Zaragoza, Spain*
- 12:15-12:30 **MO.E.2_02 - Three-Axis Low Energy Neutron Spectroscopy at the Institut Laue-Langevin**
M. Boehm ¹, S. Roux ¹, J. Kulda ¹, V. Sechovsky ², P. Svoboda ², J. Saroun ³, P. Steffens ¹
 1. *Institut Laue-Langevin, Grenoble, France*
 2. *Faculty of Mathematics and Physics, Charles University, Prague, Czech Republic*
 3. *Nuclear Physics Institute AS CR, Rez, Czech Republic*
- 12:30-12:45 **MO.E.2_03 - Nanoscale magnetic imaging using Single Nitrogen Vacancy Centers in diamond**
M. Ganzhorn ¹, P. Appel ¹, L. Thiel ¹, B. Shields ¹, E. Neu ², P. Maletinsky ¹
 1. *University of Basel, Basel, Switzerland*
 2. *University of Saarland, Saarbrücken, Germany*
- 12:45-13:00 **MO.E.2_04 - Ultra high-resolution magnetic imaging of perpendicular magnetic recording media by near-surface alternating magnetic force microscopy**
 S.R. Kapa ¹, S. Okayasu ¹, H. Qi ², F. Zheng ², G. Egawa ¹, Y. Kinoshita ², S. Yoshimura ¹, H. Saito ¹
 1. *Graduate School of Engineering and Resource Science, Akita University, Akita, Japan*
 2. *Venture Business Laboratory, Akita University, Akita, Japan*
- 13:00-13:15 **MO.E.2_05 - Development of 22 T VSM System using Novel Improvements in HTS Conductor**
J. Good ¹, D. Bracanovic ¹, T. Ritman-Meer ¹
 1. *Cryogenic Ltd, London, United Kingdom*

13:15-13:30

MO.E.2_06 - Quantitative magnetic force microscopy: A method to determine physical properties of superconducting materials

U. Wolff¹, F. Rhein¹, S. Vock¹, H. Stopfel², N. Joshi³, S. Ízer³, H.J. Hug³, V. Neu¹, L. Schultz¹

1. IFW Dresden, Dresden, Germany

2. Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden

3. Department of Physics, University of Basel, Basel, Switzerland

MO.F.2_ MAGNETIC NANORODS, NANOWIRES AND NANOTUBES

12:00-13:30 (ROOM A)

Chair: Nicholas Kioussis

12:00-12:30

MO.F.2_I1 - Templated Self Assembly of Magnetic Nanostructures

C.A. Ross¹, S. Ohja¹, N. Aimon¹, W. Bai¹, K. Tu¹

1. Massachusetts Institute of Technology, Cambridge, United States

12:30-12:45

MO.F.2_O2 - Ni80Fe20 nanodisks by nanosphere lithography for biomedical applications

P. Tiberto¹, G. Barrera^{1,2}, F. Celegato¹, M. Coisson¹, G. Conta^{1,2}, F. Vinai¹, K. Martina³, M. Caporaso³, L. Serpe³, R. Canaparo³

1. Inrim, Torino, Italy

2. Dipartimento di Chimica, Università di Torino, Torino, Italy

3. Dipartimento di Scienza e Tecnologia del Farmaco, Università di Torino, Torino, Italy

12:45-13:00

MO.F.2_O3 - Investigation of different magnetocrystalline anisotropies with FORC analysis in electrodeposited Co-Pt nanowires

M. Arshad

1. Jozef Stefan Institute, LJUBLJANA, SLOVENIA

13:00-13:15

MO.F.2_O4 - Magnetic domain walls in interconnected nanowire structures

D. Burn¹, M. Chadha¹, L. Cohen¹, W. Branford¹

1. Imperial College London, London, United Kingdom

13:15-13:30

MO.F.2_O5 - Segmented nanowires for multi-level high-density magnetic data storage: modeling and experimental proof-of-concept

N. del-Valle

1. Universitat Autònoma de Barcelona, Barcelona, Spain

MO.G.2_THEORY AND MODELLING**12:00-13:30 (ROOM B1-B3)****Chair:** Kalliopi N. Trohidou

- 12:00-12:30 **MO.G.2_I1 - Accelerated Discovery of High-Performance Magnets**
S. Sanvito¹
 1. Trinity College Dublin, Dublin, Ireland
- 12:30-12:45 **MO.G.2_O2 - CLUSTER MONTE CARLO ALGORITHMS FOR FEPT HAMILTONIAN**
A. Lyberatos¹, G. Parker²
 1. University Of Crete, Crete, Greece
 2. HGST, a Western Digital Company, San José, United States
- 12:45-13:00 **MO.G.2_O3 - Bimodal distribution of blocking temperature for exchange-bias ferromagnetic/antiferromagnetic bilayers: a granular Monte Carlo study with less stable magnetic regions spread over the interface**
D. Ledue¹, G. Lhoutellier¹, R. Patte¹, F. Barbe¹, B. Dieny², V. Baltz²
 1. GPM UMR 6634 CNRS-Université & INSA De Rouen, Saint-Étienne-du-Rouvray, France
 2. SPINTEC, Univ. Grenoble-Alpes/CNRS/INAC-CEA, Saint-Martin-d'Hères, France
- 13:00-13:30 **MO.G.2_I4 - Vortex Nonlinear Dynamics**
C. Serpico¹, M. d'Aquino², S. Perna¹, A. Quercia¹
 1. DIETI, University Of Naples Federico II, Naples, Italy
 2. Department of Engineering, University of Naples Parthenope, Naples, Italy

MO.H.2_SPIN-TRANSFER TORQUE AND SPIN-TRANSFER OSCILLATORS**12:00-13:30 (ROOM D1-D3)****Chair:** Julie Grollier

- 12:00-12:30 **MO.H.2_I1 - Spin pumping through a topological insulator probed by x-ray detected ferromagnetic resonance**
A.I. Figueroa¹, A.A. Baker^{1,2}, L.J. Collins-McIntyre², G. van der Laan¹, T. Hesjedal¹
 1. Magnetic Spectroscopy Group, Diamond Light Source, Didcot, United Kingdom
 2. Department of Physics, Clarendon Laboratory, University of Oxford, Oxford, United Kingdom

12:30-12:45

MO.H.2_O2 - Control of the spin-wave relaxation in a magnetic insulator of macroscopic dimensions via spin-transfer torque

V. Lauer¹, D.A. Bozhko⁰, T. Brächer¹, P. Pirro¹, V.I. Vasyuchka¹, A.A. Serga¹, M.B. Jungfleisch³, M. Agrawal¹, Y.V. Kobljanskij⁴, G.A. Melkov⁴

1. *Fachbereich Physik and Forschungszentrum OPTIMAS, Technische Universität Kaiserslautern, Kaiserslautern, Germany*
2. *Graduate School Materials Science in Mainz, Kaiserslautern, Germany*
3. *Materials Science Division, Argonne National Laboratory, Argonne, United States*
4. *Faculty of Radio Physics, Taras Shevchenko National University of Kyiv, Kyiv, Ukraine*
5. *INNOVENT e.V. Technologieentwicklung, Jena, Germany*

12:45-13:00

MO.H.2_O3 - TO BE CONFIRMED

13:00-13:15

MO.H.2_O4 - Low Linewidth high Frequency Spin Hall Nano-Oscillators

A. Awad¹, P. Dürrenfeld¹, A. Houshang¹, E. Iacocca¹, M. Ranjbar¹, R. Dumas¹, J. Akerman^{1,2}

1. *Department of Physics, University of Gothenburg, Göteborg, Sweden*
2. *Materials Physics, School of ICT, KTH-Royal Institute of Technology, Kista, Sweden*

13:15-13:30

MO.H.2_O5 - Effect of spin-transfer-torque induced dynamics of a synthetic antiferromagnetic reference layer on a spin-torque diode spectrum

R. Matsumoto¹, H. Kubota¹, T. Yamaji¹, H. Arai¹, S. Yuasa¹, H. Imamura¹

1. *National Institute of Advanced Industrial Science and Technology (AIST), Tokyo, Japan*

MO.I.2_MOLECULAR MAGNETISM**12:00-13:30 (ROOM D4-D6)****Chair:** Miguel Novak

12:00-12:30

MO.I.2_I1 - Strong magneto-chiral dichroism detected by hard X-rays in a molecular helix

R. Sessoli¹, A. Rogalev², F. Wilhelm², M.E. Boulon¹, M. Mannini¹, L. Poggini¹, A. Caneschi¹

1. *University of Florence, Florence, Italy*
2. *ESRF, Grenoble, France*

12:30-12:45

MO.I.2_O2 - B-T phase diagram of solid oxygen in the megagauss region

T. Nomura¹, Y.H. Matsuda¹, S. Takeyama¹, A. Matsuo¹, K. Kindo¹, T. C. Kobayashi²

1. *ISSP Univ. of Tokyo, Tokyo, Japan*
2. *Okayama University, Okayama, Japan*

12:45-13:00

MO.I.2_03 - Light-Induced Spin-State Switching of an Fe(II) Complex Adsorbed on HOPG

M. Bernien¹, H. Naggert², L.M. Arruda¹, L. Kippen¹, F. Nickel¹, J. Miguel¹, C.F. Hermanns¹, A. Krüger¹, D. Krüger¹, E. Schierle³

1. Institut für Experimentalphysik, Freie Universität Berlin, Berlin, Germany

2. Institut für Anorganische Chemie, Christian-Albrechts-Universität zu Kiel, Kiel, Germany

3. Helmholtz-Zentrum Berlin für Materialien und Energie, Berlin, Germany

13:00-13:15

MO.I.2_04 - Intracluster interactions in "butterfly" {Fe3LnO2} molecules with non-Kramers Ln = Tb and Ho

L. Badía-Romano¹, J. Rubín², F. Bartolomé¹, J. Luzón³, D. Prodius⁴, C. Turta⁴, V. Mereacre⁴, A. Rogalev⁵, F. Wilhelm⁵, J. Bartolomé¹

1. Instituto de Ciencia de Materiales de Aragón, Departamento de Física de la Materia Condensada, CSIC Universidad de Zaragoza, Zaragoza, Spain

2. Instituto de Ciencia de Materiales de Aragón, Departamento de Ciencia de Materiales e Ingeniería Metalúrgica, CSIC Universidad de Zaragoza, Zaragoza, Spain

3. Instituto de Ciencia de Materiales de Aragón, CSIC Universidad de Zaragoza, and Centro Universitario de la Defensa, Zaragoza, Spain

4. Institute of Chemistry, Academy of Sciences of Moldova, Chisinau, Republic of Moldova

5. European Synchrotron Radiation Facility, Grenoble, France

13:15-13:30

MO.I.2_05 - Landing functional molecular spin clusters on surfaces.

M. Affronte¹

1. Università Di Modena E Reggio Emilia, Modena, Italy

MO.J.2_ORGANIC SPINTRONICS. CARBON-BASED SPINTRONICS**12:00-13:30 (ROOM E1-E3)****Chair:** Tomas Jungwirth

12:00-12:30

MO.J.2_I1 - Spin transport in molecular films: beyond conventional spin valves

L.E. Hueso^{1,2}, X. Sun¹, A. Bedoya-Pinto¹, M. Gobbi¹, H. Prima-García³, S. Gómez-Miralles³, E. Coronado³, F. Casanova^{1,2}

1. CIC NanoGUNE, San Sebastian, Spain

2. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

3. ICMOL, Universidad de Valencia, Valencia, Spain

12:30-12:45

MO.J.2_O2 - Voltage-controlled inversion of tunnel magnetoresistance in epitaxial spin valve based on graphene

F. Godel¹, V. Kamalakar², B. Doudin¹, Y. Henry¹, D. Halley¹, J.F. Dayen¹

1. Ipcms-Cnrs, Strasbourg, France

2. Chalmers University of Technology, Göteborg, Sweden

12:45-13:00

MO.J.2_03 - Spin dependent electron scattering in graphene nanostructures on Ni(111)

A. García-Lekue^{1,2}, T. Balashov³, M. Olle³, G. Ceballos³, A. Arnau^{1,4,5}, P. Gambardella^{3,6,7}, D. Sánchez-Portal^{1,4}, A. Mugarza³

1. Donostia International Physics Center (DIPC), San Sebastian, Spain
2. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain
3. Catalan Institute of Nanoscience and Nanotechnology (ICN2), Bellaterra, Spain
4. Centro de Física de Materiales CFM - MPC, Centro Mixto CSIC-UPV, San Sebastián, Spain
5. Dpto. de Física de Materiales UPV/EHU, Facultad de Química, San Sebastián, Spain
6. Institució Catalana de Recerca i Estudis Avançats (ICREA), Barcelona, Spain
7. Department of Materials, ETH Zurich, Zurich, Switzerland

13:00-13:15

MO.J.2_04 - Electrical detection of switching and photoconductivity in spin-crossover nanorods assembled by dielectrophoresis between interdigitated electrodes

C. Lefter², J. Dugay¹, R. Tan¹, A. Rotaru³, I.A. Gural'skiy⁴, S. Tricard², L. Salmon², J. Carrey¹, G. Molnar², A. Bousseksou²

1. Laboratoire de Physique et Chimie des Nano-Objets, CNRS UMR 5215 et Université de Toulouse, France
2. Laboratoire de Chimie de Coordination, CNRS UPR-8241 and Université de Toulouse, France
3. Faculty of Electrical Engineering and Computer Science, Stefan cel Mare University, Suceava, Romania
4. Department of Chemistry, National Taras Shevchenko University, Kiev, Ukraine

13:15-13:30

MO.J.2_05 - XMCD investigation of the magnetic anisotropy of Co and Fe adatoms and clusters adsorbed on Gr/Pt(111)

P. Gargiani¹, H. Babu Vasili¹, J. Herrero¹, E. Pellegrin¹, A. Barla², M. Valvidares¹

1. ALBA Synchrotron Light Source, Cerdanyola del Vallés, Spain
2. Istituto di Struttura della Materia, ISM CNR, Area Science Park Basovizza, Trieste, Italy

MO.SEMIPLENARY-1**16:00-16:45 (AUDITORIUM)****Chair:** Ivan Schuller

16:00-16:45

MO.SP-1 -Adding magnetic functionalities to epitaxial graphene
Rodolfo Miranda

MO.SEMIPLENARY-2

16:00-16:45 (ROOM J)

Chair: David Sellmyer

- 16:00-16:45 **MO.SP-2 - Magnetization dynamics of nanodots and fundamental limits of minimum energy dissipation during switching**
Giovanni Carlotti
University Of Perugia -Dipartimento Di Fisica E Geologia, Perugia, Italy

MO.SEMIPLENARY-3

16:00-16:45 (ROOM F)

Chair: Myriam Sarachik

- 16:00-16:45 **MO.SP-3 -Ferromagnetism in Semiconductors and the Role of Localization**
Tomasz Dietl
Institute Of Physics Polish Academy Of Sciences, Warszawa, Poland

MO.A.3 SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

17:15-18:15 (ROOM J)

Chair: Tuson Park

- 17:15-17:30 **MO.A.3_01 - Electronic, Magnetic and Structural Properties in Fe-based Superconductors**
L. Simonelli¹, T. Mizokawa², N.L. Saini³
1. *Alba Cells Synchrotron, Barcelona, Spain*
2. *Department of Physics and Department of Complexity Science and Engineering, University of Tokyo, Chiba, Japan*
3. *Dip. di Fisica, Università di Roma "La Sapienza", Roma, Italy*
- 17:30-17:45 **MO.A.3_02 - Unconventional superconductivity in double quantum dots**
M. Governale¹, B. Sothmann², S. Weiss³, J. König³
1. *Victoria University of Wellington, Wellington, New Zealand*
2. *Université de Genève, Geneve, Switzerland*
3. *Universität Duisburg-Essen, Essen, Germany*
- 17:45-18:00 **MO.A.3_03 - Electronic structure, spin excitations, and orbital ordering in a three-orbital model for iron pnictides.**
S. Ghosh¹, A. Singh¹
1. *Indian Institute of Technology, Kanpur, India*

- 18:00-18:15 **MO.A.3_04 - Superconductivity in SrPt3P: An NMR study**

and comparison with non-centrosymmetric LaPt₃Si and CePt₃Si

T. Shiroka^{1,2}, H.R. Ott^{1,2}, M. Pikulski¹, N.D. Zhigadlo¹, B. Batlogg¹, J. Mesot^{1,2}

1. *Laboratorium für Festkörperphysik, ETH Zurich, Zurich, Switzerland*
2. *Paul Scherrer Institut, Villigen PSI, Switzerland*

MO.B.3_MAGNETIC NANOPARTICLES**17:15-18:15 (ROOM F)****Chair:** Marcelo Knobel

17:15-17:30

MO.B.3_01 - Transport properties of 1D magnetic nanochainJ.S. Lee¹, Y.K. Kim¹

1. *Korea University, Seongbuk-gu, Republic of Korea*

17:30-17:45

MO.B.3_02 - Hollow Fe₃O₄ Nanospheres and Their Microwave ApplicationsZ. Yang¹, Z. Li¹, Y. Wu¹, M. Chua¹, Y. Yang²

1. *Temasek Laboratories, National University of Singapore, Singapore*
2. *School of Chemical and Biomedical Engineering, Nanyang Technological University, Singapore*

17:45-18:00

MO.B.3_03 - Chemical order in Cobalt-Iron nano-objects probed by Ferromagnetic Nuclear ResonanceY. Shin^{1,2}, C. Garnero³, K. Soulantica³, L. Marie Lacroix³, B. Chaudret³, J.W. Wu², C. Meny^{1,2}

1. *Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), Strasbourg, France*
2. *Department of Physics, CNRS-Ewha International Research Center, Ewha Womans University, Seoul, Republic of Korea*
3. *Laboratoire de Physique et Chimie des Nano-objets (LPCNO), Toulouse, France*

18:00-18:15

MO.B.3_04 - A Novel Approach for the Chemical Synthesis of Magnetically Hard Co and Fe/Co Composite NanoparticlesF.M. Abel¹, V. Tzitzios², D.J. Sellmyer³, G.C. Hadjipanayis¹

1. *Department of Physics and Astronomy, University of Delaware, Newark, United States*
2. *Institute of Materials Science, NCSR Demokritos, Attiki, Greece*
3. *Department of Physics and Astronomy, University of Nebraska, Lincoln, United States*

MO.C.3_MAGNETIC THIN FILMS AND MULTILAYERS**17:15-18:30 (ROOM H1)****Chair:** Andrzej Maziewski

17:15-17:30

MO.C.3_01 - Mobile magnetic phase boundary in compositionally graded films

C. Miller¹, B. Kirby², H. Belliveau³, P. Keinzle², A. Grutter², P. Riego⁴, A. Berger⁴

1. Rochester Institute of Technology, Rochester, United States
2. NCSR, NIST, Gaithersburg, United States
3. University of South Florida, Tampa, United States
4. CIC nanoGUNE Consolider, Donostia San Sebastian, Spain

17:30-17:45

MO.C.3_O2 - Deposition of soft anisotropic FeCoN films on mica substrates

Y. Wu¹, Y. Yang¹, Z. Yang¹, F. Ma¹, B. Zong¹, J. Ding¹

1. National University of Singapore, Singapore

17:45-18:00

MO.C.3_O3 - Study of the antiferromagnetic order in strained SrMnO₃ multiferroic thin films

L. Maurel¹, N. Marcano^{2,3}, T. Prokscha⁴, E. Langenberg^{1,5}, J. Blasco^{2,6}, R. Guzman¹, C. Magen^{1,6,7}, L. Morellon^{1,6}, M.R. Ibarra^{1,6}, J.A. Pardo^{1,8}, P.A. Algarabel^{2,6}

1. Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain
2. Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza - Consejo Superior de Investigaciones Científicas, Zaragoza, Spain
3. Centro Universitario de la Defensa, Academia General Militar, Zaragoza, Spain
4. Laboratory for Muon Spin Spectroscopy, Paul Scherrer Institute, Villigen PSI, Switzerland
5. Centro de Investigación en Química Biológica y Materiales Moleculares, Universidad de Santiago de Compostela, Santiago de Compostela, Spain
6. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain
7. Fundacion ARAID, Zaragoza, Spain
8. Departamento de Ciencia y Tecnología de Materiales y Fluidos, Universidad de Zaragoza, Zaragoza, Spain

18:00-18:15

MO.C.3_O4 - Exploiting magneto-optics as a gateway to the magnetism of Ce-YIG films grown on strongly paramagnetic garnet substrates

B. Casals¹, M. Espinola¹, G. Herranz¹, J. Fontcuberta¹

1. Icmab-Csic, Bellaterra, Spain

MO.D.3_HIGHLY FRUSTRATED MAGNETISM

17:15-18:30 (ROOM H2)

Chair: Elsa Lhotel

17:15-17:30

MO.D.3_O1 - Neutron scattering study of J1-J2 zig-zag chains in SrDy₂O₄ frustrated magnet

N. Gauthier¹, A. Fennell², A. Désilets-Benoît³, B. Prévost³, A.D. Bianchi³, C. Niedermayer², M. Frontzek², C. Baines⁴, J. Ollivier⁵, L.P. Regnault⁵

1. *Laboratory for Developments and Methods, Paul Scherrer Institut, Villigen, Switzerland*

2. *Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland*

3. *Département de physique, Université de Montréal, Montréal, Canada*

4. *Laboratory for Muon Spin Spectroscopy, Paul Scherrer Institut, Villigen, Switzerland*

5. *Institut Laue-Langevin, Grenoble, France*

17:30-17:45

MO.D.3_O2 - Micromagnetic characterisation of gyroid nanostructures

D. Love¹, J. Llandro¹, A. Kovacs², A. Kakay², M. Scherer¹, C. Cimorra¹, U. Steiner¹, R. Dunin-Borkowski², C. Barnes¹

1. *University of Cambridge, Department of Physics, Cambridge, United Kingdom*

2. *Forschungszentrum Juelich, Ernst Ruska-Centre, Juelich, Germany*

17:45-18:00

MO.D.3_O3 - Spin-excitation spectrum of the insulating skyrmion compound Cu₂OSeO₃

D. Inosov¹, P. Portnichenko¹, A. Cameron¹, M. Schmidt², J. Park³, D. Abernathy⁴, A. Schneidewind³

1. *Technische Universität Dresden, Dresden, Germany*

2. *Max Planck Institute for the Chemical Physics of Solids, Dresden, Germany*

3. *Forschungsneutronenquelle Heinz Maier-Leibnitz, Garching, Germany*

4. *Oak Ridge National Laboratory, Oak Ridge, United States*

18:00-18:15

MO.D3_O4 - Scaling Laws in speckle dynamics on artificial spin ices

Y. Li¹, S. Morley², D. Laroze^{1,3}, C. Marrows², R. Stamps¹

1. *University of Glasgow, Glasgow, United Kingdom*

2. *University of Leeds, Leeds, United Kingdom*

3. *Universidad de Tarapaca, Arica, Chile*

18:15-18:30

MO.D3_05 -Spin excitations in a highly frustrated antiferromagnet Ni₃B₂O₆ explored by far-infrared and Raman spectroscopy

R.V. Pisarev

*Ioffe Physical Technical Institute, Russian Academy of Sciences, SAINT PETERSBURG, RUSSIA***MO.E.3_THIN FILM NANOSTRUCTURES****17:15-18:15 (ROOM H3)****Chair:** Adekunle Adeyeye

17:15-17:45

MO.E.3_I1 - Manipulation of hybrid magnetic nanostructures through exchange bias and interfacial strainA. Fraile Rodríguez¹, M. García del Muro¹, M. Kovylyna¹, A.C. Basaran², I. Valmianski², Rafael Morales^{3,4}, J.G. Ramírez², F. Kronast⁵, M. A. Marcus⁶, A. Scholl⁶*1. Institut de Nanociència i Nanotecnologia, Universitat de Barcelona, Barcelona, Spain**2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States**3. Department of Chemical-Physics, BCMaterials, University of the Basque Country UPV/EHU, Leioa, Spain**4. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain**5. Helmholtz-Zentrum Berlin für Materialien und Energie GmbH, Berlin, Germany**6. Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, United States*

17:45-18:00

MO.E.3_O2 - Nonlinear magneto-plasmonics in hybrid metal-ferromagnet multilayer structuresI. Razzdolski¹, A. Kirilyuk¹, T. Rasing¹, D. Makarov², O. Schmidt², V. Temnov³*1. Institute of Molecules and Materials, Radboud University Nijmegen, Nijmegen, Netherlands**2. Institute for Integrative Nanosciences, IFW Dresden, Dresden, Germany**3. Institut des Molécules et Matériaux du Mans, UMR CNRS 6283, Université du Maine, Le Mans, France*

18:00-18:15

MO.E.3_O3 - Stability of Single Skyrmionic BitsJ. Hagemester¹, N. Romming¹, K. von Bergmann¹, E. Vedmedenko¹, R. Wiesendanger¹*1. University of Hamburg, Hamburg, Germany***MO.F.3_SEMICONDUCTOR SPINTRONICS****17:15-18:15 (ROOM A)****Chair:** Santiago Serrano-Guisan

17:15-17:30

MO.F.3_O1 - Demonstration of spin-MOSFET using n-type Si at room temperature

M. Kameno ^{1,2}, T. Sasaki ³, Y. Ando ², T. Shinjo ², H. Koike ³, T. Oikawa ³, T. Suzuki ⁴, M. Shiraishi ²
 1. *Osaka University, Osaka Prefecture, Japan*
 2. *Kyoto University, Kyoto Prefecture, Japan*
 3. *TDK Corporation, Tokyo, Japan*
 4. *AIT, Akita, Japan*

17:30-17:45

MO.F.3_O2 - Spin pumping and spin-orbit effects in Ge

S. Oyarzun ¹, F. Rortais ¹, J.C. Rojas-Sánchez ², P. Laczowski ², N. Reyren ², C. Vergnaud ¹, L. Vila¹, J.P. Attané ¹, C. Beigné ¹, C. Ducruet ³, S. Gambarelli¹, J. Widiez⁴, A. Nandy⁵, S. Blügel⁵, H. Jaffrès², JM. George², M. Jamet¹
 1. *INAC/SP2M, CEA-Grenoble and Université Grenoble Alpes, Grenoble, France*
 2. *Unité Mixte CNRS/Thales, Palaiseau, France*
 3. *CROCUS Technology, Grenoble, France*
 4. *LETI, CEA-Grenoble, Grenoble, France*
 5. *Forschungszentrum Jülich, Jülich, Germany*

17:45-18:00

MO.F.3_O3 - Impurity-assisted Tunneling Magnetoresistance: the physics behind electrical three-terminal Hanle experiments

O. Txoperena¹, Y. Song ², L. Qing ³, M. Gobbi ^{1,4}, L.E. Hueso ^{1,5}, H. Dery ^{2,3}, F. Casanova ^{1,5}
 1. *CIC nanoGUNE, Donostia - San Sebastian, Spain*
 2. *Department of Electrical and Computer Engineering, University of Rochester, Rochester, United States*
 3. *Department of Physics and Astronomy, University of Rochester, Rochester, United States*
 4. *Université de Strasbourg, Institut de Science et d'Ingénierie Supramoléculaires (I.S.I.S.), Strasbourg, France*
 5. *IKERBASQUE, Basque Foundation of Science, Bilbao, Spain*

18:00-18:15

MO.F.3_O4 - Spin Noise Spectroscopy of the Spin Hall Effect

Y.V. Pershin¹, V.A. Slipko ^{1,2}, N.A. Sinitsyn ³
 1. *Department of Physics and Astronomy, University of South Carolina, Columbia, United States*
 2. *Department of Physics and Technology, V. N. Karazin Kharkov National University, Kharkiv, Ukraine*
 3. *Theoretical Division, Los Alamos National Laboratory, New Mexico, United States*

MO.G.3_ SPIN-ORBIT AND SPIN-LATTICE COUPLING**17:15-18:15 (ROOM B1-B3)****Chair:** Virginie Simonet

- 17:15-17:30 **MO.G.3_O1 - Magnetic field dependence of phonons in the terbium gallium garnet**
M. Mori¹, A. Spencer-Smith², O. Sushkov², S. Maekawa¹
 1. *Japan Atomic Energy Agency, Ibaraki, Japan*
 2. *University of New South Wales, Sydney, Australia*
- 17:30-17:45 **MO.G.3_O2 - Magnetic susceptibility anisotropy in noncentrosymmetric CePt3Si due to Rashba-type spin-orbit coupling**
B. Fak^{1,2}, V. Mineev²
 1. *Institut Laue-Langevin, Grenoble, France*
 2. *CEA and University, Grenoble Alpes, France*
- 17:45-18:00 **MO.G.3_O3 - Distribution of relaxation times in the skyrmion compound Cu2OSeO3**
I. Zivkovic^{1,2}, I. Levatic¹, V. Surija¹, H. Berger²
 1. *Institute of Physics, Zagreb, Croatia*
 2. *Institute of Condensed Matter Physics, LaUnited Statesnne, Switzerland*
- 18:00-18:15 **MO.G.3_O4 - Guiding of a zigzag spin spiral by local uniaxial strain relief**
P. Hsu¹, A. Finco¹, L. Schmidt¹, A. Kubetzka¹, K. von Bergmann¹, R. Wiesendanger¹
 1. *Department of Physics, University of Hamburg, Hamburg, Germany*

MO.H.3_VORTEX AND SKYRMION DYNAMICS**17:15-18:15 (ROOM D1-D3)****Chair:** Mi-Young Im

- 17:15-17:30 **MO.H.3_O1 - Control of chaos in magnetic vortex structure formation**
K. Lee
 1. *School of Materials Science and Engineering, KIST-UNIST Ulsan Center For Convergent Materials, Ulsan National Institut of Science And Technology (UNIST), Ulsan, South Korea*

17:30-17:45

**MO.H.3_O2 - Skyrmions at room temperature:
Frommagnetic thin films to magnetic multilayers**

C. Moreau-Lucaire¹, C. Moutafis², N. Reyren¹, J. Sampaio¹, N. Van Horne¹, C. Vaz², K. Bouzehouane¹, K. García¹, C. Deranlot¹, P. Warnicke¹

1. *Unité Mixte CNRS/Thales and Université Paris Sud, Palaiseau, France*
2. *Swiss Light Source, Paul Scherrer Institute, Villigen, Switzerland*
3. *Max Planck Institute for Intelligent Systems, Stuttgart, Germany*

17:45-18:00

MO.H.3_O3 - Broadband microwave spectroscopy on the skyrmion lattice phase of different chiral magnets

D. Grundler¹, I. Stasinopoulos², J. Waizner³, M. Garst³, A. Bauer⁴, S. Weichselbaumer², H. Berger⁵, T. Schwarze², C. Pfleiderer⁴

1. *Institut des Matériaux, École Polytechnique Fédérale de LaUnited Statesne, LaUnited Statesne, Switzerland*
2. *Lehrstuhl für Physik funktionaler Schichtsysteme, Technische Universitaet Muenchen, Munich, Germany*
3. *Institute of Theoretical Physics, University of Cologne, Köln, Germany*
4. *Lehrstuhl für Topologie korrelierter Systeme, Technische Universitaet Muenchen, Munich, Germany*
5. *Institut de Physique de la Matière Complexe, École Polytechnique Fédérale de LaUnited Statesne, LaUnited Statesne, Switzerland*

18:00-18:15

MO.H.3_O4 - Observation of local magnetization dynamics in helimagnetic FeGe

P. Schönherr¹, A. Dussaux¹, K. Chang¹, N. Kanazawa², Y. Tokura⁰, C. Degen¹, M. Fiebig¹, D. Meier¹

1. *ETH Zürich, Zürich, Switzerland*
2. *University of Tokyo, Tokyo, Japan*
3. *Riken, Wako, Japan*

MO.I.3_QUANTUM MAGNETISM AND PHYSICS OF FRUSTRATION**17:15-18:15 (ROOM D4-D6)****Chair:** Frank Kruger

17:15-17:30

MO.I.3_O1 - Probing Hidden Orders with Resonant Inelastic X-Ray Scattering

L. Savary¹, T. Senthil¹

1. *Massachusetts Institute of Technology, Cambridge, United States*

17:30-17:45

MO.I.3_02 - Femtosecond dynamics of magnetic excitations from resonant inelastic x-ray scatteringS. Kourtis¹*1. TCM Group, Cavendish Laboratory, University Of Cambridge, Cambridge, United Kingdom*

17:45-18:00

MO.I.3_03 - Spin and charge interplay of interacting and frustrated electrons on the 1/3-filled Kagome latticeA. Ralko¹, K. Ferhat*1. Néel Institute, Grenoble, France*

18:00-18:15

MO.I.3_04 - Magnetic Field dependence of 6 K anomaly in Spin Liquid State of k-(BEDT-TTF)₂Cu₂(CN)₃ investigated by ¹³C NMRK. Miyagawa¹, K. Umeda ¹, K. Kanoda ¹*1. University of Tokyo, Tokyo, Japan***MO.J.3_SPIN WAVE DYNAMICS AND MAGNONICS****17:15-18:15 (ROOM E1-E3)****Chair:** Marius Costache

17:15-17:30

MO.J.3_01 - Sub-20 femtosecond opto-magnetic excitation and the ultimately fast spin dynamics in a Heisenberg antiferromagnetD. Bossini¹, S. Dal Conte ², Y. Hashimoto ¹, A. Secchi ¹, R. Pisarev ³, G. Cerullo ², T. Rasing ¹, A. Kimel ¹*1. Institute for Molecules and Materials, Radboud University Nijmegen, Nijmegen, The Netherlands**2. IFN-CNR, Dipartimento di Fisica, Politecnico di Milan, Milan, Italy**3. A. F. Ioffe Physical-Technical Institute, Russian Academy of Sciences, St. Petersburg, Russian Federation*

17:30-17:45

MO.J.3_02 - Parametric Amplification of Spin Waves Using Bulk Acoustic WavesP. Chowdhury¹, P. Dhagat ¹, A. Jander ¹*1. Oregon State University, Corvallis, United States*

17:45-18:00

MO.J.3_03 - Spin-Orbit torques driven ferromagnetic resonance in ultrathin YIG disks

M. Collet¹, O. d'Allivy Kelly¹, R. Bernard¹, E. Jacquet¹, P. Bortolotti¹, V. Cros¹, A. Anane¹, X. De Milly², G. De Loubens², V.V. Naletov^{2,3}

1. *Unité Mixte de Physique CNRS/Thales And Université Paris Sud, Palaiseau, France*

2. *Service de Physique de l'État Condensé, CEA Saclay, Gif-sur-Yvette, France*

3. *Institute of Physics, Kazan Federal University, Kazan, Russian Federation*

4. *SPINTEC, UMR CEA/CNRS/UJF-Grenoble 1/Grenoble-INP, Grenoble, France*

5. *Instituto de Sistemas Optoelectronicos y Microtecnologia (UPM), Madrid, Spain*

6. *Instituto de Microelectronica de Madrid (CNM, CSIC), Madrid, Spain*

18:00-18:15

MO.J.3_04 – Theory of Current-induced Spin Torque Resonance of Magnetic Insulators

T. Chiba¹, M. Schreier², G.E.W. Bauer⁰, S. Takahashi¹

1. *Institute for Materials Research, Tohoku University, Japan*

2. *Walther-Meissner Institut, Garching, Germany*

3. *WPI-AIMR, Tohoku University, Japan*

4. *Kavli Institute of NanoScience, Delft University of Technology, The Netherlands*

TUESDAY , 7 JULY



IUPAP AWARD CEREMONY

08:30-09:00 (AUDITORIUM)

PLENARY-2

09:00-10:00 (AUDITORIUM)

Chair: Albert Fert

09:00-10:00 **PLENARY 2 -Golden Era of Modern Magnetism**
Chia-Ling Chien
Johns Hopkins University, Baltimore, United States

TU.SYM_SPIN-ORBITRONICS & SKYRMIONS

10:00-13:00 (AUDITORIUM)

Chair: Robert Stamps

10:00-10:30 **TU.SYM_1 - Two dimensional spin-orbitronics (skyrmions in multilayers, 2D conversion between charge and spin currents)**
Albert Fert
Unité Mixte De Physique CNRS/Thales And Université Paris Sud, Palaiseau, France

10:30-11:00 **TU.SYM_2 - Spin-Orbitronics with Skyrmions in Chiral Magnets**
Christian Pfleiderer
Technische Universität München, Garching, Germany

11:00-11:30 **TU.SYM_3 - Spin Hall effect and chiral magnetism in metallic heterostructures**
Masamitsu Hayashi
National Institute For Materials Science, Tsukuba, Japan

12:00-12:30 **TU.SYM_4 - Magnonic charge pumping via spin-orbit coupling**
Chiara Ciccarelli
University Of Cambridge, Cambridge, United Kingdom

12:30-13:00 **TU.SYM_5 - Chiral Magnetic Skyrmions in Ultrathin Films and Heterostructures: Inside from Materials-Specific Theory**
Stefan Blügel
Forschungszentrum Jülich, Jülich, Germany

TU.A.1_SOFT AND HARD MAGNETIC MATERIAL

10:00-11:30 (ROOM J)

Chair: Dimitri Niarchos

10:00-10:30

TU.A.1_I1 - Magnetic properties evolution vs. microstructure in Fe-Mn-Si-B-P-Cu submicron wires

N. Lupu^{1,2}, A. Makino^{2,3}, S. Corodeanu¹, P. Sharma³, A. Takeuchi³, H. Chiriac¹

1. National Institute of Research and Development for Technical Physics, Iasi, Romania
2. Cooperative Research and Development Center for Advanced Materials, Institute for Materials Research, Tohoku University, Sendai, Japan
3. Research and Development Center for Ultra High Efficiency Nano-crystalline Soft Magnetic Materials, Institute for Materials Research, Tohoku University, Sendai, Japan

10:30-10:45

TU.A.1_O2 - Circular magnetization process in a Co-rich microwire with negative magnetostriction

N. Usov¹, S. Gudoshnikov²

1. Pushkov Institute of Terrestrial Magnetism, Ionosphere and Radio Wave Propagation RAS, Moscow, Russian Federation
2. National University of Science and Technology MIS&S, Moscow, Russian Federation

10:45-11:00

TU.A.1_O3 - Heating influence on magnetic structure in Co and Fe rich amorphous microwires

A. Chizhik¹, A. Stupakiewicz², A.², A. Zhukov^{1,3}, J. González¹

1. Universidad del Pais Vasco, Leioa, Spain
2. University of Bialystok, Bialystok, Poland
3. IKERBASQUE, Bilbao, Spain

11:00-11:15

TU.A.1_O4 - Visualizing decoupling in nanocrystalline alloys: FORC-temperature analysis

M. Rivas¹, J.C. Martínez-García¹, P. Gorriá¹

1. Departamento de Física & IUTA, Universidad de Oviedo, Gijón, Spain

11:15-11:30

TU.A.1_O5 - Enhanced magneto-optical properties of Ce:YIG thin films grown on GGG substrates

L. Beran¹, M.C. Onbasli², M. Zahradnik¹, J. Dusek¹, M. Kucera¹, J. Mistrik³, M. Veis¹, C.A. Ross²

1. Charles University in Prague, Faculty of Mathematics and Physics, Prague, Czech Republic
2. Department of Materials Science and Engineering, Massachusetts Institute of Technology, Cambridge, United States
3. University of Pardubice, Faculty of Chemical Technology, Pardubice, Czech Republic

TU.C.1_MAGNETIC THIN FILMS AND MULTILAYERS

10:00-11:30 (ROOM H1)

Chair: Masaaki Futamoto

- 10:00-10:30 **TU.C.1_I1 - 3D Curved Magnetic Surfaces**
D. Makarov¹, R. Streubel¹, M. Melzer¹, D. Karnaushenko¹, G. Lin¹, P. Fischer², F. Kronast³, U. K. Röbber⁴, O. G. Schmidt¹
1. *Institute for Integrative Nanosciences, IFW Dresden, Dresden, Germany*
2. *Center for X-ray Optics, Lawrence Berkeley National Laboratory, Berkeley, United States*
3. *Helmholtz-Zentrum Berlin für Materialien und Energie GmbH, Berlin, Germany*
4. *Institute for Theoretical Solid State Physics, IFW Dresden, Dresden, Germany*
- 10:30-10:45 **TU.C.1_O2 - A New Path to Spin Engineering in Ultrathin Magnetic Layer Systems**
K. Schlage¹, D. Erb¹, H. Wille¹, L. Bocklage^{1,2}, D. Schumacher¹, J. Comfort¹, R. Röhlsberger^{1,2}
1. *Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany*
2. *The Hamburg Centre for Ultrafast Imaging, Hamburg, Germany*
- 10:45-11:00 **TU.C.1_O3 - Helimagnetic thin films: surface reconstruction, surface spin-waves and magnetization**
H.T. Diep¹, S. El Hog¹
1. *LPTM, University of Cergy-Pontoise, CNRS, Cergy-Pontoise, France*
- 11:00-11:15 **TU.C.1_O4 - DIRECT IMAGING OF THE MAGNETIC DEAD LAYER IN STRAINED MANGANITE THIN FILMS**
L.A. Rodríguez González^{1,2,3,4}, L. Marin^{2,3,5,6}, C. Magén^{2,3,4,7}, E. Snoeck^{1,4}, R. Arras^{1,4}, I. Lucas^{2,3,7}, L. Morellón^{2,3}, P.A. Algarabel^{3,5}, J.M. De Teresa^{2,3,4,5}, M.R. Ibarra^{2,3,4,5}
1. *CEMES-CNRS, Toulouse, France*
2. *Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain*
3. *Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain*
4. *Transpyrenean Associated Laboratory for Electron Microscopy (TALEM), CEMES-INA, CNRS-Universidad de Zaragoza, Toulouse, France*
5. *Instituto de Ciencia de Materiales de Aragón (ICMA), Universidad de Zaragoza, Zaragoza, Spain*
6. *LAAS-CNRS, Toulouse, France*
7. *Fundación ARAID, Zaragoza, Spain*
- 11:15-11:30 **TU.C.1_O5 - Magnetic hardening through exchange bias in Fe/NiO bilayers grown onto nanoporous Al₂O₃ membranes**
E. Navarro¹, M. Alonso¹, F. Cebollada², F.J. Palomares¹, J.M. Gonzalez¹, L. Soriano³, A. Gutierrez³
1. *Instituto de Ciencia de Materiales de Madrid - CSIC, Madrid, Spain*
2. *Escuela Técnica Superior de Ingenieros de Telecomunicaciones-UPM, Madrid, Spain*
3. *Depto. de Física Aplicada and Instituto de Ciencia de Materiales Nicolás Cabrera-UAM, Madrid, Spain*

TU.D.1_HIGHLY FRUSTRATED MAGNETISM**10:00-11:30 (ROOM H2)****Chair:** Peter Holdsworth

- 10:00-10:30 **TU.D.1_I1 - Thermalization and Exotic Frustration in Artificial Spin Ice**
 P. Schiffer¹, I. Gilbert¹, S. Zhang², C. Nisoli³, G. Chern³
 1. University of Illinois at Urbana-Champaign, Champaign, United States
 2. Argonne National Laboratory, Lemont, United States
 3. Los Alamos National Laboratory, New Mexico, United States
- 10:30-10:45 **TU.D.1_O2 - Spin correlations in the randomness-induced quantum spin-liquid state of the spin-1/2 kagome Heisenberg antiferromagnet --application to herbertsmithite --**
 T. Shimokawa¹, K. Watanabe¹, H. Kawamura¹
 1. Osaka University, Osaka Prefecture, Japan
- 10:45-11:00 **TU.D.1_O3 - Magnetic excitations and phase diagram of the hyperkagome garnets Gd3Ga5O12 and Gd3Al5O12**
 O. Florea¹, E. Lhotel¹, P. Deen², H. Jacobsen³, A. Wildes⁴, C. Knee⁵, P. Henry²
 1. Institut Neel, Grenoble, France
 2. European Spallation Source, Lund, Sweden
 3. Niels Bohr Institute, Copenhagen, Denmark
 4. Institut Laue-Langevin, Grenoble, France
 5. Chalmers University of Technology, Göteborg, Sweden
- 11:00-11:15 **TU.D.1_O4 - Spin Liquid Ground State in a Vanadium Based S=1/2 Trimerized Kagome Compound**
 J.C. Orain¹, F. Bert¹, P. Mendels¹, L. Clark², F.H. Aidoudi², P. Lightfoot², R.E. Morris²
 1. Laboratoire de Physique des Solides, Université Paris-Sud, Orsay, France
 2. School of Chemistry and EaSTChem, University of St. Andrews, St. Andrews, United Kingdom
- 11:15-11:30 **TU.D.1_O5 - Thermal, transport, and spectral properties of generic quantum spin ice beyond the mean-field theory**
 S. Onoda¹
 1. Riken, Wako, Japan

TU.E.1_FERROICS AND MULTIFERROICS**10:00-11:30 (ROOM H3)****Chair:** Annette Bussmann-Holder

- 10:00-10:15 **TU.E.1_O1 - Magnetic phase diagram and ordered ground state in GdMn2O5 multiferroic studied by x-ray and neutron scattering.**
 A. Bombardi¹, C. Vecchini^{1,2}, L. Chapon³, P. Radaelli⁴, S. Cheong⁵

1. Diamond Light Source Ltd., Harwell Science and Innovation Campus, Didcot, Oxfordshire, United Kingdom
2. National National Physical Laboratory Hampton Road, Teddington, Middlesex, United Kingdom
3. Institut Laue-Langevin, Grenoble, France
4. Department of Physics, University of Oxford, Parks Road, Oxford, United Kingdom
5. Rutgers Center for Emergent Materials and Department of Physics and Astronomy, Rutgers University, Piscataway, United States

10:15-10:30

TU.E.1_02 - Magnetic structure of LuFe₂O₄ studied by soft x-ray magnetic circular dichroism

- S. Lafuerza¹, J. García², G. Subías², J. Blasco², J. Herrero-Martín³
1. European Synchrotron Radiation Facility (ESRF), Grenoble, France
 2. Instituto de Ciencia de Materiales de Aragón (ICMA), Zaragoza, Spain
 3. ALBA Synchrotron, Barcelona, Spain

10:30-10:45

TU.E.1_03 - Multiferroic perovskite RMnO₃ crystalline films studied by resonant soft and hard X-ray diffraction

- W. Windsor¹, L. Rettig¹, A. Alberca¹, M. Ramakrishnan¹, K. Shimamoto², S. Huang¹, Y. Hu², V. Scagnoli¹, T. Lippert², C. Schneider²
1. Swiss Light Source, Paul Scherrer Institut, Villigen, Switzerland
 2. General Energy Research Department, Paul Scherrer Institut, Villigen, Switzerland

10:45-11:00

TU.E.1_04 - Neutron scattering investigations of bulk and thin film multiferroic LuFeO₃

- W. Ratcliff¹, S. Disseler¹, X. Luo², Y.S. Oh³, R. Hu³, J. Lynn¹, J. Borchers¹, C. Brooks⁴, J. Mundy⁴, J. Moyer⁵
1. NIST, Maryland, United States
 2. Pohang University of Science and Technology, Pohang, Republic of Korea
 3. Rutgers University, New Jersey, United States
 4. Cornell University, New York, United States
 5. University of Illinois, Illinois, United States
 6. Boise State University, Idaho, United States

11:00-11:15

TU.E.1_05 - A high-pressure misfit-related polymorph of LuFe₂O₄ with room temperature antiferromagnetic order

- F. Damay¹, M. Poienar², M. Hervieu³, A. Guesdon³, J. Bourgeois^{1,3}, T. Hansen⁴, E. Elkaïm⁵, J. Haines², P. Hermet², L. Konczewicz², T. Hammouda⁶, J. Rouquette², C. Martín³
1. Laboratoire Leon Brillouin, Gif sur Yvette, France
 2. Institut Charles Gerhardt, Montpellier, France
 3. Laboratoire CRISMAT, Caen, France
 4. Institut Laue-Langevin, Grenoble, France
 5. Synchrotron Soleil, Saint-Aubin, France
 6. Laboratoire Magmas & Volcans, Clermont-Ferrand, France

11:15-11:30

TU.E.1_O6 - Ultrafast spin dynamics of optically and THz excited TbMnO₃U. Staub¹

1. Paul Scherrer Institut, Villigen, Switzerland

TU.F.1_HEAVY FERMIONS PHYSICS INCLUDING VALENCE AND CHARGE FLUCTUATIONS**10:00-11:30 (ROOM A)****Chair:** Roser Valenti

10:00-10:30

TU.F.1_I1 - STS studies on correlated f-electron systems: Kondo lattice, quantum criticality and topological Kondo insulatorS. Wirth¹, S. Seiro¹, S. Röbeler¹, L. Jiao¹, S. Hartmann¹, C. Krellner², C. Geibel¹, D. Kim³, Z. Fisk³, S. Kirchner⁴

1. Max-Planck Institute for Chemical Physics of Solids Dresden, Dresden, Germany
2. Physics Institute, Goethe University, Frankfurt, Germany
3. University of California, Irvine, United States
4. Center for Correlated Matter, Zhejiang University, Hangzhou, China
5. Dept. of Physics and Astronomy, Rice University, Houston, United States

10:30-10:45

TU.F.1_O2 - Fermi surface instabilities in CeRh₂Si₂ at high magnetic field and pressureA. Pourret^{1,2}, A. Palacio-Morales^{1,2}, G. Knebel^{1,2}, D. Braithwaite^{1,2}, G. Seyfarth³, M. Suzuki⁴, D. Aoki^{1,2,5}, J. Flouquet^{1,2}

1. Univ. Grenoble Alpes, INAC-SPSMS, Grenoble, France
2. CEA, INAC-SPSMS, Grenoble, France
3. Laboratoire National des Champs Magnétiques Intenses, - INSA, Grenoble and Toulouse, France
4. RIKEN Center for Emergent Matter Science, Wako, Saitama, Japan
5. Institute for Materials Research, Tohoku University, Oarai, Ibaraki, Japan

10:45-11:00

TU.F.1_O3 - ARPES study of CeRh₂Si₂: Paradigmatic 4f spectral response in an enigmatic Kondo latticeD. Vyalikh¹, C. Geibel²

1. Institute of Solid State Physics, Dresden University of Technology, Dresden, Germany
2. Max Planck Institute for Chemical Physics of Solids, Saarbrücken, Germany

11:00-11:15

TU.F.1_O4 - Large Fermi-Surface Antiferromagnetism in the Kondo lattice modelR. Peters¹, N. Kawakami²

1. Riken, Wako, Japan
2. Kyoto University, Kyoto, Japan

11:15-11:30 **TU.F.1_05 - Experimental Investigation on Magnetism and Pressure induced Superconductivity in CeCu₂Si₂, CeCu₂Ge₂, and CeAu₂Si₂**
 G. Werner Scheerer¹, G. Giriat¹, Z. Ren¹, G. Lapertot², D. Jaccard¹
 1. DPMC - University of Geneva, Geneva, Switzerland
 2. SPSMS, CEA-INAC/UJF, Grenoble, France

TU.G.1_MAGNETIC SEMICONDUCTORS AND DILUTED MAGNETS

10:00-11:30 (ROOM B1-B3)

Chair: M. Carmen Muñoz

10:00-10:30 **TU.G.1_I1 - Origin of ferromagnetism and critical behaviour in insulating (Ga,Mn)N**
 M. Sawicki¹
 1. Institute of Physics, Warsaw, Poland

10:30-10:45 **TU.G.1_O2 - Electronic structure of (Ga,Mn)As revisited: an alternative view on the "Battle of the bands"**
 K. Karlsson¹, J. Kanski², L. Ilver², I. Ulfat³, M. Leandersson⁴, J. Sadowski⁴, I. Di Marco⁵
 1. Department of Engineering Sciences, University of Skövde, Skövde, Sweden
 2. Department of Applied Physics, Chalmers University of Technology, Göteborg, Sweden
 3. Department of Physics, University of Karachi, Karachi, Pakistan
 4. MAX IV Laboratory, Lund University, Lund, Sweden
 5. Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden

10:45-11:00 **TU.G.1_O3 - Laser-induced ultrafast modification of electron-spin dynamics in GaAs with adjacent ferromagnetic epilayer**
 D. Butkovičová¹, P. Nýmec¹, K. Olejník², V. Novák², T. Janda¹, F.k Trojának¹, T. Jungwirth²
 1. Charles University, Prague, Czech Republic
 2. The Academy of Sciences of the Czech Republic, Prague, Czech Republic

11:00-11:15 **TU.G.1_O4 - Substitutional and metallic cobalt in ZnO films with aluminium**
 W. Dizayee¹, X. Li², H. Blythe¹, S. Heald³, M. Fox¹, G. Gehring¹
 1. The University of Sheffield, Sheffield, United Kingdom
 2. Shanxi Normal University, Xi'an, China
 3. Argonne National Laboratory, Lemont, United States



11:15-11:30

TU.G.1_05 - Atomic-scale magnetic properties of truly 3d-diluted ZnO investigated with emission Mössbauer Spectroscopy

R. Mantovan ¹, H.P. Gunnlaugsson ^{2,3}, K. Johnston ⁴, H. Masenda ⁵, T. Esmann Mølholt ⁶, D. Naidoo ⁵, M. Ncube ⁵, S. Shayestehaminzadeh ⁶, K. Bharuth-Ram ^{7,8}, M. Fanciulli ^{1,9}

1. *Laboratorio MDM IMM-CNR, Agrate Brianza, Italy*

2. *KU Leuven, Instituut voor Kern-en Stralings Fysika, Leuven, Belgium*

3. *Department of Physics and Astronomy, Aarhus University, Aarhus, Denmark*

4. *Physics Department, ISOLDE/CERN, Geneva, Switzerland*

5. *School of Physics, University of the Witwatersrand, Johannesburg, South Africa*

6. *Science Institute, University of Iceland, Reykjavik, Iceland*

7. *School of Physics, Durban University of Technology, Durban, South Africa*

8. *iThemba LABS, Somerset West, South Africa*

9. *Dipartimento di Scienza dei Materiali, Università di Milano Bicocca, Milan, Italy*

10. *Centro de Ciências e Tecnologias Nucleares, Instituto Superior Técnico, Universidade de Lisboa, Sacavém, Portugal*

TU.H.1_SPIN-TRANSFER TORQUE AND SPIN-TRANSFER OSCILLATORS**10:00-11:30 (ROOM D1-D3)****Chair:** Yaroslav Bazaliy

10:00-10:30

TU.H.1_I1 - Zero-field precession and suppression of the output power due to the biasdependence of the TMR in MgO-based spin-torque oscillators

A. Deac ¹

1. *Helmholtz-Zentrum Dresden - Rossendorf, Institute of Ion Beam Physics and Materials Research, Dresden, Germany*

10:30-10:45

TU.H.1_O2 - Tunability versus deviation sensitivity in a nonlinear vortex oscillator

S. Y. Martin ^{1,2}, C. Thirion ³, C. Hoarau ³, C. Baraduc ², B. Diény ²

1. *Hitachi Cambridge Laboratory, Cambridge, United Kingdom*

2. *SPINTEC, UMR-8191, CEA-INAC/CNRS/UJF-Grenoble, Grenoble-INP, Grenoble, France*

3. *Institut Néel, CNRS et Université Joseph Fourier, Grenoble, France*

10:45-11:00

TU.H.1_O3 - Self-injection on vortex spin torque oscillator using a delayed feedback circuit

S. Tsunegi ^{1,2}, E. Grimaldi ¹, R. Lebrun ¹, A. Jenkins ¹, J. Grollier ¹, H. Kubota ², K. Yakushiji ², A. Fukushima ², S. Yuasa ², V. Cros ¹

1. *Unité Mixte de Physique CNRS/Thales and Université Paris Sud, France*

2. *National Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Tsukuba, Japan*

11:00-11:15 **TU.H.1_04 - From perfect fractional injection locking to electrical synchronization of two vortex based spin-transfer nano-oscillator**
R. Lebrun¹, S. Tsunegi^{1,2}, A. Jenkins¹, A. Dussaux¹, N. Locatelli¹, E. Grimaldi¹, H. Kubota², P. Bortolotti³, K. Yakushiji², A. Fukushima²
 1. UMR CNRS/Thales & Université Paris Sud, France
 2. National Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Tsukuba, Japan
 3. Thales TRT, France

11:15-11:30 **TU.H.1_05 - Very Large Amplitude Power Spin Transfer Torque Nano-Oscillators with intermediate MgO barrier thickness**
J. D. Costa^{1,2}, S. Serrano-Guisan¹, E. Paz¹, J. Borme¹, M. Tarequzzman¹, J. Ventura², R. Ferreira¹, P.P. Freitas¹
 1. International Iberian Nanotechnology Laboratory (INL), Braga (Portugal)
 2. IN-IFIMUP, Porto (Portugal)

TU.I.1_MAGNETIC DEVICES AND NOVEL MATERIALS

10:00-11:30 (ROOM D4-D6)

Chair: Alfredo García-Arribas

10:00-10:30 **TU.I.1_I1 - Spin-wave logic devices**
A. Chumak¹
 1. Fachbereich Physik and Landesforschungszentrum OPTIMAS, Technische Universität Kaiserslautern, Kaiserslautern, Germany

10:30-10:45 **TU.I.1_02 - Novel paths for rf applications based on spintronics**
P. Bortolotti¹, A. Anane¹, M. Collet¹, D. Crete¹, V. Cros¹, O. d'Allivy Kelly¹, E. Grimaldi¹, J. Grollier¹, A. Jenkins¹, J. Kermorvant¹
 1. Unité Mixte De Physique CNRS/Thales, France

10:45-11:00 **TU.I.1_03 - Ultra-compact device based on spin valve sensors coupled to flux concentrators with sub-micrometer gaps**
D. Leitao^{1,2}, P. Coelho¹, J. Valadeiro^{1,2}, A. Silva^{1,2}, J. Borme³, L. Melo^{1,2}, S. Cardoso^{1,2}, P. Freitas^{1,3}
 1. INESC-M, Lisbon, Portugal
 2. University of Lisbon, Lisbon, Portugal
 3. International Iberian Nanotechnology Laboratory, Braga, Portugal



11:00-11:15

TU.I.1_04 - Nanopatterning reconfigurable magnetic landscapes via thermally assisted scanning probe lithography

E. Albisetti^{1,2}, D. Petti¹, M. Pancaldi³, J. Curtis², W. King⁴, A. Papp⁵, G. Csaba⁵, W. Porod⁵, P. Vavassori³, E. Riedo²

1. Department of Physics, Politecnico di Milano, Milano, Italy
2. School of Physics, Georgia Institute of Technology, Atlanta, United States
3. CIC nanoGUNE Consolider, San Sebastian, Spain
4. Department of Mechanical Science and Engineering, University of Illinois Urbana-Champaign, Urbana, United States
5. Center for Nano Science and Technology, University of Notre Dame, Notre Dame, United States
6. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain
7. IFN-CNR, c/o Politecnico di Milano, Milano, Italy

11:15-11:30

TU.I.1_05 - Precision Spintronics in Novel Ultrathin Magneto-Electronic Devices

K. Schlage¹, L. Bocklage^{1,2}, D. Erb¹, H. Wille¹, R. Roehlsberger^{1,2}

1. Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany
2. The Hamburg Centre for Ultrafast Imaging, Hamburg, Germany

TU.J.1_PERPENDICULAR MAGNETIC ANISOTROPY MATERIALS

10:00-11:30 (ROOM E1-E3)

Chair: Robert Shull

10:00-10:30

TU.J.1_I1 - Perpendicular magnetic tunnel junctions with single and double MgO barriers for STT-MRAM cells

L. Cuchet^{1,2,3}, A. Timopheev^{1,2,3}, P. Clement^{1,2,3}, B. Rodmacq^{1,2,3}, S. Auffret^{1,2,3}, C. Baraduc^{1,2,3}, R. SoUnitedStates^{1,2,3}, I. Prejbeanu^{1,2,3}, M. Chshiev^{1,2,3}, B. Dieny^{1,2,3}

1. Univ. Grenoble Alpes, INAC-SPINTEC, Grenoble, France
2. CEA, INAC-SPINTEC, F-38000 Grenoble, France
3. CNRS, SPINTEC, F-38000 Grenoble, France

10:30-10:45

TU.J.1_O2 - X-ray induced anisotropy change in Pt/Co/ MgO trilayers

J. Vogel^{1,2}, S. Pizzini^{1,2}, T. Onur Mentès³, A. Sala³, A. Locatelli³, L. Buda-Prejbeanu^{1,4,5}, G. Gaudin^{1,4,5}, O. Boulle^{1,4,5}

1. Université Grenoble Alpes, Grenoble, France
2. CNRS, Institut Néel, 38042 Grenoble, France
3. Elettra - Sincrotrone Trieste S.C.p.A., Basovizza, Trieste, Italy
4. CEA, INAC, SPINTEC, Grenoble, France
5. CNRS, SPINTEC, Grenoble, France

10:45-11:00

TU.J.1_O3 - Exchange bias-like effect in 2D patterned thin films with perpendicular magnetic anisotropy

A. Hierro-Rodríguez^{1,2}, J. Teixeira¹, M. Vélez³, L. Alvarez-Prado^{3,4}, N. J. Martín^{3,4}, J. Alameda^{3,4}

1. IN-IFIMUP, Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Porto, Portugal



11:00-11:15

TU.J.1_04 - Perpendicular magnetic anisotropy in granular multilayers of CoPd alloyed nanoparticles

L. Gonzalez Vivas ¹, A. I. Figueroa ¹, F. Bartolomé ¹, J. Rubén ¹, L. García ¹, C. Deranlot ², F. Petroff ², L. Ruiz ³, J. M. Gonzalez-Calbet ³, S. Pascarelli ⁴

1. Instituto De Ciencia De Materiales De Aragón (ICMA), CSIC-Universidad De Zaragoza. Departamento De Física De La Materia Condensada, Zaragoza, Spain
2. Unité Mixte de Physique CNRS/Thales, Palaiseau, France, and Université Paris-Sud, Orsay, France
3. Departamento de Química Inorgánica, Universidad Complutense de Madrid, Madrid, Spain
4. European Synchrotron Radiation Facility (ESRF) CS40220, Grenoble, France

11:15-11:30

TU.J.1_05 - Correlation between magnetic properties and chemical order in L10 FePtCu thin films studied by EXAFS

S. Laureti ¹, C. Brombacher ², D. Makarov ³, M. Albrecht ⁴, D. Peddis ¹, G. Varvaro ¹, F. D'Acapito ⁵

1. ISM-CNR, Area della Ricerca RM1, Monterotondo Scalo, Roma, Italy
2. Institute of Physics, Chemnitz University of Technology, Chemnitz, Germany
3. Institute for Integrative Nanosciences, Leibniz Institute for Solid State and Materials Research (IFW Dresden), Dresden, Germany
4. Institute of Physics, Augsburg University, Augsburg, Germany
5. CNR-IOM-OGG c/o ESRF, GILDA CRG, Grenoble, France

TU.A.2_SOFT AND HARD MAGNETIC MATERIALS

12:00-13:30 (ROOM J)

Chair: Thomas Schrefl

12:00-12:30

TU.A.2_I1 - Coercivity Enhancement in Hybrid Systems

J. de La Venta ¹, J.G. Ramírez ², T. Saerbeck ³, S. Wang ⁴, I. Valmianski ², I. K. Schuller ²

1. Department of Physics, Colorado State University, Fort Collins, United States
2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States
3. Institut Laue-Langevin, Grenoble, France
4. Materials Science Division, Lawrence Berkeley National Laboratory, Berkeley, United States



12:30-12:45

TU.A.2_02 - Exchange correlation length in nanocrystalline soft magnetic materials

K. Suzuki¹, N. Ito¹, J. Garitaonandia², A. Michels³, G. Herzer⁴, M. Lokamani⁵, R. Schaefer⁵

1. Monash University, Malvern East, Australia
2. University of the Basque Country, Leioa, Spain
3. University of Luxembourg, Walferdange, Luxembourg
4. Vacuumschmelze GmbH, Hanau, Germany
5. Leibniz Institute for Solid State and Materials Research, Dresden, Germany

12:45-13:00

TU.A.2_03 - Drastic reduction of Ni-Zn ferrites during consolidation by spark plasma sintering (SPS)

Y. Flores-Arias¹, T. Gaudisson², S. Ammar², R. Valenzuela¹

1. Instituto de Investigaciones en Materiales, Universidad Nacional Autónoma de México, México D.F., México
2. 2ITODYS, Université Paris-Diderot, PRES Sorbonne Paris Cité, Paris, France

13:00-13:15

TU.A.2_04 - Development of a very low loss MnZn ferrite for power applications

V. Tsakaloudi¹, V. Zaspalis^{1,2}

1. Centre for Research and Technology Hellas-CERTH, Thessaloniki, Greece
2. Aristotle University of Thessaloniki-AUTH, Thessaloniki, Greece

13:15-13:30

TU.A.2_05 - Study of the induced anisotropy in field annealed Hitperm alloys by Mössbauer spectroscopy and Kerr microscopy

J. S. Blázquez¹, J. Marcin², F. Andrejka², V. Franco¹, A. Conde¹, I. Skorvanek²

1. Departamento de Física de la Materia Condensada, ICM-SE CSIC, Universidad de Sevilla, Sevilla, Spain
2. Institute of Experimental Physics, Slovak Academy of Sciences, Kosice, Slovakia

TU.B.2_MAGNETIC NANOPARTICLES**12:00-13:30 (ROOM F)****Chair:** Zi Qiang Qiu

12:00-12:30

TU.B.2_I1 - Exchange bias effect in CoO@Fe₃O₄ core-shell octahedron-shaped nanoparticles

V. Salgueiriño¹, N. Fontañña-Troitiño¹, B. Rodríguez-González¹, B. Rivas-Murias²

1. Universidade de Vigo, Vigo, Spain
2. CIQUS-Universidade de Santiago de Compostela, Santiago de Compostela, Spain

12:30-12:45

TU.B.2_O2 – Determination of the local oxidation state of transition metals in 3D: application to magnetic nanoparticles

S. Estrade¹, P. Torruella¹, R. Arenal², L. Yedra¹, A. Eljarrat¹, L. López-conesa¹, M. Estrader³, A. López-Ortega⁴, G. Salazar-Alvarez⁵, J. Nogués⁶

1. LENS, MIND-IN2UB, Universitat de Barcelona, Barcelona, Spain
2. Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain
3. Departament de Química Inorgànica, Universitat de Barcelona, Barcelona, Spain
4. INSTM and Dipartimento di Chimica "U. Schiff", Università degli Studi di Firenze, Firenze, Italy
5. Department of Materials and Environmental Chemistry, Arrhenius Laboratory, Stockholm University, Stockholm, Sweden
6. Departament de Física, Universitat Autònoma de Barcelona & ICN2 - Institut Català de Nanociència i Nanotecnologia, Campus UAB & Institució Catalana de Recerca i Estudis Avançats (ICREA), Barcelona, Spain

12:45-13:00

TU.B.2_O3 - Effect of the oxygen content in the reaction environment on size and shape of CoFe2O4 nanoparticles: morphological analysis by aspect maps.

G. Muscas⁰, G. Singh¹, W.R. Glomm², R. Mathieu⁵, P. Anil Kumar⁵, G. Concas⁴, E. Agostinelli³, D. Peddis³

1. Department of Materials Science and Engineering, Norwegian University of Science and Technology (NTNU), Trondheim, Norway
2. SINTEF Materials and Chemistry, Biotechnology and Nanomedicine Sector, Trondheim, Norway
3. Istituto di Struttura della Materia – CNR, Rome, Italy
4. Dipartimento di Fisica, Università di Cagliari, Cagliari, Italy
5. Department of Engineering Sciences, Uppsala University, Uppsala, Sweden

13:00-13:15

TU.B.2_O4 - Magneto-optical investigation on the multiphase and stability of Fe oxide nanoparticles

G. Campo¹, C. de Julian Fernández^{2,4}, M. Albino¹, C. Innocenti¹, F. Pineider^{3,1}, V. Bonanni^{3,1}, A. Caneschi¹, C. Sangregorio^{4,1}

1. INSTM and University of Florence, Florence, Italy
2. IMEM – CNR, Parma, Italy
3. ISTM – CNR, Milan, Italy
4. ICCOM – CNR, Sesto Fiorentino, Italy

13:15-13:30

TU.B.2_O5 - Synthesis, structural and magnetic properties of CdFe2O4 ferrite

J. Z. Msomi¹

1. School of Physics, University of KwaZulu-Natal, Durban, South Africa



TU.C.2_MAGNETIC PHASE TRANSITION AND MAGNETIC INTERACTIONS

12:00-13:45 (ROOM H1)

Chair: Françoise Damay

12:00-12:30

TU.C.2_I1 - Random Fields in Magnets and Superconductors: The Role of Topology

E. Chudnovsky¹, T. Proctor¹, D. Garanin¹

1. Lehman College and Graduate School of the City University of New York, Bronx, United States

12:30-12:45

TU.C.2_O2 -Relation between crystallographic chirality and spin chirality in chiral helimagnets studied by polarized small angle neutron scattering and muon spin rotation

K. Ohishi¹, Y. KoUnited Stateska², N. Ikeda³, T. Ogura³, T. Yoshii³, E. Proskurina³, J. Akimitsu³, J. Suzuki¹, H. Hiraka⁴, A. Koda⁴

1. CROSS, Japan

2. Hiroshima University, Hiroshima-Shi, Japan

3. Aoyama-Gakuin University, Tokyo, Japan

4. KEK-IMSS, Ibaraki, Japan

5. The Open University of Japan, Chiba, Japan

12:45-13:00

TU.C.2_O3 - Two step Pressure induced collapse of magnetic order and fluctuating chiral phase in MnGe Chiral magnet

I. Mirebeau¹, M. Deutsch¹, N. Martín¹, P. Bonville², T. Hansen³, M.T. Fernández-Díaz³, F. Bert⁴, D. Andreica⁵, A. Amato⁶, L. Fomicheva⁷

1. CEA-Saclay, DSM/IRAMIS/ Laboratoire Léon Brillouin, Gif-sur-Yvette, France

2. CEA- Saclay, DSM/IRAMIS/ SPEC, Gif-Sur-Yvette, France

3. Institut Laue Langevin, Grenoble, France

4. LPS, Université Paris-Sud, Orsay, France

5. Faculty of Physics, Babes-Bolyai University, Cluj-Napoca, Romania

6. Laboratory for Muon Spin Spectroscopy, Villigen, Switzerland

7. Vereshchagin Institute for High Pressure Physics, Troitsk, Moscow, Russian Federation

8. Leibniz Institute for Solid State and Material Research IFW, Dresden, Germany

13:00-13:15

TU.C.2_O4 - Long Periodic Helimagnetic Ordering in CrM3S6 (M = Nb, Ta)

Y. Kousaka^{1,2}, T. Ogura³, J. Zhang^{4,5}, P. Miao⁴, S. Torii⁴, T. Kamiyama^{4,6}, J. Campo⁷, K. Inoue^{1,8}, J. Akimitsu³

1. Graduate School of Science, Hiroshima University, Japan

2. Center for Chiral Science, Hiroshima University, Japan

3. Department of Physics and Mathematics, Aoyama-Gakuin University, Japan

4. Institute of Materials Structure Science, KEK, Japan

5. Institute of High Energy Physics, Chinese Academy of Science, Beijing, China

6. Graduate University for Advanced Studies (Sokendai), Japan

7. CSIC-Universidad de Zaragoza, Zaragoza, Spain

8. Institute for Advanced Materials Research, Hiroshima University, Japan

- 13:15-13:30 **TU.C.2_05 - Microscopic theory of Dzyaloshinskii-Moriya coupling and related exchange-relativistic effects**
A. Moskvina¹
 1. Ural Federal University, Sverdlovsk Oblast, Russian Federation
- 13:30-13:45 **TU.C.2_06 - Unusual nonlinear magnon-magnon and magnon-phonon interaction in 2d triangular lattice of RMnO**
J. Park¹
 1. Center For Correlated Electron Systems, Institute For Basic Science (IBS) & Depa, Seoul, Republic Of Korea

TU.D.2_ HIGHLY FRUSTRATED MAGNETISM

12:00-13:30 (ROOM H2)

Chair: Sylvain Petit

- 12:00-12:30 **TU.D.2_I1 - Fluctuations and all-in / all-out state in the Ising antiferromagnet Nd₂Zr₂O₇**
E. Lhotel¹, S. Petit², M.C. Hatnean³, S. Guitteny², C. Colin¹, J. Robert¹, I. Mirebeau², M.R. Lees³, G. Balakrishnan³
 1. Institut Néel CNRS, Grenoble, France
 2. Laboratoire Léon Brillouin CEA Saclay, Saclay, France
 3. University of Warwick, Coventry, United Kingdom
- 12:30-12:45 **TU.D.2_02 - What is the nature of the ground state in the stoichiometric pyrochlore Yb₂Ti₂O₇?**
E. Kermarrec^{1,2}, K. Ross³, J. Gaudet¹, N. Butch⁴, H. Dabkowska^{1,5}, B. Gaulin⁰
 1. Department of Physics and Astronomy, McMaster University, Hamilton, Canada
 2. Laboratoire National des Champs Magnétiques Intenses, Grenoble, France
 3. Colorado State University, Fort Collins, United States
 4. NIST Center for Neutron Research, Gaithersburg, United States
 5. Brockhouse Institute for Materials Research, Hamilton, Canada
 6. Canadian Institute for Advanced Research, Toronto, Canada
- 12:45-13:00 **TU.D.2_03 - Anisotropy tuned magnetic order in pyrochlore iridates**
E. Lefrançois^{1,2}, V. Simonet², R. Ballou², E. Lhotel², P. Lejay², P. Manuel³, D. Khalyavin³, L.C. Chapon¹
 1. Institut Laue-Langevin, Grenoble, France
 2. Institut Néel, CNRS & Université, Grenoble, France
 3. ISIS Facility, STFC, Rutherford Appleton Laboratory, Swindon, United Kingdom
- 13:00-13:30 **TU.D.2_I4 - Quantum order-by-disorder and excitations of anisotropic Kagome antiferromagnets**
S. Chernyshev¹, M. Zhitomirsky²
 1. University of California, Irvine, United States
 2. CEA, Grenoble, France



TU.E.2_FERROICS AND MULTIFERROICS

12:00-13:30 (ROOM H3)

Chair: Gervasi Herranz

- 12:00-12:15 **TU.E.2_O1 - Giant Magnetoelectric Effect in FeCo and FeCo/Ag films on (011) oriented PIN-PMN-PT**
M. Staruch¹, P. Finkel¹
1. Naval Research Laboratory, Washington, United States
- 12:15-12:30 **TU.E.2_O2 - Mn_{1-x}Co_xWO₄: x = 0.135 and x = 0.15: a study of the multiferroic state under high pressure**
M. Gooch¹, N. Poudel¹, B. Lorenz¹, K.C. Liang¹, Y.Q. Wang¹, Y.Y. Sun¹, J. Wang², J. Fernández-Baca², F. Ye², C.W. Chu^{1,3}
1. Texas Center for Superconductivity at The University of Houston, Houston, United States
2. Oak Ridge National Lab, Oak Ridge, United States
3. Lawrence Berkeley National Lab, Berkeley, United States
- 12:30-12:45 **TU.E.2_O3 - Magon-Phonon interactions in Hexagonal Multiferroic YMnO₃**
A. Kreisel¹, S. Mukherjee¹, B.M. Andersen¹, T. Schäffer¹, S. Holm¹, K. Lefmann¹, N.C.R. Momsen¹, J. Larsen², A. Fennell³, U. Stuhr³
1. Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
2. Institute of Physics, Technical University of Denmark, Lyngby, Denmark
3. Laboratory of Neutron Scattering, Paul Scherrer Institute, Villigen, Switzerland
4. Chalk River National Laboratory, Ontario, Canada
- 12:45-13:00 **TU.E.2_O4 - Field-induced phase transitions and magnetoferroelectricity in the perfect triangular lattice antiferromagnet RbFe(MoO₄)₂ in a vertical magnetic field**
H. Mitamura¹, R. Watanuki², N. Onozaki², Y. Amou², Y. Kono¹, S. Kittaka¹, Y. Shimura¹, I. Yamamoto², K. Suzuki², T. Sakakibara¹
1. Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan
2. Faculty of Engineering, Yokohama National University, Yokohama, United States
- 13:00-13:15 **TU.E.2_O5 - Study of spin-lattice competition through hydrostatic pressure in CdCr₂S₄**
G. Oliveira^{1,2}, A. Dos Santos³, Z. Gai⁴, J. Pedro Araújo², A.M. Lima Lopes², A.M. Pereira²
1. CFNUL - Centro de Física Nuclear, Universidade de Lisboa, Lisboa, Portugal
2. IFIMUP and IN-Institute of Nanoscience and Nanotechnology, Departamento de Física e Astronomia da Faculdade de Ciências da Universidade do Porto, Porto, Portugal
3. Quantum Condensed Matter Division, Oak Ridge National Laboratory, Oak Ridge, United States
4. Center for Nanophase Materials Sciences, Oak Ridge National Laboratory, Oak Ridge, United States

13:15-13:30

TU.E.2_O6 - Dual ferroic properties of hexagonal ferrite ceramics BaFe12O19 and SrFe12O19

L. Panina¹, V. Kostishyn¹, L. Kozhitov¹, A. Timofeev¹, A. Zyuzin²

1. National University of Science and Technology MISIS, Moscow, Russian Federation

2. Science and Technology Institute of Interbranch Information, Moscow, Russian Federation

TU.G.2_EXCHANGE BIAS AND EXCHANGE SPRINGS

12:00-13:30 (ROOM B1-B3)

Chair: Elena Vedmedenko

12:00-12:30

TU.G.2_I1 - Exchange bias of spring-like domain walls

R. Morales¹, A.C. Basaran², J.E. Villegas³, D. Navas⁴, N. Soriano⁵, B. Mora⁵, C. Redondo⁵, X. Batlle⁶, I.K. Schuller²

1. Department of Chemical-Physics & BCMaterials, University of the Basque Country UPV/EHU, and IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, United States

3. Unité Mixte de Physique CNRS/Thales, Palaiseau, and Université Paris Sud, France

4. IFIMUP-IN and Departamento Física e Astronomia, Universidade do Porto, Portugal

5. Department of Chemical-Physics, University of the Basque Country UPV/EHU, Leioa, Spain

6. Departament de Física Fonamental and Institut de Nanociència i Nanotecnologia, Universitat de Barcelona, Barcelona, Spain

12:30-12:45

TU.G.2_O2 - The Importance of Bulk Antiferromagnetic Spins in Exchange Bias

T. Saerbeck¹, A.C. Basaran², J. de la Venta³, H. Huckfeldt⁴, A. Ehresmann⁴, I.K. Schuller²,

1. Institut Laue-Langevin, Grenoble, France

2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States

3. Department of Physics, Colorado State University, Fort Collins, United States

4. Institute of Physics and Center for Interdisciplinary Nanostructure Science and Technology, University of Kassel, Kassel, Germany

12:45-13:00

TU.G.2_O3 - Isothermal switching of in-plane exchange bias in orthogonal coupled DyCo/NiFe bilayer

D. Lott¹, K. Chen²

1. Helmholtz Zentrum Geesthacht, Geesthacht, Germany

2. Synchrotron SOLEIL, Gif-sur-Yvette, France



13:00-13:15

TU.G.2_O4 - Extraordinary "EB-like" phenomenon in orthogonally coupled ferromagnets: SmCo₅ (perpendicular) / CoFe and / NiFe (in-plane) bilayers

A. Bollero¹, F.J. Pedrosa¹, J.L. Fdez Cuñado¹, J. Camarero^{1,2}, M. Seifert³, V. Neu³, V. Baltz⁴, D. Serantes⁵, O. Chubykalo-Fesenko⁵, R. Pérez del Real⁵

1. IMDEA Nanoscience, Madrid, Spain

2. Dep. de Física Materia Condensada, Inst. Nicolás Cabrera, UAM, Madrid, Spain

3. IFW Dresden, Institute for Metallic Materials, Dresden, Germany

4. SPINTEC, UMR-8191 CNRS/CEA-INAC/UJF, Grenoble, France

5. ICMM, Instituto de Ciencias de Materiales de Madrid, CSIC, Madrid, Spain

13:15-13:30

TU.G.2_O5 - Crystal structure and magnetic exchange bias effect in UO₂/Fe₃O₄ deposited on different substrates

E. Tereshina¹, Z. Bao², L. Havela³, S. Danis³, A. Mackova⁴, T. Gouder⁵, R. Caciuffo⁵

1. Institute of Physics ASCR, Prague, Czech Republic

2. PANalytical B.V., Almelo, The Netherlands

3. Department of Condensed Matter Physics, Faculty of Mathematics and Physics, Charles University, Prague, Czech Republic

4. Tandetron Laboratory, Nuclear Physics Institute of Academy of Sciences of the Czech Republic, Rez, Prague, Czech Republic

5. European Commission, Joint Research Centre (JRC), Institute for Transuranium Elements (ITU), Karlsruhe, Germany

TU.H.2_NON-FERMI LIQUIDS AND QUANTUM CRITICALITY**12:00-13:30 (ROOM D1-D3)****Chair:** Gertrud Zwicknagl

12:00-12:30

TU.H.2_I1 - Quantum Critical Behavior in Quasicrystals and Approximant Crystals

N.Sato¹, S. Matsukawa¹, K. Nobe¹, K. Imura¹, K. Deguchi¹, T. Ishimasa²

1. Department of Physics, Nagoya University, Japan

2. Department of Applied Physics, Hokkaido University, Japan

12:30-12:45

TU.H.2_O2 - Multiple quantum phase transitions in CeRhIn₅

H. Yuan¹, L. Jiao¹, Z. Weng¹, Y. Chen¹, F. Steglich^{1,2}, D. Graf³, J. Singleton⁴, M. Jaime⁴, E. Bauer⁴, J. Thompson⁴

1. Center for Correlated Matter and Department of Physics, Zhejiang University, China

2. Max Planck Institute for Chemical Physics of Solids, Germany

3. National High Magnetic Field Laboratory, Florida State University, United States

4. Los Alamos National Laboratory, Los Alamos, United States

12:45-13:00 **TU.H.2_03 - Frustration at the Quantum Phase Transition in CePdAl**
V. Fritsch^{1,2}, A. Sakai¹, S. Lucas³, Z. Hüsches³, K. Grube², W. Kittler², C. Taubenheim², E. Green⁴, O. Stockert³, H. v. Löhneysen²
 1. *Universität Augsburg, Institut für Physik, Experimentalphysik 6, Germany*
 2. *Karlsruher Institut für Technologie (KIT), Germany*
 3. *Max-Planck-Institut für chemische Physik fester Stoffe, Dresden, Germany*
 4. *Helmholtz-Zentrum Dresden-Rossendorf, Germany*

13:00-13:15 **TU.H.2_04 - Non-Fermi-liquid behavior in the THz response of CeCoIn5**
M. Scheffler¹, U. S. Pracht¹, M. Dressel¹, M. Shimozawa², R. Endo², T. Terashima³, T. Shibauchi^{2,4}, Y. Matsuda²
 1. *Physikalisches Institut, Universität Stuttgart, Germany*
 2. *Department of Physics, Kyoto University, Japan*
 3. *Research Center for Low Temperature and Materials Science, Kyoto University, Japan*
 4. *Department of Advanced Materials Science, University of Tokyo, Japan*

13:15-13:30 **TU.H.2_05 - Microscopic investigation of electronic inhomogeneity induced by substitutions in a quantum critical metal CeCoIn5**
E. Bauer¹, H. Sakai², F. Ronning¹, J.-X. Zhu¹, N. Wakeham¹, H. Yasuoka¹, Y. Tokunaga², S. Kambe², J. D. Thompson¹
 1. *Los Alamos National Laboratory, New Mexico, United States*
 2. *Advanced Science Research Center, Japan Atomic Energy Agency, Japan*

TU.I.2_MAGNETIC DEVICES AND NOVEL MATERIALS
12:00-13:45 (ROOM D4-D6)
Chair: Andrii Chumak

12:00-12:30 **TU.I.2_I1 - TO BE CONFIRMED**

12:30-12:45 **TU.I.2_02 - Novel ways of shaping magnetic fields with superconducting-ferromagnetic metamaterials**
A. Sanchez¹, J. Prat-Camps¹, C. Navau¹.
Universitat Autònoma de Barcelona, Barcelona, Spain

12:45-13:00 **TU.I.2_03 - Thin-film magneto-impedance structures with very large sensitivity**
 E. Fernández², A. García-Arribas^{1,2}, A. V. Svalov¹, G. V. Kuryandskaya¹, J. M. Barandiaran^{1,2}
 1. *Departamento de Electricidad y Electrónica, Universidad Del País Vasco, UPV/EHU, Bilbao, Spain*
 2. *BCMaterials, Universidad Del País Vasco, UPV/EHU, Bilbao, Spain*



- 13:00-13:15 **TU.I.2_04 - Bioinspired Nanocomposite Tactile Sensor**
A. Alfadhel¹, J. Kosel¹
 1. Computer, Electrical and Mathematical Sciences and Engineering Division (CEMSE), King Abdullah University Of Science And Technology (KAUST), Thuwal, Saudi Arabia
- 13:15-13:30 **TU.I.2_05 - Low Frequency Plasmonic State in FeNi/Cu Hybrid Granular Composite Materials**
T. Tsutaoka¹, H. Massango¹, T. Kasagi², S. Yamamoto³, K. Hatakeyama³
 1. Hiroshima University, Hiroshima, Japan
 2. National Institute of Technology, Tokuyama College, Japan
 3. University of Hyogo, Japan
- 13:30-13:45 **TU.I.2_06 - Microwave shape resonance in magnetic microwires tuned by giant magnetoimpedance effect: sensing applications**
V. Lopez Dominguez¹, E. Riccardi², K. Osiak³, P. Marin¹, A. Hernando¹
 1. Instituto De Magnetismo Aplicado, Universidad Complutense De Madrid-CSIC-ADIF, Madrid, Spain
 2. Department of Structures for Engineering and Architecture University of Naples Federico II, Naples, Italy
 3. Faculty of Materials Science and Engineering, Warsaw University of Technology, Warsaw, Poland

TU.J.2_PERPENDICULAR MAGNETIC ANISOTROPY MATERIALS

12:00-13:30 (ROOM E1-E3)

Chair: Waldemar Macedo

- 12:00-12:30 **TU.J.2_I1 - Spin torque oscillators based on perpendicular and tilted magnetic anisotropy materials**
J. Akerman¹
 1. University Of Gothenburg, Gothenburg, Sweden
- 12:30-12:45 **TU.J.2_O2 - Electric-Field-Induced Magnetization Switching in Strained Au/FeCo/MgO Heterostructures**
N. Kioussis¹, P. Vu¹
 1. California State University Northridge, Northridge, United States
- 12:45-13:00 **TU.J.2_O3 - Development of dual magnetic tunnel junctions with perpendicular anisotropy and double polarizing layers**
L. Cuchet^{1,2,3}, B. Rodmacq^{1,2,3}, R. C. SoUnited States^{1,2,3}, S. Auffret^{1,2,3}, B. Dieny^{1,2,3}
 1. Univ. Grenoble Alpes, INAC-SPINTEC, Grenoble, France
 2. CEA, INAC-SPINTEC, Grenoble, France
 3. CNRS, SPINTEC, Grenoble, France

13:00-13:15

TU.J.2_04 - Evidence for In-Plane Tetragonal c-axis in Mn3Ga Thin Films using Transmission Electron Microscopy
 F. Casoli¹, J. Karel², P. Lupo³, L. Nasi¹, S. Fabbri^{1,4}, L. Righi^{1,5},
 F. Albertini¹, C. Felser²
 1. IMEM - CNR, Parma, Italy
 2. Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany
 3. Information Storage Materials Laboratory, Department of Electrical and Computer Engineering, National University of Singapore, Singapore
 4. MIST E-R Laboratory, Bologna, Italy
 5. Dipartimento di Chimica, Università di Parma, Parma, Italy

13:15-13:30

TU.J.2_05 - Logic gates from out-of-plane magnetized nanowires
 R. Mansell¹, A. Beguivin¹, D. Petit¹, A. Fernández-Pacheco¹,
 J. Lee¹, R. Cowburn¹
 1. Cavendish Laboratory, University of Cambridge, United Kingdom

TU. SEMIPLINARY-1

16:00-16:45 (AUDITORIUM)

Chair: Anne de Visser

16:00-16:45

TU.SP-1 - Overview of Ce-115 based superconductors
 Joe Thompson
 Los Alamos National Laboratory, Los Alamos, United States

TU. SEMIPLINARY -2

16:00-16:45 (ROOM J)

Chair: Ricardo Ibarra

16:00-16:45

TU.SP-2 - Phonons, Magnons and Spin Current
 Sadamichi Maekawa
 Advanced Science Research Center, Japan Atomic Energy Agency, Tokai, Japan

TU. SEMIPLINARY -3

16:00-16:45 (ROOM F)

Chair: Juan Bartolomé

16:00-16:45

TU.SP-3 - Quantum tunneling of the magnetic moment: From molecules to collective effects
 Javier Tejada
 Dept. Física Fonamental, University of Barcelona, Barcelona, Spain



TU.A.3_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

17:15-18:30 (ROOM J)

Chair: Ryusuke Ikeda

- 17:15-17:30 **TU.A.3_O1 - Magnetization of Underdoped YBCO above the Irreversibility Line**
 J.F. Yu¹, I. Kokanovic^{2,3}, J. Day⁴, R. Liang⁴, W. Hardy⁴, D. Bonn⁴, A. McCollam⁵, S. Julian^{1,6}, J. Cooper³
 1. Department of Physics, University of Toronto, Toronto, Canada
 2. Department of Physics, University of Zagreb, Zagreb, Croatia
 3. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
 4. Department of Physics and Astronomy, University of British Columbia, Vancouver, Canada
 5. High Field Magnet Laboratory, Nijmegen, The Netherlands
 6. Canadian Institute for Advanced Research, Toronto, Canada
- 17:30-17:45 **TU.A.3_O2 - Ferro-type order of magneto-electric quadrupoles in the pseudo-gap phase of $\text{YBa}_2\text{Cu}_3\text{O}_6 + x$**
 S. W. Lovesey^{1,2}, D.D. Khalyavin², U. Staub³
 1. ISIS Facility, STFC Oxfordshire, United Kingdom
 2. Diamond Light Source Ltd, Oxfordshire, United Kingdom
 3. Swiss Light Source, Paul Scherrer Institut, Villigen, Switzerland
- 17:45-18:00 **TU.A.3_O3 -The SU(2) symmetry in cuprate superconductors**
 C. Pépin¹
 1. IPhT, CEA – Saclay, France
- 18:00-18:15 **TU.A.3_O4 - The Spin Glass Phase in Cuprates and Iron-Based High Temperature Superconductors**
 J. Mydosh¹
 1. Kamerlingh Onnes Laboratory, Leiden, The Netherlands
- 18:15-18:30 **TU.A.3_O5 - High-pressure phase diagram and electronic structure of FeSe**
 T. Terashima
 National Institute For Materials Science, Tsukuba, Japan

TU.B.3_MAGNETIC NANOPARTICLES

17:15-18:15 (ROOM F)

Chair: Sara Majetich

- 17:15-17:30 **TU.B.3_O1 - Anisotropic Interaction of Ferromagnetic Nanoparticles Intercalated Inside Carbon Nanotubes**
 S. Prischepa¹, A. Danilyuk¹, I. Komissarov¹, V. Labunov¹, F. Le Normand², A. Derory³, J. Manel Hernández⁴, J. Tejada⁴
 1. Belarusian State University of Informatics and Radioelectronics, Minsk, Bielorrussia

17:30-17:45

TU.B.3_O2 - Static and dynamic magnetization behavior of magnetic multi-core nanoparticles

C. Johansson¹, F. Ahrentorp¹, A. Sarwe¹, J. Blomgren¹, C. Jonasson¹, R. Stjernberg Bejhed², E. Wetterskog², P. Svedlindh², F. Ludwig³, F. Westphal⁴

1. Acreo Swedish ICT AB, Göteborg, Sweden
2. Department of Engineering Sciences, Division of Solid State Physics, Uppsala University, Uppsala, Sweden
3. Institute of Electrical Measurement and Fundamental Electrical Engineering, Braunschweig, Germany.
4. Micromod Partikeltechnologie GmbH, Rostock, Germany
5. Instituto de Ciencia de Materiales de Madrid, ICMM-CSIC, Madrid, Spain
6. Department of Applied Physics, Chalmers University of Technology, Göteborg, Sweden
7. Chalmers Industriteknik, Chalmers Science Park, SE-412 88 Göteborg, Sweden

17:45-18:00

TU.B.3_O3 - Quantifying dipolar interaction effects in Fe oxide nanoparticles coated with oleic acid or silica by comparison with simulations

C. Moya¹, O. Iglesias¹, X. Batlle¹, A. Labarta¹

1. Dpt. Física Fonamental and IN2UB, Universitat de Barcelona, Barcelona, Spain

18:00-18:15

TU.B.3_O4 - MnBi magnetic nanoparticles: New synthesis to realize rare-earth replacement nanomaterials

M. Rowe¹, E. Skoropata², Y. Wroczynskij², J. van Lierop²

1. Toyota Research Institute of North America, United States
2. University of Manitoba, Winnipeg, Canada

TU.C.3_MAGNETIC PHASE TRANSITION AND MAGNETIC INTERACTIONS

17:15-18:30 (ROOM H1)

Chair: Juan Rodríguez-Carvajal

17:15-17:30

TU.C.3_O1 - New results for triangular-lattice quantum antiferromagnets in a magnetic field

G. Marmorini¹, D. Yamamoto², I. Danshita¹

1. YITP Kyoto, Kyoto, Japan
2. Waseda Institute for Advanced Studies, Tokyo, Japan



17:30-17:45

TU.C.3_O2 - Study of magnetic phase transitions and magnetostriction by means of reversible Villari effectS. Kustov ¹, A. el Hichou ¹, M.L. Corró ¹

1. *Departament de Física, Universitat de Les Illes Balears, Palma de Mallorca, Spain*

17:45-18:00

TU.C.3_O3 - Magnetic ordering in magnetic shape memory alloy Ni-Mn-In-CoK. Ollefs ¹, C. Schöppner ², I. Titov ^{2,3}, R. Meckenstock ², F. Wilhelm ¹, A. Rogalev ¹, J. Liu ³, O. Gutfleisch ³, M. Farle ², H. Wende ²

1. *European Synchrotron Radiation Facility (ESRF), Grenoble, France*
2. *Fakultät für Physik and Center for Nanointegration Duisburg-Essen (CeNIDE), Universität Duisburg-Essen, Duisburg, Germany*
3. *Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russian Federation*
4. *Materials Science, Technische Universität Darmstadt, Darmstadt, Germany*

18:00-18:15

TU.C.3_O4 - The influence of the magnetic structure on phase transformations in Ni-Mn-Sn Heusler alloys – a phase diagramK. Zaleski ¹, M. Ekholm ², B. Alling ², I.A. Abrikosov ², J. Dubowik ³

1. *NanoBioMedical Centre, Adam Mickiewicz University, Poznan, Poland*
2. *Department of Physics, Chemistry and Biology, Linköping University, Linköping, Sweden*
3. *Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland*

18:15-18:30

TU.C.3_O5 - Spin-stripe phase in a frustrated spin chainM. Pregelj ¹

1. *Jožef Stefan Institute, Ljubljana, Slovenia*

TU.D.3_MATERIALS FOR ENERGY APPLICATIONS**17:15-18:15 (ROOM H2)****Chair:** Anne-Lise Adenot-Engelvin

17:15-17:30

TU.D.3_O1 - In-situ neutron investigation of hydrogen absorption kinetics in La(FexSi1-x)₁₃ magnetocaloric alloys for room-temperature refrigeration applicationX. Hai ^{1,2}, C. Mayer ², C.V. Colin ¹, S. Miraglia ¹

1. *Univ. Grenoble Alpes, Institut Néel, Grenoble, France*
2. *Erasteel SAS, Tour Maine Montparnasse, Paris, France*

17:30-17:45

TU.D.3_O2 - Prototype energy harvesting device using high permeability amorphous ribbonJ. Samaniego ¹, A. Mitra ², C. Gómez-Polo ¹

1. *Universidad Pública de Navarra, Pamplona, Spain*
2. *CSIR-National Metallurgical Laboratory, New Delhi, India*

17:45-18:00

TU.D.3_03 - An in-situ computed tomography study of the magnetovolume transition in $\text{LaFe}_{1.8}\text{Si}_{1.2}$

A. Waske¹, A. Funk^{1,2}, A. Rack³, J. Eckert^{1,2}
 1. Institute for Complex Materials, Dresden, Germany
 2. Institute for Materials Science, Dresden, Germany
 3. ID - 19, ESRF, Grenoble, France

18:00-18:15

TU.D.3_04 - Element resolved thermodynamics of magnetocaloric $\text{LaFe}_{13-x}\text{Si}_x$

H. Wende¹, M. Gruner^{1,2}, W. Keune^{1,3}, B. Roldán Cuenya⁴, C. Weis¹, J. Landers¹, S. Makarov^{1,3}, D. Klar¹, M.Y. Hu⁵, E.E. Alp⁵
 1. University of Duisburg-Essen, Faculty of Physics and Center for Nanointegration Duisburg-Essen (CENIDE), Germany
 2. IFW Dresden, Germany
 3. Max Planck Institute of Microstructure Physics, Halle, Germany
 4. Department of Physics, Ruhr-University Bochum, Germany
 5. Advanced Photon Source, Argonne National Laboratory, United States
 6. Materials Science, TU Darmstadt, Germany

TU.E.3_THIN FILM NANOSTRUCTURES

17:15-18:15 (ROOM H3)

Chair: Laura Steren

17:15-17:45

TU.E.3_I1 - Transport With Bose-Einstein Magnon Condensates

B. Hillebrands¹, P. Clausen¹, D.A. Bozhko^{1,2}, V.I. Vasyuchka¹, G.A. Melkov³, A.A. Serga¹
 1. Fachbereich Physik and Landesforschungszentrum OPTIMAS, Technische Universität Kaiserslautern, Germany
 2. Graduate School Materials Science In Mainz, Kaiserslautern, Germany
 3. Faculty of Radiophysics, Electronics and Computer Systems, Taras Shevchenko National University of Kyiv, Ukraine

17:45-18:00

TU.E.3_O2 - Controlling the magnetic properties of spinel ferrite nanoparticles by chemical tuning

C. Sangregorio¹, M. Albino², V. Bonanni², G. Campo², P. Ghigna³, J.M. Greneche⁴, D. Peddis⁵, F. Pineider², N. Yaacob⁴, C. de Julián Fernández⁶
 1. CNR-ICCOM & INSTM, Sesto Fiorentino, Italy
 2. INSTM-LaMM, Dip. di Chimica "U. Schiff", Univ. di Firenze, Sesto Fiorentino, Italy
 3. Dip. Di Fisica, Univ. di Pavia, Pavia, Italy
 4. Université du Maine, Laboratoire de Physique de l'Etat Condensé, Le Mans, France
 5. CNR-ISM, Monterotondo Scalo, Italy
 6. CNR-IMEM & INSTM, Parma, Italy



- 18:00-18:15 **TU.E.3_O3 - Ledge-type Co/L10-FePt exchange-coupled composites**
 T. Speliotis ¹, G. Giannopoulos ¹, D. Niarchos ¹, W. Li ², G. Hadjipanayis ², G. Barucca ³, E. Agostinelli ⁴, S. Laureti ⁴, D. Peddis ⁴, A.M. Testa ⁴, D. Fiorani ⁴, G. Varvaro ⁴
 1. Institute of Materials Science, NCSR Demokritos, Athens, Greece
 2. Department of Physics, University of Delaware, Newark, United States
 3. SIMAU, Università Politecnica delle Marche, Ancona, Italy
 4. Istituto Di Struttura Della Materia - CNR, Monterotondo Scalo, Roma, Italy

TU.F.3_HEAVY FERMIONS PHYSICS INCLUDING VALENCE AND CHARGE FLUCTUATIONS

17:15-18:15 (ROOM A)

Chair: Nicolas Doiron-Leyraud

- 17:15-17:30 **TU.F.3_O1 - Chirality density wave of the "hidden order" phase in URu₂Si₂**
G. Blumberg ¹, K. Haule ¹, H. Kung ¹, John Mydosh ², R. Baumbach ³, E. Bauer ³
 1. Rutgers University, Piscataway, United States
 2. Kamerlingh Onnes Laboratory, Leiden University, Leiden, The Netherlands
 3. Los Alamos National Laboratory, Los Alamos, New Mexico, United States
- 17:30-17:45 **TU.F.3_O2 - Cubic Hastic Order**
R. Flint ¹
 1. Iowa State University, Ames, United States
- 17:45-18:00 **TU.F.3_O3 - Heavy fermion superconductivity and double multipolar transition in PrV₂Al₂O**
Y. Matsumoto ¹, M. Tsujimoto ¹, A. Sakai ¹, T. Tomita ¹, S. Nakatsuji ¹
 1. ISSP, Univ. of Tokyo, Tokyo, Japan
- 18:00-18:15 **TU.F.3_O4 - Observation of a magnetic-resonance excitation mode in the Kondo insulator CeFe₂Al₁₀**
J.M. Mignot ¹
 1. Laboratoire Leon Brillouin, CEA-CNRS, Gif sur Yvette, France

TU.G.3_EXCHANGE BIAS AND EXCHANGE SPRINGS

17:15-18:30 (ROOM B1-B3)

Chair: Lluís Balcells

- 17:15-17:30 **TU.G.3_O1 - Thermal and spatial confinement effects in exchange coupled IrMn/NiFe dot arrays**
F. Spizzo ¹, E. Bonfiglioli ¹, M. Tamisari ^{1,2}, A. Gerardino ³, G. Barucca ⁴, A. Notargiacomo ³, F. Chinni ¹, L. Del Bianco ⁵
 1. Dipartimento di Fisica e Scienze della Terra, Università di Ferrara, Ferrara, Italy
 2. Dipartimento di Fisica e Geologia, CNISM Università di Perugia, Perugia, Italy



3. Istituto di Fotonica e Nanotecnologie, Roma, Italy
 4. Dipartimento SIMAU, Università Politecnica delle Marche, Ancona, Italy
 5. Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

17:30-17:45

TU.G.3_O2 - Bridging amount of disordered magnetic phases located over ferromagnetic/antiferromagnetic thin films and cell to cell variability of exchange bias in corresponding TA-MRAM chips

K. Akmalidinov ^{1,2,3,4}, L. Frangou ^{1,2,3}, C. Ducruet ⁴, C. Portemont ⁴, J. Pereira ⁴, I. Joumard ^{1,2,3}, B. Dieny ^{1,2,3}, J. Alvarez-Hérault ⁴, V. Baltz ^{1,2,3}

1. Univ. Grenoble Alpes, SPINTEC, Grenoble, France
2. CNRS, SPINTEC, Grenoble, France
3. CEA, INAC-SPINTEC, Grenoble, France
4. CROCUS Technology, Grenoble, France

17:45-18:00

TU.G.3_O3 - Phase diagram in exchange biased CoTb/[Co/Pt] multilayer based magnetic tunnel junctions

M. Bersweiler ¹, D. Lacour ¹, K. Dumesnil ¹, F. Montaigne ¹, M. Hehn ¹

1. Institut Jean Lamour, Nancy, France

18:00-18:15

TU.G.3_O4 - Search for exchange bias effect in antiferromagnetic Heusler alloy -ferromagnet bilayers

E. Simon ¹, S. Khmelevskiy ¹, R. Yanes-Diaz ², L. Szunyogh ¹, U. Nowak ²

1. Department of Theoretical Physics, Budapest University of Technology and Economics, Budapest, Hungary
2. Department of Physics, University of Konstanz, Konstanz, Germany

18:15-18:30

TU.G.3_O5 - IrMn/MgO-based tunneling junctions for room temperature antiferromagnet spintronics: effect of MgO and IrMn thickness

M. Cantoni ¹, C. Rinaldi ¹, L. Baldrati ¹, S. Bertoli ¹, M. Asa ¹, D. Petti ¹, E. Albisetti ¹, R. Bertacco ¹

1. Politecnico Di Milan, Milano, Italy

TU.H.3_VORTEX AND SKYRMION DYNAMICS

17:15-18:15 (ROOM D1-D3)

Chair: Kirsten von Bergmann

17:15-17:45

TU.H.3_I1 - Dynamics of chiral spin systems: soliton lattices, defects and spinwaves

R. Stamps ¹

1. University Of Glasgow, Glasgow, United Kingdom

17:45-18:00

TU.H.3_O2 - Asymmetric Wave Propagation in Skyrmion String in Chiral Magnets

J. Iwasaki ¹, C. Schütte ², N. Nagaosa ³

1. University of Tokyo, Tokyo, Japan
2. Universität zu Köln, Köln, Germany
3. RIKEN, Saitama, Japan



18:00-18:15

TU.H.3_O3 - Neutron spin-echo spectroscopy of spin fluctuations in the skyrmion lattice phase of MnSiF. Haslbeck ¹, J. Kindervater ¹, A. Bauer ¹, W. Häußler^{1,2}, P. Böni ¹, C. Pfleiderer ¹

1. Physics Department, TU Munich, Germany

2. Heinz Maier-Leibnitz Zentrum, TU Munich, Germany

TU.I.3_ELECTRONIC STRUCTURE. ITINERANT ELECTRON MAGNETISM. HALF METALS. INSULATORS**17:15-18:15 (ROOM D4-D6)****Chair:** Josef Kudrnovsky

17:15-17:30

TU.I.3_O1 - Evidence of a spin-polarized resonant surface state in (111) Sm_xGd_{1-x}Al₃, a zero-magnetization ferromagnetK. Dumesnil ¹, M. Bärswäiler ¹, D. Lacour ¹, M. Hehn ¹, P. Lefevre ²

1. Institut Jean Lamour, Université de Lorraine and CNRS, Nancy, France

2. Synchrotron SOLEIL, Gif sur Yvette, France

17:30-17:45

TU.I.3_O2 - Ab-initio calculations of Gilbert damping parameters in doped Permalloy systems.L. Bergqvist ¹, F. Pan ¹, A. Bergman ², A. Delin ¹

1. KTH Royal Institute Of Technology, Stockholm, Sweden

2. Uppsala University, Uppsala, Sweden

17:45-18:00

TU.I.3_O3 - Experimental evidences of first-time reported (100) in-plane easy axis in magnetite films grown onto different single-crystal substratesJ. Fdez Cuñado ¹, Y. F. Pedrosa ^{1,2}, M. Sanz ³, M. Oujja ³, E. Rebollar ³, J. Marco ³, J. de la Figuera³, M. Monti ³, M. Castillejo ³, M. García-Hernández ⁴

1. IMDEA Nanoscience, Madrid, Spain

2. Ingeniería Magnética Aplicada, IMA S.L., Barcelona, Spain

3. Instituto Química Física Rocasolano, CSIC, Madrid, Spain

4. Instituto Ciencias de Materiales de Madrid, CSIC, Madrid, Spain

5. Dep. Física Aplicada III, UCM, Madrid, Spain

6. Institute of Condensed Matter Physics, EPFL-SB-ICMP-LPMC, LaUnited Statesne, Switzerland

7. Dep. Física de la Materia Condensada, Instituto Nicolás Cabrera, UAM, Madrid, Spain

18:00-18:15

TU.I.3_O4 - Orbital magnetism of coupled bands modelsJ. Fuchs ^{1,2}, Arnaud Raoux ^{2,3}, F. Piéchon ², G. Montambaux ²

1. Laboratoire de Physique Théorique de la matière Condensée, CNRS and Université Pierre Et Marie Curie, Paris, France

2. Laboratoire de Physique des Solides, CNRS and Université Paris-Sud, France

3. Département de Physique, Ecole Normale Supérieure, Paris, France

17:15-17:30

TU.J.3_O1 - The key role of thermal motion on the structure and magnetic properties of dithiazolyl-based bistable molecular materialsS. Vela^{1,2}, M. Deumal², M. Shiga³, J. Novoa², Jordi Ribas-Arino²*1. Laboratoire de Chimie Quantique, Université de Strasbourg, Strasbourg, France**2. Departament de Química Física and IQTCUB, Universitat de Barcelona, Barcelona, Spain**3. Center for Computational Science and E-Systems, Japan Atomic Energy Agency, 5-1-5, Kashiwanoha, Kashiwa, , Japan.*

17:30-17:45

TU.J.3_O2 - XMCD at the Fe K-edge in Fe Phthalocyanine on Au: an insight into the ground stateJ. Bartolomé¹, C. R. Natoli², F. Bartolomé¹, O. Bunau¹, A. Figueroa³, L. García¹, M. Piantek⁴, J.I. Pascual⁵, I. K. Schuller⁶, T. Gredig⁷*1. ICMA - Dept. Física de la Materia Condensada, CSIC - Universidad de Zaragoza**2. INFN - Laboratori Nazionali di Frascati, Frascati, Italy**3. Magnetic Spectroscopy Group, Diamond Light Source, Didcot, United Kingdom**4. INA, Universidad de Zaragoza, Zaragoza, Spain**5. CIC nanoGUNE and Ikerbasque, Basque Foundation for Science, San Sebastian, Spain**6. Department of Physics and Center for Advanced Nanotechnology, University of California San Diego, La Jolla, United States**7. Department of Physics and Astronomy, California State University Long Beach, Long Beach, United States**8. ESRF-The European Synchrotron, Grenoble, France**9. Graduate School of Advanced Integration Science, Chiba University, 1-33 Yayoi-cho, Inage, Chiba, Japan*

17:45-18:00

TU.J.3_O3 - Exchange bias of TbPc2 molecular magnets on antiferromagnetic FeMn and ferromagnetic Fe films

C. Nistor¹, C. Krull², A. Mugarza³, S. Stepanow⁴, C. Stamm⁵, M. Soares⁶, S. Klyatskaya⁷, M. Ruben⁸, P. Gambardella⁹

1. *ETH, Dept Mat, Zurich, Switzerland*

2. *Catalan Institute of Nanotechnology, Barcelona, Spain*

3. *Catalan Institute of Nanotechnology, Barcelona, Spain*

4. *ETH, Dept Mat, Zurich, Switzerland*

5. *ETH, Dept Mat, Zurich, Switzerland*

6. *ESRF, Grenoble, France*

7. *KIT, Inst Nanotechnol, Eggenstein Leopoldshafen, Germany*

8. *KIT, Inst Nanotechnol, Eggenstein Leopoldshafen, Germany*

9. *ETH, Dept Mat, Zurich, Switzerland*

18:00-18:15

TU.J.3_O4 - Spin spectroscopy of single magnetic molecules with a radio frequency scanning tunneling microscope

S. Mullegger¹, S. Tebi¹, R. Koch¹

1. *Institute of Semiconductor and Solid State Physics, Johannes Kepler University Linz, Austria*

WEDNESDAY , 8 JULY



PLENARY-3

08:30-09:30 (AUDITORIUM)

Chair: Sergio Rezende

08:30-09:30 **PLENARY 3 - Spin current generators**
 Eiji Saitoh
WPI-AIMR, Tohoku University, Sendai, Japan

WE.SYM_BIOMEDICAL APPLICATIONS AND MAGNETIC NANOPARTICLES

09:30-12:30 (AUDITORIUM)

Chair: Kevin O'Grady

09:30-10:00 **WE.SYM_1 - Membrane damage caused by magnetic hyperthermia on microglial cells.**
 Gerardo Goya
Institute Of Nanoscience Of Aragon, Zaragoza, Spain

10:00-10:30 **WE.SYM_2 - Engineered nanoparticles for Magnetic Particle imaging: Tailoring physics and chemistry to clinical applications**
 Kannan Krishnan
University Of Washington, Seattle, United States

10:30-11:00 **WE.SYM_3 - Can the Synthesis Technology and Properties of Magnetite Nanoparticles Cater the Needs of Biomedical Applications?**
 Jeyadevan Balachandran
The University Of Shiga Prefecture, Hikone, Japan

11:30-12:00 **WE.SYM_4 - Albumin-SPIOs: protein surface binding, nanoparticles uptake and fate in cells and C. elegans.**
 Anna Roig
Institut De Ciència De Materials De Barcelona (ICMAB-CSIC), Bellaterra, Spain

12:00-12:30 **WE.SYM_5 - Dual Drug Carrier for Thermo-chemotherapy of Cancer**
 Dhirendra Bahadur
Center for Research in Nanotechnology and Science, Indian Institute of Technology-Bombay, Mumbai, India

WE.A.1_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

09:30-11:00 (ROOM J)

Chair: Takashi Hotta

09:30-09:45 **WE.A1_01 - Spin fluctuations in superconducting iron selenide (FeSe) and derivatives**
 M. Rahn ¹, R. Ewings ², S. Sedlmaier ³, S. Clarke ³, A. Boothroyd ¹
 1. Department of Physics, Oxford University, United Kingdom
 2. ISIS Facility, STFC Rutherford Appleton Laboratory, United Kingdom
 3. Department of Chemistry, Oxford University, United Kingdom



- 09:45-10:00 **WE.A1_02 - Competing Magnetic Phases, and Emergent Defect States as a Source of Resistivity Anisotropy in the Nematic Phase of Iron Pnictides**
B. M. Andersen¹
 1. *University Of Copenhagen, Copenhagen, Denmark*
- 10:00-10:15 **WE.A.1_03 - Synthesis and characterization of new heavy fermion compound CePdIn5**
K. Uhlir¹, J. Prokleska¹, B. Vondrackova¹, M. Kratochvilova¹, M. Dusek², J. Custers¹, V. Sechovsky¹
 1. *Charles University In Prague, Faculty Of Mathematics And Physics, Department of Condensed Matter Physics, Praha, Czech Republic*
 2. *Institute of Physics ASCR, Department of Structure Analysis, Praha, Czech Republic*
- 10:15-10:30 **WE.A.1_04 - Comparative orbital fluctuation study in iron pnictides by spectroscopic methods**
Y. Koh^{1,49}, Y. Kim^{2N}, J.Seo¹, M. Eom³, J. Kim³, B. Park⁴, J. Kim⁴, C. Kim¹
 1. *Yonsei University, Seoul, Republic of Korea*
 2. *Advanced Light Source, Berkeley, United States*
 3. *Pohang University of Science and Technology, Pohang, Republic of Korea*
 4. *Pohang Light Source, Pohang, Republic of Korea*
- 10:30-10:45 **WE.A.1_05 - Nematic-driven anisotropic electronic properties of underdoped detwinned Ba(Fe1-xCox)2As2 revealed by optical spectroscopy**
L. Degiorgi¹
 1. *ETH Zurich, Department Of Physics, Zurich, Switzerland*
- 10:45-11:00 **WE.A.1_06 - Orbital-driven nematicity in FeSe**
S. Baek¹, D. Efremov¹, J. Mok Ok², J. Sung Kim², J. van den Brink¹, B. Buechner¹
 1. *IFW Dresden, Dresden, Germany*
 2. *Pohang University of Science and Technology, Republic of Korea*

WE.C.1 FERROICS AND MULTIFERROICS

09:30-11:00 (ROOM H1)

Chair: Urs Staub

- 09:30-10:00 **WE.C.1_I.1 - Spin Degrees Of Freedom In Relativistic Ferroelectrics**
Silvia Picozzi
 1. *Consiglio Nazionale Delle Ricerche CNR-SPIN, L'Aquila, Italy*
- 10:00-10:15 **WE.C.1_02 - Tiny cause with huge impact: polar instability through strong magneto-electric-elastic coupling in bulk EuTiO3**
A. Bussmann-Holder¹, P. Reuvekamp¹, K. Caslin¹, R. Kremer¹, J. Köhler¹
 1. *Max-Planck-Institute For Solid State Research, Germany*

10:30-11:00

WE.C.1_I4 - Coupled electricity and magnetism in solids: currents, dipoles and monopoles in frustrated systems and in magnetoelectricsD. Khomskii¹*1. II. Physikalisches Institut, Universitaet Zu Koeln, Köln, Germany***WE.D.1_MATERIALS FOR ENERGY APPLICATIONS****09:30-11:00 (ROOM H2)****Chair:** Victorino Franco

09:30-10:00

WE.D.1_I1 - Origin of hysteresis in multicaloric materialsS. Fähler¹, M. E. Gruner², H. Seiner³, R. Niemann¹, L. Schultz¹*1. IFW Dresden, Dresden, Germany**2. University of Duisburg-Essen, Essen, Germany**3. Institute of Thermomechanics, Academy of Sciences of Czech Republic, Prague, Czech Republic*

10:00-10:15

WE.D.1_O2 - Increasing the achievable state of order in Ni-Mn-based Heusler alloysP. Neibecker¹, M. Leitner¹, G. Benka², W. Petry¹*1. Heinz Maier-Leibnitz Zentrum (MLZ), Technische Universität München, Garching Germany**2. Physics Department, Technische Universität München, Garching, Germany*

10:15-10:30

WE.D.1_O3 -Characteristics of Intermetentisic Transitions in Ni-Mn Based Heusler AlloysA. Çakir¹, L. Righi², F. Albertini³, M. Acet⁴, M. Farle⁴*1. Metallurgical and Materials Engineering Department, Mugla University, Mugla, Turkey**2. Chemistry Department, Parma University, Parma, Italy**3. IMEM, National Research Council, Parma, Italy**4. Physics Department, Duisburg-Essen University, Duisburg, Germany*

10:30-10:45

WE.D.1_O4 - Atomic and magnetic structure and magnetocaloric properties of AlFe2B2J. Cedervall¹, M. Andersson², T. Sarkar², E. Delczeg³, L. Häggström³, T. Ericsson³, P. Nordblad², M. Sahlberg¹*1. Chemistry - Angstrom, Uppsala University, Uppsala, Sweden**2. Engineering Sciences, Uppsala University, Uppsala, Sweden**3. Physics and Astronomy, Uppsala University, Uppsala, Sweden*

10:45-11:00

WE.D.1_O5 - Study of magneto-elastic properties in shape-memory Heusler alloys by resonant ultrasound spectroscopyC. Salazar Mejía¹, N. O. Born¹, A. K. Nayak¹, C. Felser¹, M. Nicklas¹, J. Schiemer², M. A. Carpenter²*1. Max Planck Institute For Chemical Physics Of Solids, Dresden, Germany**2. Department of Earth Sciences, University of Cambridge, Cambridge, United Kingdom*

WE.E.1_THIN FILM NANOSTRUCTURES

09:30-11:00 (ROOM H3)

Chair: Niklas Romming

- 09:30-10:00 **WE.E.1_I1 - Spin to charge current conversion in metal/oxide interfaces**
Y. Otani^{1,2}, Y. Niimi^{1,2}, K. Kondou², S. Karube^{1,2}
1. ISSP University Of Tokyo, Tokyo, Japan
2. RIEN-CEMS
- 10:00-10:15 **WE.E.1_O2 - Magnetic Characteristics of CoPd and FePd Antidot Arrays on Nanoperforated Al₂O₃ and TiO₂ Templates**
A. Maximenko^{1,2}, M. Marszalek¹, J. Fedotova², A. Zarzycki¹, Y. Zabala¹, B. Jany³, F. Krok³
1. The Henryk Niewodniczanski Institute Of Nuclear Physics Polish Academy Of Sciences, Krakow, Poland
2. Research Institute for Nuclear Problems of Belarusian State University, Minsk, Belarus
3. Institute of Physics, Jagiellonian University, Krakow, Poland
4. The Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- 10:15-10:30 **WE.E.1_O3 - Nuclear Resonant GISAXS: Spatially resolved magnetic ordering and magnetization reorientation in a Fe film with periodically varying thickness.**
D. Erb³, K. Schlage¹, L. Bocklage¹, R. Ruffer², H. C. Wille¹, R. Röhlsberger¹
1. Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany
2. European Synchrotron Radiation Facility ESRF, Grenoble, France
3. University of Hamburg, Hamburg, Germany
- 10:30-10:45 **WE.E.1_O4 - Towards magnetic tomography of 3D structures at the nanoscale**
C. Donnelly^{1,2}, M. Guizar-Sicairos², V. Scagnoli^{1,2}, M. Holler², T. Huthwelker², A. Menzel², I. Vartiainen², E. Mueller², E. Kirk^{1,2}, S. Gliga^{1,2}, Joerg Raabe², Laura J. Heyderman^{1,2}
1. Laboratory for Mesoscopic Systems, Department of Materials, Zurich, Switzerland
2. Paul Scherrer Institute, Villigen, Switzerland

10:45-11:00

WE.E.1_05 - Anisotropic magnetic-field-induced phase transition in MnAs nanoribbonsL.B. Steren^{1,2,3}, F. Fernández Baldís^{2,3,4}, M. Sirena^{2,4}, V.H. Etgens⁵, M. Eddrief⁵, C. Ulysse⁶, G. Faini⁶

1. Centro Atómico Constituyentes, San Martín, Argentina
2. Consejo Nacional de Investigaciones Científicas y Técnicas, Buenos Aires, Argentina
3. Laboratorio Internacional Franco-Argentino en Nanociencias (LIFAN), Buenos Aires, Argentina
4. Centro Atómico Bariloche, Instituto Balseiro - CNEA & Univ. Nac. de Cuyo, Bariloche, Río Negro, Argentina
5. Institut des NanoSciences de Paris, UPMC, Paris, France
6. LPN-CNRS, Route de Nozay, Marcoussis, France

WE.F.1_MAGNETIC NANORODS, NANOWIRES AND NANOTUBES**09:30-11:00 (ROOM A)****Chair:** Mattias Kläui

09:30-10:00

WE.F.1_I1 - A unified phase diagram of domain walls in 1d systems, ranging from strips to cylindrical wiresS. Jamet^{1,2}, N. Rougemaille^{1,2}, C. Thirion^{1,2}, J.C. Toussaint^{1,2}, O. Fruchart^{1,2}

1. Univ. Grenoble Alpes, Institut NEEL, Grenoble, France
2. CNRS, Institut NEEL, Grenoble, France

10:00-10:15

WE.F.1_02 - Magnetic structure of core-shell iron-iron oxide nanowires.I. Ivanov¹, A. Alfadhel¹, M. Alnassar¹, M. Vazquez², J. Kosel¹

1. King Abdullah University Of Science And Technology (KAUST), Thuwal, Saudi Arabia
2. Institute of Materials Science of Madrid, CSIC, Madrid, Spain

10:15-10:30

WE.F.1_03 - Electron holography of magnetic states in cylindrical Co/Cu multilayered nanowiresN. Biziere¹, D. Reyes¹, B. Warot-Fonrose¹, T. Wade², C. Gatel¹

1. CEMES, UPR 8011 CNRS, Toulouse, France
2. LSI, UMR 7642 CEA/CNRS/Ecole Polytechnique, Ecole Polytechnique, Palaiseau, France

10:30-10:45

WE.F.1_04 - Magnetization reversal of a single modulated magnetic nanowireC. Bran¹, E. Berganza¹, E. M. Palmero¹, R. P. del Real¹, A. Fraile Rodríguez², A. Asenjo¹, M. Vazquez¹

1. Instituto de Ciencia de Materiales de Madrid (ICMM)-CSIC, Madrid, Spain
2. Departament de Física Fonamental and Institut de Nanociència i Nanotecnologia (IN2UB), Universitat de Barcelona, Barcelona, Spain

10:45-11:00

WE.F.1_05 - Asymmetric spin wave propagation in thin films with Dzyaloshinskii-Moriya coupling

D. Cortés-Ortuño ^{1,2}, N, M. Opazo-Damiani ¹, R. Troncoso ¹, R. Gallardo ¹, P. Landeros ¹

1. *Departamento De Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*

2. *Institute for Complex Systems Simulation, University of Southampton, Southampton, United Kingdom*

WE.G.1_SPIN-ORBIT AND SPIN-LATTICE COUPLING

09:30-11:00 (ROOM B1-B3)

Chair: Atsufumi Hirohata

09:30-10:00

WE.G.1_I1 - Berry curvature, Hall effect and topological edge modes of magnons

S. Murakami ¹

1. *Tokyo Institute Of Technology, Meguro, Japan*

10:00-10:15

WE.G.1_O2 - The inverse thickness proportionality of the interfacial Dzyaloshinskii-Moriya interaction on the Pt/Co(CoFeB)/Al2O3 inverse symmetry broken structure

J. Cho ¹, N.H. Kim ¹, S. Lee ¹, J.S. Kim ², R. Lavrijsen ², A. Solignac ², Y. Yin ², D.S. Han ², N. Hoof ², H. Swagten ²

1. *Department of Physics, Inha University, Incheon, Republic of Korea*

2. *Department of Applied Physics, Center for NanoMaterials, Eindhoven University of Technology, Eindhoven, The Netherlands*

10:15-10:30

WE.G.1_O3 - Deterministic magnetization switching driven by spin hall effect in ultrathin magnetic CoFeB/MgO heterostructures with tilted anisotropy.

J. Torrejon ^{1,2}, F. Garcia-Sanchez ³, T. Taniguchi ⁴, J. Sinha ², S. Mitani ², J.V. Kim ³, M. Hayashi ²

1. *Unité Mixte de Physique CNRS/Thales, Palaiseau, France*

2. *National Institute for Materials Science, Tsukuba, Japan*

3. *Institut d'Electronique Fondamentale, UMR CNRS 8622, Université Paris-Sud, Orsay, France*

4. *National Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Tsukuba, Ibaraki, Japan*

10:30-10:45

WE.G.1_O4 - Signatures of a Two-Dimensional Ferromagnetic Electron Gas at the La0.7Sr0.3 MnO3 / SrTiO3 Interface Arising From Orbital Reconstruction

M.J. Calderon ^{1,2}, N.M. Nemes ^{2,3}, J.I. Beltran ^{1,3}, F.Y. Bruno ^{2,3}, J. Garcia-Barriocanal ^{2,3}, Z. Sefrioui ^{2,3}, C. Leon ^{2,3}, M. Garcia-Hernandez ^{1,2}, M. C. Muñoz ¹, L. Brey ^{1,2}

1. *Instituto de Ciencia de Materiales de Madrid, ICMM-CSIC, Madrid, Spain*

2. *Laboratorio de Heteroestructuras con aplicación en Spintronica, Unidad Asociada Consejo Superior de Investigaciones Científicas/ Universidad Complutense Madrid, Madrid, Spain*

3. *Departamento de Física Aplicada III, Universidad Complutense de Madrid, Madrid, Spain*

10:45-11:00

WE.G.1_O5 - Spin-orbitronics: Investigation of the spin-to-charge current conversion by a topological insulator

J.C. Rojas-Sánchez^{1,2}, S. Oyarzun³, A. Marty³, C. Vergnaud³, G. Desfond³, S. Gambarelli³, M. Jamet³, Y. Ohtsubo⁴, P. Le Fèvre⁵, N. Francois Bertran⁵

1. *Unité Mixte De Physique CNRS/Thales, Palaiseau, France*

2. *Université Paris Sud, Orsay, France*

3. *CEA-Grenoble and Université Joseph Fourier, INAC, Grenoble, France*

4. *Graduate School of Frontier Biosciences, Osaka University, Osaka, Japan*

5. *Synchrotron SOLEIL, Gif sur Yvette, France*

WE.H.1_VORTEX AND SKYRMION DYNAMICS**09:30-11:00 (ROOM D1-D3)****Chair:** Oksana Chubykalo-Fesenko

09:30-10:00

WE.H.1_I1 - Manipulation of magnetic skyrmions with spin-polarized STM

K. von Bergmann¹

1. *University of Hamburg, Hamburg, Germany*

10:00-10:15

WE.H.1_O2 - Chaotic Dynamics Triggering Stochastic Vortex Formation in Asymmetric Magnetic Disks

M.Y. Im^{1,2}, K.S. Lee³, A. Vogel⁴, J.I. Hong², G. Meier^{4,5}, P. Fischer^{1,6}

1. *Lawrence Berkeley National Lab, Berkeley, United States*

2. *Daegu Gyeongbuk Institute of Science and Technology, Daegu, Republic of Korea*

3. *Ulsan National Institute of Science and Technology, Ulsan, Republic of Korea*

4. *Universität Hamburg, Hamburg, Germany*

5. *The Hamburg Centre for Ultrafast Imaging, Hamburg, Germany*

6. *University of California, Santa Cruz, United States*

10:15-10:30

WE.H.1_O3 - Spin dynamics at the helimagnetic phase transition of MnSi

A. Bauer¹, J. Kindervater¹, I. Stasinopoulos², F. Rucker¹, M. Garst³, M. Janoschek⁴, N. Martin^{1,5}, S. Mühlbauer⁵, W. Häußler^{1,5}, D. Grundler²

1. *Physik Department E21/E51, Technische Universität München, Garching, Germany*

2. *Physik Department E10, Technische Universität München, Garching, Germany*

3. *Institut für theoretische Physik, Universität zu Köln, Garching, Germany*

4. *Los Alamos National Laboratory, Los Alamos, United States*

5. *Heinz Maier-Leibnitz Zentrum (MLZ), Technische Universität München, Garching, Germany*

10:30-10:45

WE.H.1_O4 - Influence of thermal fluctuations on magnetic vortex depinning

M. Kuepferling¹, E. Ferraro¹, A. Sola¹, C. Serpico², H. W. Schumacher³, N. Liebing³, P. Krzysteczko³, A. Fernandez Scarioni³, X. Hu³, S. Sievers³

1. *Inrim, Torino, Italy*
2. *University Federico II, Napoli, Italy*
3. *PTB, Braunschweig, Germany*
4. *University of Bielefeld, Bielefeld, Germany*

10:45-11:00

WE.H.1_O5 - Observation of magnetic skyrmions at room temperature in ultrathin Pt/Co/MgO perpendicularly magnetized multilayers by XMCD-PEEM

O. Boulle¹, S. Pizzini², J. Vogel², L. Buda-Prejbeanu¹, O. Mentès³, A. Locatelli³, A. Sala³, G. Gaudin¹

1. *Spintec, Grenoble, France*
2. *Institut Néel, France*
3. *Elettra Sinchrotrone, Nanospectroscopy beamline, Trieste, Italy*

WE.I.1_DOMAIN WALL MOTION**09:30-11:00 (ROOM D4-D6)****Chair:** Gianfranco Durin

09:30-10:00

WE.I.1_I1 - Interface-driven chiral spin textures in ultrathin magnetic films

G. Beach¹

1. *Department of Materials Science and Engineering, Massachusetts Institute Of Technology, Cambridge, United States*

10:00-10:15

WE.I.1_O2 - Chiral effects in domain wall velocity and nucleation in Pt/Co/MOx films: the influence of the Dzyaloshinskii-Moriya interaction

S. Pizzini¹, J. Vogel¹, S. Rohart², L. Buda-Prejbeanu³, M. Miron³, G. Gaudin³, O Boulle³, E. Jué³, A. Thiaville²

1. *CNRS, Institut Néel, Grenoble, France*
2. *Laboratoire de Physique des Solides, Univ. Paris-Sud, CNRS, Orsay, France*
3. *SPINTEC, CEA/CNRS/UJF/Grenoble-INP, INAC, Grenoble, France*

10:15-10:30

WE.I.1_O3 - Electrical switching of the perpendicular magnetization in Pt/[Co/Ni]3/Al multilayers

J.C. Rojas-Sánchez^{1,2}, J. Sampaio³, P. Laczkowski^{1,2}, N. Reyren^{1,2}, C. Deranlot^{1,2}, S. Collin^{1,2}, K. Bouzehouane^{1,2}, V. Cros^{1,2}, N. H. Jaffrès^{1,2}, A. Mougin³

1. *Unité Mixte De Physique CNRS/Thales, Palaiseau, France*
 2. *Université Paris Sud, Orsay, France*
 3. *Laboratoire de Physique des Solides, Université Paris Sud, Orsay, France*
- Unité Mixte De Physique CNRS/Thales, Palaiseau, France*

10:30-10:45

WE.I.1_04 - Influence of Joule heating on current-driven domain wall depinning

S. Moretti¹, V. Raposo¹, E. Martinez¹
 1. *University of Salamanca, Salamanca, Spain*

10:45-11:00

WE.I.1_05 - Perpendicularly magnetized spintronic memristor

S. Lequeux¹, J. Sampaio¹, R. Matsumoto², A. Fukushima²,
K. Yakushiji², S. Yuasa², V. Cros¹, J. Grollier¹
 1. *Unité Mixte De Physique CNRS/Thales, Palaiseau, France*
 2. *AIST, Tsukuba, Japan*

WE.J.1_MAGNETIC INFORMATION STORAGE, MEMORIES AND COMPUTATION

09:30-11:00 (ROOM E1-E3)

Chair: Chih-Huang Lai

09:30-10:00

WE.J.1_I1 - Novel applications of perpendicular magnetic anisotropy: 3-dimensional MRAM and cancer therapy

R. Cowburn¹
 1. *University Of Cambridge, Cambridge, United Kingdom*

10:00-10:15

WE.J.1_02 - In operando magnetic writing head quantitatively mapped using electron holography

A. Masseboeuf¹, J. Einsle², R. Bowman², M. Bashir³, M. Gubbins³,
C. Gatel¹, R. Cours¹, E. Snoeck¹
 1. *CNRS-CEMES & Université Paul Sabatier, Toulouse, France*
 2. *Queens University, Belfast, United Kingdom*
 3. *Seagate Technology, Londonderry, United Kingdom*

10:15-10:30

WE.J.1_03 - A development of advanced barium ferrite tape media

O. Shimizu¹, M. Oyanagi¹, Y. Kurihashi¹, A. Morooka¹, T. Harasawa¹
 1. *FUJIFILM Corporation, Tokyo, Japan*

10:30-10:45

WE.J.1_04 - Circuit architecture for NAND logic operation via STT-MTJ

D. Loy¹, S. Goolaup², W. Siang Lew³
 1. *Nanyang Technological University, Singapore*

10:45-11:00

WE.J.1_05 - Ferromagnetic tetragonal Heusler thin films for spintronic applications

J. Jeong¹, Y. Ferrante^{1,2,3}, S. Faleev¹, M. Samant¹, C. Felser⁴,
S. Parkin⁵
 1. *IBM Almaden Research, San Jose, United States*
 2. *The Graduate School of Excellence 'Materials science in Mainz', Mainz, Germany*
 3. *University of Kaiserslautern, Physics dept., Kaiserslautern, Germany*
 4. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*
 5. *Max Planck Institute of Microstructure Physics, Halle (Saale), Germany*



WE.A.2_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

12:30-13:30 (ROOM J)

Chair: Stefan Kirchner

- 12:30-12:45 **WE.A.2_O1 - Proximity effects in YBa₂Cu₃O₇/[Co/Pt]_n heterostructures**
C. Visani
1. *Unité Mixte De Physique CNRS/Thales, Palaiseau, France*
- 12:45-13:00 **WE.A.2_O2 - Magnetic nanoparticles in MgB₂: vortex pinning, pair breaking and connectivity**
E. Babic¹, N. Novosel¹, D. Pajić¹, S. Galić¹, K. Zadro¹, D. Drobač²
1. *University Of Zagreb, Faculty Of Science, Department Of Physics, Zagreb, Croatia*
2. *Institute of Physics, Zagreb, Croatia*
- 13:00-13:15 **WE.A.2_O3 -Spin orbital interplay and topology in the nematic phase of iron pnictides**
B. Valenzuela
1. *Instituto De Ciencia De Materiales De Madrid CSIC, Madrid, Spain*
- 13:15-13:30 **WE.A.2_O4 -Colossal superconducting spin valve effect and ultra-small exchange-splitting in epitaxial rare-earth-niobium trilayers**
Y. Gu
1. *University of Cambridge, CAMBRIDGE, UNITED KINGDOM*

WE.B.2_ARRAYS OF MAGNETIC NANOSTRUCTURES

11:30-13:30 (ROOM F)

Chair: Luis M. García de Vinuesa

- 11:30-12:00 **WE.B.2_I1 - Design of interfaces for tuning magnetism in nanostructures**
M. Farle¹, S. Liébana Viñas¹, R. Salikhov¹, C. Bran², E. Palmero², B. Arvan², P. Toson¹, J. Fidler³, M. Spasova¹, U. Wiedwald¹
1. *Fakultät für Physik and Center for Nanointegration (CENIDE), Universität Duisburg-Essen, Duisburg, Germany*
2. *Institute of Materials Science of Madrid, CSIC, Madrid, Spain*
3. *Institute of Solid State Physics, Vienna University of Technology, Vienna, Austria*
4. *Departamento de Física Aplicada, Universidade de Vigo, Vigo, Spain*

12:00-12:15

WE.B.2_O2 - Building Blocks of Artificial Square Spin Ice: Stray-Field Studies of Thermal Dynamics and Tuned Interactions.

M. Pohlit¹, F. Porrati¹, M. Huth¹, Y. Ohno², H. Ohno², J. Müller¹
 1. *Institute of Physics, Goethe-University Frankfurt, Frankfurt am Main, Germany*
 2. *Laboratory for Nanoelectronics and Spintronics, Research Institute of Electrical Communication, Tohoku University, Sendai, Japan*

12:15-12:30

WE.B.2_O3 - Tuning the melting temperature of artificial spin ice structures

S. Pappas¹, E. Östman¹, H. Stopfel¹, B. Hjörvarsson¹, V. Kapaklis¹
 1. *Uppsala University, Department of Physics and Astronomy, Uppsala, Sweden*

12:30-12:45

WE.B.2_O4 - Magnetic imaging of honeycomb artificial spin ice at low temperatures

K. Zeissler¹, M. Chadha¹, D. Burn¹, L. Cohen¹, W. Branford¹
 1. *Imperial College London, London, United Kingdom*

12:45-13:00

WE.B.2_O5 - XMCD-PEEM Characterisation of Self Assembled Artificial Magnetic Material based on Concavity Nanostructures

J. Llandro¹, D. Love¹, D. Mahendru¹, C. Cimorra¹, F. Maccherozzi², S. Dhesi², J. Herrero Albillos³, C. Barnes¹
 1. *University Of Cambridge, United Kingdom*
 2. *Diamond Light Source, United Kingdom*
 3. *Centro Universitario de la Defensa, Spain*

13:00-13:30

WE.B.2_I6 - Vortices and antivortices on the move: a powerful tool to probe magnetic states in nanomagnets.

J. Vicent^{1,2}, J. del Valle¹, A. Gomez¹, E. Gonzalez^{1,2}
 1. *Universidad Complutense, Madrid, Spain*
 2. *IMDEA-Nanociencia, Madrid, Spain*

WE.C.2_ACTINIDES AND LANTHANIDES

11:30-13:30 (ROOM H1)

Chair: Jose I. Arnaudás

11:30-12:00

WE.C.2_I1 - Electronic and Magnetic Structure of Actinide Metals

G. Van Der Laan¹. *Magnetic Spectroscopy Group, Diamond Light Source, Didcot, United Kingdom.*

12:00-12:15

WE.C.2_O2 - UH3 based ferromagnets -new look at old material

L. Havela¹, I. Tkach¹, M. Paukov¹, D. Drozdenko¹, M. Cieslar¹, B. Vondrackova¹, Z. Matej¹, A. V. Andreev², N.-T.H. Kim-Ngan³, I. Turek¹
 1. *Charles University, Faculty Of Mathematics and Physics, Prague, Czech Republic*
 2. *Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic*
 3. *Institute of Physics, Pedagogical University Cracow, Poland*



12:15-12:30 **WE.C.2_03 - Physical properties of an UFe_{1-x}Sb₂ single crystal**
 A. P. Gonçalves¹, M. S. Henriques^{1,2}, J. C. Waerenborgh¹, I. Èurlík³,
 S. Kovíř³, M. Reiffers³, J. Ruzs⁴
 1. C2TN, Campus Tecnológico e Nuclear, Instituto Superior Técnico, Universidade de Lisboa, Bobadela LRS, Portugal
 2. Institute of Physics, ASCR, Prague, Czech Republic
 3. Faculty of Humanities and Natural Sciences, University of Prešov, Prešov, Slovakia
 4. Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden

12:30-12:45 **WE.C.2_04 - Phasons, amplitude modes, and spin wave excitations in the amplitude-modulated magnetic structure of PrNi₂Si₂**
J. Blanco¹, B. Fak², J. Jensen³, M. Rotter⁴, A. Hiess⁵, D. Schmitt⁶,
 P.I Lejay⁷
 1. University Of Oviedo, Oviedo, Spain
 2. 2SPSMS, UMR-E CEA/UJF-Grenoble-I, INAC, Grenoble, France
 3. Niels Bohr Institute, Copenhagen, Denmark
 4. Max-Planck Institute for Chemical of Solids, Dresden, Germany
 5. European Spallation Source ESS AB, Lund, Sweden
 6. ISTERre, CENR, Université de Grenoble I, Grenoble, France
 7. Institut Néel, Grenoble, France

12:45-13:00 **WE.C.2_05 - Copexistence of trivalent and intermediate-valence Ce in CeRuSn studied by polarized neutrons**
K. Prokes¹, S. Hartwig¹, A. Gukasov², J. Mydosh³, Y. Huang⁴,
 O. Niehaus⁵, R. Poettgen⁵
 1. Helmholtz-Zentrum Berlin, Berlin, Germany
 2. LLB Saclay, Yvette, France
 3. Kamerlingh Onnes Laboratory, Leiden University, Leiden, The Netherlands
 4. University of Amsterdam, Amsterdam, The Netherlands
 5. Westfälische-Wilhelms University Muenster, Muenster, Germany

13:00-13:30 **WE.C.2_16 - Coupling lanthanide-based molecular qubits to quantum circuits**
F. Luis¹
 1. Instituto De Ciencia De Materiales De Aragón, CSIC-University Of Zaragoza, Zaragoza, Spain

WE.D.2_MAGNETIC INFORMATION STORAGE, MEMORIES AND COMPUTATION

11:30-13:30 (ROOM H2)

Chair: Eric Fullerton

11:30-12:00 **WE.D.2_11 - Controlling L10 ordering and microstructures of FePt films**
C. Lai¹, S. Huang¹, W. Wen¹, J. Liao¹, B. Yang¹, K. Chang²
 1. National Tsing Hua University, Taiwan
 2. Seagate Technology, United States



- 12:00-12:15 **WE.D.2_O2 - Reduction in switching field of perpendicularly magnetized L10-FePt nanodots exchange-coupled with soft magnetic Ni81Fe19 under RF field application**
 W. Zhou ¹, T. Seki ¹, H. Imamura ², H. Arai ², K. Takanashi ¹
 1. Institute For Materials Research, Tohoku University, Japan
 2. National Institute of Advanced Industrial Science and Technology, Japan
- 12:15-12:30 **WE.D.2_O3 - Free layer effective anisotropy thickness in high TMR top and bottom pinned perpendicular magnetic tunnel junctions**
 J. Swerts ¹, S. Mertens ¹, T. Lin ¹, S. Couet ¹, Y. Tomczak ¹, E. Liu ¹, W. Kim ¹, G. Sankar Kar ¹, S. Van Elshocht ¹, A. Furnemont ¹
 1. Imec, Leuven, Belgium
- 12:30-12:45 **WE.D.2_O4 - Layer-selective switching of a double-layer perpendicular magnetic nanodot using microwave-assisted switching technique**
 H. Suto ¹, T. Nagasawa ¹, K. Kudo ¹, T. Kanao ¹, K. Mizushima ¹, R. Sato ¹
 1. Corporate Research & Development Center, Toshiba Corporation, Kawasaki, Japan
- 12:45-13:00 **WE.D.2_O5 - Multi-bits memory cell using degenerated magnetic states in a synthetic antiferromagnetic reference layer**
 A. Fukushima ¹, K. Yakushiji ¹, M. Konoto ¹, H. Kubota ¹, H. Imamura ¹, S. Yuasa ¹
 1. National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Japan
- 13:00-13:30 **WE.D.2_I6 - Heat-Assisted Magnetic Recording -Turning Plasmonics and FePt Media into a Product**
 B. Stipe ¹, T. Matsumoto ¹, S. Burgos ¹, G. Parker ¹, M. Grobis ¹, B. Terris ¹
 1. HGST, A Western Digital Company, San Jose, United States

WE.E.2_THEORY AND NEW DEVELOPMENTS OF STRONGLY CORRELATED MATTER

11:30-13:30 (ROOM H3)

Chair: Silke Paschen

- 11:30-12:00 **WE.E2_I1 - Towards computational design of correlated materials**
 R. Valenti ¹
 1. Goethe University Frankfurt, Frankfurt, Germany

- 12:00-12:15 **WE.E2_O2 - Impact of electronic correlations on the equation of state and transport in the epsilon phase of iron**
L. Poyurovskiy¹, J. Mravlje², M. Ferrero¹, O. Parcollet³, I. Abrikosov⁴
 1. CPHT-Ecole Polytechnique, Palaiseau, France
 2. Josef Stefan Institute, Ljubljana, Slovenia
 3. IPhT, CEA, Gif-sur-Yvette, France
 4. IFM, University of Linköping, Linköping, Sweden
- 12:15-12:30 **WE.E2_O3 - A new tool for analysing systems immersed in a magnetic field: the metric space approach to quantum mechanics**
P. Sharp¹, I. D'Amico¹
 1. University Of York, Heslington, United Kingdom
- 12:30-12:45 **WE.E2_O4 - Nonequilibrium Transport at a Dissipative Quantum Phase Transition**
C. H. Chung^{1,2}, K. Le Hur^{3,4}, G. Finkelstein⁵, M. Vojta⁶, P. Woelfle^{7,8}
 1. Department of Electrophysics, National Chiao-Tung University, HsinChu, Taiwan
 2. Physics Division, National Center for Theoretical Sciences, HsinChu, Taiwan,
 3. Center for Theoretical Physics Ecole Polytechnique and CNRS, Palaiseau, France
 4. Department of Physics and Applied Physics, Yale University, New Haven, United States
 5. Department of Physics, Duke University, Durham, United States
 6. Institut fuer Theoretische Physik, Technische Universitaet Dresden, Dresden, Germany
 7. Institut fuer Theorie der Kondensierten Materie, KIT, Karlsruhe, Germany
 8. Institut fuer Nanotechnologie, KIT, Karlsruhe, Germany
- 12:45-13:00 **WE.E2_O5 - Unconventional superconductivity in the Hubbard and t-J models: Gutzwiller wave function solution**
J. Kaczmarczyk^{1,2}, T. Schickling³, J. Bünemann³, J. Spałek²
 1. Institute Of Science And Technology Austria, Klosterneuburg, Austria
 2. Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
 3. Fachbereich Physik, Philipps Universität Marburg, Marburg, Germany
- 13:00-13:15 **WE.E2_O6 - Correlation-induced d -wave superconductivity within the Anderson-Kondo lattice model: A fully microscopic approach**
J. Spałek^{1,2}, O. Howczak¹
 1. Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
 2. Academic Centre for Materials and Nanotechnology, AGH University of Science and Technology, Krakow, Poland

13:15-13:30

WE.E2_O7 - Local-moment Magnetism and Heavy-Fermion SuperconductivityQ. Si¹

1. Rice University, Houston, United States

WE.F.2_HEAVY FERMIONS PHYSICS INCLUDING VALENCE AND CHARGE FLUCTUATIONS**11:30-13:30 (ROOM A)****Chair:** Jose Ignacio Espeso

11:30-12:00

WE.F.2_I1 - Superconductivity in the layered iron-germanide YFe₂Ge₂M. Grosche¹, K. Semeniuk¹, P. Reiss¹, J. Chen¹, Z. Feng², P. Logg¹, Y. Zou¹, G. Lampronti³

1. Cavendish Laboratory, University Of Cambridge, Cambridge, United Kingdom

2. London Centre of Nanotechnology, University College London, London, United Kingdom

3. Department of Earth Sciences, University of Cambridge, Cambridge, United Kingdom

12:00-12:15

WE.F2_O2 - Magnetic-field-induced Lifshitz transitions in heavy fermion materialsG. Zwirgagl¹

1. Institut F. Mathematische Physik, TU Braunschweig, Braunschweig, Germany

12:15-12:30

WE.F2_O3 - Fermi surface and upper critical field study of the ferromagnetic superconductor UCoGe under hydrostatic pressureG. Bastien^{1,2}, G. Knebel^{1,2}, D. Aoki^{1,2,3}, S. Araki⁴, I. Sheikin⁵, J. Flouquet^{1,2}

1. Univ. Grenoble Alpes, INAC-SPSMS, Grenoble, France

2. INAC/SPSMS, CEA-Grenoble, Grenoble, France

3. IMR-Tohoku University, Oarai, Japan

4. Okayama University, department of physics, Okayama, Japan

5. Laboratoire Nationale des Champs Magnétiques Intenses, Grenoble, France

12:30-12:45

WE.F2_O4 - NMR measurements on CeCoIn₅ /YbCoIn₅ superlattices: The interface state between heavy-fermion compound and normal metalT. Yamanaka¹, M. Shimozawa², R. Endo¹, Y. Mizukami³, H. Shishido⁴, T. Terashima⁵, T. Shibauchi^{1,3}, Y. Matsuda¹, K. Ishida¹

1. Department Of Physics, Kyoto University, Kyoto, Japan

2. Institute for Solid State Physics, the University of Tokyo, Tokyo, Japan

3. Department of Advanced Materials Science, the University of Tokyo, Tokyo, Japan

4. Department of Physics and Electronics, Osaka Prefecture University, Osaka Prefecture, Japan

5. Research Center for Low Temperature and Materials Science, Kyoto University, Kyoto, Japan

12:45-13:00

WE.F2_O5 - RIXS investigations of charge excitations in Kondo-switching YbInCu4

I. Jarrige ¹, H. Yamaoka ², N. Tsujii ³, K. Ishii ⁴, M. Upton ⁵, D. Casa ⁵, J. Kim ⁵, T. Gog ⁵, A. Kotani ⁶, J. Hancock ²

1. Photon Sciences Directorate, Brookhaven National Laboratory, Upton, United States

2. RIKEN SPring-8 Center, Sayo, Hyogo, Japan

3. Quantum Beam Center, National Institute for Materials Science, Sengen, Tsukuba, Japan

4. Japan Atomic Energy Agency, Sayo, Hyogo, Japan

5. Advanced Photon Source, Argonne National Laboratory, Argonne, United States

6. Photon Factory, Institute of Materials Structure Science, High Energy Accelerator Research Organization, Tsukuba, Ibaraki, Japan

7. Department of Physics and Institute for Materials Science, University of Connecticut, Storrs, United States

13:00-13:15

WE.F2_O6 - Classical and quantum criticalities in the itinerant ferromagnet UGe₂: A microscopic interpretation

M. Wysokinski ¹, M. Abram ¹, J. Spalek ^{1,2}

1. Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

2. Academic Centre For Materials and Nanotechnology, AGH University of Science and Technology, Krakow, Poland

13:15-13:30

WE.F2_O7 - Symmetry of the Excitations in the Hidden Order State of URu2Si2

Marie-Aude Measson

M.A. Measson ¹, J. Buhot ², Y Gallais ², A. Sacuto ², M. Cazayous ², D. Aoki ^{3,4}, G. Lapertot ³

1. University Paris Diderot – CNRS, Paris, France

2. University Paris Diderot, Paris, France

3. Univ. Grenoble Alpes, Grenoble, France

4. Tohoku University, Japan

WE.G.2_ELECTRIC-FIELD EFFECTS ON MAGNETIC SYSTEMS

11:30-13:30 (ROOM B1-B3)

Chair: Chiara Ciccarelli

11:30-12:00

WE.G2_I1 - Bulk magnon spin-current theory for the longitudinal spin-Seebeck effect

S. Rezende ¹, R. Suárez ², A. Azevedo ¹

1. Universidade Federal De Pernambuco, Recife, Brazil

2. Pontificia Universidad Católica de Chile, Santiago, Chile

12:00-12:15

WE.G2_O2 - Electric-Field-Induced Magnetic Anisotropy in a Nanomagnet Investigated on the Atomic Scale
J. P. Hermenau¹, A. Sonntag¹, A. Schlenhoff¹, J. Friedlein¹, S. Krause¹, R. Wiesendanger
 1. University Of Hamburg, Hamburg, Germany

12:15-12:30

WE.G2_O3 - Enhancement of rectified voltage using electric-field-induced ferromagnetic resonance under dc bias voltage
Y. Shiota^{1,2,3}, S. Miwa^{2,3}, S. Tamaru¹, T. Nozaki^{1,3}, H. Kubota^{1,3}, A. Fukushima^{1,3}, Y. Suzuki^{1,2,3}, S. Yuasa^{1,3}
 1. AIST, Spintronics Research Center, Tsukuba, Ibaraki, Japan
 2. Osaka University, Suita, Osaka, Japan
 3. JST-CREST, Chiyoda-ku, Tokyo, Japan

12:30-12:45

WE.G2_O4 - Charge and Strain Control of Interface Magnetism
K. Dumesnil¹, M.R. Fitsimmons², N. Jaouen³, T. Maroutian⁴, J.M. Tonnerre⁵, B. Kirby⁶, B. Holladay⁷, E. Fohtung^{2,8}, E. Fullerton⁷, O. Shpyrko⁷
 1. Institut Jean Lamour, Université de Lorraine and CNRS, Nancy, France
 2. Los Alamos National Laboratory, Los Alamos, United States
 3. Synchrotron SOLEIL, Gif-sur-Yvette, France
 4. Institut d'Electronique Fondamentale, Université Paris-Sud and CNRS, Orsay, France
 5. Institut Néel, Université Grenoble Alpes and CNRS, Grenoble, France
 6. NIST, Gaithersburg, United States
 7. University of California at San Diego, La Jolla, United States
 8. New Mexico State University, Las Cruces, United States

12:45-13:00

WE.G2_O5 - Reversible electric control of magnetic anisotropy in CoFeB/BaTiO3 heterostructures with perpendicular magnetic anisotropy
L. Baldrati¹, C. Rinaldi^{1,2}, M. Asa¹, M. Cantoni¹, S. Bertoli¹, R. Bertacco^{1,2}
 1. Department of Physics, Politecnico Di Milano, Milan, Italy
 2. IFN-CNR Institute for Photonics and Nanotechnologies, Milan, Italy

13:00-13:30

WE.G2_I6 - Electric field effects on metallic ferromagnetic thin layers and its applications
Y Suzuki¹, S. Miwa¹, K. Tanaka¹, K. Matsuda¹, N. F. Bonell¹, T. Nozaki², Y. Shiota², W. Skowronski², K. Yakushiji², A. Fukushima²
 1. Osaka University, Graduate School Of Engineering Science, Suita, Osaka Prefecture, Japan
 2. Spintronics research center, AIST, Tsukuba, Japan
 3. Spring-8, Sayo District, Hyogo Prefecture, Japan



WE.H.2_KONDO PHYSICS IN BULK MATERIALS AND NANOSCALE STRUCTURES

11:30-13:30 (ROOM D1-D3)

Chair: John Mydosh

- 11:30-12:00 **WE.H.2_I1 - Metamagnetism in heavy fermion systems**
G. Knebel^{1,2}, A. Pourret^{1,2}, D. Aoki^{1,2,3}, T. Combier^{1,2}, A. Palacio Morales^{1,2}, G. Lapertot^{1,2}, T. D. Matsuda⁴, J. Flouquet^{1,2}
1. Univ. Grenoble Alpes, INAC-SPSMS, Grenoble, France
2. CEA, INAC-SPSMS, Grenoble, France
3. Institute for Materials Research, Tohoku University, Oarai, Ibaraki, Japan
4. Tokyo Metropolitan University, Hachioji, Japan
- 12:00-12:15 **WE.H.2_O2 - Controlling the coupling among many-body Kondo states in atomically designed Co atomic structures.**
M. Moro-Lagares^{1,2}, M. Piantek^{1,2}, M.R. Ibarra^{1,2}, J. I. Pascual³, D. Serrate^{1,2}
1. INA-LMA, University of Zaragoza, Zaragoza, Spain
2. Condensed Matter Physics Dpt., University of Zaragoza, Zaragoza, Spain
3. CIC-Nanogune and IKERBASQUE, San Sebastian, Spain
- 12:15-12:30 **WE.H.2_O3 - Ferromagnetic Kondo lattice behaviour of CeZn(Zn_{0.29}Si_{0.71})₂**
H. Michor¹, F. Failamani², A. Grytsiv², G. Giester³, E. Bauer¹, P. Rogl²
1. Institute of Solid State Physics, Vienna University Of Technology, Vienna, Austria
2. Institute of Physical Chemistry, University of Vienna, Vienna, Austria
3. Institute of Mineralogy and Crystallography, University of Vienna, Vienna, Austria
- 12:30-12:45 **WE.H.2_O4 - Multiple magnetic-field-induced transitions in the Kondo lattice YbNi₄P₂**
A. Steppke¹, H. Pfau¹, R. Daou², D. Sun¹, K. Kliemt³, C. Krellner³, C. Geibel¹, F. Steglich¹, M. Brando¹, S. Friedemann⁴
1. Max-Planck Institute for Chemical Physics of Solids, Dresden, Germany
2. Laboratoire CRISMAT, UMR 6508 du CNRS, ENSICAEN et Université de Caen, Caen, France
3. Institute of Physics, Goethe University Frankfurt, Frankfurt am Main, Germany
4. HH Wills Physics Laboratory, University of Bristol, Tyndall Avenue, United Kingdom

12:45-13:00

WE.H.2_05 - Investigations of the stability of spin gap formation and the moment direction by electron doping on the Al site in CeRu₂Al₁₀

D.T. Adroja ^{1,2}, A. Bhattacharyya ^{1,2}, C. Ritter ³, B. Fak ³, A.D. Hillier ¹, K. Hayashi ⁴, Y. Muro ⁴, A.M. Strydom ², M.M. Koza ³, T. Takabatake ⁵

1. ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot Oxon, United Kingdom

2. Highly Correlated Matter Research Group, Physics Department, University of Johannesburg, Auckland Park, South Africa

3. Institute Laue- Langevin, Grenoble, France

4. Faculty of Engineering, Toyama Prefectural University, Toyama, Japan

5. Department of Quantum matter, ADSM, and IAMR, Hiroshima University, Higashi-Hiroshima, Japan

13:00-13:30

WE.H.2_16 - The importance of orbital occupation in heavy fermion compounds investigated by means of x-ray spectroscopy

A. Severing ¹, F. Strigari ¹, M. Sundermann ¹, W. Thomas ¹, H. Maurits W. ², L. Hao Tjeng ²

1. University of Cologne, Cologne, Germany

2. Max-Planck Institute for Chemical Physics of Solids, Dresden, Germany

WE.I.2_SPIN CALORITRONICS**11:30-13:30 (ROOM D4-D6)****Chair:** Mark Stiles

11:30-12:00

WE.I.2_I1 - Spin-Caloritronics in Magnetic Tunnel Junction Nanodevices

S. Serrano-Guisan ¹, N. Liebing ², T. Böhnert ¹, K. Rott ³, E. Paz ¹, R. Ferreira ¹, G. Reiss ³, H.W. Schumacher ²

1. International Iberian Nanotechnology Laboratory, Braga, Portugal

2. Physikalisch-Technischen Bundesanstalt, Braunschweig, Germany

3. Universität Bielefeld, Bielefeld, Germany

12:00-12:30

WE.I.2_I2 - Spin pumping and magnon-drag effect

M. Costache ¹, G. Bridoux ¹, I. Neumann ¹, S. Valenzuela ¹

1. Catalan Institute Of Nanoscience And Nanotechnology (ICN2), Bellaterra, Spain

12:30-12:45

WE.I.2_O3 - Observation of magnon hall effect and planar rigi-leduc effect in py and yig ferromagnets

J.E. Wegrowe ¹, B. Madon ¹, D. Chung Pham ¹, D. Lacour ², M. Hehn ², A. Anane ³, V. Cros ³, R. Bernard ³

1. Ecole Polytechnique, LSI, CNRS and CEA/DSM/IRAMIS, Palaiseau, France

2. Institut Jean Lamour UMR 7198 CNRS, University de Lorraine, Nancy, France

3. Unité Mixte de Physique CNRS/Thales and Université Paris Sud, Palaiseau, France

12:45-13:00

WE.I.2_04 - Giant spin pumping into a fluctuating ferromagnet near T_c

H. Adachi¹, Y. Ohnuma², E. Saitoh³, S. Maekawa¹

1. *Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki Prefecture, Japan*

2. *Institute for Materials Research, Tohoku University, Miyagi Prefecture, Japan*

3. *WPI, Advanced Institute for Materials Research, Tohoku University, Miyagi Prefecture, Japan*

13:00-13:15

WE.I.2_05 - Tunnel magneto-Seebeck effect in Heusler compound tunnel junctions

A. Boehnke¹, U. Martens², M. von der Ehe², C. Franz³, M. Czerner³, K. Rott¹, A. Thomas¹, C. Heiliger³, G. Reiss¹, M. Müntenberg²

1. *Center for Spinelectronic Materials and Devices, Physics Department, Bielefeld University, Bielefeld, Germany*

2. *Institut Für Physik, Ernst-Moritz-Arndt-Universität Greifswald, Greifswald, Germany*

3. *I. Physikalisches Institut, Justus-Liebig-Universität Gießen, Gießen, Germany*

13:15-13:30

WE.I.2_06 - Heat production by diffusion of pure spin current

T. Taniguchi¹, W. Saslow²

1. *National Institute Of Advanced Industrial Science And Technology, Kashiwa, Japan*

2. *Department of Physics, Texas A&M University, College Station, United States*

WE.J.2_HYBRID NANOSTRUCTURES

11:30-13:30 (ROOM E1-E3)

Chair: Lucia del Bianco

11:30-12:00

WE.J.2_I1 - Composition and Morphology of Fe-Si interfaces and (Fe/Si)₃ multilayer nanostructures

J. Bartolomé¹, L. Badía-Romano¹, J. Rubín¹, F. Bartolomé¹, C. Magén², D.E. Bürgler³, J. Rubio-Zuazo⁴, G.R. Castro⁴, S.N. Varnakov⁵, I.A. Yakovlev⁵

1. *Instituto De Ciencia De Materiales De Aragón, Zaragoza, Spain*
2. *Laboratorio de Microscopias Avanzadas (LMA) Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain*

3. *Peter Grünberg Institut (PGI-6), Forschungszentrum Jülich GmbH, Jülich, Germany*

4. *ApLine Spanish CRG at ESRF, Grenoble, France*

5. *L.V. Kirensky Institut of Physics, SB RAS, Ktasnoyarsk, Russian Federation*

12:00-12:15

WE.J.2_O2 - Influence of the type of magnetic domain walls on magnetization reversal of bilayer permalloy-niobium nanostructures.

L.S. Uspenskaya¹, S.V. Egorov¹

1. *Institute Of Solid State Physics RAS, Chernogolovka, Russian Federation*

12:15-12:30

WE.J.2_O3 - Comparative Study of Pair Correlations in Superconducting-Magnetic Hybrid Systems

A. Bill¹, T. E. Baker², A. Richie-Halford³

1. *California State University Long Beach, Long Beach, United States*

2. *University of California, Irvine, United States*

3. *University of Washington, Seattle, United States*

12:30-12:45

WE.J.2_O4 - Flexible magnetic actuator-cum-electrically conducting sheet based on FeNi3-bacterial cellulose nanocomposite

T. Vijayabaskaran¹, S. Vitta¹

1. *Indian Institute Of Technology Bombay, Bombay, India*

12:45-13:00

WE.J.2_O5 - The ultimate hard magnetic MFM tip -a new approach to advanced magnetic force microscopy imaging

V. Neu¹, T. Sturm¹, S. Vock¹, L. Schultz¹

1. *IFW Dresden, Dresden, Germany*

13:00-13:30

WE.J.2_I6 - Josephson superconductor/ferromagnet/superconductor structures and their possible applications in superconducting digital and quantum logics.

V. Ryazanov¹

1. *Institute of Solid State Physics, Russian Academy Of Sciences, Chernogolovka, Russian Federation*



THURSDAY, 9 JULY

Thursday, 9 July



PLENARY-4

08:30-09:30 (AUDITORIUM)

Chair: Roberta Sessoli

08:30-09:30

PLENARY 4 -Molecular Spintronics

Eugenio Coronado

ICMol. University of Valencia, Paterna, Spain

TH.A.1_MAGNETIC PHASE TRANSITIONS AND MAGNETIC INTERACTIONS

09:30-11:00 (ROOM J)

Chair: Isabelle Mirebeau

09:30-09:45

TH.A.1_O1 - Spin-lattice coupling and magnetocrystalline transition in Pr_{0.50}Sr_{0.50}CoO₃ investigated by x-ray absorption and neutron diffractionJ. Padilla-Pantoja ¹, J. Herrero-Martín ², B. Bozzo ¹, C. Ritter ³, J. Blasco ⁴, J.L. García-Muñoz ¹1. Institut de Ciència de Materials de Barcelona, Bellaterra, Spain
2. ALBA Synchrotron Light Source, Cerdanyola del Vallès, Barcelona, Spain

3. Institute Laue Langevin, Grenoble, France

4. Instituto de Ciencia de Materiales de Aragón, Dep. Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain

09:45-10:00

TH.A.1_O2 - Magnetic properties of the 3d-5d double perovskite Sr₂FeOsO₆: microscopic insights from ab-initio density-functional theory studyS. Kanungo ¹, B. Yan ^{1,2}, M. Jansen ^{1,3}, C. Felser ¹

1. Max Planck Institute For Chemical Physics Of Solids, Dresden, Germany

2. Max-Planck-Institut fur Physik komplexer Systeme, Dresden, Germany

3. Max-Planck-Institut fur Festkorperforschung, Stuttgart, Germany

10:00-10:15

TH.A.1_O3 - Field-Induced Spin-Structural Transition in Ising Chain CoV₂O₆M. Nandi ¹, N. Khan ¹, D. Bhoi ¹, A. Midya ¹, P. Mandal ¹

1. Saha Institute Of Nuclear Physics, Kolkata, India

10:15-10:30

TH.A.1_O4 - Magnetic phase transitions and magnetic interactions in quasi-two-dimensional complex oxides based on brucite-like octahedral layersA. Kurbakov ¹, A. Kunevich ¹, A. Malyshev ¹, V. Nalbandyan ², E. Zvereva ³

1. Petersburg Nuclear Physics Institute, Gatchina, Russian Federation

2. Southern Federal University, Rostov-on-Don, Russian Federation

3. Moscow State University, Moscow, Russian Federation

10:30-10:45

TH.A.1_05 - Local magnetic behavior across the first order phase transition of the La(Fe_{0.9}Co_{0.015}Si_{0.085})₁₃ magneto caloric compound.

C. Bennati^{1,2}, F. Laviano¹, M. Kuepferling², E. Olivetti², V. Basso², G. Ghigo¹

1. Department of Applied Science and Technology, Politecnico di Torino, Turin, Italy

2. Istituto Nazionale di Ricerca Metrologica (INRIM), Turin, Italy

10:45-11:00

TH.A.1_06 - Magnetism of sigma-phase Fe-Mo alloys: revealing spin-glass as the ground state

S. Dubiel¹, J. Przewoznik¹

1. AGH University Of Science And Technology, Krakow, Poland

TH.B.1 MATERIALS FOR ENERGY APPLICATIONS

09:30-11:00 (ROOM F)

Chair: Alberto Bollero

09:30-10:00

TH.B.1_I1 - Magnetocaloric effect in type-I Eu₈Ga₁₆Ge₃₀ clathrate nanocrystals

H. Srikanth¹, A. Biswas^{1,2}, S. Chandra^{1,3}, S. Stefanoski^{1,4}, J. Blasquez⁵, J. Ipus⁵, A. Conde⁵, M.H. Phan¹, V. Franco⁵, G. Nolas¹

1. Department Of Physics, University Of South Florida, Tampa FL, United States

2. Ames Laboratory, Ames, United States

3. EMT-INRS, Quebec, Canada

4. Carnegie Institute, Washington DC, United States

5. Physics Department, University of Sevilla, Sevilla, Spain

10:00-10:15

TH.B.1_02 - Thermoelectricity and thermodiffusion in ferrofluids: alternative path toward future thermoelectric energy materials

S. Nakamae¹, B.T. Huang¹, T. Salez¹, M. Bonetti¹, M. Roger¹, E. Dubois², C. Filomeno^{2,3}, R. Caneira Gomes^{2,3}, G. Demouchy², M. Kouyaté², V. Peyre², G. Mériguet², R. Perzynski²

1. Service de Physique de l'Etat Condensé, Gif-sur-Yvette, France

2. Laboratoire Physicochimie de Electrolytes et Nanosystèmes Interfaciaux, UPMC, CNRS, Paris, France

3. Grupo de Fluidos Complexos, Instituto de Física & Instituto de Química, Universidade de Brasília, Brasília, Brazil

10:15-10:30

TH.B.1_03 - Reproducibility of barocaloric and magnetocaloric effects in Fe₄₉Rh₅₁

E. Stern-Taulats¹, A. Gràcia-Condal¹, A. Planes¹, L. Mañosa¹, P. Lloveras², M. Barrio², J.L. Tamarit², S. Pramanick³, S Majumdar³, C. Frontera⁴

1. Departament d'Estructura i Constituents de la Matèria, Facultat de Física, Universitat de Barcelona, Barcelona, Spain

2. Departament de Física i Enginyeria Nuclear, ETSEIB, Universitat Politècnica de Catalunya, Barcelona, Spain



3. *Department of Solid State Physics, Indian Association for the Cultivation of Science, Jadavpur, Kolkata, India*
 4. *Institut de Ciència de Materials de Barcelona, Bellaterra, Spain*

10:30-10:45

TH.B.1_04 – Magnetostructural phase transition in AlFe₂B₂ with magnetocaloric potential

L. Lewis¹, R. Barua¹, B. Lejeune¹, E. Stern-Taulats², L. Mañosa², A. Planes²
 1. *Department of Chemical Engineering, Northeastern University, Boston, United States*
 2. *Departament D'Estructura I Constituents De Matèria, Facultat de Física, Universitat De Barcelona, Barcelona, Spain*

10:45-11:00

TH.B.1_05 - Giant magnetocaloric effect in alternating magnetic fields

A. Aliev¹, A. Batdalov¹, L. Khanov¹, A. Êamantsev², E. Dilmieva², A. Mashirov², V. Koledov², V. Shavrov², M. Topic²
 1. *Amirkhanov Institute Of Physics Of Daghestan Scientific Center, RAS, Makhachkala, Russian Federation*
 2. *Kotelnikov Institute of Radio-engineering and Electronics of RAS, Moscow, Russian Federation*

TH.C.1_MAGNETIC DEVICES AND NOVEL MATERIALS

09:30-11:00 (ROOM H1)

Chair: Diana Leitao

09:30-10:00

TH.C.1_I1 - Magnetic Nanostructures for Magnonic and Logic Applications

A. Adeyeye¹
 1. *National University Of Singapore, Singapore, Singapore*

10:00-10:15

TH.C.1_02 - Mechanical control of magnetic easy axis in a TbFeCo thin film deposited on a flexible substrate

S. Ota¹, D. Bang², H. Awano², T. Kozeki³, H. Akamine³, T. Fujii³, T. Namazu³, T. Takenobu⁴, T. Koyama¹, D. Chiba¹
 1. *Department Of Applied Physics, Faculty Of Engineering, The University Of Tokyo, Tokyo, Japan*
 2. *Information Storage Materials Laboratory, Toyota Technological Institute, Nagoya, Japan*
 3. *Division of Mechanical Systems, Department of Mechanical and Systems Engineering, University of Hyogo, Himeji, Japan*
 4. *Department of Applied Physics, Waseda University, Tokyo, Japan*

10:15-10:30

TH.C.1_03 - High-sensitivity dc field magnetometer using nonlinear resonance magnetoelectric effect

Y. Fetisov⁴, D. Burdin¹, D. Chashin², N. Ekonomov³
 1. *Moscow State Technical University of Radio Engineering, Electronics and Automation, Moscow, Russian Federation*

10:30-10:45 **TH.C.1_04 - New susceptibility measurement devices and their calibration**
J.L. Mesa Uña¹, M. Pérez¹, A. B. Fernandez², M. Maicas¹, C. Aroca¹, M. Díaz Michelena¹
 1. *Universidad Politécnica De Madrid, Madrid, Spain*
 2. *Instituto Nacional de Técnica Aeroespacial (INTA), Madrid, Spain*

10:45-11:00 **TH.C.1_05 - Magnetostrictive stress reconfigurable thin film resonators in vacuum for magnetic field sensing**
 P.Finkel¹, M. Staruch¹
 1. *US Naval Research Laboratory, Washington DC, United States*

TH.D.1_QUANTUM MAGNETISM AND PHYSICS OF FRUSTRATION

09:30-11:00 (ROOM H2)

Chair: Collin Leslie Broholm

09:30-10:00 **TH.D.1_I1 - Long distance spin-spin entanglement and coexistence of multiple bipartite entanglements**
J.E. Lorenzo¹, S. Sahlng², G. Remenyi¹, C. Paulsen¹, P. Monceau¹, C. Marin³, A. Revcolevschi⁴, L.P. Regnault³, S. Marin³
 1. *Université Grenoble Alpes, Institut Néel, CNRS & UJF Grenoble, Grenoble, France*
 2. *TU Dresden, Institut für Festkörperphysik, Dresden, Germany*
 3. *SPSMS, CEA-INAC/UJF, IMAPEC, Grenoble, France*
 4. *SP2M, Université Paris-Sud, Orsay, France*

10:00-10:15 **TH.D.1_02 - Magnetic interactions in the two-dimensional strongly coupled dimer system malachite**
M. Enderle¹, E. Canevet^{1,2,4}, B. Fak¹, R. Kremer³, J.H. Chun³
 1. *Institut Laue-Langevin, Grenoble, France*
 2. *Laboratoire de Physique des Solides, Université Paris Sud, Orsay, France*
 3. *Max-Planck Institute for Solid State Research, Stuttgart, Germany*
 4. *Paul Scherrer Institut, Laboratory for Neutron Scattering and Imaging, Villigen PSI, Switzerland*

10:15-10:30 **TH.D.1_03 - Possible quadrupolar quantum criticality in PrIr2Zn20**
A. Sakai¹, K. Matsumoto², T. Onimaru², T. Takabatake², P. Gegenwart¹
 1. *Universität Augsburg, Institut Für Physik, Experimentalphysik VI, Augsburg, Germany*
 2. *Department of Quantum matter, Hiroshima University, Hiroshima, Japan*



10:30-11:00

TH.D.1_I4 - Fluctuation driven spiral magnetic order near criticality in PrPtAl

G. Abdul-Jabbar¹, D. Sokolov¹, C. O'Neill¹, C. Stock¹, D. Wermeille², F. Demmel³, F. Kruger^{2,4}, A. Green⁴, F. Levy-Bertrand⁵, B. Grenier⁶

1. University of Edinburgh, Edinburgh, United Kingdom
2. XMAS, ESRF, Grenoble, France
3. ISIS, STFC, Rutherford Appleton Laboratory, Harwell Oxford, United Kingdom
4. London Centre for Nanotechnology, University College London, London, United Kingdom
5. CNRS, Institut Neel, Grenoble, France
6. Universite Grenoble Alpes & CEA, INAC-SPSMS, Grenoble, France

TH.E.1_FERROICS AND MULTIFERROICS

09:30-11:00 (ROOM H3)

Chair: Silvia Picozzi

09:30-10:00

TH.E.1_I1 - Tuning spin order and spin excitations in multiferroic BiFeO3 thin films

D. Sando¹, A. Agbelele², C. Toulouse³, J.P. Tetienne⁴, I. Gros⁴, V. Garcia¹, K. Garcia¹, S. Fusil¹, R. Rüffer⁵, B. Dkhil⁶, A. Barthélémy¹, V. Jacques⁴, M. Cazayous³, J. Juraszek², M. Bibes¹

1. Unité Mixte de Physique CNRS/Thales, Palaiseau, France
2. Groupe de Physique des Matériaux, UMR 6634 CNRS-Université de Rouen, Rouen, France
3. Laboratoire Matériaux et Phénomènes Quantiques, CNRS-Université Paris-Diderot, Paris France
4. Laboratoire Aimé Cotton, CNRS, Université Paris-Sud, Orsay, France
5. European Synchrotron Radiation Facility, Grenoble, France
6. Laboratoire SPMS, UMR 8580 CNRS-Ecole Centrale Paris, Châtenay-Malabry, France

10:00-10:15

TH.E.1_O2 - Artificially synthesized chemical and magnetic structure at the domain walls of the epitaxial oxide TbMnO3

César Magén¹, Saeedeh Farokhipoor^{2,3} N, C. J.M. Daumont^{3,4} N, Sriram Venkatesan^{3,5}, Etienne Snoeck⁶, Jorge Iñiguez⁷, Diego Rubi^{3,8}, Maxim Mostovoy³, Beatriz Noheda³

1. Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA) - ARAID, Universidad de Zaragoza, Spain
2. Department of Materials Science, University of Cambridge, United Kingdom
3. Zernike Institute for Advanced Materials, University of Groningen, The Netherlands
4. GREMAN UMR7347, Tours, France
5. Ludwig-Maximilians University Muenchen, Germany
6. CEMES-CNRS, Toulouse, France
7. ICMAB, Campus UAB, Bellaterra, Spain
8. GIA & INN, CAC-CNEA, San Martin, Argentina



10:15-10:30 **TH.E.1_O3 - Magnetoelastic coupling in BiFeO3 (111) thin-films observed by non-resonant x-ray magnetic diffraction**
Noah Waterfield Price^{1,2}, Roger Johnson¹, Wittawat Saenrang³, Alessandro Bombardi², Chang-Beom Eom³, Paolo Radaelli¹
 1. University Of Oxford, United Kingdom
 2. Diamond Light Source, United Kingdom
 3. University Of Wisconsin – Madison, United States

10:30-11:00 **TH.E.1_I4 - Induced magnetism at correlated oxide interfaces**
J. Santamaria¹
 1. Universidad Complutense de Madrid, Madrid, Spain

TH.F.1_FAST AND ULTRAFAST MAGNETIZATION DYNAMICS

09:30-11:00 (ROOM A)

Chair: Rubem Sommer

09:30-10:00 **TH.F.1_I1 - Multiscale dynamics as the key to all-optical magnetization reversal**
A. Kirilyuk¹
 1. Radboud University, Institute For Molecules and Materials, Nijmegen, Netherlands

10:00-10:15 **TH.F.1_O2 - Controlling the Magnetization Dynamics with Sequences of Picosecond Acoustic Pulses**
J. Kim¹, M. Vomir¹, J. Bigot¹
 1. IPCMS, CNRS, Strasbourg, France

10:15-10:30 **TH.F.1_O3 - Femtosecond control of magnetism via resonant optical pumping of Dy ions in multisublattice magnet DyFeO3**
R. Mikhaylovskiy¹, T. Huisman¹, A. Popov², A. Zvezdin³, T. Rasing¹, R. Pisarev⁴, A. Kimel¹
 1. Radboud University Nijmegen, Netherlands
 2. National Research University of Electronic Technology, Russian Federation
 3. Prokhorov General Physics Institute, Russian Federation
 4. Ioffe Physical-Technical Institute, Russian Federation

10:30-10:45 **TH.F.1_O4 - Low Gilbert damping and high magnetic anisotropy in L10-FePd epitaxial thin films grown on MgO and SrTiO3 single crystal substrates**
S. Iihama¹, H. Naganuma¹, M. Oogane¹, S. Mizukami², Y. Ando¹
 1. Department of Applied Physics, Tohoku University, Sendai, Japan
 2. WPI-AIMR, Tohoku University, Sendai, Japan

10:45-11:00 **TH.F.1_O5 - Laser Control of Magnetizations, Spin Currents and Orders in Quantum Magnets**
M. Sato¹
 1. Japan Atomic Energy Agency, Ibaraki, Japan



TH.G.1_MAGNETOPHONICS AND MAGNETOPLASMONICS

09:30-11:00 (ROOM B1-B3)

Chair: César de Julian

- 09:30-10:00 **TH.G.1_I1 - Magnetic degrees of freedom in nanophotonics**
R. Carminati¹
 1. ESPCI ParisTech, Paris, France
- 10:00-10:15 **TH.G.1_O2 - Magneto-optical mediated coupling of surface plasmon polaritons in 2D magnetoplasmonic crystals**
P. Vavassori¹
 1. CIC Nanogune (ESG20903449), Donostia, Spain
- 10:15-10:30 **TH.G.1_O3 - Plasmon-mediated large enhancement of magneto-optical activity in colloidal magnetic metals**
 O. Herranz¹, G. Herranz¹
 1. Icmab-Csic, Madrid, Spain
- 10:30-10:45 **TH.G.1_O4 - Magnetic-field-induced photocurrent in metal-dielectric-semiconductor heterostructures based on cobalt nanoparticles SiO₂(Co)/GaAs**
V. Pavlov¹, L. Lutsev¹, P. United Stateshev¹, A. Astretsov¹, A. Stognij², N. Novitskii², R. Pisarev¹
 1. Ioffe Physical-Technical Institute, Russian Academy of Sciences, St. Petersburg, Russian Federation
 2. Scientific and Practical Materials Research Centre, National Academy of Sciences of Belarus, Minsk, Belarus
- 10:45-11:00 **TH.G.1_O5 - Polariton-mediated ultrafast magneto-optical modulation**
R. Subkhangulov¹, R. Mikaylovskiy¹, V. Kruglyak², T. Rasing¹, A. Kimel¹
 1. Institute for Molecules and Materials, Radboud University Nijmegen, Nijmegen, Netherlands
 2. School of Physics, University of Exeter, Exeter, United Kingdom

TH.H.1_APPLIED MAGNETISM OF ORGANIC COMPOUNDS AND BIOMEDICAL APPLICATIONS

09:30-11:00 (ROOM D1-D3)

Chair: M^a Luisa Fernández Gubieda

- 09:30-10:00 **TH.H.1_I1 - Efficient and safe magnetic iron oxide nanoparticles for biomedicine**
M. Del Puerto Morales¹
 1. Instituto De Ciencia De Materiales De Madrid, Consejo Superior De Investigaciones Cientificas, Madrid, Spain



10:00-10:15

TH.H.1_02 - Magnetic hyperthermia properties of nanoparticles inside lysosomes using kinetic Monte-Carlo simulations: influence of key parameters, of dipolar interactions and spatial variations of heating power.

J. Carrey ¹, R. Tan ¹, M. Respaud ¹

1. Laboratoire De Physique Et Chimie Des Nano-Objets, INSA Toulouse, CNRS, Université de Toulouse, Toulouse, France

10:15-10:30

TH.H.1_03 - On-chip attomol level detection of proteins using forced magnetic bead transport

R. S. Bejhed ¹, B. Tian ¹, K. Eriksson ¹, R. Brucas ¹, S. Oscarsson ², M. Strömberg ¹, P. Svedlindh ¹, K. Gunnarsson ¹

1. Uppsala University, Dep. of Engineering Sciences, Uppsala, Sweden
2. Stockholm University, Dep. of Organic Chemistry, Stockholm, Sweden

10:30-10:45

TH.H.1_04 - Towards an on-chip platform for the investigation of cellular functions via magnetic nanoparticles

D. Petti ¹, M. Monticelli ¹, E. Albisetti ¹, D. Conca ¹, A. Cattoni ², M. Lupi ³, D. Parazzoli ⁴, R. Bertacco ¹

1. PoliFab - Politecnico Di Milan, Milan, Italy
2. Laboratoire de Photonique et de Nanostructures (LPN) – CNRS, France
3. Istituto di Ricerche Farmacologiche Mario Negri, Istituto di Ricerche Farmacologiche Mario Negri, Milan, Italy
4. IFOM-FIRC, Institute of Molecular Oncology, Milan, Italy

10:45-11:00

TH.H.1_05 - "in-planta" penetration and translocation of Fe@C magnetic nanoparticles

C. Marquina ^{1,2}, Z. Cifuentes ³, M.J. Coronado ⁴, E. Corredor ⁵, L. Custardoy ^{6,7}, J.M. de la Fuente ¹, L. De Matteis ⁶, R. Fernández-Pacheco ^{6,7}, P. González-Melendi ⁸, M.R. Ibarra ^{2,6,7}

1. Instituto De Ciencia De Materiales De Aragón (ICMA); CSIC-UZ, Zaragoza, Spain
2. Departamento de Física de la Materia Condensada; Universidad de Zaragoza, Zaragoza, Spain
3. IFAPA, Centro Alameda del Obispo, área de Mejora y Biotecnología; Junta de Andalucía, Córdoba, Spain
4. Hospital Universitario Puerta de Hierro; Majadahonda, Madrid, Spain
5. Centro de Investigaciones Biológicas (CIB); CSIC, Madrid, Spain
6. Instituto de Nanociencia de Aragón (INA); Universidad de Zaragoza, Zaragoza, Spain
7. Laboratorio de Microscopías Avanzadas (LMA); Universidad de Zaragoza, Zaragoza, Spain
8. ETSI Agrónomos; Universidad Politécnica de Madrid, Madrid, Spain
9. Instituto de Agricultura Sostenible (IAS); CSIC, Córdoba, Spain



TH.I.1_METAL SPINTRONICS

09:30-11:00 (ROOM D4-D6)

Chair: Roy Chantrell

- 09:30-10:00 **TH.I.1_I1 - Spin-polarization in reciprocal space: Analyzing the spin structure of electronic states by quasi-particle interference**
M. Bode¹
 1. Wuerzburg University, Würzburg, Germany
- 10:00-10:15 **TH.I.1_O2 - Eddy current interactions in a Ferromagnet-Normal metal bilayer structure, and its impact on ferromagnetic resonance lineshapes**
V. Flovik¹, F. Macià², A. Kent³, E. Wahlström¹
 1. Norwegian University Of Science And Technology, Trondheim, Norway
 2. Universidad de Barcelona, Barcelona, Spain
 3. New York University, New York, United States
- 10:15-10:30 **TH.I.1_O3 - Femtosecond control of spin-polarized photocurrents at the interfaces of metallic ferromagnetic heterostructures using circular polarized light**
T. J. Huisman¹, R.V. Mikhaylovskiy¹, J.D. Costa^{2,3}, E. Paz², J. Ventura³, P.P. Freitas², Th. Rasing¹, A. V. Kimel¹
 1. Radboud University Nijmegen, Institute For Molecules And Materials, Nijmegen, Netherlands
 2. International Iberian Nanotechnology Laboratory, INL, Braga, Portugal
 3. IN-IFIMUP, Porto, Portugal
- 10:30-10:45 **TH.I.1_O4 - Spin Hall effect in spin glass systems**
Y. Niimi¹, B. Gu^{2,3}, M. Kimata¹, Y. Omori¹, T. Ziman⁴, S. Maekawa^{2,3}, A. Fert⁵, Y. Otani^{1,6}
 1. ISSP, University Of Tokyo, Tokyo, Japan
 2. Advanced Science Research Center, Japan Atomic Energy Agency, Japan
 3. CREST, Japan Science and Technology Agency, Japan
 4. CNRS and Institut Laue Langevin, Grenoble, France
 5. CNRS/Thales, Palaiseau, France
 6. RIKEN-CEMS, Saitama, Japan
- 10:45-11:00 **TH.I.1_O5 - Mn2Au, a new material for antiferromagnetic spintronics**
V.M.T.S. Barthem¹, C.V. Colin², R. Haettel², D. Givord^{1,2}
 1. Instituto De Fisica, Universidade Federal Do Rio De Janeiro, Rio De Janeiro, Brazil
 2. CNRS/Université Grenoble-Alpes, Institut Néel, Grenoble, France



TH.J.1_ADVANCED METHODS OF SPIN STRUCTURE DETERMINATION

09:30-11:00 (ROOM E1-E3)

Chair: Mar García Hernández

- 09:30-10:00 **TH.J.1_I1 - Advances in Magnetic Structure Determination. Instruments and Methods.**
J. Rodríguez-Carvajal¹
1. Institut Laue-Langevin, Grenoble, France
- 10:00-10:15 **TH.J.1_O2 - A case study in magnetic pair distribution function (mPDF) analysis: Local magnetic structure of MnO**
B. Frandsen¹, S. Billinge^{2,3}
1. Department of Physics, Columbia University, United States
2. Department of Applied Physics and Applied Mathematics, Columbia University, United States
3. Condensed Matter Physics and Materials Science, Brookhaven National Laboratory, United States
- 10:15-10:30 **TH.J.1_O3 - Magnetic behavior of a Mn_{0.85}Co_{0.15}WO₄ multiferroic crystal investigated by Resonant magnetic x-ray scattering**
J. Herrero-Martín^{1,2}, A.N. Dobrynin³, C. Mazzoli⁴, P. Steadman³, P. Bencok³, R. Fan³, A.A. Mukhin⁵, V. Skumryev^{6,7}, J. L. García-Muñoz²
1. ALBA Synchrotron Light Source, Barcelona, Spain
2. Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Barcelona, Spain
3. Diamond Light Source, Didcot, Oxfordshire, United Kingdom
4. Dipartimento di Fisica, Politecnico di Milan, Milan, Italy
5. Prokhorov General Physics Institute, Russian Academy of Science, Moscow, Russian Federation
6. Institució Catalana de Recerca i Estudis Avançats (ICREA), Barcelona, Spain
7. Departament de Física, Universitat Autònoma de Barcelona, Barcelona, Spain
- 10:30-10:45 **TH.J.1_O4 - Disentangling the spin and orbital moments in the heavy fermion system CeRu₂Al₁₀ using polarised x-rays**
P. Dean¹, P. Hatton¹, A. Dobrynin², T. Takabatake³, Y. Muro³
1. Department of Physics, Durham University, United Kingdom
2. Diamond Light Source, Harwell Science and Innovation Campus, Didcot, Oxfordshire, United Kingdom
3. Institute for Advanced Materials Research, Hiroshima University, Hiroshima, Japan
- 10:45-11:00 **TH.J.1_O5 - First-Principles Molecular Spin Dynamics Study on the Magnetic Structure of Mn-Based Alloys with Cu₃Au-Type Crystal Structure**
T. Uchida¹, N. Kimura¹, Y. Kakehashi²
1. Hokkaido University of Science, Hokkaido, Japan
2. University of the Ryukyus, Okinawa, Japan

Thursday, 9 July



TH.A.2_MAGNETIC PHASE TRANSITIONS AND MAGNETIC INTERACTIONS

11:30-13:15 (ROOM J)

Chair: Je-Geun Park

11:30-11:45

TH.A.2_01 - Magneto-elastic coupling across the first order transition in the distorted kagome lattice antiferromagnet Dy₃Ru₄Al₁₂

M.S. Henriques^{1,2}, D.I. Gorbunov^{1,3}, A.V. Andreev¹, A. Gukasov⁴, V. Petříček¹, Y. Skourski³, M. Vališka⁵, J. Prokleška⁵, D. Kriegner⁵, Z. Matěj⁵, A.P. Gonçalves²

1. Institute Of Physics ASCR, Prague, Czech Republic
2. CCTN, IST/CFMUL, University of Lisbon, Nuclear and Technological Campus, Bobadela, Portugal
3. Dresden High Magnetic Field Laboratory (HLD), Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany
4. Laboratoire Léon Brillouin, CE de Saclay, Gif-sur-Yvette, France
5. Charles University in Prague, Faculty of Mathematics and Physics, Department of Condensed Matter Physics, Prague, Czech Republic

11:45-12:00

TH.A.2_02 - Chiral magnetism in rare-earth intermetallic compounds YbNi₃Al₉ and Yb(Ni_{0.94}Cu_{0.06})₃Al₉

S. Ohara¹, H. Ninomiya¹, Y. Matsumoto¹, Y. KoUnited Stateska², K. Ohishi³, J. Akimitsu⁴

1. Nagoya Institute Of Technology, Nagoya, Japan
2. Graduate School of Science, Hiroshima University, Hiroshima, Japan
3. Research Center for Neutron Science and Technology, Comprehensive Research Organization for Science and Society (CROSS), Naka, Japan
4. Department of Physics and Mathematics, Aoyama-Gakunin University, Shibuya, Japan

12:00-12:15

TH.A.2_03 - Observation of large anomalous Kerr rotations in the Skyrmionic Mott insulator Cu₂OSeO₃

R.B. Versteeg¹, S. Schöfer¹, A. Aqeel², T.T.M. Palstra², P.H.M. Van Loosdrecht¹

1. University Of Cologne - II. Physics Institute, Cologne, Germany
2. Zernike Institute for Advanced Materials, University of Groningen, Groningen, The Netherlands

12:15-12:30

TH.A.2_04 - Observation of various magnetic field-induced states in MnGe with cubic B20 type structure

R. Viennois¹, C. Reibel¹, D. Ravot¹, R. Debord², S. Pailhes²

1. Institut Charles Gerhardt, Université Montpellier, Montpellier, France
2. Institut Lumière Matière, Université Claude Bernard - Lyon 1, Villeurbanne, France



12:30-12:45 **TH.A.2_05 - The stable magnetic phase of the Gd doped topological insulator, Bi₂-xGdxTe₃**
 E.H. Shin¹, M.H. Chung², M. Kim¹, H. Kim¹
 1. Sookmyung Women's University, Seoul, Republic of Korea
 2. Sogang University, Seoul, Republic of Korea

12:45-13:00 **TH.A.2_06 - Magnetic order and Excitations in the Magnetic Dirac Materials (Ca,Sr)MnBi₂**
 A. Princep¹, A. Boothroyd¹, Y. Guo¹, X. Zhang², P. Manuel³, D. Khalyavin³, I. Mazin⁴, Y. Shi², A Piovano⁵
 1. Department of Physics, University of Oxford, Clarendon Laboratory, Parks Road, Oxford, United Kingdom
 2. Beijing National Laboratory for Condensed Matter Physics, Institute of Physics, Chinese Academy of Sciences, Beijing, China
 3. ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot, United Kingdom
 4. Naval Research Laboratory, Washington DC, United States
 5. Institut Laue-Langevin (ILL), Grenoble, France

13:00-13:15 **TH.A.2_07 - Magnetism of disordered Heusler alloys**
 M. Leitner¹, P. Neibecker¹, W. Petry¹
 1. Technische Universität München, Garching, Germany

TH.B.2_ TOPOLOGICAL INSULATORS AND METAL INSULATOR TRANSITIONS

11:30-13:00 (ROOM F)

Chair: Piers Coleman

11:30-12:00 **TH.B.2_I1 - Bismuth: Playground For Quantum And Spintronic Experiments**
 S. Sangiao¹, M. del C. Martínez-Velarte¹, I. Lucas¹, César Magén^{1,2}, N. Marcano^{3,4}, J.M. Michalik^{1,4}, M. Viret⁵, L. Morellón¹, M.R. Ibarra¹, J.M. De Teresa^{1,4}
 1. Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain
 2. Fundación ARAID, Zaragoza, Spain
 3. Centro Universitario de la Defensa, Zaragoza, Spain
 4. Instituto de Ciencia de Materiales de Aragón (ICMA), CSIC-Universidad de Zaragoza, Zaragoza, Spain
 5. CEA Saclay, Gif-sur-Yvette, France

12:00-12:15 **TH.B.2_O2 - Intrinsic conduction through topological surface states of insulating Bi₂Te₃ epitaxial thin films**
 K. Höfer¹, C. Becker¹, D. Rata¹, J. Swanson^{1,2}, P. Thalmeier¹, L.H. Tjeng¹
 1. Max Planck Institute For Chemical Physics of Solids, Dresden, Germany
 2. University of British Columbia, Vancouver, Canada



12:15-12:30

TH.B.2_03 - Effect of Co adatoms on Topological Insulator Bi₂Se₂Te

M. C. Martinez-Velarte^{1,2}, M. Moro-Lagares^{1,2}, T. M. Riedemann³, T. A. Lograsso^{3,4}, L. Morellon^{1,2}, M. R. Ibarra^{1,2}, D. Serrate^{1,2}

1. *Institute of Nanoscience of Aragon (INA) and Laboratory for Advanced Microscopy (LMA), University of Zaragoza, Zaragoza, Spain*

2. *Dpto. de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain*

3. *Ames Laboratory, Ames, United States*

4. *Department of Materials Sciences and Engineering, Iowa State University, Ames, United States*

12:30-12:45

TH.B.2_04 - Semimetal-insulator transition in Dirac semimetals induced by long-range Coulomb interactions

A. Sekine¹, K. Nomura¹

1. *Institute for Materials Research, Tohoku University, Sendai, Japan*

12:45-13:00

TH.B.2_05 - Spin and charge current driven by magnetization dynamics on disordered surface of doped topological insulators

K. Taguchi¹, K. Shintani¹, Y. Tanaka¹

1. *Department Of Materials, Physics And Energy Engineering, Graduate School Of Engineering, Nagoya University, Nagoya, Spain*

TH.C.2_MAGNETIC THIN FILMS AND MULTILAYERS

11:30-13:00 (ROOM H1)

Chair: Justice Msomi

11:30-12:00

TH.C.2_I1 - Field-dependent Size and Shape of Single Magnetic Skyrmions

N. Romming¹, André Kubetzka¹, C. Hanneken¹, K. von Bergmann¹, R. Wiesendanger¹

1. *Department of Physics, University of Hamburg, Hamburg, Germany*

12:00-12:15

TH.C.2_02 - In-situ TEM study of temperature-dependent dichroism: application to epitaxial MnAs/GaAs(001)

X.Fu¹, D. Demaille², V. Etgens², S. Joulié¹, G. Seine¹, R. Arras¹, V. Serin¹, B. Warot¹

1. *CEMES-CNRS, Toulouse, France*

2. *UPMC (Université Pierre et Marie Curie), Paris, France*

12:15-12:30

TH.C.2_03 - Experimental evidence of ultra-small particles in magnetic metal-insulating nanogranular films

M. Garcia Del Muro¹, Z. Konstantinovic², A. Labarta¹, X. Batlle¹

1. *Dpt. Física Fonamental and IN2UB, Universitat de Barcelona, Barcelona, Spain*

2. *ICMAB-CSIC, Bellaterra, Spain*



12:30-12:45 **TH.C.2_04 - Low frequency dynamics of Magnetic Droplet Solitons in Spin Transfer Nanocontacts**
F. Macià¹, J.M. Hernández¹, S. Lendínez¹, D. Backes², A.D. Kent²
 1. *University of Barcelona, Barcelona, Spain*
 2. *New York University, New York, United States*

12:45-13:00 **TH.C.2_05 - Light irradiation-driven modifications of Pt/Co/Pt trilayers**
A. Maziewski¹, I. Sveklo¹, J. Kisielewski¹, Z. Kurant¹, A. Bartnik², M. Jakubowski³, R. Sobierajski³, J. Pełka³, A. Wawro³
 1. *Faculty of Physics, University of Białystok, Warsaw, Poland*
 2. *Institute of Optoelectronics, Military University of Technology, Warsaw, Poland*
 3. *Institute of Physics, Polish Academy of Sciences, Warsaw, Poland*

TH.D.2_ QUANTUM MAGNETISM AND PHYSICS OF FRUSTRATION

11:30-13:00 (ROOM H2)

Chair: José Emilio Lorenzo

11:30-12:00 **TH.D.2_I1 - Quantum fluctuations in spin-ice-like Pr₂Zr₂O₇***
C. Broholm¹
 1. *Johns Hopkins University, Baltimore, United States*

12:00-12:15 **TH.D.2_02 - Spin liquid versus long range magnetic order in the frustrated body-centered tetragonal lattice**
S. Burdin¹, C. Thomas², C. Pépin³, A. Ferraz⁴, C. Lacroix⁵
 1. *LOMA, CNRS & Bordeaux University, Bordeaux, France*
 2. *Instituto de Física, UFRGS, Porto Alegre, Brazil*
 3. *Institut de Physique Théorique, CEA-Saclay, France*
 4. *International Institute of Physics, UFRGN, Natal, Brazil*
 5. *Institut Néel, Université Grenoble Alpes, Grenoble, France*

12:15-12:30 **TH.D.2_03 - Emergence of a Connected Family of Chiral Spin Liquids on the Kagome Lattice**
K. Essafi¹, L.D.C. Jaubert¹, O.J. Benton¹
 1. *Okinawa Institute Of Science & Technology, Onna-Son, Japan*

12:30-12:45 **TH.D.2_04 - The role of interchain coupling and exchange anisotropy for the existence of quantum multipolar phases in strongly frustrated edge-shared CuO₂ chain compounds at high magnetic fields near saturation**
S.L. Drechsler¹, S. Nishimoto¹, H. Rosner², J. van den Brink¹, R. Kuzian³, J. Richter⁴
 1. *IFW-Dresden, Dresden, Germany*
 2. *Max-Planck-Institute Chemische Physik fester Stoffe, Dresden, Germany*
 3. *Institute of Materials Sciences, Kiyv, Ukraine*
 4. *Institut f. Theoretische Physik, Universitaet Magdeburg, Germany*

12:45-13:00

TH.D.2_05 - Projective symmetry of partons in the Kitaev honeycomb model

P. Mellado¹, O. Petrova², O. Tchernyshyov³

1. *Department of Engineering and Sciences, Adolfo Ibañez University, Santiago, Chile*
2. *Max Planck Institute for the Physics of Complex Systems, Dresden, Germany*
3. *Department of Physics and Astronomy, Johns Hopkins University, Baltimore, United States*

TH.E.2_FERROICS AND MULTIFERROICS

11:30-13:00 (ROOM H3)

Chair: Daniel Khomskii

11:30-12:00

TH.E.2_I1 - Spin dynamics in multiferroic BiFeO₃: interplay of DM interaction and anisotropy

J. Jeong^{1,2}, M. Duc Le¹, E. Goremychkin³, Tatiana Guidi³, Kenji Nakajima⁴, Philippe Bourges⁵, Sylvain Petit⁵, Shunsuke Furukawa⁶, Yong Baek Kim⁷, Gun Sang Jeon⁸, S. Kim⁹, S. Lee⁹, V. Kiryukhin¹⁰, S. Cheong¹⁰, J. Park^{1,2}

1. *Center for Correlated Electron Systems, Institute for Basic Science (IBS), Pohang, Republic of Korea*
2. *Department of Physics and Astronomy, Seoul National University, Republic of Korea*
3. *ISIS Facility, STFC Rutherford Appleton Laboratory, United Kingdom*
4. *Neutron Science Section, MLF Division, J-PARC Center, Japan*
5. *Laboratoire Leon Brillouin, CEA-CNRS, Gif sur Yvette, France*
6. *Department of Physics, University of Tokyo, Japan*
7. *Department of Physics, University of Toronto, Canada*
8. *Department of Physics, Ewha Womans University, Seoul, Republic of Korea*
9. *Neutron Science Division, Korea Atomic Energy Research Institute, Daejeon, Republic of Korea*
10. *Rutgers Center for Emergent Materials and Department of Physics and Astronomy, Rutgers University, United States*

12:00-12:15

TH.E.2_O2 - Multiferroic Iron Oxide Thin Films at Room-Temperature

M. Gich

1. *Institut de Ciència de Materials de Barcelona-CSIC, Bellaterra, Spain*

12:15-12:30

TH.E.2_O3 - Theory of antisymmetric spin-pair dependent electric polarization in multiferroic BiFeO₃

S. Miyahara¹, N. Furukawa²

1. *Fukuoka University, Fukuoka, Japan*
2. *Aoyama Gakuin University, Tokyo, Japan*



- 12:30-12:45 **TH.E.2_04 - Non-volatile magnetoelectric memory effects in multiferroic BiFeO₃**
M. Tokunaga ¹, S. Kawachi ¹, A. Miyake ¹, T. Ito ², H. Kuwahara ³
1. *The Institute For Solid State Physics, The University Of Tokyo, Tokyo, Japan*
2. *National Institute of Advanced Industrial Science and Technology (AIST), Japan*
3. *Sophia University, Chiyoda, Japan*
- 12:45-13:00 **TH.E.2_05 - Suppression of mixed-phase areas in highly elongated BiFeO₃ thin films on NdAlO₃ substrates**
C. Woo ¹, J. Lee ¹, K. Chu ¹, B. Jang ¹, Y. Kim ², T. Koo³, P. Yang ⁴, Y. Qi ⁵, Z. Chen ⁵, L. Chen ⁵
1. *Department of Physics, KAIST, Daejeon, Republic of Korea*
2. *Gumi Electronics & Information Technology Research Institute, Gumi, Gyungbuk, Republic of Korea*
3. *Pohang Accelerator Laboratory, Pohang, Gyungbuk, Republic of Korea*
4. *Singapore Synchrotron Light Source, National University of Singapore, Singapore, Singapore*
5. *School of Materials Science and Engineering, Nanyang Technological University, Singapore, Singapore*
6. *Department of Chemistry, POSTECH, Pohang, Gyungbuk, Republic of Korea*
7. *Institute for the NanoCentury, KAIST, Daejeon, Republic of Korea*

TH.F.2_FAST AND ULTRAFAST MAGNETIZATION DYNAMICS

11:30-13:00 (ROOM A)

Chair: Andrei Kirilyuk

- 11:30-12:00 **TH.F.2_I1 - Ultrafast demagnetization induced by hot electrons**
N. Berggaard ¹, G. Malinowski ¹, M. Hehn ¹, S. Mangin ¹
1. *Institut Jean Lamour, Université de Lorraine – CNRS, France*
- 12:00-12:15 **TH.F.2_O2 - Enhancement of Laser-Induced Ultrafast Demagnetization using Localized Surface Plasmons**
H. Xu ¹, G. Hajisalem ², G. Steeves ¹, R. Gordon ², B. Choi ¹
1. *Department of Physics And Astronomy, University Of Victoria, Canada*
2. *Department of Electrical and Computer Engineering, University of Victoria, Canada*
- 12:15-12:30 **TH.F.2_O3 - Ultrafast energy diffusivity dependency of all-optical magnetization switching in multi-layer structured GdFeCo thin films**
H. Yoshikawa ¹, A. Tsukamoto ²
1. *Graduate School Of Science And Technology, Nihon University, Chiyoda, Japan*
2. *College of Science and Technology, Nihon University, Chiyoda, Japan*



12:30-12:45

TH.F.2_04 - Ultrafast control of the exchange interaction with electric fields

J. Mentink^{1,2}, K. Balzer², M. Eckstein²

1. Radboud University Nijmegen, Netherlands.
2. University of Hamburg, Germany

12:45-13:00

TH.F.2_05 - Terahertz-driven ultrafast magnetization dynamics in canted antiferromagnetic YFeO₃

J. Lee¹, T. Kim¹, S. Kovalev², Y. Tokunaga³, Y. Tokura³, M. Gensch²

1. Gwangju Institute of Science and Technology (GIST), Gwangju, Korea
2. Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany
3. RIKEN Center for Emergent Matter Science (CEMS), Wako, Saitama, Japan

TH.G.2_MAGNETIC NANORODS, NANOWIRES AND NANOTUBES

11:30-13:15 (ROOM B1-B3)

Chair: Olivier Fruchart

11:30-12:00

TH.G.2_I1 - Domain wall propagation along cylindrical nanoelements

D. Altbir¹, R. Neumann², M. Bahiana³, S. Allende¹, D. Görlitz⁴, K. Nielsch⁴

1. Universidad de Santiago de Chile, Santiago, Chile
2. IBM Research, Rio de Janeiro, Brazil
3. Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil
4. Institute of Nanostructure and Solid State Physics, University of Hamburg, Hamburg, Germany

12:00-12:15

TH.G.2_02 - Structural and magnetotransport properties of FexCo(1-x) nanowires prepared by focused electron beam induced deposition with a heteronuclear metal carbonyl precursor

F. Porrati¹, S. Barth², F. Biegger², C. Gspan³, H. Plank³, M. Huth¹

1. Goethe University Frankfurt a. M., Institute of Physics, Frankfurt, Germany
2. Vienna University of Technology, Institute of Materials Chemistry, Getreidemarkt, Wien, Austria
3. Graz University of Technology, Institute for Electron Microscopy and Nanoanalysis, Graz, Austria

12:15-12:30

TH.G.2_03 - Investigating the dipolar interactions in assemblies of ferromagnetic nano-objects by Ferromagnetic Nuclear Resonance

I. Camara¹, Y. Shin^{1,2}, N. Liakakos³, C. Achkar³, M. Respaud³, K. Soulantica³, T. Blon³, M. Bailleul¹, C. Meny^{1,2}

1. Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), CNRS- University of Strasbourg, Strasbourg, France
2. Department of Physics, CNRS-Ewha International Research Center, Ewha Womans University, Seoul, Republic of Korea
3. Laboratoire de Physique et Chimie des Nano-objets (LPCNO), INSA, Toulouse, France



- 12:30-12:45 **TH.G.2_04 - Magnetic anisotropy of (ZnTe)/Co core/shell nanowires grown by MBE**
 P. Misiuna¹, T. Wojciechowski¹, P. Dłużewski¹, B. Kurowska¹, M. Wiater¹, S. Lewińska¹, A. Ślawska-Waniewska¹, A. Wawro¹, E. Milińska¹, T. Wojtowicz¹
 1. Institute Of Physics Polish Academy Of Sciences, Warsaw, Poland
- 12:45-13:00 **TH.G.2_05 - Manipulation of Transverse Domain Wall profile for Logic Devices**
 R. Maddu¹, S. Goolaup¹, C. Murapaka¹, W. Lew¹
 1. School Of Physical And Mathematical Sciences, Nanyang Technological University, Singapore
- 13:00-13:15 **TH.G.2_06 - Manipulating vortex domain walls with mechanical strain**
 A. Rushforth¹, R. Beardsley¹, D. Parkes¹, S. Bowe¹, K. Edmonds¹, B. Gallagher¹, T. Hayward², J. Wheelwright², D. Allwood², A. Irvine³
 1. University Of Nottingham, Nottingham, United Kingdom
 2. University of Sheffield, Sheffield, United Kingdom
 3. Cambridge University, Cambridge, United Kingdom
 4. University of York, York, United Kingdom

TH.H.2_APPLIED MAGNETISM OF ORGANIC COMPOUNDS AND BIOMEDICAL APPLICATIONS

11:30-13:00 (ROOM D1-D3)

Chair: Clara Marquina

- 11:30-12:00 **TH.H.2_I1 - Tumor ablation by exploiting magnetic nanoparticles and magnetic nanoparticle functionalization to achieve heat-mediated drug delivery and antibody tumor targeting**
 T. Pellegrino¹
 1. Istituto Italiano di Tecnologia, Genova, Italy
- 12:00-12:15 **TH.H.2_O2 - Real-Time Analysis of Magnetic Hyperthermia Experiments on Living Cells under a Confocal Microscope**
 V. Connord¹, P. Clerc², N. Hallali¹, D. El Hajj Diab², D. Fourmy², V. Gigoux², J. Carrey¹
 1. NanoMagnetism, LPCNO Toulouse, Toulouse, France
 2. RCTC, INSERM Toulouse, Toulouse, France
- 12:15-12:30 **TH.H.2_O3 - Exploiting the theranostic potential of dendronised-iron oxide nanoparticles**
 C. Blanco-Andujar¹, H. Dib¹, D. Mertz¹, E. Robinet², F. Meyer², D. Felder¹, S. Begin-Colin¹
 1. Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR-7504 CNRS-Université de Strasbourg, Strasbourg, France
 2. INSERM 1121, Faculté de Chirurgie Dentaire, Université de Strasbourg, Strasbourg, France

12:30-12:45

TH.H.2_04 - Labb-on-a-chip platform for detecting pathogenic DNA via magnetic tunnelling junction-based biosensors

D. Petti¹, E. Albisetti¹, P. Sharma¹, M. Massetti¹, F. Damini², G. Falduti³, M. Cretich², E. Marchisio³, M. Chiari², R. Bertacco¹
 1. Polifab - Politecnico Di Milan, Milan, Italy
 2. Istituto di Chimica del Riconoscimento Molecolare- CNR, Milan, Italy
 3. Dia.Pro Diagnostic BioProbes srl, Milan, Italy

12:45-13:00

TH.H.2_05 - Optomagnetic read-out system for detection of pathogens based on magnetic nanobead dynamics

R. S. Bejhed¹, T. Zardán Gómez de la Torre¹, M. Donolato², M. F. Hansen², M. Strömberg¹, P. Svedlindh¹
 1. Uppsala University, Dep. of Engineering Sciences, Uppsala, Sweden
 2. Technical University of Denmark, Department of Micro- and Nanotechnology, Lyngby, Denmark

TH.I.2_METAL SPINTRONICS

11:30-13:00 (ROOM D4-D6)

Chair: Mathias Bode

11:30-11:45

TH.I.2_01 - Current-Driven Magnetization Switching via Spin-Orbit Torque in Perpendicularly Magnetized Hf CoFeB (MgO or TaO_x) Films with Structural Asymmetry

M. Akyol^{1,2}, G. Yu¹, J. G. Alzate¹, P. Upadhyaya¹, X. Li¹, K. L. Wong¹, A. Ekicibil², P. K. Amiri¹, K. L. Wang¹
 1. University Of California, Los Angeles (UCLA), United States
 2. University of Cukurova, Adana, Turkey

11:45-12:00

TH.I.2_02 - Chiral-based spin devices without a permanent magnet

O. Ben Dor¹, Y. Paltiel¹
 1. The Hebrew University Of Jerusalem, Jerusalem, Israel

12:00-12:15

TH.I.2_03 - Spin current conversion in Bi thin films

M. Shiraishi^{1,2}, H. Emoto², Y. Ando¹, G. Eguchi¹, T. Shinjo¹, Y. Fuseya³, E. Shikoh²
 1. Kyoto University, Kyoto, Japan
 2. Osaka University, Suita, Japan
 3. The University of Electro- Communications, Cofu, Japan



- 12:15-12:30 **TH.I.2_O4 - Spin-to-charge current conversion in Pt, Au and Bi**
M. Isasa¹, M.C. Marínez-Velarte^{2,3}, E. Villamor¹, C. Magen^{2,3,4}, L. Morellón^{2,3}, J.M. De Teresa^{2,3,5}, M. R. Ibarra^{2,3}, M. Gradhand⁶, L. E. Hueso^{1,7}, F. Casanova^{1,7}
 1. *CIC Nanogune, Guipúzcoa, Spain*
 2. *Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Zaragoza, Spain*
 3. *Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Spain*
 4. *Fundación ARAID, Zaragoza, Spain*
 5. *Instituto de Ciencia de Materiales de Aragón (ICMA), Universidad de Zaragoza-CSIC, Zaragoza, Spain*
 6. *H. H. Wills Physics Laboratory, University of Bristol, Bristol, United Kingdom*
 7. *IKERBASQUE, Basque Foundation for Science, Bizkaia, Spain*
- 12:30-12:45 **TH.I.2_O5 - Towards the control of the sign of spin Hall effect in the Cu alloys doped with 5d elements**
Z. Xu¹, B. Gu¹, M. Mori¹, T. Ziman², S. Maekawa^{1,3}
 1. *Advanced Science Research Center, Japan Atomic Energy Agency, Tokai, Japan*
 2. *Institut Laue Langevin, Grenoble, France*
 3. *ERATO, Japan Science and Technology Agency, Sendai, Japan*
- 12:45-13:00 **TH.I.2_O6 - Evidence of magnonic charge pumping in single layers of permalloy**
A. Azevedo¹, R. Cunha¹, F. Estrada^{1,3}, O. Alves-Santos¹, J. Mendes¹, L. Vilela-Leão¹, R. Rodríguez-Suárez^{1,2}, S. Rezende²
 1. *Federal University Of Pernambuco, Recife, Brazil*
 2. *Pontificia Universidad Católica de Chile, Santiago de Chile, Chile*
 3. *Universidad Michoacana de San Nicolás de Hidalgo, Morelia, Mexico*

TH.J.2_THEORY AND NEW DEVELOPMENTS OF STRONGLY CORRELATED MATTER

11:30-13:00 (ROOM E1-E3)

Chair: Belen Valenzuela

- 11:30-12:00 **TH.J.2_I1 - On the dual fermion approach to charge order, spin frustration, and transport**
S. Kirchner¹
 1. *Center For Correlated Matter, Zhejiang University, Hangzhou, China*
- 12:00-12:15 **TH.J.2_O2 - Colossal thermopower deep inside the SDW state of (TMTSF)2PF6**
Y. Machida¹, X. Lin³, K. Izawa¹, W. Kang², K. Behnia³
 1. *Tokyo Institute of Technology, Tokyo, Japan*
 2. *Ewha Womans University, Seoul, Republic of Korea*
 3. *ESPCI, Paris, France*

12:30-12:45

TH.J.2_O4 - Determination of the sign of the Dzyaloshinskii-Moriya interaction in crystals

Andrei Rogalev ¹, V. E. Dmitrienko ², F. de Bergevin ¹, E. N. Ovchinnikova ³, F. Wilhelm ¹, J. Kokubun ⁴

1. ESRF, Grenoble, France

2. Institute of Crystallography, Moscow, Russian Federation

3. Moscow State University, Moscow, Russian Federation

4. Tokyo University of Science, Tokyo, Japan

12:45-13:00

TH.J.2_O5 - Spin Excitons in Heavy Fermion Semi-Metals

P. Riseborough ¹

1. Physics Department, Temple University, Philadelphia, United States

TH.SEMIPLENARY-1

16:00-16:45 (AUDITORIUM)

Chair: Sergio Magalhaes

16:00-16:45

TH.SP-1 - Novel topological phases in strongly correlated electron systems

Leon Balents

Kavli Institute For Theoretical Physics, Santa Barbara, United States

TH.SEMIPLENARY-2

16:00-16:45 (ROOM J)

Chair: Liesl Folks

16:00-16:45

TH.SP-2 -Electric Manipulation of Spin Textures

Axel Hoffmann

Argonne National Laboratory, Argonne, United States

TH.SEMIPLENARY-3

16:00-16:45 (ROOM F)

Chair: Dino Fiorani

16:00-16:45

TH.SP-3 - High temperature nanostructured superconductors: a tool towards a new era of high field magnetism

Xavier Obradors

Institut de Ciència de Materials de Barcelona, ICMA-B-CSIC, Barcelona, Spain

TH.A.3_SOFT AND HARD MAGNETIC MATERIALS

17:15-18:15 (ROOM J)

Chair: Kiyonori Suzuki

17:15-17:30

TH.A.3_O1 - High coercivity in rare earth-lean hot-deformed magnets by grain boundary infiltration

G. Hadjipanayis ¹, R. Madugundo ¹, D. Salazar Jaramillo ², J.M. Barandiaran ²

1. Department of Physics and Astronomy, University of Delaware, Newark, United States

2. BCMaterials, Technology Park of Biscay, Derio, Spain



- 17:30-17:45 **TH.A.3_O2 - Grain boundary modifications of hot-deformed Nd-Fe-B permanent magnets with low melting eutectics**
 S. Sawatzki ¹, C. Kübel ², S. Ener ¹, O. Gutfleisch ^{1,3}
 1. TU Darmstadt, Materialwissenschaft, Darmstadt, Germany
 2. KIT, Institute of Nanotechnology (INT) & Karlsruhe Nano Micro Facility (KNMF), Eggenstein-Leopoldshafen, Germany
 3. Fraunhofer IWKS, Projektgruppe für Wertstoffkreisläufe und Ressourcenstrategie, Hanau, Germany
- 17:45-18:00 **TH.A.3_O3 - High-coercivity Nd-Fe-B permanent magnets based on the electrophoretic deposition of TbF3**
 M. Soderžnik ¹, K. Üestuener ², M. Katter ², S. Kobe ¹
 1. Jozef Stefan Institute, Ljubljana, Slovenia
 2. Vacuumschmelze, Hanau, Germany
- 18:00-18:15 **TH.A.3_O4 - Sintering analysis of NdFeB material**
 B. Hugonnet ¹, C. Rado ¹, J.M. Missiaen ^{2,3}, O. Tosoni ¹, F. Servent ¹
 1. Univ. Grenoble Alpes, CEA, Grenoble, France
 2. Univ. Grenoble Alpes, SIMAP, Grenoble, France
 3. CNRS, SIMAP, Grenoble, France

TH.B.3_MATERIALS FOR ENERGY APPLICATIONS

17:15-18:15 (ROOM F)

Chair: Luis Morellon

- 17:15-17:30 **TH.B.3_O1 - Measurement of the Sommerfeld Coefficient in hydrogenated and Mn doped La(Fe,Si)13**
 L.F. Cohen ¹, L. Ghivelder ², A. Nicotina ², E. Lovell ¹, Z. Gercsi ¹, V. Basso ³, A. Barzca ⁴, M. Katter ⁴
 1. Blackett Laboratory, Imperial College London, London, United Kingdom
 2. Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil
 3. Istituto Nazionale di Ricerca Metrologica, Torino, Italy
 4. Vacuumschmelze GmbH & Co. KG, Hanau, Germany
- 17:30-17:45 **TH.B.3_O2 - Spin Seebeck and Anomalous Nernst Effect in magnetite epitaxial thin films grown on different substrates**
 M.H. Aguirre ^{1,2,3}, A. Anadón Barcelona ^{1,2}, R. Ramos ¹, I. Lucas ^{1,4}, P. Algarabel ^{2,5}, L. Morellón ^{1,2}, R. Ibarra ^{1,2,3}
 1. Instituto de Nanociencia De Aragón. Universidad de Zaragoza. Zaragoza, Spain
 2. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain
 3. Laboratorio de Microscopías Avanzadas, Universidad de Zaragoza, Zaragoza, Spain
 4. Fundación ARAID, Zaragoza, Spain
 5. Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza and Consejo Superior de Investigaciones Científicas, Zaragoza, Spain

17:45-18:00 **TH.B.3_03 - Modeling specific heat and entropy change in La(Fe,Mn,Si)13-H compounds**
 M. Piazza¹, C. Bennati¹, C. Curcio¹, M. Kuepferling¹, V. Basso¹
 1. Istituto Nazionale Di Ricerca Metrologica (INRIM), Turin, Italy

18:00-18:15 **TH.B.3_04 - Effect of irreversibility on the magnetocaloric effect of compounds with first-order transitions**
 R. Burriel¹, E. Palacios¹
 1. Instituto de Ciencia de Materiales de Aragón (ICMA), Zaragoza, Spain

TH.C.3_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

17:15-18:15 (ROOM H1)

Chair: Leonardo Degiorgi

17:15-17:30 **TH.C.3_01 - Evidence for nodal superconductivity in quasi-one-dimensional K2Cr3As3**
 G. Pang¹, M. Smidman¹, W. Jiang¹, J. Bao¹, Z. Weng¹, Y. Wang¹, L. Jiao¹, J. Zhang¹, G. Cao¹, H. Yuan¹
 1. Department Of Physics And Center For Correlated Matter, Zhejiang University, Hangzhou, China

17:30-17:45 **TH.C.3_02 - Unveiling the magnetic state of iron in the superconducting pressure region**
 B. Lebert^{1,2}, J. Ablett¹, F. Baudelet¹, M. Casula², A. Juhin², G. Le Marchand², P. Munsch², A. Polian², J.P. Rueff¹, Z. Zhang^{1,2}
 1. Synchrotron SOLEIL, L'Orme des Merisiers, Gif sur Yvette, France
 2. Institut de Minéralogie et de Physique des Milieux Condensés (IMPMC), UMR CNRS 7590, Université Pierre et Marie, Paris, France

17:45-18:00 **TH.C.3_03 - Fermi-Surface Topology and Pairing Symmetry in BiS2-Based Layered Superconductors**
 T. Hotta¹, T. Agatsuma¹
 1. Department of Physics, Tokyo Metropolitan University, Hachioji, Japan

18:00-18:15 **TH.C.3_04 - First-order superconducting transition of Sr2RuO4 investigated by magnetization and magnetic torque**
 S. Kittaka¹, A. Kasahara¹, T. Sakakibara¹, D. Shibata², S. Yonezawa², Y. Maeno², K. Tenya³, K. Machida⁴
 1. University of Tokyo, Tokyo, Japan
 2. Kyoto University, Kyoto, Japan
 3. Shinshu University, Matsumoto, Japan
 4. Okayama University, Okayama, Japan



TH.D.3_HIGHLY FRUSTRATED MAGNETISM

17:15-18:15 (ROOM H2)

Chair: Ludovic Jaubert

17:15-17:30

TH.D.3_01 - A new spin-liquid antiferromagnet based on opposite-sign bi-triangles

C. Balz^{1,2}, B. Lake^{1,2}, N. Islam¹, Y. Singh¹, S. Toth³, J. Reuther^{1,4}, O. Prokhnenko¹, M. Reehuis¹, H. Ryll¹, R. Schoenemann⁵, H. Luetkens³, G. Simeoni⁶, E. Wheeler⁷, J. Rodriguez⁸, T. Guidi⁹

1. Helmholtz-Zentrum Berlin, Berlin, Germany

2. Technische Universität Berlin, Berlin, Germany

3. Paul Scherrer Institut, Villigen PSI, Switzerland

4. Freie Universität Berlin, Berlin, Germany

5. Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

6. Technische Universität München, Munich, Germany

7. Institut Laue Langevin, Grenoble, France

8. NIST Center for Neutron Research, Gaithersburg, United States

9. ISIS Facility, Didcot, United Kingdom

17:30-17:45

TH.D.3_02 - Interplay of disorder and frustration in the diamond spin lattice antiferromagnet CoAl₂O₄

V. Kataev¹, M. Iakovleva^{1,2}, E. Vavilova^{1,2}, H.J. Grafe¹, S. Zimmermann^{1,3}, A. Alfonsov¹, H. Luetkens⁴, H.H. Klauss³, A. Maljuk¹, S. Wurmehl¹

1. Leibniz Institute For Solid State And Materials Research IFW Dresden, Dresden, Germany

2. Kazan E.K. Zavoisky Physical-Technical Institute of the Russian Academy of Sciences, Kazan, Russian Federation

3. Institute for Solid State Physics, Technical University Dresden, Dresden, Germany

4. Laboratory for Muon-Spin Spectroscopy Paul Scherrer Institut, Villigen PSI, Switzerland

17:45-18:00

TH.D.3_03 - Neutron diffraction study of uniaxial pressure control of spin frustration in isosceles triangular lattice Ising antiferromagnet CoNb₂O₆

S. Kobayashi¹, S. Hosaka², H. Tamatsukuri², T. Nakajima², S. Mitsuda², K. Prokes³, K. Kiefer³

1. Iwate University, Faculty Of Engineering, Iwate, Japan

2. Tokyo University of Science, Tokyo, Japan

3. Helmholtz-Zentrum Berlin, Berlin, Germany

18:00-18:15

TH.D.3_O4 - New investigation of the magnetization plateau phases in the frustrated antiferromagnet TbB4 by neutron diffraction in pulsed magnetic fields up to 40 T
F. Duc¹, W. Knafo¹, J. Billette¹, X. Tonon², F. Bourdarot³, E. Lelivbre-berna², E. Lorenzo⁴, P. Frings¹, L.P. Regnault³, F. Iga⁵, S. Michimura^{6,7}
 1. *Lab. National Des Champs Magnétiques Intenses, Toulouse, France*
 2. *Institut Laue Langevin, Grenoble, France*
 3. *Univ. Grenoble Alpes and CEA, INAC-SPSMS-MDN, Grenoble, France*
 4. *Institut Néel, CNRS, Grenoble, France*
 5. *College of Science, Ibaraki University, Mito, Japan*
 6. *Research and Development Bureau*
 7. *Graduate School of Science & Engineering, Saitama University, Saitama, Japan*

TH.E.3_MAGNETIC NANOPARTICLES

17:15-18:15 (ROOM H3)

Chair: Sonia Estrade

17:15-17:30

TH.E.3_O1 - A comparative measurement technique for magnetic hyperthermia in nanoparticle suspensions
K. O'Grady^{1,2}, J. Zehner¹, F. Halpin¹, G. Vallejo-Fernández¹, J. Flatt¹, J. Timmis², V. Patel²
 1. *Department of Physics, University of York, Heslington, York, United Kingdom*
 2. *Liquids Research Ltd, Unit 9 Mentec, Gwynedd, United Kingdom*

17:30-17:45

TH.E.3_O2 - Synthesis and unusual magnetic damping effect in silver-cobalt ferrite nanosystem
S. Sharma¹, M. Knobel¹, K. Pirota¹, F. Beron¹, G. Zoppellaro², J. M. Vargas³, D. Altbir⁴
 1. *Instituto de Física Gleb Wataghin (IFGW), Universidade Estadual de Campinas (Unicamp), Campinas, Brazil*
 2. *Regional Centre of Advanced Technologies and Materials, Faculty of Science, Olomouc, Czech Republic*
 3. *Institute of Nanoscience and nanotechnology, Centro Atomico Bariloche, Bariloche, Argentina*
 4. *Universidad de Santiago de Chile (United StatesCH), Santiago, Chile*

17:45-18:00

TH.E.3_O3 - Adjustable magnetic properties of Fe3O4/silicon nanocomposites with respect to biomedical applications
P. Granitzer¹, K. Rumpf¹, P. Poelt², M. Reissner³
 1. *Karl-Franzens-University Graz, Institute of Physics, Graz, Austria*
 2. *University of Technology Graz, Institute for Electron Microscopy, Graz, Austria*
 3. *Vienna University of Technology, Institute of Solid State Physics, Wien, Austria*



18:00-18:15

TH.E3_04 - Dipolar ferromagnetism of island-like agglomerates of Fe₃O₄ nanoparticles embedded in an epoxy matrix

P. Allia¹, P. Tiberto², G. Barrera³, F. Bondioli⁴, C. Sciancalepore⁵, M. Messori⁵

1. Politecnico Di Torino, Torino, Italy

2. INRIM, Torino, Italy

3. Università di Torino, Torino, Italy

4. Università di Parma, Parma, Italy

5. Università di Modena e Reggio Emilia, Modena, Italy

TH.F.3_MEASURING TECHNIQUES AND INSTRUMENTATION

17:15-18:15 (ROOM A)

Chair: Tolek Tyliszczak

17:15-17:45

TH.F.3_I1 - Advances in Magnetic Force Microscopy

A. Asenjo¹, O. Iglesias-Freire¹, M. Jaafar¹, E. Berganza¹

1. Icomm-Csic, Madrid, Spain

17:45-18:15

TH.F.3_I2 - Spin Dynamics of Magnetic Skyrmions and Domain Walls due to spin – orbit effects

M. Kläui¹

1. Institute of Physics, Johannes Gutenberg University Mainz, Mainz, Germany

TH.G.3_SPIN-ORBIT AND SPIN-LATTICE COUPLING

17:15-18:15 (ROOM B1-B3)

Chair: Jacob Torrejón

17:15-17:30

TH.G.3_01 - Spin-orbit-induced orbital excitations in Sr₂RuO₄ and Ca₂RuO₄: a resonant inelastic X-ray scattering study

C.G. Fatuzzo¹, M. Dantz², S. Fatale¹, P. Olalde-Velasco², N. Shaik Bastien Dalla Piazza¹, S. Toth³, J. Pellicciari², R. Fittipaldi Antonio Vecchione^{4,5}, N.Kikugawa^{6,7}, J. S. Brooks⁷

1. Institute for Condensed Matter Physics, EPFL, Switzerland

2. Swiss Light Source, Paul Scherrer Institut, Switzerland

3. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Switzerland

4. CNR-SPIN, I-84084 Fisciano, Salerno, Italy

5. Dipartimento di Fisica "E.R. Caianiello", Università di Salerno, Italy

6. National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, Japan

7. National High Magnetic Field Laboratory, Tallahassee, United States

8. Institute for Solid State Physics (ISSP), University of Tokyo, Japan

9. Department of Quantum Matter Physics, University of Geneva, Switzerland

10. Physics Institute, University of Zurich (UZH), Switzerland



17:30-17:45

TH.G.3_02 - Evidence for XY anisotropy in Sr2IrO4 as revealed by magnetic critical scattering

J. Vale^{1,2}, S. Boseggia^{1,3}, H. Walker^{4,5}, R. Springell⁶, Z. Feng¹, E. Hunter⁷, R. Perry¹, D. Prabhakaran⁸, A. Boothroyd⁸, S. Collins³, H. Ronnow^{2,9}, D. McMorrow¹

1. University College London, London, United Kingdom
2. Ecole Polytechnique Federale de Lausanne, Lausanne, Switzerland
3. Diamond Light Source, United Kingdom
4. PETRA III, DESY
5. ISIS Neutron and Muon Source
6. University of Bristol, Bristol, United Kingdom
7. University of Edinburgh, Edinburgh, United Kingdom
8. University of Oxford, Oxford, United Kingdom
9. Institute of Solid State Physics, University of Tokyo, Tokyo, Japan

17:45-18:00

TH.G.3_03 - Orbital Magnetism and Spin-Orbit Effects in Iridium Oxides

M. A. Laguna-Marco¹, P. Kayser², J. A. Alonso², Y. Choi³, D. Haskel³

1. ICMA and Dpto de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain
2. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain
3. Advanced Photon Source, Argonne National Laboratory, Argonne, United States

18:00-18:15

TH.G.3_04 - Orbital and magnetic orderings in half-doped manganites thin films: the crucial role of strain and bandwidth

J. Fontcuberta¹

1. Institut de Ciencia de Materials de Barcelona (ICMAB-CSIC), Campus UAB, Bellaterra, Spain

TH.H.3_THIN FILM NANOSTRUCTURES

17:15-18:15 (ROOM D1-D3)

Chair: Norbert Nemes

17:15-17:45

TH.H.3_I1 Spin-dependent thermoelectric phenomena in thin films of La2/3Sr1/3MnO3

C. Bui¹, F. Rivadulla¹

1. Centro de Investigación en Química Biológica y Materiales Moleculares (CIQUIS), Universidad de Santiago de Compostela, 15782-Santiago de Compostela, Spain.

17:45-18:00

TH.H.3_02 - Switchable field-tuned control of magnetic domain wall pinning along Co microwires by 3D e-beam lithographed structures

C. Blanco-Roldán^{1,2}, C. Quirós^{1,2}, G. Rodriguez-Rodriguez³, M. Vélez^{1,2}, J. I. Martín^{1,2}, J. M. Alameda^{1,2}

1. Departamento de Física, Universidad de Oviedo, Oviedo, Spain
2. Centro de Investigación en Nanomateriales y Nanotecnología CINN (CSIC, Universidad de Oviedo), El Entrego, Spain
3. Madrid Institute for Advanced studies in Nanoscience (IMDEA nanoscience), Campus de Cantoblanco, Madrid, Spain



18:00-18:15

TH.H.3_O3 - Domain Wall Nanosensors Based on Ultra-thin CoFeB Films

J. Wells¹, J. H. Lee², R. Mansell², R. Cowburn², O. Kazakova¹

1. *National Physical Laboratory, Teddington, Middlesex, United Kingdom*

2. *Thin Film Magnetism, Department of Physics, University of Cambridge, Cambridge, United Kingdom*

TH.I.3_ARRAYS OF MAGNETIC NANOSTRUCTURES

17:15-18:30 (ROOM D4-D6)

Chair: Cristina Gómez Polo

17:15-17:30

TH.I.3_O1 - Self-assembled magnetic nanodot arrays growing on diblock copolymer templates: An in-situ study combining GISAXS and NRS.

D.Erb², K. Schlage¹, R. Röhlberger¹

1. *Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany*

2. *University of Hamburg, Hamburg, Germany*

17:30-17:45

TH.I.3_O2 - Magnetic antidot to dot transition in Co/Pd nanopatterned thin films with perpendicular magnetic anisotropy

M. Krupinski¹, A. Zarzycki¹, A. Szkudlarek², M. Giersig³, M. Marszalek¹

1. *Institute Of Nuclear Physics Polish Academy Of Sciences, Kraków, Poland*

2. *Academic Centre for Materials and Nanotechnology, AGH University of Science and Technology, Kraków, Poland*

3. *Department of Physics, Freie Universität Berlin, Berlin, Germany*

17:45-18:00

TH.I.3_O3 - Anisotropy and dipolar interactions in an ultra-dense array of single-crystalline cobalt nanowires

T. Blon¹, N. Liakakos¹, C. Achkar¹, I. Camara², M. Bailleul², V. Pierron-Bohnes², Y. Henry², B. Chaudret¹, M. Respaud¹, K. Soulantica¹

1. *Laboratoire de Physique et Chimie des Nano-objets, INSA, Toulouse, France*

2. *IPCMS, UMR7504 CNRS-Université de Strasbourg, Strasbourg, France*

18:00-18:15

TH.I.3_O4 - Reversal mechanism, switching field distribution and dipolar frustrations in Co/Pt bit pattern media based on AAO auto-assembled hexagonal array of nanobumps

T. Hauet¹, L. Piroux², S. K. Srivastava², V. A. Antohe², D. Lacour¹, M. Hehn¹, F. Montaigne¹, J. Schwenk³, M. A. Marioni³, H. J. Hug⁴

1. *Institut Jean Lamour, Lorraine, France*

2. *Institute of Condensed Matter and Nanosciences, Belgium*

3. *Empa, Dübendorf, Switzerland*

4. *Institute of Physics, Universität Basel, Switzerland*

5. *CIC nanoGUNE, Gipúzcoa, Spain*



18:15-18:30

TH.I.3_O5 - Magnetotransport in La(2/3)Ca(1/3)MnO(3) thin films with on-surface deposited Py nanostructures

W. Yanez ¹, V. Vlaminc ¹, J. Hoffman ², A. Hoffmann ², D. Niebieskikwiat ¹

1. *Universidad San Francisco de Quito, Quito, Ecuador*
2. *Argonne National Laboratory, Argonne, United States*

TH.J.3 THEORY AND MODELLING

17:15-18:15 (ROOM E1-E3)

Chair: Pedro Landeros

17:15-17:45

TH.J.3_I1 - Anatomy of Dzyaloshinskii-Moriya Interaction at Co/Pt Interfaces

H. Yang ¹, A. Thiaville ², S. Rohart ², A. Fert ³, M. Chshiev ¹

1. *Univ. Grenoble Alpes, INAC-SPINTEC, Grenoble, France; CNRS, SPINTEC, Grenoble, France; And CEA, INAC-SPINTEC, Grenoble, France*
2. *Laboratoire de Physique des Solides, Univ. Paris-Sud, Orsay, France*
3. *Unité Mixte de Physique CNRS/Thales, Palaiseau, France and Univ. Paris-Sud, Orsay, France*

17:45-18:00

TH.J.3_O2 - Thermodynamic Properties of Pr1-xDyxCoO3 Perovskite

N.K. Gaur ¹, R. Thakur ¹

1. *Barkatullah University, Bhopal, Madhya Pradesh, India*

18:00-18:15

TH.J.3_O3 - Stoner Magnetism in an Inversion Layer

D. Golosov ¹

1. *Dept. of Physics and the Resnick Institute, Bar-Ilan University, Ramat Gan, Israel*



FRIDAY, 10 JULY

Friday, 10 July



PLENARY-5

12:30-13:30 (AUDITORIUM)

Chair: Axel Hoffmann

12:30-13:30

PLENARY 5 - Magnetic Materials for Green Technologies

Oliver Gutfleisch

Technical University of Darmstadt, Darmstadt, Germany

FR.A.1_SOFT AND HARD MAGNETIC MATERIALS

09:00-10:30 (ROOM J)

Chair: Nicoletta Lupu

09:00-09:30

FR.A.1_I1 - Magnetic Properties of FeCo₂B and the effect of doping by 5d elements

A. Edström¹, M. Werwinski¹, J. Ruzs¹, O. Eriksson¹, K.P. Skokov², I.A. Radulov², S. Ener², M. D. Kuz'min², J. Hong², M. Fries²

1. Uppsala University, Uppsala, Sweden

2. Technische Universität Darmstadt, Darmstadt, Germany

3. Vienna University of Technology, Wien, Austria

09:30-09:45

FR.A.1_O2 - Magnetic field effects on reaction-sintering of MnBi

Y. Mitsui¹, K. Abemitsu¹, R.Y. Umetsu², K. Takahashi², K. Koyama¹

1. Graduate School Of Science And Engineering, Kagoshima University, Kagoshima, Japan

2. Institute for Materials Research, Tohoku University, Miyagi, Japan

09:45-10:00

FR.A.1_O3 - The Importance of Strong Electronic Correlations in Rare-Earth Free Hard Magnets

F. Ronning¹, J. Zhu¹, M. Janoschek¹, R. Rosenberg², J. Criginski Cezar³, E. Bauer¹, C. Batista¹, J. Thompson¹

1. Los Alamos National Laboratory, United States

2. Advanced Photon Source, Argonne National Laboratory, United States

3. Laboratório Nacional de Luz Síncrotron, Brasil

10:00-10:15

FR.A.1_O4 - BH enhancement in SrFe₁₂O₁₉ hybrid nanocomposites

A.M. Aragón¹, A. Quesada², A. Bollero³, S. Deledda⁴, J.F. Fernández², A. Hernando¹, P. Marín¹

1. Instituto De Magnetismo Aplicado (UCM-ADIF), Las Rozas, Madrid, Spain

2. Instituto de Cerámica y Vidrio, CSIC, Madrid, Spain

3. IMDEA Nanoscience, Madrid, Spain

4. Institute for Energy Technology, Kjeller, Norway



10:15-10:30

FR.A.1_05 - Magnetism of ferromagnetic bulk MnBi phases made from MnBi nanoparticlesE. Skoropata^{1,2}, J. Freeland³, M. Rowe², J. van Lierop¹1. *University Of Manitoba, Winnipeg, Canada*2. *Toyota Research Institute of North America, Chicago, United States*3. *Argonne National Laboratory, Lemont, United States***FR.B.1_MAGNETIC NANOPARTICLES****09:00-10:30 (ROOM F)****Chair:** Francisco Bonilla

09:00-09:30

FR.B.1_I1 - Size-induced enhanced magnetoelectric effect in chromium oxide nanoclustersD. Halley¹, N. Najjari¹, L. Joly¹, B. Doudin¹, Y. Henry¹1. *CNRS/Université de Strasbourg, Strasbourg, France*

09:30-09:45

FR.B.1_02 - Relationship between the verwey temperature and the particle size in magnetite nanoparticlesL. Marcano¹, D. Muñoz Rodríguez², A. Muela^{2,3}, A. García Prieto^{3,4}, J. Alonso^{3,5}, L. Fernández Barquín⁶, M.L. Fdez-Gubieda^{1,3}1. *Universidad Del País Vasco (UPV/EHU), Spain*2. *Departamento de Inmunología, Microbiología y Parasitología, Universidad Del País Vasco (UPV/EHU), Spain*3. *BCMaterials, Building N0.500, Technological Park of Biscay, Derio, Spain*4. *Departamento de Física Aplicada I, Universidad Del País Vasco (UPV/EHU), Spain*5. *Department of Physics, University of South Florida, Tampa, United States*6. *Departamento CITIMAC, F. Ciencias, Universidad de Cantabria, Santander, Spain*

09:45-10:00

FR.B.1_03 - Core/shell magnetism in NiO nanoparticlesA. Ionescu¹, J.F.K. Cooper¹, R.M. Langford¹, K. R.A. Ziebeck¹, C. H.W. Barnes¹, R. Gruar², C. Tighe², J. A. Darr², N.T.K. Thanh³, B. Ouladid⁴1. *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*2. *Chemistry Department, University College London, United Kingdom*3. *Davy-Faraday Research Laboratory, Royal Institution of Great Britain, London, United Kingdom*4. *Institut Laue-Langevin, Grenoble, France*

10:00-10:15

FR.B.1_04 - Interplay between microstructure and magnetism in transition metal oxide nanoparticles: towards the breakdown of the antiferromagnetic orderN. Rinaldi-Montes¹, P. Gorria¹, D. Martínez-Blanco², A. B. Fuertes³, I. Puente-Orench⁴, J.A. Blanco¹1. *Departamento de Física, Universidad de Oviedo, Oviedo, Spain*2. *Servicios Científico-Técnicos, Universidad de Oviedo, Oviedo, Spain*3. *Instituto Nacional del Carbón, CSIC, Oviedo, Spain*4. *Instituto de Ciencia de Materiales de Aragón, CSIC-Universidad de Zaragoza and Institut Laue-Langevin, Grenoble, France*

10:15-10:30

FR.B.1_05 - Sorption study water contaminants by magnetic nanoparticles: A theoretical approach based on DFT calculationsS. Baltazar¹, M. Salgado¹

1. *Departamento de Física, CEDENNA, Universidad de Santiago de Chile, Santiago de Chile, Chile*

FR.C.1_TOPOLOGICAL INSULATORS AND METAL INSULATOR TRANSITIONS**09:00-10:30 (ROOM H1)****Chair:** Hertmann Sudrow

09:00-09:15

FR.C.1_01 - Topological Surface States and Double Berry Monopoles in the Heavy Fermion Superconductor UPt₃A. Nevidomskyy¹, P. Goswami²

1. *Department of Physics and Astronomy, Rice University, United States*

2. *Condensed Matter Theory Center, University of Maryland, United States*

09:15-09:30

FR.C.1_02 - Superconductivity and antiferromagnetism in the half-Heusler compound HoPdBiA. Nikitin¹, X. Mao^{1,2}, Y. Pan¹, Y. Huang¹, B. Yan³, A. de Visser¹

1. *Van der Waals - Zeeman Institute, University of Amsterdam, Amsterdam, The Netherlands*

2. *Jimei University, Xiamen, China*

3. *Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany*

09:30-09:45

FR.C.1_03 - Linear magnetoresistance, weak antilocalization and Shubnikov-de Haas oscillations in the putative topological superconductor LuPdBiO. Pavlosiuk¹, D. Kaczorowski¹, P. Wisniewski¹

1. *Institute Of Low Temperature And Structure Research, Polish Academy Of Sciences, Poland*

09:45-10:00

FR.C.1_04 - Discovery of superconductivity in Bi₂Te: evidence of universal behavior in an infinitely adaptive series under compressionR. Stillwell¹, J. Jeffries¹, S. McCall¹, Z. Jenei¹, S. Weir¹, Y. Vohra²

1. *Lawrence Livermore National Laboratory, Livermore, United States*

2. *University of Alabama at Birmingham, Alabama, United States*



10:00-10:15 **FR.C.1_O5 - Quantum oscillations in high magnetic fields, Berry phase, quantum Hall effect and superconductivity in Cu-doped bismute selenide single crystals**
 S. I. Vedeneev ¹, T. Romanova ^{1,2}, D. Knyazev ^{1,2}, A. Sadakov ^{1,2}
 1. Lebedev Physical Institute of Russian Academy Of Science, Moscow, Russian Federation
 2. International Laboratory of High Magnetic Fields and Low Temperatures, Wroclaw, Poland

10:15-10:30 **FR.C.1_O6 - Surface damage of SmB₆ through ion-irradiation**
 N. Wakeham ¹, Y. Wang ¹, Z. Fisk ², F. Ronning ¹, J. Thompson ¹
 1. Los Alamos National Laboratory, New Mexico, United States
 2. University of California, Irvine, California, United States

FR.D.1_HIGHLY FRUSTRATED MAGNETISM

09:00-10:30 (ROOM H2)

Chair: David Laroze

09:00-09:30 **FR.D.1_I1 - The AC Wien effect and non-linear non-equilibrium susceptibility in spin ice.**
 P. Holdsworth ¹, V. Kaiser ^{1,3}, S. Bramwell ², R. Moessner ³
 1. Ecole Normale Supérieure De Lyon, Lyon, France
 2. London Centre for Nanotechnology, UCL, London, United Kingdom
 3. Max Planck, Dresden, MPIPKS, Germany

09:30-09:45 **FR.D.1_O2 - Magnetoelectricity of the spin-ice compound Ho₂Ti₂O₇**
 T. Herrmannsdörfer ¹, R. Schönemann ^{1,2}, E. Green ¹, L. Opherden ^{1,2}, R. Skrotzki ^{1,2}, Z. Wang ¹, H. Kaneko ³, H. Suzuki ³, J. Wosnitza ^{1,2}
 1. Dresden High Magnetic Field Laboratory (HLD-EMFL), Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany
 2. Institut für Festkörperphysik, TU Dresden, Dresden, Germany
 3. Faculty of Mathematics and Physics, Kanazawa University, Kanazawa, Japan

09:45-10:00 **FR.D.1_O3 - Magnetic charge crystal phase embedded in a disordered spin lattice in thermally-active artificial spin ice**
 I. Chioar ^{1,2}, Benjamin Canals ^{1,2}, D. Lacour ³, M. Hehn ³, B. Santos Burgos ⁴, T. O. Mendes ⁴, A. Locatelli ⁴, F. Montaigne ³, N. Rougemaille ^{1,2}
 1. CNRS, Institut NEEL, Grenoble, France
 2. Université Grenoble Alpes, Institut NEEL, Grenoble, France
 3. Institut Jean Lamour, Université de Lorraine and CNRS, Vandoeuvre les Nancy, France
 4. Elettra - Sincrotrone Trieste S.C.p.A., S.S, Basovizza, Trieste, Italy

10:00-10:15

FR.D.1_04 - Magnetic crystallography and 'jellyfish' structure of monopoles in spin iceL. Jaubert¹, M. Udagawa², C. Castelnuovo³, R. Moessner⁴

1. Okinawa Institute Of Science And Technology, Japan
2. University of Tokyo, Japan
3. University of Cambridge, United Kingdom
4. MPI-PkS Dresden, Germany

10:15-10:30

FR.D.1_05 - Magnetic phases up to 120 T in a triangular-lattice antiferromagnet CuCrO₂A. Miyata¹, K. Ohgushi¹, S. Takeyama¹

1. ISSP, Univ. of Tokyo, Tokyo, Japan

FR.E.1_MEASURING TECHNIQUES AND INSTRUMENTATION**09:00-10:30 (ROOM H3)****Chair:** Michael Foerster

09:00-09:30

FR.E.1_I1 - Electron Holography and Lorentz microscopy for quantitative measurements of local magnetic properties and in-situ experimentsE. Snoeck^{1,2,4}, C. Gatel^{1,4}, Cesar Magen^{2,4}, Aurelien Maseboeuf^{1,4}, Luis Alfredo Rodriguez^{1,2,4}, Thomas Blon^{3,4}, Lise Marie Lacroix^{3,4}, Francisco Bonilla^{3,4}

1. CEMES-CNRS 29, Toulouse, France
2. Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain
3. LPCNO-INSA, Av de Ranguel , Toulouse, France
4. Transpyrenean Associated Laboratory for Electron Microscopy (TALEM), CEMES-INA, CNRS-Universidad de Zaragoza, Zaragoza, Spain

09:30-09:45

FR.E.1_02 - Scanning gate microscopy of domain wall nanosensorH. Corte-León^{1,2}, P. Krzyteczko³, F. Marchi⁴, J. Motte⁴, H. Werner Schumacher³, V. Antonov², N. Dempsey⁴, O. Kazakova¹

1. National Physical Laboratory, Teddington, United Kingdom
2. Royal Holloway University of London, Egham, United Kingdom
3. Physikalisch-Technische Bundesanstalt, Braunschweig, Germany
4. Univ. Grenoble Alpes, Inst. NEEL, Grenoble, France

09:45-10:00

FR.E.1_03 - Domain wall pinning in cylindrical nanowiresI. Ivanov¹, A. Chuvilin², J. Kosel¹

1. King Abdullah University Of Science And Technology (KAUST), Thuwal, Saudi Arabia
2. CIC nanoGUNE Consolider, San Sebastian, Spain
- King Abdullah University Of Science And Technology (KAUST), THUWAL, SAUDI ARABIA

- 10:00-10:15 **FR.E.1_O4 - Mechanomagnetic spectroscopy: an ultrasonic method to study magnetostriction**
S. Kustov^{1,2}, M. Ll. Corró Moyà¹
 1. *Departament De Física, Universitat De Les Illes Balears, Palma, Spain*
 2. *ITMO University, St. Petersburg, Russian Federation*
- 10:15-10:30 **FR.E.1_O5 - Imaging magnetic domain patterns in 3D curved surfaces**
R. Streubel¹, F. Kronast², P. Fischer^{3,4}, O. G. Schmidt^{1,5}, D. Makarov¹
 1. *Institute for Integrative Nanosciences, IFW Dresden, Germany*
 2. *Helmholtz-Zentrum Berlin für Materialien und Energie GmbH, Germany*
 3. *Center for X-ray Optics, Lawrence Berkeley National Laboratory, CA, United States*
 4. *Physics Department, UC Santa Cruz, CA, United States*
 5. *Material Systems for Nanoelectronics, Chemnitz University of Technology, Germany*

FR.F.1_MAGNETISM THEORY AND SIMULATION OF QUANTUM AND CLASSICAL SYSTEMS

09:00-10:30 (ROOM A)

Chair: Leonard Spinu

- 09:00-09:30 **FR.F.1_I1 - Designer Nanomagnets**
J. Rossier¹
 1. *Inl, Braga, Portugal*
- 09:30-09:45 **FR.F.1_O2 - Strange correlations in symmetry protected topological phases**
P. Sengupta¹, K. Wierschem²
 1. *Nanyang Technological University, Singapore*
 2. *National Taiwan University, Taiwan*
- 09:45-10:00 **FR.F.1_O3 - Electronic properties of transition metal atoms on Cu₂N/Cu(100): a comparative study**
A. Ferrón¹, J.L. Lado¹, J. Fernández-Rossier¹
 1. *International Iberian Nanotechnology Laboratory, Braga, Portugal*
- 10:00-10:15 **FR.F.1_O4 - Magnetism in rare earth quasicrystals: RKKY interactions and ordering**
S. Thiem
 1. *University of Oxford, Oxford, United Kingdom*
- 10:15-10:30 **FR.F.1_O5 - Spin and orbital contributions to relativistic magnetic interactions in strongly correlated systems**
A. Secchi¹, A.I. Lichtenstein², M.I. Katsnelson¹
 1. *Radboud University Nijmegen, Institute For Molecules And Materials, Nijmegen, Netherlands*
 2. *Universität hamburg, Institut für Theoretische Physik, Hamburg, Germany*

FR.G.1_SPIN WAVE DYNAMICS AND MAGNONICS

09:00-10:30 (ROOM B1-B3)

Chair: Paolo Vavassori

- 09:00-09:30 **FR.G.1_I1 - Spin-transfer torque for nano-magnonics**
S. Demokritov¹, V. Demidov¹, S. Urazhdin²
1. *University of Muenster, Germany*
2. *Emory University, Atlanta, GA, United States*
- 09:30-09:45 **FR.G.1_O2 Unidirectional spin-wave edge modes in perpendicularly magnetized permalloy structures**
B. Leven¹, F. Ciubotaru¹, A. V. Chumak¹, V. I. Vasyuchka¹, A. A. Serga¹, B. Hillebrands¹
1. *Fachbereich Physik And Forschungszentrum Optimas, TU Kaiserslautern, Germany*
- 09:45-10:00 **FR.G.1_O3 - Direct Microscopic Observation of Spin Wave Modes in Nanoscaled Antidot Lattices**
J. Gräfe¹, A. Gangwar², M. Noske¹, H. Stoll¹, C. H. Back², G. Schütz¹, E. J. Goering¹
1. *Max Planck Institute For Intelligent Systems, Stuttgart, Germany*
2. *Department of Physics, University of Regensburg, Regensburg, Germany*
- 10:00-10:15 **FR.G.1_O4 - Towards graded-index magnonics: Steering spin waves in magnonic networks**
C. Davies¹, A. Francis¹, A. Sadovnikov², S. Chertopalov³, M. Bryan⁴, S. Grishin², D. Allwood⁴, S. Nikitov⁵, Y. Sharaevskii², V. Kruglyak¹
1. *University Of Exeter, Devon, United Kingdom*
2. *Saratov State University, Saratov, Russian Federation*
3. *Donetsk National University, Donetsk, Ucraina*
4. *University of Sheffield, Sheffield, United Kingdom*
5. *Kotel'nikov Institute of Radioengineering and Electronics, Moscow, Russian Federation*
- 10:15-10:30 **FR.G.1_O5 - Effective way of spin-wave excitation in YIG-Pt structures**
A. Serga¹, M. Agrawal¹, V. Vasyuchka¹, B. Hillebrands¹
1. *Department of Physics and State Research Center OPTIMAS, University of Kaiserslautern, Kaiserslautern, Germany*

FR.H.1_NON-FERMI LIQUIDS AND QUANTUM CRITICALITY

09:00-10:30 (ROOM D1-D3)

Chair: Georg Knebel

- 09:00-09:30 **FR.H.1_I1 - Multiple quantum critical points in a cubic heavy fermion system**
S. Paschen¹
1. *Vienna University of Technology, Wien, Austria*



- 09:30-09:45 **FR.H.1_O2 - Frustrated magnetism in Yb₂Fe₁₂P₇**
 K. Grube ¹, S. Zaum ^{1,2}, P. Schweiss ¹, J. J. Hamlin ³, I. K. Lum ³, D. A. Zocco ^{1,3}, R. E. Bumbach ³, M. B. Maple ³, H. v. Löhneysen ^{1,2}
 1. *Karlsruher Institut für Technologie, Institut für Festkörperphysik, Karlsruhe, Germany*
 2. *Karlsruher Institut für Technologie, Physikalisches Institut, Karlsruhe, Germany*
 3. *Department of Physics, University of California, San Diego, La Jolla, California, United States*
- 09:45-10:00 **FR.H.1_O3 - Thermodynamic singularities in the anisotropic stress Grüneisen ratios of quantum critical CeCu_{5.9}Au_{0.1}**
 K. Grube ¹, S. Zaum ^{1,2}, O. Stockert ³, Q. Si ⁴, H. v. Löhneysen ^{1,2}
 1. *Karlsruher Institut Für Technologie, Institut Für Festkörperphysik, Karlsruhe, Germany*
 2. *Physikalisches Institut, Karlsruher Institut für Technologie, Karlsruhe, Germany*
 3. *Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany*
 4. *Department of Physics and Astronomy, Rice University, Houston, United States*
- 10:00-10:15 **FR.H.1_O4 - Non-Fermi Liquid Behaviors and Distinct Metal Insulator Transitions in Perovskite SrIrO₃ Epitaxial Films**
Y. H Jeong ¹, Y. A. Biswas ¹
 1. *Dept of Physics, POSTECH, Pohang, Republic of Korea*
- 10:15-10:30 **FR.H.1_O5 - On the superconducting instabilities of metals near quantum critical points**
S. Raghu ¹
 1. *Stanford University, California, United States*

FR.I.1_VORTEX AND SKYRMION DYNAMICS

09:00-10:30 (ROOM D4-D6)

Chair: Yoshishige Suzuki

- 09:00-09:30 **FR.I.1_I1 - Dynamics and inertia of skyrmionic spin structures**
 C. Moutafis ^{1,2}, F. Büttner ³, A. Bisig ^{3,4}, B. Krueger ³, C. A. F. Vaz ², P. Warnicke ², M. Foerster ³, M. Mawass ³, M. Scheneider ⁵, C. Günter ⁵
 1. *School of Computer Science, University Of Manchester, United Kingdom*
 2. *Paul Scherrer Institute, Villigen, Switzerland*
 3. *Institute of Physics, Johannes Gutenberg Universität Mainz, Mainz, Germany, Universität Konstanz, Konstanz, Germany*
 5. *Institut Für Optik Und Atomare Physik, Technische Universität Berlin, Berlin, Germany*

6. Helmholtz Zentrum Berlin Für Materialien Und Energie GmbH, Berlin, Germany
7. Max Planck Institute For Intelligent Systems, Stuttgart, Germany
8. Department of Applied Physics, Center For NanoMaterials, Eindhoven University of Technology, Eindhoven, Netherlands

- 09:30-09:45 **FR.I.1_O2 - High-frequency dynamic modes of a magnetic antivortex**
K. Buchanan¹, G. Riley¹, J. Liu¹, A. Haldar¹, M. Asmat-Uceda¹
 1. Colorado State University, Colorado, United States
- 09:45-10:00 **FR.I.1_O3 - Studies of Dynamic Spin Fluctuations and the Static Order Parameter of Skyrmion Systems**
L. Liu¹, S. Cheung¹, T. Goko^{1,2}, B. Frandsen¹, E. Morenzoni², S. Dunsiger³, P. Boeni³, G. Luke⁴, C. Jin⁵, A. Fujimori⁶
- 10:00-10:30 **FR.I.1_I4 - Low-frequency magnetization dynamics of vortex dot arrays**
K. Gusliyenko^{1,2}, O. Sukhostavets¹
 1. Depto. Física De Materiales, Universidad Del País Vasco, UPV/EHU, San Sebastián, Spain
 2. IKERBASQUE, the Basque Foundation for Science, Bilbao, Spain

FR.J.1 THEORY OF STRONGLY CORRELATED MATTER

09:00-10:30 (ROOM E1-E3)

Chair: Josef Spalek

- 09:00-09:30 **FR.J.1_I1 - Quantum Criticality and Emergence of the T / B Scaling in Strongly Correlated Metals**
Shinji Watanabe¹, Kazumasa Miyake²
 1. Kyushu Institute of Technology, Fukuoka, Japan
 2. Toyota Physical and Chemical Research Institute Nagakute, Japan
- 09:30-09:45 **FR.J.1_O2 - Electronic correlations in Hund metals**
E. Bascones¹, L. Fanfarillo¹
 1. Instituto De Ciencia De Materiales De Madrid (ICMM-CSIC), Madrid, Spain
- 09:45-10:00 **FR.J.1_O3 - Competition between Hund's coupling and Kondo effect in an extended one-dimensional periodic Anderson model**
I. Hagymasi¹, J. Solyom¹, O. Legeza¹
 1. Wigner Research Centre For Physics, Budapest, Hungary
- 10:00-10:30 **FR.J.1_I4 - Non-local correlations beyond DMFT and (quantum) criticality**
K. Held¹
 1. Vienna University Of Technology, Wien, Austria



- 11:00-11:30 **FR.A.2_I1 - Micromagnetics of rare-earth efficient permanent magnets?**
T. Schrefl^{1, 2, 3, 4, 5}
1. Center For Integrated Sensor Systems, Danube University Krems, Austria
2. St. Poelten University of Applied Sciences, St. Poelten, Austria
3. Universität Duisburg-Essen, Duisburg, Germany
4. Technische Universität Darmstadt, Darmstadt, Germany
5. Toyota Motor Corp., Toyota City, Japan
- 11:30-11:45 **FR.A.2_O2 - Micromagnetic simulation of the effect of microstructure on the coercivity of Dy-diffused Nd-Fe-B sintered magnets**
M. Yj^{1,2}, O. Gutfleisch¹, B. Xu¹
1. Technische Universität Darmstadt, Hessen, Germany
2. Beihang University (BUAA), Beijing, China
- 11:45-12:00 **FR.A.2_O3 - Optimization of permanent magnets performance by means of micromagnetic modelling**
D. Berkov¹, S. Erokhin¹
1. General Numerics Research Lab E.V., Jena, Germany
- 12:00-12:15 **FR.A.2_O4 - First-principles study of the effect of Cu and NdOx in Nd2Fe14B magnets**
Y. Tatetsu¹, T. Ozaki², S. Tsuneyuki^{1,2}, Y. Gohda^{1,3}
1. ESICMM, Department of Physics, The University of Tokyo, Tokyo, Japan
2. Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan
3. Department of Materials Science and Engineering, Tokyo Institute of Technology, Tokyo, Japan
- 12:15-12:30 **FR.A.2_O5 - Molecular field and CEF single ion calculation of the finite temperature intrinsic magnetic properties of R2M14B intermetallic compounds (R=rare earth, M= Fe, Co)**
M. Ito^{1,2}, M. Yano², N. M. Dempsey¹, D. Givord^{1,3}
1. CNRS/Université Grenoble-Alpes, Institut Néel, Grenoble, France
2. Advanced Material Engineering Div., Toyota Motor Corporation
3. Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil

FR.B.2_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

11:00-12:30 (ROOM F)

Chair: Koichi Izawa

- 11:00-11:15 **FR.B.2_01 –Element specific magnetic depth profiles of YBa₂Cu₃O₇/La_{0.7}Ca_{0.7}MnO₃ superlattices using X-ray resonant magnetic reflectometry**
A. Alberca
1. Swiss Light Source, Paul Scherrer Institut, Villigen, Switzerland
- 11:15-11:30 **FR.B.2_02 - Study of strong electronic correlations and superconductivity for KFe₂As₂ under pressure and for intercalated FeSe**
H. O. Jeschke¹, D. Guterding¹, S. Backes¹, R. Valenti¹
1. Goethe-Universität Frankfurt, Frankfurt, Germany
- 11:30-11:45 **FR.B.2_03 - Persistence of high-energy spin fluctuations in electron doped NaFeAs**
J. Pellicciari¹, Y. Huang^{1,2}, M. Dantz¹, V. Bisogni¹, P. Olalde Velasco¹, C. Q. Jin², T. Schmitt¹
1. Swiss Light Source, Paul Scherrer Institute, Villigen, Switzerland
2. Institute of Physics Chinese Academy of Science, Beijing, China
- 11:45-12:00 **FR.B.2_04 - Static Magnetic Order in Overdoped NaFe_{1-x}Cu_xAs Indicating a Mott Transition**
S. Cheung¹, B. Frandsen¹, L. Liu¹, D. Wang^{1,2}, Y. Uemura¹, A. Hallas³, A. Millington³, T. Munsie³, M. Wilson³, G. Luke³
1. Department of Physics, Columbia University, New York, New York, United States
2. Department of Applied Physics and Applied Mathematics, Columbia University, New York, New York, United States
3. Department of Physics and Astronomy, McMaster University, Hamilton, Ontario, Canada
4. Beijing National Laboratory for Condensed Matter Physics and Institute of Physics, Chinese Academy of Sciences, Beijing, China
5. Department of Physics, Zhejiang University, Hangzhou, China
6. Department of Physics, University of Tokyo, Bunkyo-ku, Tokyo, Japan
- 12:00-12:15 **FR.B.2_05 - Successive AF-SC-AF phase transition and the quantum criticality in LaFeAsO_{1-x}H_x studied by nuclear magnetic resonance**
N. Fujiwara¹, N. Kawaguchi¹, Y. Yamakawa², H. Kontani², S. Iimura³, S. Matsuishi³, H. Hosono³
1. Kyoto University, Kyoto, Japan
2. Nagoya University, Nagoya, Japan
3. Tokyo Institute of Technology, Tokyo, Japan



12:15-12:30

Fr.B.2_O6 - Microscopic coexistence of magnetism and superconductivity in $\text{Ca}_{1-x}\text{NaxFe}_2\text{As}_2$

H. Klauss¹, P. Materne¹, S. Kamusella¹, R. Sarkar¹, T. Goltz¹, H. Luetkens², L. Harnagea³, S. Wurmehl³, B. Büchner³, C. Timm⁴

1. TU Dresden, Institute of Solid State Physics, Dresden, Germany
2. Laboratory for Muon Spin Spectroscopy, Paul-Scherrer-Institut, Villigen PSI, Switzerland
3. IFW Dresden, Dresden, Germany
4. TU Dresden, Institute of Theoretical Physics, Dresden, Germany

FR.C.2_TOPOLOGICAL INSULATORS AND METAL INSULATOR TRANSITIONS**11:00-12:30 (ROOM H1)****Chair:** Piotr Wisniewski

11:00-11:30

FR.C.2_I1 - KONDO INSULATORS: Magnetism meets topology.P. Coleman^{1,2}, O. Erten¹

1. Center For Materials Theory, Dept Physics And Astronomy, Rutgers University, United States
2. Department of Physics, Royal Holloway, University of London, Egham, Surrey, United Kingdom

11:30-11:45

FR.C.2_O2 - Fermi surface of pressure metallised Mott insulator NiS_2 S. Friedemann¹, H. Chang², M. Gamza^{3,4}, W. Coniglio⁵, S. Tozer⁵, M. Grosche²

1. HH Wills Laboratory, University Of Bristol, United Kingdom
2. Cavendish Laboratory, University of Cambridge, United Kingdom
3. Royal Holloway University of London, United Kingdom
4. Jeremiah Horrocks Institute for Mathematics, Physics and Astrophysics, University of Central Lancashire, Preston, United Kingdom
5. National High Magnetic Field Laboratory, Tallahassee, United States

11:45-12:00

FR.C.2_O3 - Pressure effect on the ferromagnetic-metal to ferromagnetic-insulator transition in $\text{K}_2\text{Cr}_8\text{O}_{16}$ Y. Ueda¹, T. Yamauchi²

1. Toyota Physical And Chemical Research Institute, Nagakute, Japan
2. Institute for Solid State Physics, University of Tokyo, Tokyo, Japan

12:00-12:15

FR.C.2_O4 - Muon Spin Relaxation studies of Mott Transition Systems: RNiO₃, (Ca,Sr)₂RuO₄ and (Sr,La)₂IrO₄B. Frandsen¹, L. Liu¹, S. Cheung¹, Y. Uemura¹, T. Munsie², M. Wilson², A. Hallas², G. Luke², B. Chen³, C. Jin³

1. Department of Physics, Columbia University, United States

2. Department of Physics, McMaster University, Hamilton, Canada

3. Institute of Physics, Chinese Academy of Sciences, Beijing, China

4. Department of Physics, Zhejiang University, Hangzhou, China

5. Instituto de Ciencia de Materiales de Madrid (ICMM), CSIC, Madrid, Spain

6. Department of Physics, Harvard University, Cambridge, United States

7. Department of Materials Science and Engineering, UC Berkeley, Berkeley, United States

8. Kurume Institute of Technology, Kurume, Japan

9. Department of Physics, Kyoto University, Kyoto, Japan

12:15-12:30

FR.C.2_O5 - A population inversion observed in surface Dirac cone of topological insulator Sb₂Te₃K. Sumida

1. Graduate School of Science, Hiroshima University, Horoshima-shi, Japan

FR.D.2 ELECTRONIC STRUCTURE. ITINERANT ELECTRON MAGNETISM. HALF METALS. INSULATORS**11:00-12:30 (ROOM H2)****Chair: Sébastien Burdin**

11:00-11:30

FR.D.2_I1 - First principles design of complex magnetic oxidesA. Ernst¹

1. Max Planck Institute of Microstructure Physics, Weinberg, Germany

11:30-11:45

FR.D.2_O2 - Half metallicity with huge room temperature spin polarization in the ferromagnetic Heusler compound Co₂MnSiA. Kronenberg¹, J. Minar², J. Braun², S. Chadov³, B. Balke⁴, A. Gloskovskii⁵, M. Kolbe¹, H. J. Elmers¹, G. Schönhense¹, H. Ebert²

1. Physics, Mainz University, Germany

2. Chemistry, LMU München, Germany

3. MPI-CPfS, Dresden, Germany

4. Chemistry, Mainz University, Germany

5. DESY, Hamburg, Germany



12:00-12:15

FR.D.2_O4 - Observation of Quantum Oscillations on La-doped Sr3Ir2O7 single crystals

Z. Feng¹, J. Bruin², E. Hunter³, R. Perry¹, D. Mcmorrow^{1,4}

1. London Centre For Nanotechnology, University College London, United Kingdom

2. High Field Magnetic Laboratory, Nijmegen, Netherlands

3. School of Physics & Astronomy, The University of Edinburgh, Edinburgh, United Kingdom

4. Department of Physics and Astronomy, University College London, United Kingdom

12:15-12:30

FR.D.2_O5 - DISCRETE ATOMIC-LIKE CRYSTAL-FIELD STATES IN LaCoO3, K2CoF4 AND CoO MOTT INSULATORS

R. Radwanski¹

1. Institute Of Physics, Pedagogical University, Krakow, Poland

FR.E.2_MEASURING TECHNIQUES AND INSTRUMENTATION

11:00-12:30 (ROOM H3)

Chair: Etienne Snoek

11:00-11:30

FR.E.2_I1 - Studies of magnetic structures and magnetization dynamic using scanning transmission x-ray microscope

T. Tylliszcak¹

1. Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, United States

11:30-11:45

FR.E.2_O2 - A nanopaleomagnetic study of the early solar system by means of X-ray PEEM

J. Herrero-Albillos¹, J.F.J. Bryson², C. I. O'Bryen Nichols², R.J. Harrison², F. Kronast³

1. Centro Universitario de la Defensa, Zaragoza, Spain, Zaragoza, Spain

2. University of Cambridge, Cambridge, United Kingdom

3. Helmholtz-Zentrum Berlin, BESSY II, Berlin, Germany

11:45-12:00

FR.E.2_O3 - Direct observation of the magnetocrystalline anisotropy axes in Fe₃-xO₄ nanoparticles by MFMC. Moya¹, Ó. Iglesias-Freire^{2,3}, N. Pérez¹, X. Batlle¹, A. Labarta¹, A. Asenjo²*1. Departament de Física Fonamental, Institut de Nanociència i Nanotecnologia, Universitat de Barcelona, Barcelona, Spain**2. Instituto de Ciencia de Materiales de Madrid (ICMM-CSIC), Cantoblanco, Madrid, Spain**3. Department of Physics, McGill University, Montreal, Canada*

12:00-12:15

FR.E.2_O4 - Ghost imaging protocol for magneto-optical applicationsA. Caprile¹, A. Meda², I. R. Berchera², I. P. Degiovanni², A. Avella², A. Magni¹, M. Genovese², M. Pasquale¹*1. INRiM - Electromagnetism Division, Torino, Italy**2. INRiM - Optics Division, Torino, Italy*

12:15-12:30

FR.E.2_O5 - Neutron scattering in magnetic fields up to 26 teslasO. Prokhnenko¹, M. Bartkowiak¹, W. Stein¹, N. Stuesser¹, H. Bleif¹, K. Prokes¹, M. Bird², P. Smeibidl¹, B. Lake¹*1. Helmholtz-Zentrum Berlin, Germany**2. National High Magnetic Field Laboratory, Tallahassee, United States***FR.F.2_MAGNETISM THEORY AND SIMULATION OF QUANTUM AND CLASSICAL SYSTEMS****11:00-12:30 (ROOM A)****Chair:** Luis Brey

11:00-11:30

FR.F.2_I1 - Topological defects in quantum spin-nematicsY. Akagi¹, H. Ueda¹, N. Shannon¹*1. Okinawa Institute of Science And Technology, Okinawa, Japan*

11:30-11:45

FR.F.2_O2 - Quantum Molecular MagnetismS. Brechet¹, F. Reuse¹, K. Maschke¹, J. Ansermet¹*1. EPFL, LaUnited Statesnne, Switzerland*

11:45-12:00

FR.F.2_O3 - Micromagnetic Simulations of three dimensional magnonic crystalsL. Spinu¹, A. Maksymov¹*1. AMRI & Physics, University Of New Orleans, United States*

12:00-12:15

FR.F.2_O4 - Remote qubit manipulation by magnetic solitonsA. Cuccoli^{1,2}, D. Nuzzi^{1,2}, R. Vaia^{2,3}, P. Verrucchi^{1,2,3}*1. Università Di Florence - Dipartimento Di Fisica E Astronomia, Florence, Italy**2. INFN - Sezione di Florence, Florence, Italy**3. Istituto di Sistemi Complessi del CNR, Roma, Italy*

12:10-12:30

FR.F.2_O5 - Energy Efficient Thermally Induced Magnetization Switching by Tailoring the Electron and Phonon DynamicsT. Ostler ¹, U. Atxitia ^{2,3}, O. Chubykalo-Fesenko ⁴, R. Chantrell ¹1. *Department of Physics, The University Of York, Heslington, United Kingdom*2. *Fachbereich Physik, Universität Konstanz, Konstanz, Germany*3. *Zukunftskolleg, Universität Konstanz, Konstanz, Germany*4. *Instituto de Ciencia de Materiales de Madrid, CSIC, Cantoblanco, Madrid, Spain***FR.G.2_MAGNETIC SEMICONDUCTORS AND DILUTED MAGNETS****11:00-12:15 (ROOM B1-B3)****Chair:** Maciek Sawiki

11:00-11:30

FR.G.2_I1 - Novel diluted ferromagnetic semiconductors iso-structural to FeAs superconductorsY. Uemura ¹, L. Liu ¹, B. Frandsen ¹, S. Cheung ¹, B. Chen ², Z. Deng ², K. Zhao ², C. Jin ², C. Ding ³, F. Ning ³1. *Physics Dept., Columbia Univ., New York, United States*2. *Institute of Physics, Chinese Academy of Science, Beijing, China*3. *Dept. of Physics, Zhejiang Univ., Hangzhou, China*4. *Dept. of Physics and Astronomy, McMaster Univ., Hamilton, Ontario, Canada*5. *Advances Science Research Center, JAEA, Tokai, Japan*

11:30-12:00

FR.G.2_I2 - Magnetic order at the (111) polar surfaces of SrTiO3: a non-magnetic insulatorJ. I. Beltrán ^{1,2}, M. C. Muñoz ¹1. *Instituto De Ciencia De Materiales De Madrid (ICMM) Consejo Superior De Investigaciones Científicas (CSIC), Madrid, Spain*2. *Departamento de Física Aplicada III, Universidad Complutense de Madrid, Madrid, Spain*

12:00-12:15

FR.G.2_O3 - Defect induced magnetism in SiCS. Zhou ¹, Y. Wang ¹, Y. Liu ¹, S. Gemming ¹, M. Helm ¹1. *Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany***FR.H.2_APPLIED MAGNETISM OF ORGANIC COMPOUNDS AND BIOMEDICAL APPLICATIONS****11:00-12:30 (ROOM D1-D3)****Chair:** Jürgen Kosel

11:00-11:30

FR.H.2_I1 - Conductive Atomic Force Microscopy of Magnetic Tunnel Junction NanopillarsS. Majetich ¹, S. Piotrowski ¹, S. Oberdick ¹, M. Bapna ¹, A. Abdelgawad ¹, M. Matty ¹1. *Carnegie Mellon University, Pittsburgh, Pennsylvania, United States*

11:30-11:45

FR.H.2_02 - Ferritin-based Multifunctional Nanoparticles for Magnetic Fluid Hyperthermia

C. Innocenti¹, A. Guerrini¹, E. Fantechi¹, M. Zanardelli², L. di Cesare Mannelli², C. Ghelardini², M. Fornara³, E. Falvo³, P. Ceci³, C. Sangregorio⁴

1. *INSTM-LaMM and Dip. di Chimica "U. Schiff", Univ. di Florence, Florence, Italy*
2. *Dip. NEUROFARBA - Sez. Farmacologia e Tossicologia, Univ. di Florence, Florence, Italy*
3. *CNR-IBPM, Dip. di Scienze Biochimiche "A. Rossi Fanelli", Univ. di Roma "La Sapienza", Rome, Italy*
4. *CNR-ICCOM and INSTM, Florence, Italy*

11:45-12:00

FR.H.2_03 - Efficient, safe and fast magnetic targeting of stem cells in spinal cord injury

V. Zablotskii¹, O. Lunov¹, D. Tukmachev², E. Sykova², S. Kubinova², A. Dejneka¹

1. *Institute of Physics ASCR, Prague, Czech Republic*
2. *Institute of Experimental Medicine ASCR, Prague, Czech Republic*

12:00-12:15

FR.H.2_04 - Regulation of mesenchymal stem cell adipogenesis by oscillating high-gradient magnetic fields

O. Lunov¹, V. Zablotskii¹, E. Syková², Š. Kubinová^{1,2}, A. Dejneka¹

1. *ASCR, Institute of Physics, Prague, Czech Republic*
2. *ASCR, Institute of Experimental Medicine, Prague, Czech Republic*

12:15-12:30

FR.H.2_05 - Halbach Arrays Consisting of Cubic Elements Optimized for High Field Gradients in Drug Delivery Applications

L. Barnsley¹, J. Owen¹, D. Carugo¹, E. Stride¹

1. *Institute of Biomedical Engineering, Department of Engineering Science, University of Oxford, Oxford, United Kingdom*

FR.I.2_SURFACE AND INTERFACE EFFECTS**11:00-12:30 (ROOM D4-D6)****Chair:** Alexander Gerber

11:00-11:30

FR.I.2_I1 - Nonlinear unidirectional spin Hall magnetoresistance

P. Gambardella¹

1. *Department of Materials, ETH Zurich, Switzerland*

11:30-11:45

FR.I.2_O2 - Influence of non-magnetic spacers on spin wave spectra in two-dimensional binary magnonic crystals

P. Malago¹, P. Gruszecki², L. Giovannini¹, M. Krawczyk²

1. *Dipartimento di Fisica e Scienze della Terra, Università di Ferrara, Ferrara, Italy*
2. *Faculty Of Physocs, Adam Mickiewicz University In Poznan, Poznan, Poland*

- 11:45-12:00 **FR.I.2_O3 - Spin and orbital magnetic moment of reconstructed $\sqrt{2} \times \sqrt{2}R45^\circ$ magnetite (001)**
L. Aballe ¹, L. Martín-García ², R. Gargallo-Caballero ², M. Monti ², M. Foerster ¹, J. F. Marco ², J. de la Figuera ²
1. ALBA Synchrotron Light Facility, Barcelona, Spain
2. Instituto de Física-Química Rocasolano (CSIC), Madrid, Spain
- 12:00-12:15 **FR.I.2_O4 - Imprinting magnetic chiral spin textures**
R. Streubel ¹, F. Kronast ², U. K. Rössler ³, O. G. Schmidt ^{1,4}, P. Fischer ^{5,6}, D. Makarov ¹
1. Institute for Integrative Nanosciences, IFW Dresden, Germany
2. Helmholtz-Zentrum Berlin für Materialien und Energie GmbH, Germany
3. Institute for Theoretical Solid State Physics, IFW Dresden, Germany
4. Material Systems for Nanoelectronics, Chemnitz University of Technology, Germany
5. Center for X-ray Optics, Lawrence Berkeley National Laboratory, CA, United States
6. Physics Department, UC Santa Cruz, CA, United States
- 12:15-12:30 **FR.I.2_O5 - Macroscopic and static measurement of interfacial Dzyaloshinskii-Moriya interaction**
D. Han ¹, Y. Yin ¹, N. Kim ^{2,3}, J. Kim ¹, J. Koo ¹, J. Cho ², R. Lo Conte ³, G. Karnad ³, T. Schulz ³, M. Klau ³
1. Department Of Applied Physics, Center For NanoMaterials, Eindhoven University Of Technology, Eindhoven, Netherlands
2. Department of Physics, Inha University, Incheon, Korea
3. Institut für Physik and Exzellenz Graduiertenschule Materials Science in Mainz, Johannes Gutenberg Universität Mainz, Mainz, Germany

FR.J.2_FAST AND ULTRAFAST MAGNETIZATION DYNAMICS

11:00-12:30 (ROOM E1-E3)

Chair: Markus Muenzenberg

- 11:00-11:30 **FR.J.2_I1 - Controlled optical switching of ferromagnetic thin films and nanostructures**
E. Fullerton¹
1. Center of Magnetic Recording Research, University of California, San Diego, United States
- 11:30-12:00 **FR.J.2_I2 - Ultrafast Thermally Induced Magnetization Switching in structured systems**
T. Ostler ¹, C. Zhu ^{1,2}, R. Evans ¹, R. Chantrell ¹
1. Department of Physics, University of York, York, United Kingdom
2. College of Electric Engineering, South China Agricultural University, Guangzhou, Guangdong, China

12:00-12:15

FR.J.2_O3 - Magnetic Switching Dynamics due to Ultrafast Exchange Scattering in a Toy Model of a Ferrimagnetic AlloyH. C. Schneider ¹, A. Baral ¹*1. University of Kaiserslautern, Kaiserslautern, Germany*

12:15-12:30

FR.J.2_O4 - The role of the non-collinear magnetic structure on ultrafast laser-induced spin dynamics in NdFeCo and PrFeCoJ. Becker ^{1,2}, A. Tsukamoto ³, A. Kirilyuk ¹, T. Rasing ¹, J. Kees Maan ², P. Christianen ², A. Kimel ¹*1. Radboud University Nijmegen, Institute for Molecules and Materials, Nijmegen, The Netherlands**2. High Field Magnet Laboratory, Institute for Molecules and Materials, Radboud University Nijmegen, , Nijmegen, The Netherlands**3. College of Science and Technology, Nihon University, Funabashi, Chiba, Japan***PLENARY-5****12:30-13:30 (AUDITORIUM)****Chair:** Axel Hoffmann

12:30-13:30

PLENARY 5 - Magnetic Materials for Green Technologies

Oliver Gutfleisch

*Technical University of Darmstadt, Darmstadt, Germany***FR.SEMIPLENARY-1****16:00-16:45 (AUDITORIUM)****Chair:** Laura H. Lewis

16:00-16:45

FR.SP-1 - Magnetocaloric effect: Challenges and opportunities

Vitalij Pecharsky

*Ames Laboratory, Iowa State University, Ames, United States***FR.SEMIPLENARY-2****16:00-16:45 (ROOM J)****Chair:** Nora Dempsey

16:00-16:45

FR.SP-2 - Nanomagnets in the organism: opportunity for therapy and long term fate

Florence Gazeau

MSC CNRS/Université Paris Diderot, Paris, France

FR.SEMIPLENARY-3

16:00-16:45 (ROOM F)

Chair: Alexander Granovsky

- 16:00-16:45 **FR.SP-3 - Ferromagnetic Shape Memory Thin Films: Structure And Magnetic Anisotropy**
José Manuel Barandiaran
BCMaterials & Univ. of the Basque Country, Bilbao, Spain

FR.A.3_SOFT AND HARD MAGNETIC MATERIALS

17:15-18:00 (ROOM J)

Chair: Miroslav Werwinsky

- 17:15-17:30 **FR.A.3_O1 - Permanent Magnet Demagnetization Process Considering The Inclination Of The Demag Field**
S. Tizianel¹, N. Novello¹
1. LEE Srl., NERVIANO, ITALY
- 17:30-17:45 **FR.A.3_O2 -Structure and Magnetic Properties of Sm-Co/ Fe-Co Multilayer Films with In-plane Magnetic Anisotropies Prepared on MgO(110) Single-Crystal Substrates**
M. Ohtake
1. Chuo University, TOKYO, JAPAN
- 17:45-18:00 **FR.A.3_O3 -Magnetization reversal process of Nd-Fe-B sintered magnets observed by magnetic very small angle neutron scattering**
K. Ono
1. High Energy Accelerator Research Organization (KEK), Tsukuba, Japan

FR.B.3_SUPERCONDUCTIVITY AND MAGNETISM, INCLUDING EXOTIC SUPERCONDUCTIVITY

17:15-18:15 (ROOM F)

Chair: Alvar Sánchez

- 17:15-17:30 **FR.B.3_O1 - A Novel Superconductor in Actinoid Platinum Metal Borides**
E. Bauer¹, C. Blaas-Schenner¹, D. Reith², W. Wolf², P. Rogl³, R. Podloucky³, E. Royanian¹, O. Sologub¹, H. Michor¹, E. Scheidt⁴
1. Vienna University of Technology, Wien, Austria
2. Materials Design, S.A.R.L., Montrouge, France
3. University of Vienna, Wien, Austria
4. University of Augsburg, Augsburg, Germany
5. Academy of Sciences of the Czech Republic, Prague, Czech Republic
6. Universidade de Lisboa, Lisboa, Portugal

- 17:30-17:45 **FR.B.3_O2 - Colossal thermoelectric effect due to Berry phase fluctuation in chiral superconductors**
S. Fujimoto¹, H. Sumiyoshi²
 1. Department Of Materials Engineering Science, Osaka University, Suita, Japan
 2. Department of Physics, Kyoto University, Kyoto, Japan
- 17:45-18:00 **FR.B.3_O3 - Quasiparticle interference in chiral superconductors and hidden order phase**
P. Thalmeier¹, A. Akbari²
 1. Max Planck Institute For Chemical Physics of Solids, Dresden, Germany
 2. Asia Pacific Center for Theoretical Physics and Department of Physics, POSTECH, Pohang, Gyeongbuk, Republic of Korea
- 18:00-18:15 **FR.B.3_O4 - Superconductivity of Icosahedral Yb Approximants with Tsai-type Clusters**
K. Deguchi¹, M. Nakayama¹, S. Matsukawa¹, K. Imura¹, K. Tanaka², T. Ishimasa², N. Sato¹
 1. Department of Physics, Graduate School of Science, Nagoya University, Nagoya, Japan
 2. Division of Applied Physics, Graduate School of Engineering, Hokkaido University, Sapporo, Japan

FR.D.3_ELECTRONIC STRUCTURE. ITINERANT ELECTRON MAGNETISM. HALF METALS. INSULATORS

17:15-18:15 (ROOM H2)

Chair: Jesús A. Blanco

- 17:15-17:30 **FR.D.3_O1 - Prediction of magnetic ordering in layered technetium perovskite Sr2TcO4**
A. Horvat¹, L. Pourovskii², M. Aichhorn³, J. Mravlje¹
 1. Jozef Stefan Institute, Ljubljana, Slovenia
 2. Ecole Polytechnique, Palaiseau, France
 3. TU Graz, Graz, Austria
- 17:30-17:45 **FR.D.3_O2 - Inherent orbital-selective tunneling in a STM measurement**
Y. Takahashi¹, K. Ienaga¹, N. Kawamura^{1,2}, T. Miyamachi¹, A. Ernst³, F. Komori¹
 1. ISSP, Univ. of Tokyo, Japan
 2. STRL, NHK, Japan
 3. MPI, Halle, Germany
- 17:45-18:00 **FR.D.3_O3 - The magnetism, energetic stability and magneto-optical properties of the Rh2Mn-Bi-Al and Ir2Mn-Bi-Al alloys**
D. Legut¹, J. Kudrnovsky², J. Hamrle¹
 1. VSB-Technical University Of Ostrava, Czech Republic
 2. Institute of Physics ASCR, Prague, Czech Republic



18:00-18:15

FR.D.3_O4 - Origin of non-monotonic concentration and temperature dependence of magnetocrystalline anisotropy in $(\text{Fe}_{1-x}\text{Co}_x)_2\text{B}$ alloys

K. Belashchenko¹, I. Zhuravlev¹, L. Ke², M. Daene³, L. Benedict³, V. Antropov²

1. *University of Nebraska-Lincoln, Lincoln, United States*

2. *Ames Laboratory, Ames, United States*

3. *Lawrence Livermore National Laboratory, Livermore, United States*

FR.E.3_MAGNETIC NANOPARTICLES

17:15-18:15 (ROOM H3)

Chair: Nicolai Usov

17:15-17:30

FR.E.3_O1 - Domain Wall on a Magnetic Helix with Easy-Tangential Anisotropy

O. Pylypovskyi¹, D. Sheka¹, V. Kravchuk², D. Makarov³, O. Schmidt³, Y. Gaididei²

1. *Taras Shevchenko National University of Kyiv, Kyiv, Ukraine*

2. *Institute for Theoretical Physics, Kyiv, Ukraine*

3. *Institute for Integrative Nanosciences, IFW Dresden, Dresden, Germany*

17:30-17:45

FR.E.3_O2 - Multi-vortex magnetic nanoparticles: A twin-functionalized agent for magnetomechanical cancer-cell destruction and hyperthermia

D. W. Wong¹, N. Liu¹, Y. Yang², W. Liang Gan¹, C. Boon Tan¹, M. Ramu¹, Jun Ding², W. Siang Lew¹, G. Sarjoosing¹

1. *Nanyang Technological University, Singapore*

2. *National University of Singapore, Singapore*

17:45-18:00

FR.E.3_O3 - Nonlinearity of dynamic magnetization in a superparamagnetic clustered-particle suspension with regard to particle rotatability under oscillatory field

S. B. Trisnanto¹, Y. Kitamoto¹

1. *Tokyo Institute Of Technology, Tokyo, Japan*

18:00-18:15

FR.E.3_O4 - Insight into magnetic configurations in Fe nanocubes by micromagnetic simulations and electron holography

F. Bonilla¹, C. Gatel², L. Lacroix¹, A. Meffre¹, B. Warot-Fonrose², E. Snoeck², T. Blon¹

1. *Laboratoire de Physique et Chimie des Nano-objets (LPCNO), Toulouse, France*

2. *CEMES-CNRS, Toulouse, France*



FR.F.3_MATERIALS FOR ENERGY APPLICATIONS

17:15-18:15 (ROOM A)

Chair: Joan Josep Suñol

17:15-17:45

FR.F.3_I1 - Inelastic electronic transport in single-layer graphene and at the surface of topological insulator Bi₂Se₃

J. F. Sierra ¹, M. V. Costache ¹, I. Neumann ¹, S.O. Valenzuela ^{1,2}
1. ICN2 - Institut Català de Nanociència i Nanotecnologia, Campus UAB, Bellaterra, Barcelona, Spain
2. ICREA - Institució Catalana de Recerca i Estudis Avançats, Barcelona, Spain

17:45-18:00

FR.F.3_O2 - Study of the field-induced virgin effect in Mn-Fe-P-Si room temperature magnetocaloric compounds

Andras Bartok¹
1. SATIE ENS-Cachan, France

18:00-18:15

FR.F.3_O3 - Giant Magnetocaloric effect and thermopower in multiferroic Eu_{1-x}Ba_xTiO₃

R. Mahendiran¹, K. Rubi¹
1. National University Of Singapore, Singapore

FR.G.3_DOMAIN WALL MOTION

17:15-18:00 (ROOM B1-B3)

Chair: Juan Carlos Rojas Sanchez

17:15-17:30

FR.G.3_O1 - Intrinsic non-adiabatic spin-transfer torque

K. Kim¹, K. Lee², H. Lee³, M. Stiles¹
1. National Institute Of Standards And Technology, Gaithersburg, United States
2. Korea University, Seoul, Republic of Korea
3. Pohang University of Science and Technology, Pohang, Republic of Korea

17:30-17:45

FR.G.3_O2 - Quantifying optical spin-transfer torque on a coherently expanding magnetic domain wall by tuneable geometrical pinning

T. Janda^{1,4}, P. Roy², R. Otxoa², A. Ramsay², A. Irvine³, H. Reichlova^{1,4}, R. Campion⁵, B. Gallagher⁵, K. Olejnik⁴, Z. Soban⁴
1. Faculty of Mathematics and Physics, Charles University, Prague, Czech Republic
2. Hitachi Cambridge Laboratory, Hitachi Europe Limited, Cambridge, United Kingdom
3. The Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
4. Institute of Physics ASCR, Czech Republic
5. School of Physics and Astronomy, University of Nottingham, Nottingham, United Kingdom



17:45-18:00

FR.G.3_O3 - Reversible Electric Field Driven Magnetic Domain Wall MotionK. Franke¹, B. van de Wiele², Y. Shirahata³, S. Hämäläinen¹, T. Taniyama³, S. van Dijken¹

1. NanoSpin, Department of Applied Physics, Aalto University School of Science, Aalto, Finland
2. Department of Electrical Energy, Systems and Automation, Ghent University, Ghent, Belgium
3. Materials and Structures Laboratory, Tokyo Institute of Technology, Nagatsuta, Midori-ku, Yokohama, Japan

FR.H.3_THIN FILM NANOSTRUCTURES**17:15-18:15 (ROOM D1FD3)****Chair:** Germán Pérez Alcázar

17:15-17:30

FR.H.3_O1 - Helimagnetic spin order in Fe nanoisland on Cu(111)S. Phark^{1,2}, J. Fischer², S. Ouazi², M. Corbetta², D. Sander², K. Nakamura³, J. Kirschner²

1. CCEs, Institute for Basic Science, Seoul National University, Seoul, Republic of Korea
2. Max-Planck-Institut für Mikrostrukturphysik, Halle, Germany
3. Department of Physics Engineering, Mie University, Tsu, Japan

17:30-17:45

FR.H.3_O2 - Magnetization reversal and topological defects in weak perpendicular anisotropy bifurcationsM. Velez^{1,2}, C. Blanco-Roldán^{1,2}, C. Quirós^{1,2}, A. Sorrentino³, A. Hierro-Rodríguez^{4,5}, L. M. Álvarez-Prado^{1,2}, R. Valcarcel³, M. Duch⁶, N. Torras⁶, J. Esteve⁶

1. Dpto. Física, Universidad de Oviedo, Oviedo, Spain
2. Centro de Investigación en Nanomateriales y Nanotecnología, CINN (CSIC - Universidad de Oviedo), El Entrego, Spain
3. ALBA Synchrotron, Cerdanyola del Vallés, Spain
4. IN-IFIMUP, Departamento de Física e Astronomía, Faculdade de Ciências, Universidade do Porto, Porto, Portugal
5. INESC-TEC (Coordinated by INESC-Porto), Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Porto, Portugal
6. Centro Nacional de Microelectrónica, IMB - CNM, CSIC, Campus Universidad Autónoma de Barcelona, Bellaterra, Spain

17:45-18:00

FR.H.3_O3 - Suppression of transition from antiferromagnetic to weak ferromagnetic state in (0001) oriented α -Fe₂O₃ film by Ir dopingS. Prakash Pati¹, N. Shimomura¹, H. Hoshino¹, T. Nozaki¹, K. Mibu², M. Sahashi¹

1. Department of Electronic Engineering, Graduate School of Electronic Engineering, Tohoku University, Sendai, Japan
2. Graduate School of Engineering, Nagoya Institute of Technology, Nagoya, Japan

18:00-18:15

Fr.H.3_O4 - Modifying magnetic properties of an individual Co nanomagnet by circumferential contact with Fe

Jeison Fischer

Max-Planck-Institut für Mikrostrukturphysik, Halle, Germany

FR.I.3_SURFACE AND INTERFACE EFFECTS

17:15-18:15 (ROOM D4-D6)

Chair: Aitor Mugarza

17:15-17:30

FR.I.3_O1 - A Magnetic Nano-Skyrmion Lattice Observed in a Si-Wafer Based Multilayer System

S. Krause¹, A. Schlenhoff¹, P. Lindner¹, J. Friedlein¹, R. Wiesendanger¹, M. Weinl², M. Schreck², M. Albrecht²

1. University of Hamburg, Hamburg, Germany

2. University of Augsburg, Augsburg, Germany

17:30-17:45

FR.I.3_O2 - Conduction-electron mediated Dzyaloshinsky-Moriya interaction in pairs of adatoms revealed by ISTS

M. Steinbrecher¹, A. Ako Khajetoorians^{1,2}, M. Bouhassoune³, M. dos Santos Dias³, S. Lounis³, M. Ternes⁴, J. Wiebe¹, R. Wiesendanger¹

1. Department of Physics, Universität Hamburg, Hamburg, Germany

2. Institute for Molecules and Materials, Radboud University, AJ Nijmegen, The Netherlands

3. Peter Grünberg Institut and Institute for Advanced Simulation, Forschungszentrum Jülich and JARA, Jülich, Germany

4. Max-Planck Institut für Festkörperphysik, Stuttgart, Germany

17:45-18:00

FR.I.3_O3 - Magnetism of single Ho atoms on metal surfaces

R. Baltic¹, F. Donati¹, A. Singha¹, S. Stepanow², C. Wäckerlin¹, J. Dreiser³, P. Gambardella², S. Rusponi¹, H. Brune¹

1. Institute of Condensed Matter Physics (ICMP), École Polytechnique Fédérale de LaUnited Statesnne (EPFL), LaUnited Statesnne, Switzerland

2. Department of Materials, ETH Zürich, Zürich, Switzerland

3. Swiss Light Source (SLS), Paul Scherrer Institute (PSI), Villigen PSI, Switzerland

18:00-18:15

FR.I.3_O4 - Molecular-driven magnetism on a reactive Cu-surface

A. Bedoya-Pinto¹, Y. Prado², S. Shi³, S. Lach⁴, A. Chuvilin^{1,6}, A. Altenhof⁴, A. Droghetti⁵, R. Kruthovostovs¹, F. Casanova^{1,6}, R. Hillenbrand^{1,6}

1. CIC nanoGUNE, Donostia-San Sebastian, Spain

2. Instituto de Ciencia Molecular (ICMOL) Universidad de Valencia, Valencia, Spain

3. Department of Physics, Chemistry and Biology, Linköping University, Linköping, Sweden

4. Department of Physics and Research Center OPTIMAS, University of Kaiserslautern, Erwin-Schrödinger, Kaiserslautern, Germany

5. School of Physics, AMBER and CRANN, Trinity College, Dublin, Ireland

6. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

CLOSING

18:15-18:45 (AUDITORIUM)

Poster Presentations

Monday, 6 July

Session 1, 14.30-16.00 (Exhibition Hall) Even poster numbers

Session 2, 18.15-19.30 (Exhibition Hall) Odd poster numbers

- A. Superconductivity and magnetism, including exotic superconductivity
- B. Low-dimensional. Quantum Spin-Hall effect
- C. Spin-orbit and spin-lattice couplings
- D. Semiconductor spintronics
- E. Organic spintronics. Carbon-based spintronics
- F. Spin transfer torque and spin transfer oscillator
- G. Spinwave dynamics and magnonics
- H. Magnetic thin films and multilayers
- I. Exchange bias and exchange springs
- J. Theory and modeling
- K. Magnetic nanodots, nanowires and nanotubes
- L. Materials for Energy applications

Tuesday, 7 July

Session 1, 14.30-16.00 (Exhibition Hall) Even poster numbers

Session 2, 18.15-19.30 (Exhibition Hall) Odd poster numbers

- A. Ferroics and Multiferroics
- B. Heavy Fermion Physics including Valence and charge fluctuations
- X. Non-Fermi Liquids and Quantum criticality
- Δ . Molecular Magnetism
- E. Electronic Structure. Itinerant-electron magnetism. Half-metals. Insulators
- Φ . Magnetic nanoparticles
- Γ . Perpendicular magnetic anisotropy materials
- H. Soft and Hard magnetic materials
- I. Magnetic information storage, memories and computation

Thursday, 9 July

Session 1, 14.30-16.00 (Exhibition Hall) Even poster numbers

Session 2, 18.15-19.30 (Exhibition Hall) Odd poster numbers

- A. Quantum magnetism and physics of frustration
- B. Kondo physics in bulk materials and nanoscale structures
- C. Magnetic phase transitions and magnetic interactions
- D. Actinides & Lanthanides
- E. Metal spintronics
- F. Domain wall motion
- G. Electric field effect on magnetic systems

- H. Spin caloritronics
- I. Fast and ultrafast magnetization dynamics
- J. Vortex and skyrmion dynamics
- K. Thin film nanostructures
- L. Hybrid nanostructures
- M. Arrays of magnetic nanostructures
- N. Magnetophotonics and magnetoplasmonics
- O. Magnetic Devices and Novel materials
- P. Applied magnetism of organic compounds and Biomedical applications

Friday, 10 July

Session 1, 14.30-16.00 (Exhibition Hall)

- A. Topological Insulators and metal-insulators transitions
- B. Theory of Strongly Correlated Matter
- C. New Developments
- D. Highly frustrated magnetism
- E. Magnetism theory & simulation of quantum and classical systems
- F. Magnetic semiconductors and Diluted magnets
- G. Advanced methods of spin structure determination
- H. Surface and interface effects
- I. Measuring techniques and instrumentation

A. Superconductivity and magnetism, including exotic superconductivity

MO.A-P02 - Distinct interplay between magnetism and superconductivity in Nd_xCe_{1-x}CoIn₅

D. Mazzone¹, J. Gavilano¹, S. Raymond², L. Howald³, P. Dalmass², A. Yaouanc², E. Ressouche², C. Baines⁴, M. Kenzelmann⁵

1. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

2. SPSMS, UMR-E 9001, CEA-INAC/UJF - Grenoble, France

3. Physik-Institut der Universität Zürich, Zurich, Switzerland

4. Laboratory for Muon Spin Spectroscopy, Paul Scherrer Institut, Villigen, Switzerland

5. Laboratory for Developments and Methods, Paul Scherrer Institute, Villigen, Switzerland

MO.A-P03 - Pr₂Pt₃Ge₅ - A novel magnetic superconductor?

J. Gavilano¹, D. Mazzone¹, R. Sibille², M. Bartkowiak², O. Zaharko¹, M. Mansson¹, J. Schefer¹, M. Frontzek¹, M. Kenzelmann²

1. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

2. Laboratory for Developments and Methods, Paul Scherrer Institute, Villigen, Switzerland

MO.A-P04 - Pressure dependence of superconductivity on filled-skutterudite YO₅P₁₂

Y. Kawamura¹, H. Mikage¹, Yu Qi Chen¹, J. Hayashi¹, C. Sekine¹

1. Muroran Institute of Technology, Muroran, Japan

MO.A-P05 - Raman response function assisted unveiling of the interplay of the coexistent CDW and PDW orders in hole doped cuprates

P. Goswami¹

1. D.B. College, University of Delhi, Delhi, India

MO.A-P12 - Structural changes, transport and magnetic properties of Fe_{1.02}TeySe_{1-y}xS_x compounds with ternary mixture of chalcogens

N. Baranov^{1,2}, A. Abouhaswa², A. Merentsov², N. Selezneva²

1. Institute of Metal Physics, Ekaterinburg, Russia

2. Institute of Natural Sciences, Ural Federal University, Ekaterinburg, Russia

MO.A-P13 - Helical majorana fermions in dx₂-y₂ + i dx_y -wave topological superconductivity of doped correlated quantum spin Hall insulators

Chung-Hou Chung^{1,2}, Shih-Jye Sun³, Yung-Yeh Chang¹, Wei-Feng Tsai⁴, A. Haim⁵, Y. Oreg⁵, F. Zhang^{6,7}

1. Department of Electrophysics, National Chiao-Tung University, HsinChu, Taiwan

2. Physics Division, National Center for Theoretical Sciences, HsinChu, Taiwan,

3. Department of Applied Physics National University of Kaohsiung, Kaohsiung, Taiwan

4. Department of Physics, National Sun Yat-Sen University, Kaohsiung, Taiwan

5. Department of Condensed Matter Physics, Weizmann Institute of Science, Rehovot, Israel

6. Department of Physics, Zhejiang University, Hangzhou, China

7. Collaborative Innovation Center of Advanced Microstructures, Nanjing, China

Mo.A-P14 - Enhancement of superconductivity in multi-band systems by odd-parity mixing

M. Continentino¹, F. Deus¹, H. Caldas²

1. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

2. Universidade Federal de São João Del Rei, São João del Rei, Brazil

Mo.A-P15 - Magnetically controlled long-range critical current suppression by ferromagnetic proximity effect

T. Wren^{1,2}, V. Petrashov², O. Kazakova¹

1. National Physical Laboratory, Teddington, U.K.

2. Royal Holloway University of London, London, U.K.

Mo.A-P16 - Asymmetric Andreev reflection

Z. Bak¹

1. Institute of Physics, Jan Dlugosz University, Częstochowa, Poland

Mo.A-P17 - Dual-fermion approach to superconductivities in the two-dimensional kondo lattice

J. Otsuki¹

1. Tohoku Universit, Sendai , Japan

Mo.A-P18 - Superconductivity in high entropy alloys

Z. Jaglicic¹, P. Koxelj², S. Vrtnik², A. Jelen², S. Jazbec², J. Luxnik², J. Dolinšek²

1. University of Ljubljana, FGG And IMFM, Ljubljana, Slovenia

2. Jožef Stefan Institute, Ljubljana, Slovenia

Mo.A-P19 - Magnetic field dependence of the superconducting proximity effect in a two atomic layer thin metallic film

J. A. Fischer¹, M. Caminale¹, A. Alvaro Leon Vanegas¹, A Stepniak¹, H Oka¹, D Sander¹, Jürgen Kirschner¹

1. Max-Planck-Institut für Mikrostrukturphysik, Halle, Germany

Mo.A-P20 - A calorimetric investigation of RbFe₂As₂ single crystals

S. Khim¹, S. Aswartham¹, V. Grinenko¹, Christan G. F. Blum¹, F. Steckel¹, D.I Gruner¹, Anja U. B. Wolter¹, C. He¹, Stefan-Ludwig Drechsler¹, S. Wurmehl^{1,2}, B. Büchner^{1,2}

1. Leibniz-Institute for Solid State and Materials Research, Dresden, Germany

2. Institut für Festkörperphysik, TU Dresden, Dresden, Germany

Mo.A-P21 - Collective spin fluctuations in stripe ordered La_{1.875}Ba_{0.125}CuO₄ detected by 139La nuclear magnetic resonance

Seung-Ho Baek¹, M. Huecker², G. Gu², B. Buechner¹

1. IFW Dresden, Dresden, Germany

2. Brookhaven National Laboratory, Upton, NY, United States

Mo.A-P23 - Magnetic properties of new filled skutterudite compound Ba-Fe₂As₁₂

C. Sekine¹, T. Ishizaka¹, K. Nishine¹, Y. Kawamura¹, H. Gotou²

1. Muroran Institute of Technology, Murora, Japan

2. Institute for Solid State Physics, University of Tokyo, Tokyo, Japan

Mo.A-P25 - X-ray photoelectron spectroscopy studies of the superconducting Mo₂B and Mo₂BC

R. Escamilla^{1,2}, E. Carvajal², L. Huerta¹, E. Verdín³, M. Cruz²

1. Instituto de Investigaciones en Materiales-UNAM, Coyoacán, Mexico

2. ESIME-Culhuacán, Instituto Politécnico Nacional, Mexico, D. F., Mexico

3. Departamento de Física, Universidad de Sonora, Sonora, Mexico

Mo.A-P27 - Interplay of charge density wave and superconductivity in BaPt2As2

C. Guo¹, W. Jiang¹, Y. Chen¹, Z. Weng¹, Y. Wang¹, L. Che¹, G. Pang¹, F. Gao¹, X. Lu¹, H. Yuan¹

1. Department of Physics And Center For Correlated Matter, Zhejiang University, Hangzhou, China

Mo.A-P28 - The in- and out-of-plane magnetisation of highly underdoped YBa2Cu3O6+x single crystals

I. Kokanovic^{1,2}, J. Cooper²

1. Department of Physics, Faculty of Science, University of Zagreb, Zagreb, Croatia.

2. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

Mo.A-P30 - Strong electronic correlations in the superconductors AFe2As2 (A = K, Rb, Cs)

K. Grube¹, F. Eilers¹, D. A. Zocco¹, P. Schweiss¹, R. Heid¹, H. Ikeda², T. Wolf¹, H. Löhneysen^{1,3}

1. Institute of Solid State Physics, Karlsruhe Institute of Technology, Karlsruhe, Germany

2. Department of Physics, Ritsumeikan University, Kyoto, Japan

3. Physikalisches Institut, Karlsruhe Institute of Technology, Karlsruhe, Germany

Mo.A-P31 - Spin-wave dispersion and magnetic exchange in antiferromagnetic Ca2CuO2Cl2

M. d'Astuto¹, Mark M. P. Dean², A. Nicolaou³, J. Pellicciari⁴, B. Baptiste¹, R. Yu⁵, M. Azuma⁵, B. W. Lebert^{1,3}, A. Gauzzi¹, T. Schmitt⁴

1. IMPMC, UMR7590 UPMC-Sorbonne Universités - Paris, France

2. Department of Condensed Matter Physics and Materials Science, Brookhaven National Laboratory, Upton, NY, United States

3. Synchrotron SOLEIL, Gif-sur-Yvette, France

4. Swiss Light Source, Paul Scherrer Institut, Villigen, Switzerland

5. Materials and Structures Laboratory, Tokyo Institute of Technology, Yokohama, Japan

Mo.A-P32 - Charge-stripe Character of Magnetic Interactions of the Checkboard Charge Ordered State

P. Freeman¹, S. Giblin², R. Mole³, K. Hradil⁴, P. Cermak⁵, D. Prabhakaran⁶

1. University of Central Lancashire, Preston, England

2. Cardiff University

3. Bragg Institute, ANSTO

4. Technische Universität Wien

5. Jülich Centre for Neutron Science, Forschungszentrum Jülich

6. Oxford University, Oxford, U.K

Mo.A-P33 - Magnetic properties of GdT2Zn20 (T = Fe, Co) investigated by x-ray diffraction and spectroscopy

J. Mardegan¹, G. Fabbris^{2,3}, D. Haskel³, M. Avila⁴, C. Giles⁵

1. Deutsches Elektronen-Synchrotron DESY, Hamburg, Germany

2. Department of Physics, Washington University, St. Louis, United States

3. Advanced Photon Source, Argonne National Laboratory, Lemont, United States

4. CCNH, Universidade Federal do ABC (UFABC), São Bernardo do Campo, Brazil

5. Instituto de Física 'Gleb Wataghin,' Universidade Estadual de Campinas, Campinas, São Paulo, Brazil

Mo.A-P34 - Longitudinal spin excitations in iron-pnictide parent compounds

M. Fidrysiak¹

1. *Wrocław University of Technology, Wrocław, Poland*

Mo.A-P36 - Magnetic investigation of silver sheathed Sr0.6K0.4Fe2As2 superconductor

M. Reissner¹, B. Brunner^{1,2}, P. Kovac², C. Yao³, Y. Zhang³, Y. Ma³

1. *Institute of Solid State Physics, TU Wien, Wien, Austria*

2. *Institute of Electrical Engineering, Slovak Academy of Sciences, Bratislava, Slovakia*

3. *Key Laboratory of Applied Superconductivity, Institute of Electrical Engineering, Chinese Academy of Sciences, Beijing, China*

Mo.A-P37 - Slowly-fluctuating magnetism and superconductivity in NdFeAsO1-xFx: new physics or déjǎ-vu?

T. Shiroka^{1,2}, G. Lamura³, P. Bonfó⁴, S. Sanna⁵, R. De Renzi⁴, M. Putti³, N. Zhigadlo¹, S. Katrych⁶, R. Khasanov², J. Karpinski^{1,6}

1. *Laboratorium Für Festkörperphysik, Zurich, Switzerland*

2. *Paul Scherrer Institut, Villigen, Switzerland*

3. *CNR-SPIN and Università di Genova, Genova, Italy*

4. *Dip.to di Fisica e Scienze della Terra, Università di Parma, Parma, Italy*

5. *Physics Department, University of Pavia and CNISM, Pavia, Italy*

6. *Laboratoire de Physique de la Matière Complexe, Lausanne, Switzerland*

Mo.A-P38 - Tension failure of Nb-Cu superconductor alloy with fine grained structure in temperature range 4,2 - 300 K

J. Miskuf¹, K. Csach¹, A. Juríková¹, M. Huráková¹, E. Tabachnikova², I. Psaruk², M. Laktionova², A. Podolskiy²

1. *Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia*

2. *B. Verkin Institute for Low Temperature Physics and Engineering NASU, Charkov, Ukraine*

Mo.A-P39 - Effects of La doping on A-site ordered Cr perovskite oxides with Zhang-Rice state

M. Isobe¹, H. Sakurai², H. Takagi¹

1. *Max Planck Institute For Solid State Research, Stuttgart, Germany*

2. *National Institute for Materials Science, Tsukuba, Japan*

Mo.A-P40 - Elastic softening in the orthorhombic compound YbPdGe

I. Ishii¹, Y. Noguchi¹, H. Goto¹, X. Xi¹, S. Kamikawa¹, K. Araki², K. Katoh², T. Suzuki¹

1. *Hiroshima University, Hiroshima-shi, Japan*

2. *National Defense Academy, Yokosuka, Japan*

Mo.A-P41 - Excitonic condensation and superconductivity in Ta2NiSe5

Y. Ohta¹, T. Kaneko¹, K. Seki¹, T. Toriyama¹, T. Konishi¹

1. *Chiba University, Chiba, Japan*

Mo.A-P42 - Novel electronic structures in ru-pnictides RuPn (Pn = P, As, Sb)

H. Goto¹, T. Toriyama¹, T. Konishi¹, Y. Ohta¹

1. *Chiba University, Chiba, Japan*

Mo.A-P44 - Superconductivity under pressure in FeSe1-xTex studied by dc magnetic measurements

K. Miyoshi¹, M. Kondo¹, K. Morishita¹, E. Mutou¹, G. Motoyama¹, K. Fujiwara¹, J. Takeuchi¹

1. *Shimane University, Matsue, Japan.*

Mo.A-P45 - Charge density wave and superconductivity in novel Pt-based superconductors : SrPt₂As₂ and LaPt₂Si₂

S. Kim¹, K. Kim¹, B.I. Min¹

1. Postech, Pohang, Korea

Mo.A-P47 - Quantum criticality at the lifshitz point in electron doped iron arsenides

S. Das¹, M. Laad², V. Tripathi³, J. Gillett⁴, S. Sebastian⁴

1. University of Bristol, Bristol, United Kingdom

2. Institute of Mathematical Sciences, Chennai, India

3. Tata Institute of Fundamental Research, Mumbai, India

4. University of Cambridge, Cambridge, United Kingdom

Mo.A-P48 - Cohabitating phases in metal doped BaFe₂As₂: a structural corroboration

M. E. Saleta^{1,2}, E. Granado¹, C. Adriano¹, D. Tobia¹, P. G. Pagliuso¹, R. R. Urbano¹

1. Instituto de Física "Gleb Wataghin", UNICAMP, Campinas (SP), Brazil

2. Brazilian Synchrotron Light Laboratory (LNLS), Campinas (SP), Brazil

Mo.A-P49 - Induced p-wave superfluidity in imbalanced fermi gases in a synthetic gauge field

H. Caldas^{1,2}, M. Continentino²

1. Departamento de Ciências Naturais. Universidade Federal de São João del Rei, São João del-Rei, Brazil

2. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

Mo.A-P50 - structural, electronic and magnetic properties of 42214 Fe-based superconductors

A. Continenza¹, F. Bucci^{1,2}, G. Profeta¹

1. Università degli Studi dell'Aquila, Dept. of Physical and Chemical Sciences, L'Aquila, Italy

2. CNR, SPIN at Università degli Studi dell'Aquila, L'Aquila, Italy

Mo.A-P52 - Isovalent substitution effect of P to As on magnetic characteristics of EuFe₂As₂-xPx single crystals.

T. Kashiwagi¹, Y. Arakawa¹, T. Ishikawa¹, K. Kadowaki¹

1. University of Tsukuba, Tsukuba, Japan

Mo.A-P53 - Elastic softening in HoFe₂Al₁₀

S. Kamikawa¹, I. Ishii¹, H. Goto¹, T. Fujita¹, F. Nakagawa¹, H. Tanida¹, M. Sera¹, T. SuZuki¹

1. Hiroshima University, Hiroshima-shi, Japan

Mo.A-P54 - Superconductivity in LaPd₂Al(2-x)Ga_x compounds

P. Doleza¹, M. Klicpera¹, J. Pasztorova², J. Prchal¹, P. Javorsky¹

1. Charles University In Prague, Faculty of Mathematics And Physics, (DCMP), Praha, Czech Republic

2. Pavol Jozef Safarik University in Kosice, Faculty of Science, (DCMP), Kosice - Stare Mesto, Slovak Republic

Mo.A-P55 - Pressure dependence of the magnetic order in CrAs

L. Keller¹, J. S. White¹, M. Frontzek¹, P. Babkevich², M. A. Susner³, Z. C. Sims³, A. S. Sefat³, H. M. Ronnow², C. Rüegg^{1,4}

1. *Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institute, Villigen, Switzerland*
2. *Laboratory for Quantum Magnetism, Ecole Polytechnique de Lausanne, Lausanne Switzerland*
3. *Oak Ridge National Laboratory, Oak Ridge, United States*
4. *Department of Quantum Matter Physics, University of Geneva, Geneva, Switzerland*

Mo.A-P56 - Effective doping, pressure-induced metallization and magnetic phases in the BiS2 family of superconductors from first principles

C. Morice¹, E. Artacho^{1,2,3}, S. E. Dutton¹, D. Molnar¹, H.-Jin Kim¹, S. S. Saxena¹

1. *University of Cambridge, Cambridge, United Kingdom*
2. *Nanogune and DIPIC, San Sebastian, Spain*
3. *Basque Foundation for Science, Ikerbasque, Bilbao, Spain*

Mo.A-P57 - Magnetic ground states of superconducting Eu(Fe_{1-x}M_x)₂As₂ (M = Co, Ru, Ir) as revealed by single-crystal neutron diffraction

W. Jin^{1,2}, S. Nandi^{1,2,3}, Y. Xiao¹, Y. Su², B. Thomas^{1,2}

1. *Jülich Centre for Neutron Science JCNS and Peter Grünberg Institut PGI, JARA-FIT, Forschungszentrum Jülich GmbH, Jülich, Germany*
2. *Jülich Centre for Neutron Science JCNS, Forschungszentrum Jülich GmbH, Outstation at MLZ, Jülich, Germany*
3. *Indian Institute of Technology, New Delhi, India*

Mo.A-P58 - LaAlO₃/SrTiO₃ quantum wells: engineering 2D-superconductivity and rashba spin-orbit coupling by selective orbital occupancy

G. Herranz¹, G. Singh², N. Bergeal², A. Jouan², J. Lesueur², J. Gázquez¹, M. Scigaj¹, N. Dix¹, F. Sánchez¹, J. Fontcuberta¹

1. *Icmab-Csic, Bellaterra, Barcelona, Spain*
2. *LPEM-UMR8213/CNRS-ESPCI ParisTech-UPMC, Paris, France*

Mo.A-P59 - New Insights in the phase diagram of URhGe

A. Gourgout^{1,2}, A. Pourret^{1,2}, D. Aoki^{1,2,3}, J. Flouquet^{1,2}

1. *CEA, INAC-SPSMS, Grenoble, France*
2. *Univ. Grenoble Alpes, INAC-SPSMS, Grenoble, France*
3. *Institute for Materials Research, Tohoku University, Oarai, Ibaraki, Japan*

Mo.A-P60 - Enhancement of T_c due to pressure application in LaFeAsO_{1-x}Hx studied by NMR

N. Fujiwara¹, N. Kawaguchi¹, S. Iimura², S. Matsuishi², H. Hosono²

1. *Kyoto University, Kyoto, Japan*
2. *Tokyo Institute of Technology, Tokyo, Japan*

Mo.A-P61 - The nature of the metamagnetic transition in ferromagnetic superconductor UGe₂

C. Lithgow¹, K. Kamenev¹, A. Huxley¹

1. *The University of Edinburgh, Edinburgh, United Kingdom*

Mo.A-P63 - Doping effect on Pd site of quasi-one-dimensional Nb₂PdS₅

Z.-An Xu¹, C. Shen¹, B. Si¹, H. Bai¹, X. Yang¹, Q. Tao¹

1. *Zhejiang University, Hangzhou, China*

Mo.A-P64 - Superconducting and quadrupolar properties of a dilute praseodymium system $Y1-xPrxIr2Zn20$ for $x < 0.1$

Y. Yamane¹, K. Wakiya¹, K. Matsumoto¹, T. Onimaru¹, K. Umeo², T. Takabatake¹

1. *Advanced Sciences of Matter, Hiroshima University, Hiroshima-shi, Japan*
2. *Natural Science Center for Basic Research and Development, Hiroshima University, Hiroshima-shi, Japan*

Mo.A-P66 - Development of ferromagnet/spin-triplet superconductor hybrid to study proximity effects

M. S. Anwar¹, Y. Sugimoto¹, Y. J. Shin^{2,3}, S. J. Kang^{2,3}, Y. Tano⁴, S. R. Lee^{2,3}, R. Ishiguro^{4,5}, S. Yonezawa¹, H. Takayanagi⁴, T. W. Noh^{2,3}

1. *Department of Physics, Graduate School of Science, Kyoto University, Kyoto, Japan*
2. *Center for Correlated Electron Systems, Institute for Basic Science, Seoul, Korea*
3. *Department of Physics and Astronomy, Seoul National University, Seoul, Korea*
4. *Department of Applied Physics, Tokyo University of Science, Tokyo Japan*
5. *RIKEN Center for Emergent Matter Science, Saitama, Japan*

Mo.A-P68 - Pressure effects on superconducting properties of $FeSe_{0.5}Te_{0.5}$

E. L. Martinez¹, Roberto Escudero¹

1. *Iim, Unam, Coyoacán, México, D. F., Mexico*

Mo.A-P69 - A manifestation of latent superconductivity in ferromagnet via a proximity effect in FS structures

Y.i Proshin¹, M. Avdeev¹

1. *Kazan Federal University, Kazan, Russia*

Mo.A-P70 - Pressure dependence of superconducting and normal state properties in YFe_2Ge_2

K. Semeniuk¹, J. Chen¹, G. Lampronti², Y. Zou¹, M. Grosche¹

1. *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
2. *Dept. of Earth Sciences, University of Cambridge, Cambridge, United Kingdom*

Mo.A-P71 - Competition of spin and charge orders in a model cuprate

Y. Panov¹, A. Moskvina¹, A. Chikov¹, I. Avvakumov¹

1. *Ural Federal University, Sverdlovsk Oblast, Russia*

Mo.A-P72 - Low-energy magnetic excitations in $La_{1.855}Sr_{0.145}CuO_4$ in the vicinity of a quantum-critical point

M. Pikulski¹, N. B. Christensen^{2,3}, L. Udby^{2,3}, C. Niedermayer⁴, K. Lefmann^{2,3}, H. M. Rønnow⁵, J. Ollivier⁶, H. Mutka⁶, T. Kurosawa⁷, N. Momono⁷, M. Oda⁷, J. Mesot^{1,4,8}, J. Chang⁹

1. *Laboratorium für Festkörperphysik, ETH Zürich, CH-8093 Zürich, Switzerland*
2. *Materials Research Department, Risø National Laboratory for Sustainable Energy, Roskilde, Denmark*
3. *Nano-Science Center, Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
4. *Paul Scherrer Institut, Villigen, Switzerland*
5. *Laboratory for Quantum Magnetism, Ecole Polytechnique Fédérale de Lausanne (EPFL), CH-1015 Lausanne, Switzerland*
6. *Institut Laue-Langevin (ILL), Grenoble, France*
7. *Department of Physics, Hokkaido University, Sapporo, Japan*
8. *Laboratory for Neutron & Synchrotron Spectroscopy, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland*
9. *Physik-Institut, Universität Zürich, Zürich, Switzerland*

Mo.A-P73 - Electrostatic Doping under Pressure

D. McCann^{1,2}, K. Kamenev^{1,3}, A. Huxley^{1,2}

1. Centre for Science at Extreme Conditions, University of Edinburgh, Edinburgh
2. School of Physics and Astronomy, University of Edinburgh, Edinburgh
3. School of Engineering, University of Edinburgh, Edinburgh

Mo.A-P74 - Impurity defects in iron-doped Bi2212

S. Baar¹, N. Momono^{1,2}, J. Suzuki², J. Soda², K. Kobayashi², H. Takano^{1,2}, Y. Amakai², T. Kurosawa³, M. Oda³, M. Ido³

1. Division of Chemical and Material Engineering, Muroran Institute of Technology, Muroran, Japan
2. Division of Applied Sciences, Muroran Institute of Technology, Muroran, Japan
3. Department of Physics, Hokkaido University, Sapporo, Japan

Mo.A-P75 - Two superconducting phases separated by a Lifshitz transition in LaFeAs_{1-x}P_xO

Z.-An Xu¹, Ch. Shen¹, B. Si¹, X. Yang¹, Y. Luo¹, C. Cao², Chunmu Feng¹, G. Cao¹

1. Zhejiang University, Hangzhou, China
2. Hangzhou Normal University, Hangzhou, China

Mo.A-P76 - Pseudogap and kinetic energy of unconventional superconductivity in the two-dimensional Hubbard model

E. Calegari¹, A. Lausmann¹, S. Magalhaes², C. M. Chaves³, A. Troper³

1. Universidade Federal de Santa Maria, Santa Maria, Brazil
2. Universidade Federal Fluminense, Niterói, Brazil
3. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

Mo.A-P77 - Superconductivity in an antisymmetric diatomic s - p chain: application to BiS₂

G. Sousa¹, K. Foyevtsova^{2,3}, M. Continentino¹, G. Martins⁴

1. Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil
2. Department of Physics & Astronomy, University of British Columbia, Vancouver, Canada
3. Quantum Matter Institute, University of British Columbia, Vancouver, Canada
4. Department of Physics, Oakland University, Rochester, United States

Mo.A-P78 - The transport measurement on KxFe₂-ySe₂ at high pressure

H. Fujita¹, T. Kagayama¹, K. Shimizu¹, Y. Yamamoto², J. Mizuki², M. Tanaka³, Y. Takano³, H. Yamaoka⁴

1. KYOKUGEN, Grad. Sch. Eng. Sci., Osaka Univ., Osaka, Japan
2. Fac. of Sci., Kwansei Gakuin University, Nishinomiya, Japan
3. NIMS, Tsukuba, Japan
4. RIKEN, Wakō, Japan

Mo.A-P79 - Magnetic measurements of superconducting KxFe₂-ySe₂ single crystals under high pressure

K. Miyoshi¹, M. Kondo¹, K. Morishita¹, G. Motoyama¹, K. Fujiwara¹, J. Takeuchi¹

1. Shimane University, Matsue, Japan

Mo.A-P80 - Improvement of high-pressure thermal expansion measurement using an active-dummy method with an application to the antiferromagnetic superconductor CeRhIn₅

K. Imura¹, M. Takahashi¹, K. Deguchi¹, N. Sato¹

1. Nagoya University, Nagoya, Japan

Mo.A-P81 - Correlation between ferromagnetism and superconductivity in Y9Co7

S. Kunikata¹, A. Takeda¹, K. Imura¹, K. Deguchi¹, N. K. Sato¹, S. Kittaka², T. Saka-kibara²

1. Graduate School of Science, Nagoya University, Nagoya, Japan
2. Institute for Solid State Physics, University of Tokyo, Tokyo, Japan

Mo.A-P83 - Cu-NMR Study of Single Crystal CeCu₂Si₂ under pressure

K. Fujiwara¹, C. Matsumura¹, Y. Suwada¹, T. Shirai¹, T. Kobayashi², S. Seiro³, C. Geibel³, F. Steglich³

1. Department of Materials Science, Shimane University, Matsue, Japan
2. Graduate School of Natural Science and Technology, Okayama University, Okayama, Japan
3. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

Mo.A-P84 - Drastic enhancement of superconducting transition temperature in 112-type Ca_{1-x}RE_xFeAs₂ (RE = La, Ce, Pr, Nd) induced by negative chemical pressure

K. Kudo¹, Y. Kitahama¹, K. Fujimura¹, T. Mizukami¹, M. Nohara¹

1. Department of Physics, Okayama University, Okayama, Japan

Mo.A-P85 - Superconductivity in the higher borides Zr_{1-x}LuxB₁₂ AND Y_{1-x}LaxB₆

N. Sluchanko¹, S. Gavrilkin², K. Mitsen², A. Azarevich¹, V. Glushkov¹, S. Demishev¹, A. Khoroshilov¹, N. Shitsevalova⁴, V. Filipov⁴, S. Gabani⁵, P. Szabo⁵, P. Szabo⁵, K. Szabo⁵, A. Kuznetsov³

1. Prokhorov General Physics Institute of RAS, Moscow, Russia
2. Lebedev Physical Institute of RAS, Moscow, Russia
3. National Research Nuclear University MEPhI, Moscow, Russia
4. Frantsevich Institute for Problems of Materials Science, NASU, Kiev, Ukraine
5. Institute of Experimental Physics SAS, Košice, Slovakia

Mo.A-P86 - Precise phase control and superconductivity in A_x(NH₃)_yFe_{2-d}Se₂ system (A: Alkali and Alkali-earth metal)

T. Kambe¹, K. Ashida¹, J.-Hyun Lee¹, Y. Takahei¹, N. Nishimoto¹, T. Kimura¹, K. Kudo¹, M. Nohara¹

1. Okayama University, Okayama, Japan

Mo.A-P88 - V substitution of Co in Nd(Co_{1-x}V_x)₂Si₂; A crossover from antiferro to ferromagnetism

R. Roy Chowdhury¹, S. Dhara¹, B. Bandyopadhyay¹

1. Saha Institute of Nuclear Physics, Kolkata, India

Mo.A-P89 - Anomalous ferromagnetic anomaly coexisting with superconductivity in layered superconductor CeO_{1-x}F_xBiS₂

T. Asano¹, T. Nakashima¹, R. Higashinaka¹, T. D. Matsuda¹, Y. Aoki¹

1. Tokyo Metropolitan University, Tokyo, Japan

Mo.A-P90 - NMR studies on the in-plane anisotropy of the iron pnictide LiFeAs

M. Toyoda¹, Y. Kobayashi¹, M. Itoh¹, M. Sato²

1. Nagoya University, Nagoya, Japan
2. Research Center for Neutron Science & Technology, CROSS, Naka, Japan

Mo.A-P91 - Superconductivity in the doped ferromagnetic semiconductor samarium nitride

B. Ruck¹, E.-Maria Anton¹, F. Natali¹, S. Granville¹, S. Chong¹, U. Zuelicke¹, M. Governale¹, J. Trodahl¹, A. Engel², A. Moghaddam³

1. Victoria University of Wellington, Wellington, New Zealand

2. Physics Institute of the University of Zürich, Zürich, Switzerland

3. Institute for Advanced Studies in Basic Sciences, Zanjan, Iran

Mo.A-P92 - A half-quantum vortex in chiral or helical p-wave superconducting states

S. Kikuchi¹, Y. Kikuchi¹, T. Yoshioka¹, H. Tsuchiura¹, M. Sigrist²

1. Department of Applied Physics, Tohoku University, Sendai, Japan

2. Theoretische Physik, Eidgenössisch Technische Hochschule (ETH), Zurich, Switzerland

Mo.A-P96 - La₂Co - superconductivity on the edge of ferromagnetism

J. Strychalska¹, M. Roman¹, B. Wiendlocha², A. Kozub¹, T. Klimczuk¹

1. Faculty of Applied Physics and Mathematics, Gdańsk University of Technology, Gdańsk, Poland

2. Faculty of Physics and Applied Computer Science, AGH University of Science and Technology, Kraków, Poland

Mo.A-P97 - K-doping effect in Ba_{1-x}K_xFe₂As₂ studied by x-ray emission and absorption spectroscopy

S. Lafuerza Bielsa¹, L. de' Medici¹, F. Hardy², T. Wolf², C. Meingast², H. Wen³, P. Glatzel¹

1. ESRF (European Synchrotron Radiation Facility), Experiments Division, Beamline ID26

2. Karlsruher Institut für Technologie, Institut für Festkörperphysik, Karlsruhe, Germany

3. Center for Superconducting Physics and Materials, National Laboratory of Solid State Microstructures & Department of Physics, Nanjing University, Nanjing, China

Mo.A-P98 - Superconducting versus non-superconducting FeTe_{0.6}Se_{0.4} single crystals in high magnetic fields

K. Prokes¹, S. Hartwig¹, S. Wurmehl², E. Kampert³, J. Law³, T. Foerster³, C. Hess², M. Sculze², S. Landsgesell¹, B. Buechner²

1. Helmholtz-Zentrum, Berlin, Germany

2. IFW, Dresden, Germany

3. HZDR, Dresden, Germany

Mo.A-P100 - Superconducting properties and pseudogap from preformed Cooper pairs in the triclinic (CaFe(1-x)Pt(x)As)₁₀Pt₃As₈

M. Surmach¹, Felix Brückner¹, S. Kamusella¹, R. Sarkar¹, P. Portnichenko¹, J. Park², G. Gambashidze³, H. Luetkens⁴, P. Biswas⁴, W. J. Choi⁵, Y.I. Seo⁵, Y.S. Kwon⁵, H. Klauss¹, D. Inosov¹

1. Technische Universität Dresden, Dresden, Germany

2. MLZ, Garching, Germany

3. MPI, Stuttgart, Germany

4. PSI, Villigen, Switzerland

5. DGIST, Daegu, Republic of Korea

Mo.A-P101 - C-axis resistivity of superconducting FeSe single crystals: upper critical field and its angular behavior

T. Romanova¹, D. Knyazev¹, A. Sadakov¹, D. Chareev²

1. Lebedev Physical Institute of Russian Academy of Science, Moscow, Russia
2. Institute of Experimental Mineralogy, Russian Academy of Sciences, Chernogolovka, Moscow, Russia

Mo.A-P102 - Investigation of the magnetic character of oxy-pnictides via Spin Dilution

S. Sanna¹, P. Carretta¹, P. Bonfó², R. De Renzi², Y. Yiu³, M. McGuire⁴, A. Huq⁵, S. Nagler⁶, G. Lamura⁷, A. Martinelli⁷, M. Putti⁷

1. Physics Department, University of Pavia, Pavia, Italy
2. Department of Physics and Earth Sciences, University of Parma, Parma, Italy
3. Department of Physics and Astronomy, University of Tennessee, Tennessee, United States
4. Materials Science and Technology Division, Oak Ridge National Laboratory, Tennessee, United States
5. Chemical and Engineering Materials Division, Oak Ridge National Laboratory, Tennessee, United States
6. CIRE, University of Tennessee, Tennessee, United States
7. CNR-SPIN and University of Genova, Genova, Italy

Mo.A-P104 - Phase diagrams for coexistence of localised magnetism and superconductivity from a microscopic model

N. Costa^{1,2}, J. Pimentel², M. ElMassalami¹, T. Paiva¹, R. Rocha dos Santos¹

1. Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil
2. Departamento de Física, Universidade Federal do Piauí, Teresina, Brazil

Mo.A-P107 - Superconductivity in YPt₂Si₂

A. Pikul¹, G. Chajewski¹, P. Wiñaniewski¹, M. Samsel-Czeka¹, D. Kaczorowski¹

1. Institute of Low Temperature And Structure Research, Polish Academy of Sciences, Warsaw, Poland

Mo.A-P108 - Field-dependence of charge order in the cuprate high-temperature superconductor La_{2-x}Sr_xCuO₄

B. Lake^{1,2}, E. Schierle¹, E. Weschke¹, K. Siemensmeyer¹

1. Helmholtz Zentrum Berlin Für Materialien Und Energie, Berlin, Germany
2. Technical University Berlin, Berlin, Germany

Mo.A-P109 - The high pressure - low temperature structural phase diagram of K_xFe_{2-y}Se₂

T. Giles¹, J. Poulten¹, M. Gamza¹, D. Daisenberger², H. Wilhelm², X. Chen³, P. Niklowitz¹

1. Royal Holloway, University of London, Egham, Surrey, United Kingdom
2. Diamond LightSource, Harwell Science and Innovation Campus, Didcot, United Kingdom
3. Hefei National Laboratory for Physical Sciences at Microscale and Department of Physics, University of Science and Technology of China, Hefei, People's Republic of China

Mo.A-P110 - Pressure and field dependence of superconductivity in Rb-Fe₂As₂

P. Reiss¹, K. Semeniuk¹, P. Brown¹, K. Grube², T. Wolf², P. Adelmann², H. von Löhneysen², F. M. Grosche¹

1. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
2. Institut für Festkörperphysik, Karlsruher Institut für Technologie, Karlsruhe, Germany

Mo.A-P111 - Elastic softening and phase transition characteristics in YbPtGe

X. Xi¹, I. Ishii¹, Y. Noguchi¹, H. Goto¹, S. Kamikawa¹, K. Araki², K. Katoh², T. Suzuki¹

1. Hiroshima University, Hiroshima-Shi, Japan
2. National Defense Academy, Yokosuka, Japan

Mo.A-P112 - Fermi Surface measurement of TiNi_2Se_2 by quantum oscillations

X. Chen¹, H. Tan¹, S. K. Goh^{1,2}, P. Reiss¹, H. Wang³, Q. Mao^{3,4}, J. Yang⁴, M. Fang³, M. Sutherland¹

1. University of Cambridge, Cambridge, United Kingdom
2. The Chinese University of Hong Kong, Hong Kong, China
3. Zhejiang University, Hangzhou, China
4. Hangzhou Normal University, Hangzhou, China

B. Low-dimensional. Quantum Spin-Hall effect

Mo.B-P02 - Unusual magnetic ground states of novel $S = 1/2$ square-lattice antiferromagnets $\text{Sr}_2\text{NiO}_3\text{X}$ ($X = \text{F}, \text{Cl}$)

Y. Tsujimoto¹, K. Yamaura¹, T. Uchikoshi¹, T. Haku², T. Masuda²

1. National Institute For Materials Science, Tsukuba, Japan
2. Institute of Solid State Physics, The University of Tokyo, Tokyo, Japan

Mo.B-P03 - Valley-spin locked, tunable super-current transport in superconductor / normal silicene or germanene/ superconductor junction

P. Goswami¹

1. D.B. College, University of Delhi, Delhi, India

Mo.B-P04 - Nonlinear dielectric susceptibility in a multiferroic quantum magnet $\text{Sul-Cu}_2\text{Cl}_4$

K. Povarov¹, A. Reichert¹, E. Wulf¹, A. Zheludev¹

1. Neutron Scattering And Magnetism, Laboratory For Solid State Physics, Zurich, Switzerland

Mo.B-P05 - Magnetic structure of quasi-one-dimensional frustrated antiferromagnet $\text{Cu}_3\text{Mo}_2\text{O}_9$

M. Hase¹, H. Kuroe², V. Pomjakushin³, L. Keller³, R. Tamura¹, N. Terada¹, Y. Matsu-shita¹, A. Doenni¹, T. Sekine²

1. National Institute For Materials Science (NIMS), Tsukuba, Japan
2. Sophia University, Tokyo, Japan
3. Paul Scherrer Institut (PSI), Villigen, Switzerland

Mo.B-P06 - Magnetic ground state of novel zigzag chain compounds, $\text{Na-Cr}_2\text{O}_4$ and $\text{Ca}_{1-x}\text{Na}_x\text{Cr}_2\text{O}_4$, determined with muons and neutrons

J. Sugiyama¹, H. Nozaki¹, M. Harada¹, Y. Higuchi¹, H. Sakurai², E. Ansaldo³, J. Brewer^{4,5}, L. Keller⁶, V. Pomjakushin⁶, M. Mansson⁷

1. Toyota Central Research & Development Laboratories, Inc., Nagakute, Japan
2. National Institute for Materials Science (NIMS), Tsukuba, Japan
3. University of Saskatchewan, Saskatoon, Canada
4. University of British Columbia, Vancouver, Canada
5. TRIUMF, Vancouver, Canada
6. Paul Scherrer Institut, Villigen, Switzerland
7. KTH Royal Institute of Technology, Stockholm, Sweden

Mo.B-P07 - Spin pseudogap in doped $S = 1/2$ Heisenberg antiferromagnetic spin chains

G. Simutis¹, S. Gvasaliya¹, A. Mohan², C. Hess², B. Büchner², A.L. Chernyshev³, I. Zaliznyak⁴, N. S. Beesetty⁵, A. Revcolevschi⁵, A. Zheludev¹

1. ETH Zürich, Zürich, Switzerland
2. IFW Dresden, Dresden, Germany
3. University of California, Irvine, United States
4. Brookhaven National Laboratory, Upton, United States
5. ICMMO, Université Paris-Sud, Orsay cedex, France

Mo.B-P08 - Influence of sample quality on the physical properties of the $S=1$ antiferromagnetic spin-ladder $\text{CaV}(2)\text{O}(4)$

S. Hiller¹, S. Guitarra¹, A. Caneiro², M. Salamon³, D. Niebieskikwiat¹

1. Universidad San Francisco de Quito, Quito, Ecuador
2. Instituto Balseiro - Centro Atómico Bariloche, Bariloche, Argentina
3. University of Texas at Dallas, Richardson, United States

Mo.B-P09 - Low dimensional magnetism induced by chalcogen ordering.

M. Valldor¹, S. Huh^{1,2}, E. J. Hopkins^{1,2}, Y. Prots¹, P. Adler¹, U. Brukhardt¹, Y. Watier³, Z. Hu¹, C.-Yang Kuo¹, J. Chiang¹, T. Pi⁴, A. Tanaka⁵, L. Tjeng¹

1. Max Planck Institute For Chemical Physics of Solids, Dresden, Germany
2. University of British Columbia, Vancouver, Canada
3. ESRF, The European Synchrotron, Grenoble, France
4. Institute of Physics, National Chiao Tung University, Hsinchu, Taiwan
5. Department of Quantum Matter, ADSM, Hiroshima University, Higashi-Hiroshima, Japan

Mo.B-P11 - Quasi one dimensional magnetism in $\text{Mn}_{1-x}\text{Fe}_x\text{Nb}_2\text{O}_6$ compounds

M. Hneda^{1,2,3}, J. Cunha³, M. Gusmão³, O. Isnard^{1,2}

1. Institut Néel du CNRS, Grenoble, France
2. Université Grenoble Alpes - Joseph Fourier, Grenoble, France
3. Instituto de Física, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil

Mo.B-P12 - Magnetic properties of quasi one-dimensional antiferromagnet $\text{BaCo}_2\text{Si}_2\text{O}_7$

M. Akaki¹, A. Okutani¹, D. Yoshizawa¹, H. Kuwahara², M. Hagiwara¹

1. Center For Advanced High Magnetic Field Science, Graduate School of Science, Osaka University, Osaka, Japan
2. Department of Physics, Sophia University, Tokyo, Japan

Mo.B-P13 - Quantum coherence of strongly correlated defects in spins chains

S. Bertaino¹, C. Dutoit¹, J. Van Tol², M. Dressel³, B. Barbara⁴, A. Stepanov¹

1. Aix-Marseille Université, CNRS, IM2NP UMR7334, Marseille, France
2. NHMFL, FSU, Tallahassee, United States
3. Physikalisches Institut Universität Stuttgart, Stuttgart, Germany
4. Institut Neel, CNRS, Grenoble, France.

Mo.B-P14 - Magnetic properties of layered one dimensional γ - CoV_2O_6 and NiV_2O_6 magnetic oxides: a comparative study

M. Lenertz^{1,2}, A. Dinia², S. Colis²

1. Laboratoire Léon Brillouin – CEA, Gif-sur-Yvette, France

2. Institut de Physique et Chimie des Matériaux de Strasbourg - Université de Strasbourg, Strasbourg, France

Mo.B-P15 - Controlled bond disorder in the model spin ladder $(\text{C H N})\text{Cu}_5\text{Br}_{12}$

S. Ward^{1,2,3}, S. Furuya³, D. Biner⁴, K. W. Krämer⁴, M. Bohm⁵, T. Giamarchi³, D. F. McMorrow², C. Rüegg^{1,3}

1. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

2. London Centre for Nanotechnology and Department of Physics and Astronomy, University College London, London, United Kingdom

3. Department of Quantum Matter Physics, University of Geneva, Geneva, Switzerland

4. Department of Chemistry and Biochemistry, University of Bern, Bern, Switzerland

5. Institut Laue-Langevin, Grenoble

Mo.B-P16 - The spin structure on the ground state of the equilateral triangular spin tube CsCrF_4

K. Matsui¹, T. Goto¹, H. Manaka², Y. Miura³

1. Sophia University, Japan, Tokyo, Japan

2. Kagoshima University, Kagoshima, Japan

3. Suzuka National College of Technology, Suzuka, Japan

Mo.B-P17 - NMR study on the Ru-dimer system with valence fluctuation

Y. Hosoya¹, T. Goto¹, A. Endo¹, T. Hashimoto¹, M. Masuko¹, T. Hayashita¹, S. Iguchi², T. Sasaki²

1. Sophia University, Tokyo, Japan

2. IMR Tohoku University, Sendai, Japan

Mo.B-P18 - Cu-NMR study of the quasi-one-dimensional antiferromagnet $\text{Cu}_3\text{Mo}_2\text{O}_9$

T. Kawase¹, H. Kuroe¹, K. Misoka¹, T. Hamasaki¹, T. Sekine¹, T. Goto¹, T. Sasaki², M. Hase³, K. Oka⁴, T. Ito⁴, H. Eisaki⁴

1. Department of Physics, Sophia University, Tokyo, Japan

2. Institute for Materials Research, Tohoku University, Sendai, Japan

3. National Institute for Materials Science (NIMS), Tsukuba, Japan

4. National Institute of Advanced Industrial Science and Technology (AIST), Japan

Mo.B-P19 - Antiferromagnetic ground states and phase separation in doped AA-stacked bilayer graphene

A. Sboychakov^{1,2}, R. Akzyanov³, A. Rozhkov^{1,2,3}, A. Rakhmanov^{1,2,3}, F. Nori^{2,4}

1. *Institute for Theoretical and Applied Electrodynamics, Russian Academy of Sciences, Moscow, Russia*

2. *Advanced Science Institute, RIKEN, Wako-shi, Japan*

3. *Moscow Institute of Physics and Technology, Dolgoprudnyi, Russia*

4. *Department of Physics, University of Michigan, Ann Arbor, United States*

Mo.B-P20 - High field magnetization of single crystals of the $S=1/2$ quasi-1D Ising-like Antiferromagnet $\text{SrCo}_2\text{V}_2\text{O}_8$

A. Okutani¹, T. Kida¹, T. Usui², T. Kimura², M. Hagiwara¹

1. *Center For Advanced High Magnetic Field of Science, Graduate School of Science, Osaka University, Osaka, Japan*

2. *Graduate School of Engineering Science, Osaka University, Osaka, Japan*

Mo.B-P21 - 1H-NMR study of spin-1/2 triple-chain magnet $\text{Cu}_3(\text{OH})_4\text{MoO}_4$

Y. Fujii¹, H. Kikuchi², K. Nakagawa², S. Takada², M. Fujisawa³

1. *Research Center For Development of Far-Infrared Region, University of Fukui, Fukui, Japan*

2. *Department of Applied Physics, Faculty of Engineering, University of Fukui, Fukui, Japan*

3. *Technical Department, Tokyo Institute of Technology, Meguro, Tokyo, Japan*

Mo.B-P22 - From order to randomness: an experimental investigation of disorder in a one-dimensional spin system

T. Shiroka^{1,2}, F. Eggenschwiler¹, M. Pikułski¹, M. Thede^{1,2}, A. Zheludev¹, H. Ott^{1,2}, J. Mesot^{1,2}

1. *Laboratorium Für Festkörperphysik, ETH Zurich, Zurich, Switzerland*

2. *Paul Scherrer Institut, Villigen PSI, Villigen, Switzerland*

Mo.B-P23 - Spin-Oorbit torques originated from topological surface states of Bi_2Se_3

Y. Wang¹, P. Deorani¹, K. Banerjee¹, N. Koirala², M. Brahlek², S. Oh², H. Yang¹

1. *Department of Electrical and Computer Engineering, National University of Singapore, Singapore*

2. *Department of Physics & Astronomy, Rutgers Center for Emergent Materials, Institute for Advanced Materials, Devices and Nanotechnology, The State University of New Jersey, Newark, United States*

Mo.B-P24 - off-diagonal spin-spin correlations in noncollinear antiferromagnets or in applied magnetic fields

A. Kruchkov¹, H. Ronnow¹, M. Zhitomirsky²

1. *Laboratory for Quantum Magnetism (LQM), École Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland*

2. *Service de Physique Statistique, Magnétisme et Supraconductivité, UMR-E9001 CEA-INAC/UJF, Grenoble Cedex 9, France*

Mo.B-P27 - Symmetry-protected topological phases/transition in spin-1/2 zigzag chains and the relevance to Rb₂Cu₂Mo₃O₁₂

H. Ueda¹, S. Onoda^{1,2}

1. Condensed Matter Theory Laboratory, RIKEN, Wako-shi, Japan
2. RIKEN Center for Emergent Matter Science (CEMS), Wako-shi, Japan

Mo.B-P29 - Natural Mineral epidote in magnetic fields

K. Prokes¹, B. Klemke¹, J. Hoffmann¹

1. Helmholtz-Zentrum Berlin, Berlin, Germany

Mo.B-P30 - Effects of the underlying geometry on the physical properties of topological insulators

T. Melo¹, D. Viana¹, Y. Gomes², W. Moura-Melo¹, J. Fonseca¹, A. Pereira¹

1. Departamento de Física, Universidade Federal de Viçosa, Viçosa, Brazil
2. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

Mo.B-P31 - Genuus one toroidal topological insulator

J. Fonseca¹, V. Carvalho-Santos², W. Moura-Melo¹, A. Pereira¹

1. Universidade Federal de Viçosa, Viçosa, Brazil
2. Instituto Federal de Educação, Ciência e Tecnologia Baiano - Campus Senhor do Bonfim, Senhor do Bonfim, Brazil

C. Spin-orbit and spin-lattice couplings

Mo.C-P02 - Effect of Ce Doping on Elastic and Thermal Properties of SrCo₃

R. Thakur¹, R. K. Thakur¹, N.K. Gaur¹

1. Barkatullah University, Bhopal, India
2. Barkatullah University, Bhopal, India
3. Barkatullah University, Bhopal, India

Mo.C-P03 - First principles study of strain induced phase diagram and spin-orbit coupling in (SrIrO₃)_m/(SrTiO₃)₁ superlattice

W. Fan¹, T. Shirakawa^{1,2}, S. Yunoki^{1,2,3}

1. Computational Condensed Matter Physics Laboratory, RIKEN, Wako, Japan
2. Computational Materials Science Research Team-RIKEN Advanced Institute for Computational Science (AICS), Kobe, Japan
3. Computational Quantum Matter Research Team-RIKEN Center for Emergent Matter Science (CEMS), Wako, Japan

Mo.C-P04 - Onsite magnetic moment and magnetocrystalline anisotropy studies of Lu-/Y- substituted NiFe₂O₄

U. Kodam¹, R. Reddy V², Markandeyulu G¹

1. Indian Institute of Technology Madras, Chennai, Tamil Nadu, India
2. UGC-DAE Consortium for Scientific Research, University Campus, Khandwa Road, India

Mo.C-P05 - Multiband spin-lattice relaxation in Gd³⁺-doped YCo₂Zn₂₀ probed by electron spin resonance

M. C. Baez¹, A. Naranjo-Uribe², J. M. Osorio-Guillén^{1,2}, C. Rettori^{1,3}, M. A. Avila¹

1. CCNH, Universidade Federal do ABC (UFABC), Santo André, Brazil

2. Instituto de Física, Universidad de Antioquia UdeA, Medellín, Colombia

3. Instituto de Física "Gleb Wataghin", Universidade Estadual de Campinas (UNICAMP), Campinas, Brazil

Mo.C-P06 - Anisotropy of magnetic interactions in complex Ir oxides from band structure calculations

A. Yaresko¹

1. Max Planck Institute For Solid State Research, Stuttgart, Germany

Mo.C-P07 - Asymmetric spinwave dispersion relations in the presence of interfacial Dzyaloshinskii-Moriya interaction using Brillouin light scattering

J. Cho¹, S. Ku Kang¹, C. You¹

1. Inha University, Incheon, South Korea

Mo.C-P08 - Rashba Spin-orbit torques in two-dimensional itinerant ferromagnets

A. Qaiumzadeh¹, R. Duine², M. Titov¹

1. Radboud University, Nijmegen, Netherlands

2. Utrecht university, Utrecht, Netherlands

Mo.C-P09 - High temperature magnetism of epsilon-Fe2O3 : the transition from hard to soft ferrimagnetism

M. Gich¹, J. Padilla¹, J. Nogués^{2,3}, J. Kreisel^{4,5}, A. Roig¹, J. L. Garcia-Muñoz¹

1. Institut de Ciència de Materials de Barcelona, Barcelona, Spain

2. Institució Catalana de la Recerca i Estudis Avançats (ICREA), Barcelona, Spain

3. Institut Català de Nanociència i Nanotecnologia (ICN2), Bellaterra, Spain

4. Luxembourg Institute of Science and Technology, Sanem, Luxemburgo

5. University of Luxembourg, Walferdange, Luxembourg

Mo.C-P10 - Orbital and spin structures in transition metal compounds with face-sharing octahedra

K. Kugel¹, D. Khomskii², A. Sboychakov¹, S. Streltsov^{3,4}

1. Institute for Theoretical and Applied Electrodynamics, Russian Academy of Sciences, Moscow, Russia

2. II. Physikalisches Institut, Universität zu Koeln, Koeln, Germany

3. Institute of Metal Physics, Ural Branch, Russian Academy of Sciences, Ekaterinburg, Russia

4. Ural Federal University, Ekaterinburg, Russia

Mo.C-P11 - XAS and XMCD study on Co doped Ga0.6F1.4O3 films

D. Kim², J. Kim¹

1. Pohang Accelerator Laboratory, POSTECH, Pohang, Korea

2. Department of Physics, POSTECH, Pohang, Korea

Mo.C-P12 - Large anisotropic g-factor due to crystalline spin-orbit interaction in bismuth

Y. Fuseya¹, Z. Zhu², B. Fauque³, N. W. Kang⁴, B. Lenoir⁵, K. Behnia³

1. *University of Electro-Communications, Chofu, Japan*

2. *Wuhan National High Magnetic Field Center*

3. *Ecole Supérieure de Physique et de Chimie Industrielles, Paris, France*

4. *Ewha Womans University, Seoul, South Korea*

5. *Ecole Nationale Supérieure des Mines de Nancy, Nancy, France*

Mo.C-P13 - Diluting magnetism in Honeycomb lattice Iridates and understanding magnetic exchange

S. Manni^{1,2}, Y. Tokiwa¹, P. Gegenwart¹

1. *I Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany*

2. *Ames Laboratory and Department of Physics and Astronomy, Iowa State University, Ames, Iowa, United States*

Mo.C-P14 - Neutron diffraction studies on the magnetic structure of a-RuCl₃

C. Ritter¹, A. Jain², N. Sung², B. Kim²

1. *Institut Laue Langevin*

2. *Max Planck Institute for Solid State Research, Stuttgart, Germany*

Mo.C-P15 - Emergent antisymmetric spin-orbit coupling by electronic orders

H. Kusunose¹, S. Hayami², Y. Motome²

1. *Department of Physics, Ehime University, Matsuyama, Japan*

2. *Department of Applied Physics, University of Tokyo, Tokyo, Japan*

Mo.C-P16 - Mechanism of the electron paramagnetic resonance line broadening in the hole doped manganites La_{1-x}Ca_xMnO₃

M. Auslender¹, E. Rozenberg², A. Shames

1. *Ben Gurion University of the Negev, Department of Electrical and Computer Engineering, Beersheba, Israel*

2. *Ben Gurion University of the Negev, Department of Physics, Beersheba, Israel*

Mo.C-P17 - Magnetic order and Trigonal crystal field effects in Sr₃NiIrO₆

E. Lefrançois^{1,2}, L.C. Chapon¹, S. Virginie², P. Lejay², R. Ballou², D. Khalyavin³, S. Rayaprol⁴, E.V. Sampathkumaran⁵, D.T. Adroja^{3,6}, A.M. Pradipto⁷, S. Picozzi⁷, M. Moretti Sala⁸

1. *Institut Laue-Langevin, Grenoble, France*

2. *Institut Néel, CNRS & Université Grenoble Alpes, Grenoble cedex 9, France*

3. *ISIS Facility, STFC, Rutherford Appleton Laboratory, Oxfordshire, United Kingdom*

4. *UGC-DAE CSR, Mumbai Center, Mumbai, India*

5. *Tata Institute of Fundamental Research, Mumbai, India*

6. *Physics Département, University of Johannesburg, Johannesburg, South Africa*

7. *CNR-SPIN, l'Aquila, Italy*

8. *European Synchrotron Radiation Facility, Grenoble, France*

Mo.C-P19 - X-ray Magnetic circular dichroism in the spinel-type vanadium oxides AV₂O₄ (A=Mn,Fe)

K. Matsuura¹, H. Sagayama¹, Y. Nii¹, N. Duy Khanh², N. Abe¹, T. Arima¹

1. The University of Tokyo, Tokyo, Japan

2. Tohoku University, Sendai, Japan

Mo.C-P20 - Current induced switching in Transition-metal/Ferromagnetic multilayers

J. Kim¹, D. Kim¹, Y. Jang¹, B. Kim¹, K. Rhie¹

1. Department of Display and Semiconductor Physics, Korea University, Sejong, South Korea

Mo.C-P21 - 51V NMR study on the orbital degenerated system Sr₂VO₄ with the K₂NiF₄ type structure

Y. Kato¹, Y. Shimizu¹, Y. Kobayashi¹, M. Itoh¹, H. Sakurai², T. Kao^{2,3}, H. Yang³

1. Department of Physics, Graduate School of Science, Nagoya University, Nagoya, Japan

2. National Institute for Materials Science, 1-1 Namiki, Tsukuba, Japan

3. Department of Physics, National Sun Yat-Sen University, Kaohsiung, Taiwan

Mo.C-P22 - Tuning the spectroscopic g-factor in permalloy

C. Gonzalez^{1,2}, Y. Yin², R. Dumas², C. Garcia¹

1. Departamento de Física, Universidad Tecnica Federico Santa Maria, Valparaiso, Chile

2. Department of Physics, University of Gothenburg, Gothenburg, Sweden

Mo.C-P23 - Spin-flip electron scattering in the Rashba surface alloy

S. Schirone¹, E. E. Krasovskii^{2,3,4}, G. Bihlmayer⁵, R. Piquerel¹, P. Gambardella^{1,6,7}, A. Mugarza¹

1. ICN2-Institut Catala de Nanociencia i Nanotecnologia, Campus UAB, Bellaterra, Barcelona Spain

2. Dpto. de Física de Materiales, Facultad de Ciencias Químicas, UPV/EHU, San Sebastián/Donostia, Spain

3. Donostia International Physics Center (DIPC), Paseo Manuel de Lardizabal 4, San Sebastián/Donostia, Spain

4. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

5. Peter Grünberg Institut and Institute for Advanced Simulation, Forschungszentrum Jülich and JARA, Jülich, Germany

6. ICREA - Institutio Catalana de Recerca i Estudis Avancats, Barcelona, Spain

7. Department of Materials, ETH Zurich, Zurich, Switzerland

Mo.C-P25 - Current-induced spin polarization and spin-orbit torque in magnetized graphene with Rashba spin-orbit interaction

A. Dyrda¹, J. Barnas

1. Faculty of Physics, Adam Mickiewicz University, Poznań, Poland

D. Semiconductor spintronics

Mo.D-P02 - Silicon-based current-controlled reconfigurable magnetoresistance logic device

X. Zhang¹, Z. Luo¹

1. *School of Materials Science and Engineering, Tsinghua University, Beijing, China*

Mo.D-P03 - Magnetic tunnel junctions with semiconducting rare earth nitride electrodes

H. Warring¹, J. Trodahl¹, F. Natali¹, B. Ruck¹

1. *The MacDiarmid Institute For Advanced Materials And Nanotechnology, Wellington, New Zealand*

Mo.D-P04 - Experimental demonstration of Elliott-Yafet spin relaxation mechanism and room-temperature spin transport in highly-doped n-type Ge epilayers.

S. Dushenko¹, M. Koike¹, Y. Ando^{1,2}, T. Shinjo², M. Myronov³, M. Shiraishi^{1,2}

1. *Osaka University, Osaka, Japan*

2. *Kyoto University, Kyoto, Japan.*

3. *The University of Warwick, Coventry, United Kingdom*

Mo.D-P05 - Large magnetoresistance in silicon

X. Zhang¹, Z. Luo¹

1. *Tsinghua University, Beijing, China*

Mo.D-P07 - Scattering matrix approach to the anomalous hall effect: 2D network model

P. Streda¹

1. *Institute of Physics, ASCR, Prague, Czech Republic*

Mo.D-P08 - Hot electrons transport in devices combining tunnel and Schottky barriers

C. Vautrin¹, Y. Lu¹, S. L. Gall², G. Sala¹, S. Robert¹, O. Lenoble¹, F. Montaigne¹, M. Wu³, D. Lacour¹, M. Hehn¹

1. *Institut Jean Lamour*

2. *LPEP*

3. *Hefei National Laboratory for Physical Sciences at Microscale*

Mo.D-P09 - Spin dynamics in three coherently coupled quantum dots

B. Bukacinski¹, J. úuczak¹

1. *Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland*

Mo.D-P10 - Spin-glass behavior of Fe doped InAs prepared by ion implantation and pulsed laser annealing

Y. Yuan¹, H. Cai¹, M. Helm¹, S. Zhou¹

1. *Helmholtz - Zentrum Dresden - Rossendorf, Dresden, Germany*

Mo.D-P11 - Spin filtering in double quantum dots aharonov-bohm ring under cubic rashba spin orbit interaction

K. Kondo¹

1. *Laboratory of Quantum Electronics, Research Institute For Electronic Science, Hokkaido University, Sapporo, Japan*

Mo.D-P12 - Electronic structure and transport properties of Bi₂Te₃ and Bi₂Se₃ with magnetic dopants

K. Carva¹, J. Kudrnovsk², M. Vali \ddot{u} ka¹, V. Hol^{2,1}

1. Charles University, Prague, Czech Republic
2. Institute of Physics, Prague, Czech Republic

Mo.D-P13 - Anomalous proportional dependence of spin RA product on tunnel RA product in CoFe/SiO₂/Si tunnel contacts

J. Lee¹, S. He^{1,2}, B. Kang¹, B. Cho¹

1. School of Materials Science And Engineering, Gwangju Institute of Science And Technology (GIST), Gwangju, South Korea
2. Gruenberg Research Centre, Nanjing University of Posts and Telecommunications, Nanjing, China

Mo.D-P14 - Oxide diffusion barriers on GaAs(001)

A. Sarkar¹, S. Wang¹, R. Koch¹

1. Johannes Kepler University Linz, Linz, Austria

Mo.D-P16 - Electrical spin injection and detection in Si nanowire with CoFeB/MgO contacts

J. Chang¹, T. Park¹, B. Min¹, Y. Park^{1,2}, M. Jo³, H. Choi²

1. Korea Institute of Science And Technology, Seoul, South Korea
2. Yonsei University, Seoul, South Korea
3. Postech, Pohang, South Korea

Mo.D-P17 - Spin accumulation and transport signals in Heusler Co₂FeSi/MgO/n⁺-Si on insulator devices

Y. Saito¹, M. Ishikawa¹, T. Inokuchi¹, H. Sugiyama¹, K Hamaya², N. Tezuka³

1. Corporate R&D Center, Toshiba Corporation, Tokyo, Japan
2. Graduate School of Engineering Science, Osaka University, Osaka, Japan
3. Department of Materials Science, Tohoku University, Sendai, Japan

Mo.D-P18 - Electrical spin injection in modulation doped GaAs using in-situ grown Fe/MgO

J. Chang¹, S. H. Shim^{1,2}, H. Kim¹, Y. Lee²

1. Korea Institute of Science and Technology, Seoul, South Korea
2. Korea University, Seoul, South Korea

Mo.D-P19 - Spin transport through high-quality epitaxial Ge/Fe₃Si heterostructures in Cu-based lateral spin valves

M. Kawano¹, K. Santo¹, S. Oki¹, S. Yamada¹, T. Kanashima¹, K. Hamaya²

1. Osaka University, Osaka, Japan
2. Osaka University and JST-CREST, Osaka and Tokyo, Japan

Mo.D-P20 - MgO diffusion barriers for ferromagnetic electrodes on GaAs(001)

A. Sarkar¹, S. Wang¹, R. Koch¹

1. Johannes Kepler University Linz, Linz, Austria

Mo.D-P21 - Manipulation of the magnetism in (Ga,Mn)As films by organic molecules

X. Wang¹, H. Wang¹, D. Pan¹, T. Keiper², L. Li¹, X. Yu¹, J. Lu¹, E. Lochner², S. Molnár², P. Xiong², J. Zhao¹

1. Institute of Semiconductors, CAS, Beijing, China

2. Department of Physics, Florida State University, Tallahassee, United States

Mo.D-P22 - Effect of Mn impurities on the 3-terminal Hanle signals in ferro-magnet/oxide tunnel contacts on a semiconductor

A. Spiesser¹, H. Saito¹, S. Yuasa¹, R. Jansen¹

1. National Institute of Advanced Industrial Science And Technology, Japan

Mo.D-P23 - Spin transport in an n-type 4H-SiC channel

E. Shigematsu¹, Y. Ando¹, G. Eguchi¹, T. Shinjo¹, T. Kimoto¹, M. Shiraishi¹

1. Kyoto University, Kyoto, Japan

Mo.D-P24 - All-electric spin transistor using perpendicular spins

H. Cheol Koo¹, J. Hoon Kim¹, J. Bae¹, B. Min¹, H. Kim¹, J. Chang¹, S. Hee Han¹

1. Korea Institute of Science And Technology, Seoul, South Korea

Mo.D-P26 - Electrical spin injection and detection in homoepitaxial GaAs(110) layers

H. Kim¹, H. S. Kim^{1,2}, J. Shin¹, H. Chul Koo^{1,2}, J. Chang¹

1. Center for Spintronics, Korea Institute of Science & Technology, Seoul, South Korea

2. KU-KIST Graduate School of Converging Science and Technology, Korea University, Seoul, South Korea

Mo.D-P27 - Spin injection in silicon and germanium: new elements for understanding

F. Rortais^{1,2}, S. Oyarzun^{1,2}, P. Laczkowski^{3,4}, J. Rojas-Sanchez^{3,4}, C. Vergnaud^{1,2}, C. Ducruet⁵, C. Beigné^{1,2}, N. Reyren^{3,4}, A. Marty^{1,2}, J. Attané^{1,2}, L. Villa^{1,2}, G. Desfonds^{6,7}, S. Gambarelli^{6,7}, J. Widiez⁸, H. Jaffrès^{3,4}, J. Georges^{3,4}, M. Jamet^{1,2}

1. CEA, INAC-SP2M, F-38000 Grenoble, France

2. Univ. Grenoble Alpes, INAC-SP2M, Grenoble, France

3. Unité Mixte de Physique CNRS/Thalps, Campus Polytechnique, Palaiseau, France

4. Univ. Paris-Sud, Orsay, France

5. CROCUS-Technology, Grenoble, France

6. CEA, INAC-SCIB, Grenoble, France

7. Univ. Grenoble Alpes, INAC-SCIB, Grenoble, France

8. CEA, LETI, MINATEC Campus, Grenoble, France

Mo.D-P29 - Spin selective transport through quantum ring with magnetic impurities

P. Dahan¹

1. School of Engineering At Ruppin Academic Center

Mo.D-P30 - Hybrid optical generation and electrical detection of spin in Germanium using magnetic tunnel junctions and inverse spin hall effect

A. Ferrari^{1,2}, F. Bottegoni³, C. Vergnaud⁴, M. Celebrano³, L. Ghirardini³, E. Sakat³, G. Isella³, M. Bollani⁵, P. Biagioni³, F. Rortais⁴, L. Vila⁴, J. Attané⁴, A. Marty⁴, C. Beigné⁴, C. Largeton⁶, F. Henry⁶, F. Ciccacci³, M. Finazzi³, M. Jamet³

1. *Univ. Grenoble Alpes, Grenoble, France*
2. *CNRS, Institut Néel, 'Nanophysique et semiconducteurs' group, Grenoble, France*
3. *LNESS-Dipartimento di Fisica, Politecnico di Milano, Milano, Italy*
4. *INAC/SP2M, CEA-Université Joseph Fourier, Grenoble, France*
5. *CNR-IFN and LNESS, Como, Italy*
6. *LETI/DOPT/STM, CEA-Université Joseph Fourier, Grenoble, France*

Mo.D-P31 - Suppression of spin decay in a laterally confined two-dimensional electron gas

P. Altmann¹, M. P. Walser¹, M. Kohda^{1,2}, C. Reichl³, W. Wegscheider³, G. Salis¹

1. *IBM Research, Zurich, Switzerland*
2. *Graduate School of Engineering, Tohoku University, Sendai, Japan*
3. *Solid State Physics Laboratory, ETH Zurich, Zurich, Switzerland*

E. Organic spintronics. Carbon-based spintronics

Mo.E-P02 - Tuning of magnetoresistance in organic-based devices by interface engineering

H. Jang^{1,2}, O. Jurchescu², C. Richter¹

1. *Semiconductor and Dimensional Metrology Division, National Institute of Standards and Technology, Gaithersburg, United States*
2. *Department of Physics, Wake Forest University, Winston-Salem, United States*

Mo.E-P04 - Spin transistors based on single-molecule magnets

E. Burzuri¹, R. Gaudenzi¹, K. Park², A. Cornia³, Herre S. J. van der Zant¹

1. *Delft University of Technology, Delft, The Netherlands*
2. *Virginia Tech, Blacksburg, United States*
3. *University of Modena and Reggio Emilia, Modena, Italy*

Mo.E-P05 - Cobalt states at a single Graphene/Co interface probed by ferromagnetic nuclear resonance

Y. shin^{1,2}, F. Godel¹, D. Halley¹, J. Francois Dayen¹, J. Weon Wu², C. Meny^{1,2}

1. *Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR 7504 CNRS- University of Strasbourg, Strasbourg, France*
2. *Department of Physics, CNRS-Ewha International Research Center, Ewha Womans University, South Korea*

Mo.E-P06 - Room Temperature Magnetoresistance in SInGLE-Molecule Devices

E. Ruiz¹, D. Aravena¹, I. Díez-Perez¹, A. C. Aragonéz¹, J. Antonio Real², J. Hihath³, J. I. Cerda⁴

1. *Universitat de Barcelona, Barcelona, Spain*
2. *Universitat de Valencia, Valencia, Spain*
3. *University of California, Davis, United States*
4. *Instituto de Ciencia de Materiales de Madrid, Madrid, Spain*

Mo.E-P07 - Magnetoresistance effect of magnetic tunnel junctions with an interface modified by [6]Cyclo-2,7-naphthylenes

K. Suzuki¹, T. Izumi^{2,3}, X. Zhang¹, A. Sugihara¹, S. Pham¹, H. Taka^{2,3}, S. Sato^{1,2,4}, H. Isobe^{1,2,4}, S. Mizukami¹

1. *Advanced Insititute For Materials Research(AIMR), Tohoku University, Sendai, Japan*
2. *JST, ERATO, Isobe Degenerate n-Integration Project, Aoba-ku, Sendai, Japan*
3. *Corporate R&D Headquarters, Konica Minolta, Ishikawa-cho, Hachioji, Japan*
4. *Dept. of Chemistry, Graduate School of Science, Tohoku Univ., Aoba-ku, Sendai, Japan*

Mo.E-P09 - Ferromagnet - organic semiconductor interface for molecular spin electronic devices

S. Majumdar¹

1. *Aalto University, Spoo, Finland*

Mo.E-P10 - Effect of molecular ordering on spin transport in Fe/MgO/CuPc/Co hybrid junctions

Y. Jeong Bae¹, N. Jong Lee¹, J. Wade², J. Kim², A. Pratt³, T. Hee Kim¹

1. *Ewha Womans University, Seoul, Suth Korea*
2. *Imperial College London, London, United Kingdom*

Mo.E-P11 - Tailoring spin-textured interfaces with organic molecules

M. Cinchetti¹, B. Stadtmüller¹, J. Seidel¹, N. Haag¹, C. Tusche², J. Kirschner², M. Aeschlimann¹

1. *Department of Physics and Research Center OPTIMAS, University of Kaiserslautern, Kaiserslautern, Germany*
2. *Max-Planck-Institut für Mikrostrukturphysik, Halle, Germany*

Mo.E-P12 - Enhanced magnetic field effect in a top-emitting spin-OLED

N. Jong Lee¹, Y. J. Bae¹, H. Jung², C. Lee², E. Ito³, T. Hee Kim¹

1. *Department of Physics, Ewha Womans University, Seoul, Republic of Korea*
2. *School of Electrical Engineering and Computer Science, Seoul National University, Seoul, Republic of Korea*
3. *Flucto-Order Functions Research Team, RIKEN Advanced Science Institute, Wako, Saitama, Japan*

F. Spin transfer torque and spin transfer oscillator

Mo.F-P01 - Massively parallel micromagnetic simulations of small-size nanoelements with applications to STT-MRAM devices

E. Semenova¹, D. Berkov¹

1. *General Numerics Research Lab, Jena, Germany*

Mo.F-P02 - Magnetization dynamics of a single-domain magnet under a spin-polarized current with a tilted polarization

Z. Sun¹, T. Wang¹, Z. Wang¹

1. *Soochow University, Suzhou, Jiangsu, China*

Mo.F-P04 - Driven synchronization of multiple nano-contact spin torque oscillators

A. Houshang^{1,2}, E. Iacocca¹, P. Dürrenfeld¹, S. Radjai Sani³, J. Åkerman^{1,2,3}, R. K. Dumas^{1,2}

1. Department of Physics, University of Gothenburg, Gothenburg, Sweden

2. NanOsc AB, Kista, Sweden

3. Materials Physics, School of ICT, Royal Institute of Technology (KTH), Kista, Sweden

Mo.F-P05 - Reducing the switching current with a Gilbert damping constant in a nanomagnet with perpendicular anisotropy

Keisuke mada¹, K. Oomaru¹, S. Nakamura¹, T. Sato¹, Y. Nakatani¹

1. University of Electro-Communications, Chofu, Tokyo

Mo.F-P06 - Point-Contact Spin Torque Oscillator with Highly Spin-Polarized Co₂(Fe, Mn)Si

T. Yamamoto¹, T. Seki², T. Kubota¹, H. Yako¹, K. Takanashi¹

1. IMR, Tohoku Univ., Sendai, Japan

2. JST-PRESTO, Tokyo, Japan

Mo.F-P07 - Magnetic phase transition and colossal magnetoresistive effect in Sm_{0.55}Sr_{0.45-x}Ag_xMnO₃ (0 < x < 0.10) system

M. Ahmad Bhat¹, D. Kumar², A. Shahee³, N.K. Gaur⁴

1. Research Scholar

2. Scientist D

3. Research Scholar

4. Associate Professor

Mo.F-P08 - Spin torque ferromagnetic resonance in a nano-contact geometry

M. Fazlali¹, P. Dürrenfeld¹, E. Iacocca^{1,2}, N. M. Dvornik¹, M. Haidar¹, M. Ranjbar¹, J. Åkerman^{1,2,3}, R. Dumas^{1,2}

1. Physics Department, University of Gothenburg, Gothenburg, Sweden

2. NanOsc AB, Kista, Sweden

3. Material Physics, School of ICT, Royal Institute of Technology, Kista, Sweden

Mo.F-P09 - Theoretical investigation of spin transfer torque in antiferromagnetic and ferrimagnetic tunnel junctions

P. Merodio¹, A. Kalitsov^{1,2}, H. Béa¹, N. V. Baltz¹, M. Chshiev¹

1. SPINTEC, Univ. Grenoble Alpes, CNRS, CEA-INAC, Grenoble, France

2. MINT Center, University of Alabama, Tuscaloosa, AL, United States

Mo.F-P10 - Effectiveness of negative index of surface anisotropy

C. Mitsumata¹, M. Mizuguchi²

1. National Institute For Materials Science, Tsukuba, Japan

2. Tohoku University, Sendai, Japan

Mo.F-P12 - Spin-torque generated equilibria in spin Hall systems and their role in magnetic switching

S. Yan¹, Ya. B. Bazaliy¹

1. University of South Carolina, Columbia, United States

Mo.F-P13 - Narrow linewidth spin-torque oscillator driven by localized current in ferromagnetic nano-contacts

M. Al-Mahdawi¹, Y. Toda¹, Y. Shiokawa¹, M. Sahashi¹

1. *Tohoku University, Sendai, Japan*

Mo.F-P14 - Experimental evidence of Rashba spin orbit torque in Py/ β -Ta bilayer system

Ni Behera¹, Sujeet Chaudhary², Di. K. Pandya³

1. *Indian Institute of Technology Delhi, Delhi, India*

Mo.F-P15 - Effects of Dzyaloshinskii-Moriya interaction on the spin transfer magnetization switching in magnetic tunnel junctions

J Sampaio¹, A. Khvalkovskiy², M. Kuteifan³, M. Cubukcu¹, D. Apalkov², V. Lomakin³, V. Cros¹, N. Reyren¹

1. *Unité Mixte de Physique CNRS/Thales, Palaiseau, France*

2. *Samsung Electronics, Semiconductor R&D Center (Grandis), San Jose, United States*

3. *Department of Electrical and Computer Engineering, University of California at San Diego, La Jolla, United States*

Mo.F-P16 - Spin torque oscillator under a quasiperiodic current

D. Laroze⁰, A. Cabanas², P. Caranivi², J. Gallas³

1. *University of Glasgow, Glasgow, Scotland*

2. *Universidad de Tarapaca, Arica, Chile*

3. *Universidade Federal da Paraíba, João Pessoa, Brazil*

Mo.F-P17 - High frequency oscillation above 10GHz in zero applied field with Rh/FeCo perpendicular free layer Spin-Torque-Oscillator

Y. Shiokawa¹, K. Sakamoto¹, M. K.O Al-Mahdawi¹, J. Jung¹, M. Sahashi¹

1. *Department of Electronic Engineering, Tohoku University, Sendai, Japan*

Mo.F-P18 - Spin Hall magnetoresistance in cobalt ferrite thin films with different preferential axes

T. Tainosho¹, S. Sharmin¹, T. Niizeki², H. Yanagihara¹, E. Kita¹

1. *Inst. of Appl. Phys., Univ. of Tsukuba, Tsukuba, Japan*

2. *WPI-AIMR, Tohoku Univ., Sendai, Japan*

Mo.F-P19 - Time-domain study of injection locked signal from a magnetic tunnel junction based spin torque oscillators

R. Sharma¹, P. Dürrenfeld², J. Åkerman^{2,3}, P.K Muduli^{1,3}

1. *Department of Physics, Indian Institute of Technology, Hauz Khas, New Delhi, India*

2. *Department of Physics, University of Gothenburg,, Gothenburg, Sweden*

3. *Materials Physics, School of ICT, KTH-Royal Institute of Technology, Kista, Sweden*

Mo.F-P20 - Spin wave eigenmodes excited by spin transfer torque in circular nanopillars: influence of lateral size and Oersted field studied by micro-magnetic simulations

M. Pauselli^{1,2}, G. Carlotti¹

1. Dipartimento Di Fisica E Geologia Università Degli Studi Di Perugia, Perugia, Italy
2. Istituto officina dei Materiali del Consiglio Nazionale delle Ricerche (IOM-CNR), Sede di Perugia, c/o Dipartimento di Fisica, Perugia, Italy

Mo.F-P21 - Shape anisotropy dependence for Large Power Coherent Microwave MgO/CoFeB based Spin Transfer Nano-oscillators close to the in-plane/out-of-plane anisotropy transition

M. Tarequzzaman¹, Santiago Serrano-Guisan¹, J. D. Costa¹, Borme¹, Elvira Paz¹, R. Ferreira¹, P. Freitas¹

1. INL - International Iberian Nanotechnology Laboratory, Braga, Portugal

Mo.F-P22 - Experiment on spin current assisted magnetization reversal using spin pumping effect.

M. Takahashi¹, Y. Nozaki¹

1. Keio University, Tokyo, Japan

Mo.F-P23 - Spin-Torque Oscillators: Energy Space Dynamics

Da. Pinn¹, D. Stei^{2,3}, A. Kent³

1. Unité Mixte de Physique CNRS/Thales, Palaiseau, France
2. Courant Institute of Mathematical Sciences, New York University, New York, United States
3. Department of Physics, New York University, New York, United States

Mo.F-P24 - NON-LINEAR MODE INTERACTION BETWEEN SPIN TORQUE DRIVEN AND DAMPED MODES IN SPINTORQUE NANO-OSCILLATORS

Miguel Romera^{1,2,3}, E. Monteblanco^{1,2,3}, F. Garcia Sanchez^{1,2,3}, B. DelaÛt⁴, L. D. Buda-Prejbeanu^{1,2,3}, U. Ebels^{1,2,3}

1. Univ. Grenoble Alpes, Grenoble, France
2. CEA, INAC-SPINTEC, Grenoble, France
3. CNRS, SPINTEC, Grenoble, France
4. CEA-LETI, MINATEC, DRT/LETI/DIHS, Grenoble, France

Mo.F-P25 - High frequency characterization of nanocontact spin torque oscillators with respect to altitude and azimuth angles of applied field

S. A. Hossein Banuazizi¹, S. R. Sani², S. Chung^{1,3}, M. Mohseni⁴, J. Kerman^{1,3,5}

1. Department of Material and Nano Physics, School of Information and Communication Technology, KTH-Royal Institute of Technology, Kista, Sweden
2. Department of Physics, New York University, New York, United States
3. Department of Physics, University of Gothenburg, Gothenburg, Sweden
4. Department of Physics, Shahid Beheshti University, Tehran, Iran
5. NanOsc AB, Kista, Sweden

Mo.F-P26 - Analytical model of a synthetic ferrimagnet spin torque oscillator: comparison of the self-polarized with the external polarizer case

B. Lacoste¹, M. Romera^{2,3,4}, U. Ebels^{2,3,4}, L. Prejbeanu-Buda⁰

1. *International Iberian Nanotechnology Laboratory, Braga, Portugal*

2. *Univ. Grenoble Alpes, Grenoble, France*

3. *CEA, INAC-SPINTEC, Grenoble, France*

4. *CNRS, SPINTEC, Grenoble, France*

Mo.F-P28 - Mechanical analogy for spin currents and torques in diffusive systems

Y. B. Bazaliy¹

1. *University of South Carolina, Columbia, United States*

G. Spinwave dynamics and magnonics

Mo.G-P03 - Investigation of Magnetostatic Spin Wave Resonance in Patterned Mu-metal Thinfilms

C. Deger¹, F. Yildiz², M. Ozdemir¹

1. *Marmara University, Physics Department, Goztepe, Istanbul, Turkey*

2. *Gebze Technical University, Physics Department, Istanbul Caddesi, Gebze, Turkey*

Mo.G-P04 - Structural control of standing spin wave properties in exchange-coupled multilayer strips.

X. Ya¹, k. Imamura¹, t. Tanaka¹, K. Matsuyama¹

1. *ISEE Kyushu University Japan, Fukuoka, Japan*

Mo.G-P05 - Spin-wave frequency non-reciprocity in permalloy thin films

O. Gladii¹, M. Haidar^{1,2}, Henry¹, M. Kostylev³, M. Bailleul¹

1. *Institut de Physique et Chimie des Matériaux de Strasbourg, UMR7504 CNRS-Université de Strasbourg, Strasbourg, France*

2. *Department of Physics, University of Gothenburg, Göteborg, Sweden*

3. *School of Physics, The University of Western Australia, Crawley, Australia*

Mo.G-P06 - Spin waves in planar quasicrystals of Penrose tiling

J. W. Klos¹, D. Kumar², J. Rychly¹, M. Krawczyk¹, A. Adeyeye²

1. *Faculty of Physics, Adam Mickiewicz University in Poznan, Poznan, Poland*

2. *Information Storage Materials Laboratory, Department of Electrical and Computer Engineering, National University of Singapore, Singapore*

Mo.G-P07 - Spin wave propagation in Permalloy films under tangentially magnetic fields with an arbitrary direction

M. Nakayama¹, M. Tashima¹, S. Kasai², S. Mitani², T. Manago¹

1. *Fukuoka University, Fukuoka, Japan*

2. *National Institute for Materials Science, Tsukuba, Japan*

Mo.G-P08 - High group velocity and large attenuation length of spin-waves in thick permalloy films

M. Ota¹, K. Yamanoi², S. Kasai³, S. Mitani³, T. Manago¹

1. Fukuoka University, Fukuoka, Japan
2. Kyushu University, Fukuoka, Japan
3. National Institute for Materials Science, Tsukuba, Japan

Mo.G-P09 - Graded-index magnonics with local electrical currents

C. Davies¹, V.Kruglyak¹

1. University of Exeter, Exeter, United Kingdom

Mo.G-P10 - Spin wave excitations in artificial multiferroic yttrium iron garnet - zinc oxide layered structures

Y. Khivintsev^{1,2}, A. Kozhevnikov¹, S. Vysotsky^{1,2}, V. Sakharov¹, O. Kiryasova¹, A. Veselov¹, Y. Filimonov^{1,2}

1. Saratov Branch of Kotelnikov Institute of Radio-engineering and Electronics of Russian Academy of Sciences, Saratov, Russia
2. Chernyshevsky Saratov State University, Saratov, Russia

Mo.G-P11 - Excitation of the spin wave beams with coplanar waveguide transducer

P. Gruszecki¹, A. E. Serebryannikov¹, W. Smigaj¹, M. Krawczyk¹

1. Faculty of Physics, Adam Mickiewicz University in Poznań, Poznań, Poland

Mo.G-P12 - Microwave radiation from parametrically excited magnons

M. Mino¹, H. Kawahara¹

1. Okayama University, Okayama, Japan

Mo.G-P13 - Stimulated thermalization of a parametrically driven magnon gas as a prerequisite for bose-einstein magnon condensation

D. A. Bozhko^{1,2}, P. Clausen¹, V. I. Vasyuchka¹, B. Hillebrands¹, G. A. Melkov³, A. A. Serga¹

1. Fachbereich Physik and Landesforschungszentrum OPTIMAS, Technische Universität Kaiserslautern, Kaiserslautern, Germany
2. Graduate School Materials Science in Mainz, Kaiserslautern, Germany
3. Faculty of Radiophysics, Taras Shevchenko National University of Kyiv, Kyiv, Ukraine

Mo.G-P14 - Spin-wave modes in magnonic crystal waveguides and inverted waveguides.

M. Mansurova¹, J. Panke¹, M. Münzenberg²

1. I. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany
2. Institut für Physik, Ernst-Moritz-Arndt-Universität Greifswald, Greifswald, Germany

Mo.G-P15 - Twinned domain induced magnonic modes in La_{0.7}Sr_{0.3}MnO₃/SrTiO₃(001) thin films

E. Wahlström¹, F. Macià², J. E. Boscher¹, Å. Monsen¹, P. Nordblad³, R. Marhieu³, A. Kent⁴, T. Tybell¹

1. Norwegian University of Science And Technology, Trondheim, Norway

2. Universitat de Barcelona, Barcelona, Spain

3. Uppsala Universitet, Uppsala, Sweden

4. New York University, New York, United States

Mo.G-P16 - Indirect vs direct magnonic band gap in two types of magnonic crystals: array of metallic stripes and array of grooves in YIG film

M. Mruczkiewicz¹, V. Bessonov^{2,3}, R. Gieniusz², U. Guzowska², A. Maziewski², A. Stognij⁴, M. Krawczyk¹

1. Faculty of Physics, Adam Mickiewicz University in Poznan, Poland

2. Faculty of Physics, University of Białystok, Białystok, Poland

3. Institute of Metal Physics, Ural Division of Russian Academy of Science, Yekaterinburg, Russia

4. Scientific-Practical Materials Research Center at National Academy of Sciences of Belarus, Minsk, Belarus

Mo.G-P17 - Detection of standing spin waves and investigation of the spin wave stabilities under high power excitations.

Y. Yokotani¹, K. Yamanoj¹, S. Yakata², T. Kimura³

1. Department of Physics, Kyushu University, Fukuoka, Japan

2. Department of Information Electronics, Fukuoka Institute of Technology, Fukuoka, Japan

3. Research Center for Quantum Nano-spin Science, Kyushu University, Fukuoka, Japan

Mo.G-P18 - Evaluation of the thermal spin injection driven by ferromagnetic resonance

K. Yamanoj¹, Y. Yokotani¹, S. Yakata², T. Kimura¹

1. Department of Physics, Kyushu University, Fukuoka, Japan

2. FIT

Mo.G-P19 - Propagation of Volume Mode Spin Waves

L. Van Tilburg¹, F. Buijnsters¹, A. Fasolino¹, M. Katsnelson¹

1. Radboud University, Nijmegen, Netherlands

Mo.G-P20 - Division and multiplication of a ferromagnetic resonance frequency on the basis of the nonlinear microwave magnetoelastic transducer

V. Vlasov¹, L. Kotov², V. Shavrov³, V. Shcheglov³

1. Institut Molécules Et Matériaux du Mans, UMR CNRS 6283, Université Du Maine, Le Mans, France

2. Syktyvkar State University, Syktyvkar, Russia

3. IRE Russian Academy of Sciences, Moscow, Russia

Mo.G-P21 - Modeling of rf nonlinear dynamics of magnetoelastic oscillations in a ferrite layers

V. Vlasov¹, D. Pleshev², F. Asadullin², S. Poleshikov², L. Kotov³, V. Shavrov⁴, V. Shcheglov⁴

1. Institut Molécules Et Matériaux du Mans, UMR CNRS 6283, Université Du Maine, Le Mans, France
2. Saint-Petersburg state forest technical university named after S.M. Kirov, St-Petersburg, Russia
3. Syktyvkar State University, Syktyvkar, Russia
4. Institute of Radioengineering and Electronics of the Russian Academy of Sciences, Moscow, Russia

Mo.G-P22 - Magnetisation dynamics of confined magnetic nanostructures controlled by voltage-induced mechanical strain

S. Bowe^{1,2}, R. Beardsley¹, D. Parkes¹, M. Wang¹, C. Reardon², K. Edmonds¹, B. Gallagher¹, A. Rushforth¹, S. Cavill^{2,3}

1. School of Physics and Astronomy, University of Nottingham, Nottingham, United Kingdom
2. Diamond Light Source, Chilton, Didcot, Oxfordshire, United Kingdom
3. Department of Physics, University of York, Heslington, York, United Kingdom.

Mo.G-P23 - Band structure of two-dimensional magnonic crystals with different antidot sizes: a micromagnetic study

R. Silvani¹, M. Madami¹, G. Gubbiotti², S. Tacchi², G. Carlotti¹

1. University of Perugia - Dipartimento Di Fisica E Geologia, Perugia, Italy
2. CNR_IOM, UnitÓ di Perugia, VIa Pascoli, Perugia, Italy

Mo.G-P24 - Spin wavevector dependent spin dynamics and damping processes on the magnetic nanowires

J. Cho¹, J. Yoon², F. Yuya³, K. Katsunori³, M. Jung⁴, Y. Suzuki³, C. You¹

1. Department of Physics, Inha University, Incheon, South Korea
2. Department of Electrical and Computer Engineering Faculty of Engineering, National University of Singapore, Singapore
3. Department of Materials Engineering Science, Osaka University, Osaka, Japan
4. Department of Physics, Sogang University, Seoul, South Korea

Mo.G-P25 - Spin-wave dynamics and the magnon Hall effect in the pyrochlore Lu₂V₂O₇

M. Mena^{1,2}, R. Perry^{1,3}, T. Perring^{1,4}, D O Le⁵, S O Guerrero⁶, M. Storni⁶, D. Adroja⁴, U. Stuhr², M. Enderle⁷, C. Rüegg^{2,8}, D. McMorrow¹

1. London Centre For Nanotechnology, UCL, London, United Kingdom
2. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institute, Villigen, Switzerland
3. Centre for Science at Extreme Conditions, University of Edinburgh, Mayfield Road, Edinburgh, Scotland
4. ISIS Facility, STFC Rutherford Appleton Laboratory, Harwell Oxford, Didcot, United Kingdom
5. Helmholtz-Zentrum Berlin, Berlin, Germany
6. Condensed Matter Theory, Paul Scherrer Institute, Villigen, Switzerland
7. Institut Laue-Langevin ILL, Grenoble, France
8. DPMC-MaNEP, University of Geneva, Geneva, Switzerland

Mo.G-P26 - Spin wave dynamics in array of Py stripes with periodic and quasiperiodic order

J. Rychly¹, J. W. Klos¹, M. Mruczkiewicz¹, M. Krawczyk¹, P. Kuswik², M. Matczak², F. Lisiecki³, R. Gieniusz⁴, A. Maziewski⁴

1. Faculty of Physics, Adam Mickiewicz University in Poznan, Poznan, Poland
2. Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland
3. Faculty of Technical Physics, Poznan University of Technology, Poznan, Poland
4. Faculty of Physics, University of Bialystok, Bialystok, Poland

Mo.G-P27 - Spin-wave scattering by domain walls in ultrathin ferromagnetic films

F. Buijnsters¹, A. Fasolino¹, M. I. Katsnelson¹

1. Institute For Molecules And Materials, Radboud University Nijmegen, Nijmegen, Netherlands

Mo.G-P29 - Broadband GHz magnetic susceptibility tensor of a synthetic antiferromagnet: experiment and semi-analytical approach

D. E. Gonzalez-Chavez¹, E. Montebancho¹, R. Dutra¹, R. L. Sommer¹

1. Brazilian Center For Research In Physics, Rio de Janeiro, Brazil

Mo.G-P30 - Ferromagnetic resonance measurements of CoFeCrB alloys films for in-plane spin transfer torque devices

C. Lacroix¹, K Oguz², J. M. David Coey², D. Ménard¹

1. Polytechnique Montreal, Montreal, Canada
2. Trinity College Dublin, Dublin, Ireland

Mo.G-P31 - Spinwave dynamics in elliptical dots: experiment and simulations

R. Pinto¹, D. E. Gonzalez-Chavez¹, R. Sommer¹

1. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

H. Magnetic thin films and multilayers

Mo.H-P01 - Influence of demagnetization field direction on domain structure and size of ultra-thin CoPt perpendicular anisotropy films

R. Hara¹, K. Hayakawa¹, H. Kawamura¹, R. Sugita¹

1. Department of Media And Telecommunications Engineering, Ibaraki University, Hitachi, Japan

Mo.H-P02 - Stress-engineering of CoFe2O4 thin films

I. Lucas^{1,2,3}, P. Jiménez-Cavero^{3,4}, B. Rivas-Murías⁵, C. Magén^{1,3,6}, F. Rivadulla⁵, L. Morellón^{2,3}

1. Fundación Araid, Zaragoza, Spain
2. Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain
3. Departamento de Física de la Materia condensada, Universidad de Zaragoza, Zaragoza, Spain
4. Instituto de Ciencia de Materiales de Aragón (ICMA), Universidad de Zaragoza, Zaragoza, Spain
5. Centro de Investigación en Química Biológica y Materiales Moleculares (CIQUS), Universidad de Santiago de Compostela, Santiago de Compostela, Spain
6. Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain

Mo.H-P03 - Spin-wave properties of IrMn/NiFe based spin-valves

G. Gubbiotti¹, Silvia Tacchi¹, M. Tamisari², L. Del Bianco³, E. Bonfiglioli², L. Giovannini², F. Spizzo², R. Zivieri²

1. Consiglio Nazionale delle Ricerche- Istituto Officina dei Materiali (CNR-IOM)
2. Dipartimento di Fisica e Scienze della Terra, CNISM, Università di Ferrara, Ferrara, Italy
3. Dipartimento di Fisica ed Astronomia, Università di Bologna, Bologna, Italy

Mo.H-P04 - Detail study of the physical properties in BiFeO₃/La₂/3S-r1/3MnO₃ bilayers.

C. Dominguez¹, J. Edward Ordoñez¹, M. Elena Gomez¹

1. Thin Film Group, Department of Physics, Universidad del Valle, Cali, Colombia
2. Center of Excellence for Novel Materials - CENM, www.cenm.org, Cali, Colombia

Mo.H-P06 - Co80Pt20 films with columnar grains and perpendicular magnetic properties produced by epitaxial deposition on Ru/Cu bilayers

S. Chen¹, C. Wen¹, C. Wang¹, T. Sun², C. Wang³, P. Kuo³

1. Ming Chi University of Technology, New Taipei City, Taiwan
2. National Tsing Hua University, Hsinchu City, Taiwan
3. National Taiwan University, Taipei City, Taiwan

Mo.H-P07 - Tuning the magnetoimpedance response in NiFe/Cu/Co films through the magnetic interaction between ferromagnetic layers

E. Felix da Silva¹, M. Gamino², A. Marcos Helgueira de Andrade², R. Barreto da Silva³, M. Assolin Corrúa¹, F. Bohn¹

1. Universidade Federal do Rio Grande do Norte, Natal, Brazil
2. Universidade Federal do Rio grande do Sul, Porto Alegre, Brazil
3. Universidade Federal de Santa Maria, Santa Maria, Brazil

Mo.H-P08 - Optical and magneto-optical interactions in permalloy thin and ultrathin films on Si substrates

Kristupas Kazimieras Tikuišis, Lukáš Beran, Petr Cejpek, Klára Uhlířová, Michal Urbánek, Marek Vaňatka, Martin Veis

1. Faculty of Mathematics and Physics, Charles University in Prague, Prague, Czech Republic
2. Institute of Physical Engineering, Brno University of Technology, Brno, Czech Republic
3. CEITEC BUT, Brno University of Technology, Brno, Czech Republic

Mo.H-P09 - Thickness dependence of the dynamic magnetic behavior in Permalloy films

E. Felix Da Silva¹, R. Domingues Della Pace², M. Cara², A. Azevedo³, S. Rezende³, C. Chesman¹, M. Assolin Corrúa¹, F. Bohn¹

1. Universidade Federal Do Rio Grande Do Norte, Natal, Brazil
2. Universidade Federal de Santa Maria, Santa Maria, Brazil
3. Universidade Federal de Pernambuco, Recife, Brazil

Mo.H-P12 - Experimental setup for investigation on magnetic thin layers by in-situ neutron reflectometry

J. Ye¹, W. Kreuzpaintne N, B. Wiedemann¹, S. Mayr¹, A. Schmehl², T. Mairoser², A. Herrnberger², J. Moulin³, J. Stahn⁴, P. Korelis⁴, M. Haese-Seiller³, M. Pomm³, A. Paul¹, P. Böni¹, J. Mannhart⁵

1. Technische Universität München, München, Germany
2. Zentrum für elektronische Korrelation und Magnetismus, Universität Augsburg, Lehrstuhl für Experimentalphysik VI, Augsburg, Germany
3. Helmholtz Zentrum Geesthacht, Instrument REFSANS, Garching, Germany
4. Paul Scherrer Institut, Villigen, Switzerland
5. Max Planck Institut für Festkörperforschung, Stuttgart, Germany

Mo.H-P13 - Magnetic Anisotropy in BiFeO₃ PLD thin films deposited over Si substrates

G. Gomez-Iriarte¹, D. M. Souza¹, L. A. Sousa de Oliveira², A. Mello¹, L. Steren⁴, S. Carreras⁴, A. Penton-Madrigal³, J. Paulo Sinnecker¹

1. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil
2. Universidade Federal do Rio de Janeiro, Xerém, Brazil
3. Facultad de Física, Universidad de la Habana, Havana, Cuba
4. Centro Atómico Constituyentes, Comisión Nacional de Energía Atómica, Buenos Aires, Argentina

Mo.H-P15 - Giant magnetoresistance and Magnetic properties of epilayers-perovskite LBMT0

M. Oumezzine¹, A. Catalin Galca², I. Pasuk², C. Florentina Chirila², A. Leca³, V. Kuncser³, A. Kuncser⁴, C. Ghica⁴, L C. Tanase⁵, M. Oumezzine¹

1. Laboratoire de Physico-Chimie des Matériaux, Faculté des Sciences de Monastir, Université de Monastir, Monastir, Tunisia
2. Laboratory of Multifunctional Materials and Structures, National Institute of Materials Physics, Magurele, Romania
3. Laboratory of Magnetism and Superconductivity, National Institute of Materials Physics, Magurele, Romania
4. Laboratory of Atomic Structures and Defects in Advanced Materials, National Institute of Materials Physics, Magurele, Romania
5. Laboratory of Nanoscale Condensed Matter Physics, National Institute of Materials Physics, Magurele, Romania

Mo.H-P16 - Dependence of Curie temperature on the thickness of Pt layer in Co/Pt system

T. Koyama¹, A. Obinata¹, Y. Hibino¹, A. Hirohata^{2,3}, B. Kuerbanjiang³, V. Lazarov³, D. Chiba¹

1. The University of Tokyo, Tokyo, Japan
2. PRESTO
3. University of York, Heslington, England, United Kingdom

Mo.H-P17 - Sputtered thin films of Ti substituted barium hexaferrite for miniaturized components of electronic devices in the microwave range

N. Gutzeit¹, Bernd Halbedel², H. Romanus³, J. Müller^{1,3}

1. Technische Universität Ilmenau, Institute for Microelectronics and Nanoelectronics, Group of Electronics Technology, Ilmenau, Germany
2. Technische Universität Ilmenau, Institute of Materials Engineering, Group of Inorganic-Nonmetallic Materials, Ilmenau, Germany
3. Technische Universität Ilmenau, Center of Micro- and Nanotechnologies, Ilmenau, Germany

Mo.H-P18 - Magnetic properties of irradiated Co₂MnSi Heusler alloys

I. ABDALLAH¹, N. BIZIERE¹, B. PECASSOU¹, G. BENASSAYAG¹, J. BOBO¹, E. SNOECK¹

1. CEMES, CNRS, Toulouse cedex 4, France

Mo.H-P19 - Thickness dependent properties of Sr₂FeMoO₆ thin films grown on SrTiO₃ and (LaAlO₃)_{0.3}(Sr₂AlTaO₆)_{0.7} substrates

M. Saloaro¹, Il. Angervo¹, H. Huhtinen¹, P. Paturi¹

1. Wihuri Physical Laboratory, Department of Physics and Astronomy, University of Turku, Turku, Finland

Mo.H-P20 - Defect induced enhanced low field magnetoresistance in Pr 0.6 Ca 0.4 MnO 3 thin films

T. Elovaara¹, S. Majumdar^{1,2}, H. Huhtinen¹, P. Paturi¹

1. Department of Physics and Astronomy, University of Turku, Turku, Finland
2. Department of Applied Physics, Aalto University School of Science, Espoo, Finland

Mo.H-P21 - Laterally confined magnonic waveguide with ferroelectric load

A. Sadovnikov¹, E. Beginin¹, S. Sheshukova¹, Y. Sharaevski¹, S. Nikitov^{1,2}

1. Saratov State University, Nonlinear Processes Department, Saratov, Russia
2. Kotel'nikov Institute of Radio Engineering and Electronics of Russian Academy of Science, Moscow, Russia

Mo.H-P22 - Magnetic waveguide arrays studied by brillouin light scattering

A. Sadovnikov¹, Evgeny

1. Saratov State University, Nonlinear Processes Department, Saratov, Russia

Mo.H-P23 - Ion Irradiation Induced Relaxation of Tensile Strain and Change in Directionality of Magnetic Domains in BaFeO_{3-δ} Thin Films

F. Aziz¹, M. Chandra¹, S. Das², M. Prajapat², K. Asokan³, K. R. Mavani¹

1. Discipline of Physics, Indian Institute of Technology Indore, Madhya Pradesh, India
2. Department of Physics, Indian Institute of Science Education and Research Bhopal, Bhopal, India
3. Inter-University Accelerator Centre (IUAC), Aruna Asaf Ali Marg, New Delhi, India

Mo.H-P25 - Strain induced magnetic anisotropy variation of CoFe₂O₄ films[§]

S. Park¹, Lee¹, C. Cho¹, J. Ba, J. Kim

1. Pusan National University, Busan, South Korea
2. Korea Basic Science Institute, Daejeon, South Korea

Mo.H-P26 - Interlayer thickness dependence of the magnetic coupling in FePt multilayered dots

Hirokazu¹, H. Iwama¹, M. Doi¹, T. Shima¹

1. *Tohoku Gakuin University, Sendai, Japan*

Mo.H-P28 - Unusual anisotropic magnetoresistance in single crystalline Fe films and Pt/Fe bilayers

J. Li¹, M. Jia¹, L. Sun¹, Z. Ding¹, H. Ding², Y. Wu¹

1. *Fudan University, Shanghai, China*

2. *Nanjing university, Nanjing, China*

Mo.H-P30 - Effects of the Layer Thickness on the Magnetic and Magneto-optical Properties of Sputtered and Annealed La_{0.66}Sr_{0.34}MnO₃ Thin Films on Silicon

M. Monecke¹, O. Ciubotariu¹, P. Richter¹, P. Thoma¹, G. Salvan¹, D. R.T. Zahn¹

1. *Semiconductor Physics, Technische Universität Chemnitz, Chemnitz, Germany*

Mo.H-P31 - Spin wave eigenmodes of Dzyaloshinskii domain walls

P. Borys¹, Felipe G. Sanchez², J. Von Kim², R. Stamps¹

1. *University of Glasgow, Glasgow, Scotland*

2. *Institut d'Electronique Fondamentale, Univ. Paris-Sud, Orsay, France*

Mo.H-P33 - Anomalous Hall Effect in antiferromagnetic Mn₅Si₃ films

C. Sürgers¹, G. Fischer¹, H. v. Löhneysen¹

1. *Karlsruhe Institute of Technology, Karlsruhe, Germany*

Mo.H-P34 - Proximity effects in Fe/Cr/Gd multilayers

V.V. Ustinov¹, M.V. Ryabukhina¹, E.A. Kravtsov¹, Y. Choi², D. Haskel², Y. Khaidukov³

1. *Institute of Metal Physics, Ekaterinburg, Russia*

2. *Advanced Photon Source, Argonne National Laboratory, Argonne, United States*

3. *Max Plank Institute for Solid State Research, Stuttgart, Germany*

Mo.H-P35 - Formation of ordered antiferromagnetic phase NiFeMn under thermo-magnetic treatment of manganese-permalloy bilayers

I.V. Blinov¹, T.P. Krinitsina¹, M.A. Milyaev¹, V.V. Popov¹, V.V. Proglyado¹, V.V. Ustinov¹

1. *Institute of Metal Physics, Ekaterinburg, Russia*

Mo.H-P36 - CoFe₂O₄/Fe₃O₄ superlattices; MBE growth and magnetic properties

Q. Nguyen Van¹, Y. Shin², Rhim S. H.¹, A. Tuan Duong¹, M. Nguyen Thi¹, S. Cho¹, M. Christian²

1. *Department of Physics, and Energy Harvest Storage Research Center, University of Ulsan, Ulsan, South Korea*

2. *Institute of Physics and Chemistry for Materials of Strasbourg, Strasbourg, France*

Mo.H-P37 - Modification of Interfacial Magnetism in Weakly Strained Manganite films

N. Bingham^{1,2}, A. Suszka^{1,2}, C. Fernandes Vaz³, V. Franco⁴, L. Heyderman^{1,2}

1. *Laboratory for Micro- and Nanotechnology, Paul Scherrer Institute, Villigen, Switzerland*

2. *Laboratory for Mesoscopic Systems, Department of Materials, ETH Zurich, Zurich, Switzerland*

3. *Swiss Light Source, Paul Scherrer Institut, Villigen, Switzerland*

4. *Departamento de Física de la Materia Condensada, ICMSE-CSIC, Universidad de Sevilla, Sevilla, Spain*

Mo.H-P38 - Ferromagnetic and spin-wave resonances in multilayer nanogranular films

[(Co₄₀Fe₄₀B₂₀)X(SiO₂)_{100-X/a} -Si:H]_n and [(Co₄₀Fe₄₀B₂₀)X(-SiO₂)_{100-X/SiO₂]_n}

E. Denisova¹, L. Chekanova¹, R. Iskhakov¹, Y. Kalinin², A. Sitnikov²

1. *Kirensky Institute of Physics SB RA, Krasnoyarsk, Russia*

2. *Voronezh State Technical University, Voronezh, Russia*

Mo.H-P39 - Asymmetry in the Activity of Nucleation Centers in Ultrathin Pd/Co/Pd Trilayers

R. Shull¹, Y.L. Iunin², P.J. Chen¹, V.I. Nikitenko²

1. *National Institute of Standards and Technology, Gaithersburg, United States*

2. *Russian Academy of Science, Chernogolovka, Russia*

Mo.H-P40 - Tunnel transport through SrMnO₃ / La₂/3Sr1/3MnO₃ epitaxial bilayers investigated by CAFM.

P. Jiménez-Cavero^{1,2}, N. I. Lucas^{2,3,4}, L. Maurel^{2,4}, C. Magén^{2,3,4,5}, J. Angel Pardo^{4,6}, P. Antonio Algarabel^{1,2}, L. Morellón^{2,4}

1. *Instituto de Ciencia de Materiales de Aragón, ICMA-CSIC, Universidad de Zaragoza, Zaragoza, Spain*

2. *Departamento de Física de la Materia condensada, Universidad de Zaragoza, Zaragoza, Spain*

3. *Fundación Araid, Zaragoza, Spain*

4. *Instituto de Nanociencia de Aragón (INA), Zaragoza, Spain*

5. *Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain*

6. *Departamento de Ciencia y Tecnología de Materiales y Fluidos, Universidad de Zaragoza, Zaragoza, Spain*

Mo.H-P42 - Magnetization boundary conditions at a ferromagnetic interface of finite thickness

V. Kruglyak¹, O. Gorobets², Y. Gorobets³, A. Kuchko^{3,4}

1. *University of Exeter, Exeter, England, United Kingdom*

2. *National Technical University of Ukraine, Kiev, Ukraine*

3. *Institute of Magnetism of NAS of Ukraine, Kiev, Ukraine*

4. *Donetsk National University, Donetsk, Ukraine*

Mo.H-P43 - Thickness dependence of Gilbert damping of (Ru,MgO)/CoFeB/Ru trilayers

S. Bunyaev¹, A. García-García^{1,2}, A. Vieira Silva ², J. M. Teixeira¹, J. Ventura¹, S. Cardoso², P. Freitas², G. Kakazei¹

1. IFIMUP-IN, Universidade do Porto, Porto, Portugal
2. INESC-MN/IN, Lisboa, Portugal

Mo.H-P44 - Annealing effects in Co/Ni multilayers

N. Soriano Gomez¹, H. Kilinc², H. Belliveau³, D. Navas⁴, C. Garcia⁵, C. W. Miller⁶, R. Morales^{7,8}

1. Department of Chemical-Physics, University of the Basque Country UPV/EHU, Leioa, Spain
2. Physics Department, Bogazici University, Istanbul, Turkey
3. Physics Department, University of South Florida, Tampa FL, United States
4. 4IFIMUP-IN and Departamento Física e Astronomia, Universidade do Porto, Porto, Portugal
5. Physics Department, Universidad Técnica Federico Santa María, Valparaíso, Chile
6. College of Science, Rochester Institute of Technology, Rochester NY, United States
7. Department of Chemical-Physics & BCMaterials, University of the Basque Country UPV/EHU, Leioa, Spain
8. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

Mo.H-P45 - Transverse Kerr effect transformation of by normal metal film atop ferromagnetic metal surface

V. Skidanov¹

1. Institute For Design Problems In Microelectronics RAS

Mo.H-P46 - Domain wall propagation in Co/Pt-wedge/Co film with perpendicular anisotropy

M. Matczak^{1,2}, R. Schöfer^{3,4}, M. Urbaniak¹, B. Szymański¹, P. Kuwik¹, F. Stobiecki^{1,2}

1. Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland
2. NanoBioMedical Centre, Adam Mickiewicz University, Poznan, Poland
3. Leibniz Institute for Solid State and Materials Research (IFW) Dresden, Institut für Metallische Materialien, Dresden, Germany
4. Dresden University of Technology, Institute for Materials Science, Dresden, Germany

Mo.H-P47 - Magnetic anisotropy field in amorphous alloy and thin film with composition Co₆₇Fe₄Mo₁Si₁₇B₁₁: measurement by means of ferromagnetic resonance and low-field microwave absorption.

E. Lopez Molina^{1,2}, H. Montiel², G. Alvarez³, A. Conde Gallardo⁴, R. Zamorano⁴

1. Instituto de Investigaciones en Materiales, Universidad Nacional Autónoma de México, Coyoacán, México D.F., México
2. Centro de Ciencias Aplicadas y Desarrollo Tecnológico, Universidad Nacional Autónoma de México, Coyoacán, México D. F. México
3. Escuela Superior de Física y Matemáticas IPN, San Pedro Zacatenco, México D.F., México
4. Departamento de Física CINVESTAV-IPN, San Pedro Zacatenco, México D.F., México

Mo.H-P48 - The influence of deposit method on magnetic anisotropy field of CoFe₂O₄ thin films obtained by means of pulsed laser deposition.

E. Moreno^{1,2}, M. Montiel Sánchez², R. Castañeda Guzman², G. Alvarez Lucio³, A. Conde Gallardo⁴

1. Instituto de Investigaciones en Materiales, Universidad Nacional Autónoma de México
2. Centro de Ciencias Aplicadas y Desarrollo Tecnológico, Universidad Nacional Autónoma de México, Coyoacan, México D. F., Mexico
3. Escuela Superior de Física y Matemáticas IPN, San Pedro Zacatenco, México D.F., México
4. Departamento de Física CINVESTAV-IPN, México D.F., México

Mo.H-P49 - Electronic properties and magnetic moment distribution on perovskite type slabs

J. Pilo Gonzalez¹, J. Rosas Huerta¹, E. Carvajal Quiroz¹, M. Cruz-Irisson¹, O. Navarro Chávez²

1. Instituto Politécnico Nacional, ESIME-Cul, Coyoacan, México D. F., Mexico
2. Universidad Nacional Autónoma de México, IIM-Unidad Morelia

Mo.H-P50 - Preparation and magnetic properties of NiFe₂O₄ / ZnFe₂O₄ bilayers

Mahender C¹, Prabhu R.², Sahu B.N², S. Prasad², Venkataramani¹

1. Department of Metallurgical Engineering and Materials Science, Indian Institute of Technology Bombay, Bombay, India
2. Department of Physics, Indian Institute of Technology Bombay, Bombay, India

Mo.H-P51 - Ferromagnetic-antiferromagnetic transition in [001]-oriented L10 FeMnPt films

T. Hasegawa¹, S. Kimura¹, K. Ito¹, S. Ishio¹, A. S. Kamzin², A. A. Valiullin², C. Barton³, T. Thomson³

1. Department of Materials Science and Engineering, Akita University, Akita, Japan
2. Ioffe Physical Technical Institute, Russian Academy of Sciences, Moscow, Russia
3. School of Computer Science, University of Manchester, Manchester, England, United Kingdom

Mo.H-P52 - Epitaxially Textured PCMO Thin Films Under Considerably Low Substrate Temperature

M. Nyman¹, T. Elovaara¹, J. Tikkanen¹, S. Majumdar², H. Huhtinen¹, P. Paturi¹

1. University of Turku, Turku, Finland
2. Aalto University, Espoo, Finland

Mo.H-P53 - Electrical, structural and morphological properties of epitaxially-grown Cr_{100-x}Cox alloy films

C. Sheppard¹, A. Prinsloo¹, M. Kadam¹, E. Fullerton², D. Dekadjevi³, P. Elies³, J. Richey³

1. University of Johannesburg, Johannesburg, South Africa
2. University of California San Diego, La Jolla, United States
3. Université de Bretagne Occidentale, Brest, France

Mo.H-P54 - Tunneling anisotropic magnetoresistance in oxide heterostructures

L. Balcells¹, R. Galceran¹, C. Frontera¹, B. Bozzo¹, A. Pomar¹, J. Cisneros¹, Z. Konstantinovic¹, B. Martinez¹

1. Instituto de Ciencia de Materiales de Barcelona – CSIC, Spain

Mo.H-P55 - Magnetotransport properties and morphology of epitaxial Fe/MgO granular multilayers

A. Vovk¹, A. García-García², Y. Pogorelov², J. A. Pardo^{3,4}, P. Štrichovanec³, C. Magén^{3,5}, J. M. De Teresa^{3,6}, L. Morellón^{3,6}, P. Algarabel⁶, M. Ricardo Ibarra^{3,6}, G. Kakazei²

1. BioISI/FCUL Universidade de Lisboa, Lisboa, Portugal

2. Departamento de Física, IFIMUP and INN, Universidade do Porto, Porto, Portugal

3. Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, PSain

4. DCTMF, Universidad de Zaragoza, Spain

5. Fundación ARAID, Zaragoza, Spain

6. ICMA, Universidad de Zaragoza-CSIC, Spain

Mo.H-P56 - In-situ neutron reflectometry during thin film growth by sputter deposition

W. Kreuzpaintner¹, B. Wiedemann¹, J. Ye¹, S. Mayr¹, A. Paul¹, A. Schmehl², T. Mairoserer², A. Herrnberger², J. Stahn⁴, J. Moulin³, M. Haese-Seiler³, P. Korelis⁴, M. Pomm³, P. Böni¹, J. Mannhart⁵

1. Technische Universität München, Physik-Department E-21, Garching, Germany

2. Zentrum für elektronische Korrelation und Magnetismus, Universität Augsburg, Lehrstuhl für Experimentalphysik VI, Augsburg, Germany

3. Helmholtz Zentrum Geesthacht, Institut für Werkstofforschung, Abteilung WPN, Instrument REFSANS, Lichtenbergstr. 1, 85747 Garching FRM II

4. Paul Scherrer Institut, Laboratory for Neutron Scattering, Villigen, Switzerland

5. Max Planck Institute for Solid State Research, Stuttgart,

Mo.H-P57 - Influence of strain on the magnetic properties of LaMnO3 thin films

A. Pomar¹, J. Roqueta², J. Santiso², L. Balcells¹, C. Frontera¹, B. Bozzo¹, Z. Konstantinovic¹, N. Bagu^{1,2}, F. Sandiumenge¹, B. Martínez¹

1. Instituto de Ciencia de Materiales de Barcelona (ICMAB-CSIC), Spain

2. Institut Català de Nanociència i Nanotecnologia, ICN2 (CSIC-ICN), Spain

Mo.H-P58 - Probing short range order mediated tunable spontaneous magnetization in Zn_{0.95}Co_{0.050} epitaxial films by x-ray absorption

P. Satyarthi¹, S. Ghosh², P. Kumar³, D. Kanjilal⁴, H. Schmidt⁵, S. Zhou⁶, P. Srivastava⁷

1. Nanotech laboratory, Indian Institute of Technology Delhi, New Delhi, India

2. Nanotech laboratory, Indian Institute of Technology Delhi, New Delhi, India

3. Inter University Accelerator Centre, Aruna Asaf Ali Marg, New Delhi, India

4. Inter University Accelerator Centre, Aruna Asaf Ali Marg, New Delhi, India

5. Department of Materials for Nanoelectronics, Chemnitz University of Technology, Chemnitz, Germany

6. Helmholtz-Zentrum Dresden-Rossendorf, Institute of Ion Beam Physics and Materials Research, Dresden, Germany

7. Nanotech laboratory, Indian Institute of Technology Delhi, New Delhi, India

Mo.H-P61 - Study of dynamic and static magnetic properties of inverse opal-like structures based on Co and Ni

I. Shishkin¹, A. Mistonov^{1,2}, N. Grigoryeva¹, S. Grigoriev^{1,2}, D.Menzel³

1. Faculty of Physics, Saint Petersburg State University, Saint Petersburg, Russia

2. Petersburg Nuclear Physics Institute, Gatchina, Russia

3. Institut für Physik der Kondensierten Materie Technische Universität, Braunschweig, Germany

Mo.H-P62 - Comparison of FORC Results Obtained on L10 FeCuPt Measured by Three Different Methods

V. Provenzano⁴, J. W. Lau¹, D. A. Gilbert^{1,2}, P. Silwal¹, K. B. Stritch¹, J. Liao³, C. Lai³, K. Liu²

1. National Institute of Standards And Technology, Gaithersburg, United States

2. University of California -Davis, Physics Department, Davis, CA United States

3. National Tsing Hua University, Dept. of Materials Science and Engineering, Taiwan

Mo.H-P63 - Up-scaling strained, increased coercivity [Fe-Co/Au-Cu]_n multilayers, towards Rare Earth free Permanent Magnets applications

G. Giannopoulos¹, R. Salikhov², L. Reichel³, A. Markou⁴, I. Panagiotopoulos⁵, M. Farle⁶, S. Fähler⁷, V. Psycharis⁸, D. Niarchos⁹

1. INN, NCSR Demokritos, Athens, Greece

2. Fakultät für Physik and Center for Nanointegration (CeNIDE), Universität Duisburg-Essen, Duisburg, Germany

3. IFW Dresden, PO Box 270116, Dresden, Germany, TU Dresden, Institute for Materials Science, Dresden, Germany

4. Department of Materials Science and Engineering, University of Ioannina, Ioannina, Greece

5. Department of Materials Science and Engineering, University of Ioannina, Ioannina, Greece

6. Fakultät für Physik and Center for Nanointegration (CeNIDE), Universität Duisburg-Essen, Duisburg, Germany

7. IFW Dresden, Dresden, Germany

8. INN, NCSR Demokritos, Athens, Greece

9. INN, NCSR Demokritos, Athens, Greece

Mo.H-P64 - Anomalous change and development of anisotropic residual stress at the initial stage of FeCo film growth

S. Nakagawa¹, H. Hayashibara¹, Y. Takamura¹

1. Tokyo Institute of Technology, Tokyo, Japan

Mo.H-P65 - Electrical control of magnetism in Heusler alloy Co₂FeAl_{0.5}Si_{0.5} at room temperature

H. Wang¹, Y. Wu², H. Yu², Y. Jiang², J. Zhao¹

1. Institute of Semiconductors, Chinese Academy of Sciences, Beijing, China

2. School of Materials Science and Engineering, University of Science and Technology Beijing, Beijing, China

Mo.H-P66 - Anisotropic magnetoresistance of Heusler-type half-metal ferromagnet and antiferromagnet bilayer thin films

T. Hajiri¹, M. Matsushita¹, M. Nishiwaki¹, H. Tanaka¹, K. Ueda¹, H. Asano¹

1. *Department of Crystalline Materials Science, Nagoya University, Nagoya, Japan*

Mo.H-P67 - Thermally activated diffusion in Cu/Co/IrMn/Pt multilayers investigated by atom probe tomography

J. Le Breton¹, F. Letellier¹, R. Lardé¹, L. Lechevallier^{1,2}, V. Baltz³, K. Akmalidinov^{3,4}, S. Auffret³, B. Dieny³

1. *Groupe de Physique des Matériaux - UMR 6634 CNRS, Université et INSA de Rouen, France*

2. *Département GEII, Université de Cergy-Pontoise, France*

3. *SPINTEC - UMR 8191 CNRS, INAC-CEA, Université Joseph Fourier Grenoble 1, France*

4. *CROCUS Technology Grenoble, France*

Mo.H-P69 - The resistive switching and magnetic properties of CuO and Cu₂O films deposited by magnetron sputtering CuO target

Y. Hu¹, Z. Li¹

1. *Department of Applied Physics, National University of Kaohsiung, Kaohsiung, Taiwan*

Mo.H-P70 - Probing uncommensurated magnetic structures in thin films with GISANS

B. Wiedemann¹, S. Zhang², Y. Khaydukov^{3,4}, T. Hesjedal², O. Softwedel^{3,4}, T. Keller^{3,4}, S. Mühlbauer⁵, A. Chacon¹, C. Pfleiderer¹, P. Böni¹

1. *Physik Department, Technischer Universität München, München, Germany*

2. *Clerendon Laboratory, Department of Physics, University of Oxford, United Kingdom*

3. *Max-Planck-Institut für Festkörperforschung, Stuttgart, Germany*

4. *Max-Planck-Society, Outstation at FRM II, München, Germany*

5. *Forschungsneutronenquelle Heinz Maier Leibnitz, Technische Universität München, München, Germany*

Mo.H-P71 - Magnetic and dielectric properties of hexagonal ErFeO₃ thin film

H. Yokota¹, T. Nozue¹, M. Fukunaga², S. Nakamura^{3,4}, A. Fuwa⁵

1. *Dept. of Phys., Chiba Univ., Chiba, Japan*

2. *Dept. of Phys., Okayama Univ., Okayama, Japan*

3. *Dept. of Science and Engineering, Teikyo Univ., Itabashi, Tokyo, Japan*

4. *Advance Research Center of Science and Engineering, Waseda Univ., Tokyo, Japan*

5. *Dept. of Science and Engineering, Waseda Univ., Tokyo, Japan*

Mo.H-P72 - Electronic and magnetic structures of vanadium phthalocyanine monolayer and multilayer films prepared on Ag(111)

K. Eguchi¹, T. Nakagawa², Y. Takagi², T. Yokoyama²

1. *Nagoya University, Nagoya, Japan*

2. *Institute for Molecular Science, Okazaki, Japan*



Mo.H-P74 - Formation of L₁ phase by rapid thermal annealing for sputtered FeNi thin films

M. Mizuguchi¹, T. Tashiro¹, K. Sato¹, T. Konno¹, K. Takanashi¹

1. *Tohoku University, Sendai, Japan*

Mo.H-P75 - Strain-induced spin reorientation of bcc-like iron films grown on Cu(001)

E.C. Corredor^{1,2,3}, M. Ciria^{1,2}, J. I. Arnaudas^{2,3}, F. Lofink⁴, S. Rössler⁴, R. Frömter⁴, H. Oepen⁴

1. *Instituto de Ciencia de Materiales de Aragón, Consejo Superior de Investigaciones Científicas*

2. *Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain*

3. *Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain*

4. *Institut für Angewandte Physik, Universität Hamburg, Hamburg, Germany*

Mo.H-P76 - Influence of elastically pinned domain walls on magnetization reversal in multiferroic heterostructures

A. Casiraghi¹, T. Rincón Domínguez¹, S. Röbber², K. Franke¹, S. Hämmäläinen¹, D. López González¹, R. Frömter², H. Peter Oepen², S. Van Dijken¹

1. *NanoSpin, Department of Applied Physics, Aalto University, Espoo, Finland*

2. *Universität Hamburg, Institut für Angewandte Physik, Hamburg, Germany*

Mo.H-P77 - Temperature dependence of magnon contribution to resistivity in permalloy thin films

V. Mohanan Parakkat¹, A. Roy¹, A. P.S. Kumar¹

1. *IISc, Bengaluru, India*

Mo.H-P78 - Optical and Magneto-optical Spectroscopy of partially ordered Co₂MnSi

D. Kral¹, R. Silber², L. Beran¹, T. Kubota³, Y. Ando³, J. Pistora², M. Veis¹, J. Hamrle²

1. *Charles University In Prague, Faculty of Mathematics And Physics, Prague Czech Republic*

2. *Department of Physics and Nanotechnology Centre, VSB - Technical University of Ostrava, Ostrava-Poruba, Czech Republic*

3. *Department of Applied Physics, Graduate School of Engineering, Tohoku University, Sendai, Japan.*

Mo.H-P79 - Crystal structure changes and interfacial mixing in Co/Si thin films investigated by Ferromagnetic Nuclear Resonance

Y. Shin^{1,2}, A. Tuan Duong³, S. Cho³, C. Meny^{1,2}

1. *Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR 7504 CNRS- University of Strasbourg, Strasbourg Cedex 02, France*

2. *Department of Physics, CNRS-Ewha International Research Center, Ewha Womans University, Seoul, South Korea*

3. *Department of Physics and Energy Harvest Storage Research Center, University of Ulsan, Ulsan, South Korea*

Mo.H-P80 - Multifunctional Fe-Au heterogeneous thin-films

A. Conde-Rubio¹, M. Kovylyna¹, A. Labarta¹, X. Batlle¹

1. *Dept. Física Fonamental, Universitat de Barcelona and Institut de Nanociència i Nanotecnologia, Barcelona, Spain*

Mo.H-P81 - Scanning SQUID-on-tip microscopy with single spin sensitivity for the study of magnetic materials

E. Lachman¹, Y. Anahory¹, N. Hoovinakatte¹, J. Cuppens², A. Young³, Y. Myasoedov¹, M. Huber⁴, E. Zeldov¹

1. *Department of Condensed Matter Physics, Weizmann Institute of Science, Rehovot, Israel*

2. *Physics and engineering of Nano-devices group, Institut Català de Nanotecnologia, Cerdanyola, Barcelona, Spain*

3. *Department of Physics, UC Santa Barbara, Santa Barbara, United States*

4. *University of Colorado, Denver, United States*

Mo.H-P82 - Magnetic properties changes in ion beam irradiated Fe/Pt multilayers

A. Marynowska¹, A. Petrouchik¹, A. Wawro¹, S. Lewińska¹, A. Slawska-Waniewska¹, E. Dynowska¹, R. Böttger², J. Fassbender², L. Tomasz Baczewski¹

1. *Institute of Physics Polish Academy of Sciences, Warsaw, Poland*

2. *Helmholtz Zentrum Dresden-Rossendorf, Dresden, Germany*

Mo.H-P83 - Interplay between interparticle interactions and particles' anisotropy in magnetic granular multilayers

M. Vasilakaki¹, G. Margaritis¹, K. Trohidou¹, J. Balogh², L. Kiss²

1. *Institute of Nanoscience Nanotechnology, NCSR "Demokritos", Athens, Greece*

2. *Institute for Solid State Physics and Optics, Wigner RCP HAS, Budapest, Hungary*

Mo.H-P84 - Cationic distribution and anomalous magnetic properties of epitaxial CoFe₂O₄ thin films probed by x-ray magnetic circular dichroism

V. Hari Babu¹, P. Gargiani¹, M. Valvidares¹, E. Pellegrin¹, F. Sánchez², G. Herranz², J. Fontcuberta²

1. *ALBA Synchrotron Light Source, Cerdanyola del Vallès, Barcelona, Spain*

2. *Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Campus UAB, Bellaterra, Barcelona, Spain*

Mo.H-P85 - Magnetic properties of surfactant assisted grown ultrathin Cr films on Fe(001)

A. Brambilla¹, A. Picone¹, A. Calloni¹, G. Berti¹, M. Riva¹, G. Bussetti¹, M. Finazzi¹, L. Du¹, F. Ciccacci¹

1. *Dipartimento Di Fisica, Politecnico Di Milano, Milan, Italy*

Mo.H-P86 - Geometrical effects on Barkhausen noise in a thin film

A. Roy¹, A. P. S. Kumar¹

1. *Indian Institute of Science, Karnataka, India*

Mo.H-P87 - Suppression of Barkhausen noise mediated by collapse of the domain state due to strong inter-layer exchange bias

A. Roy¹, V. P. Mohanan¹, A. P. S. Kumar¹

1. Indian Institute of Science, Karnataka, India

Mo.H-P88 - Atomistic studies of domain wall dynamics in Co/Ni multilayers interfaced with heavy metal layers

J. Chico¹, K. Koumouras¹, O. Eriksson¹, L. Bergqvist², A. Bergman¹

1. Department of Physics And Astronomy, Uppsala University, Uppsala, Sweden

2. Department of Nano and Materials Physics, Royal Institute of Technology (KTH), Stockholm, Sweden

Mo.H-P89 - Heusler ferrimagnetic multilayers with a perpendicular magnetic anisotropy

Q. Ma¹, X. Zhang¹, T. Miyazaki¹, S. Mizukami¹

1. WPI-AIMR, Tohoku Univ., Sendai, Japan

Mo.H-P90 - Magneto-structural characterization and local probing of inhomogeneity effects on NI-MN-GA thin films

M. Pereira¹, L. Gomes¹, J. Amaral¹, N. Silva¹, A. Lourenço¹, V. Amaral¹

1. Department of Physics and CICECO, University of Aveiro, Aveiro, Portugal,

Mo.H-P91 - Tailoring of Gilbert damping constant and magnetic anisotropy of Co₂₀Fe₆₀B₂₀ thin films by excess Cobalt incorporation

D. Jhajhria¹, D. K. Pandya¹, S. Chaudhary¹

1. Thin Film Laboratory, Physics Department, Indian Institute of Technology Delhi, Delhi, India

Mo.H-P92 - Influence of substituting Te for S on magnetization of EuS thin films

S. Senba¹, Y. Ueda², R. Kakimaru², S. Sakawaki², H. Asada², K. Kishimoto², T. Koyanagi²

1. Department of Electrical Engineering, National Institute of Technology, Ube College, Ube, Japan

2. Department of Electronic Devices Engineering, Graduate School of Science and Engineering, Yamaguchi University, Yamaguchi, Japan

Mo.H-P94 - Structural and magnetic properties of (ultra)thin LaSrMnO films

G. Varvaro¹, P. Graziosi², L. Del Bianco^{1,3}, A. Maria Testa¹, M. Calbucci², I. Bergenti², F. Liscio⁴, S. Milita⁴, V. Alek Dediu²

1. Istituto Di Struttura Della Materia, CNR, Monterotondo Scalo (Roma), Italy

2. Istituto per lo Studio dei Materiali Nanostrutturati, CNR, Bologna, Italy

3. Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

4. Istituto per la Microelettronica e i Microsistemi, CNR, Bologna, Italy

Mo.H-P95 - Onset of in-plane ferromagnetism and magnetic anisotropy of MBE-deposited Fe films on MOCVD GaN(0001)

J. Kim¹, A. Ionescu¹, R. Mansell¹, J. Cooper², N. Steinke², C. Kinane², S. Langridge², F. Oehler³, C. Barnes¹

1. Thin Film Magnetism Group, Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

2. ISIS, Rutherford Appleton Laboratory, Chilton, Didcot, Oxfordshire, United Kingdom

dom

3. *Department of Materials Science and Metallurgy, University of Cambridge, United Kingdom*

Mo.H-P96 - Structural and magnetic properties of epitaxial Fe/MgO/GaN(0001) heterostructures deposited by molecular beam epitaxy

N. Khalid^{1,2}, J. Kim¹, A. Ionescu¹, F. Oehler³, I. Farrer¹, R. Ahmad², T. Hussain⁴, C. Barnes¹

1. *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*

2. *Department of Physics, Government College University, Lahore, Pakistan*

3. *Department of Materials Science and Metallurgy, University of Cambridge, United Kingdom*

4. *Centre for Advanced Studies in Physics, Government College University, Lahore, Pakistan*

Mo.H-P98 - Magnetic properties of DyCo5 and YCo5 amorphous alloys

C. Blanco-Roldán^{1,2}, A. Hierro-Rodríguez^{3,4}, J. Díaz^{1,2}, F. Valdés-Bango^{1,2}, P. Gargiani⁵, J. Miguel Teixeira³, C. Quirós^{1,2}, S. Manuel Valvidare⁵, J. M. Alameda^{1,2}

1. *Departamento de Física, Universidad de Oviedo, Oviedo, Spain*

2. *Centro de Investigación en Nanomateriales y Nanotecnología, CINN (CSIC - Universidad de Oviedo), El Entrego, Spain*

3. *IN-IFIMUP, Departamento de Física e Astronomía, Faculdade de Ciências, Universidade do Porto, Porto, Portugal*

4. *INESC-TEC (Coordinated by INESC-Porto), Departamento de Física e Astronomía, Faculdade de Ciências, Universidade do Porto, Porto, Portugal*

5. *ALBA Synchrotron Light Facility, Cerdanyola del Vallès, Catalonia, Spain*

Mo.H-P99 - Origin of Anisotropic Giant Magnetoresistance in magnetic nanostructures

P. Perna¹, D. Maccariello^{1,2}, F. Ajejas^{1,2}, J. Luis F. Cuñado^{1,2}, M. Muñoz³, J. Prieto⁴, A. Bollero¹, M. Angel Niño¹, J. Pedrosa¹, J. Camarero^{1,2}, R. Miranda^{1,2}

1. *IMDEA Nanociencia, Campus de Cantoblanco, Madrid, Spain*

2. *D.F.M.C., Universidad Autónoma de Madrid, Madrid, Spain*

3. *IMM (CNM-CSIC), Madrid, Spain*

4. *ISOM, UPM, Madrid, Spain*

Mo.H-P100 - Fe Layer Induced Ferromagnetism in Pd: An In-Situ Polarised Neutron Reflectometry Study

S. Mayr¹, W Kreuzpaintner¹, J. Ye¹, A. Schmehl², T. Mairoser², A. Herrnberger², J. Stahn³, J. Moulin⁴, M. Haese-Seiller⁴, M. Pomm⁴, A. Paul¹, B. Hjörvarsson⁵, P. Böni¹, J. Mannhart⁶

1. *Technische Universität München, München, Germany*

2. *Zentrum für elektronische Korrelation und Magnetismus, Universität Augsburg, Lehrstuhl für Experimentalphysik VI, Augsburg, Germany*

3. *Paul Scherrer Institut, Laboratory for Neutron Scattering, Villigen, Switzerland*

4. *Helmholtz Zentrum Geesthacht, Institut für Werkstofforschung, Abteilung WPN, Instrument REFSANS, Geesthacht, Germany*

5. *Uppsala University, Department of Physics and Astronomy, Uppsala, Sweden*

6. *Max Planck Institute for Solid State Research, Stuttgart, Germany*

Mo.H-P101 - MAGNETIC PROPERTIES OF Fe-N THIN FILMS

C. Silva¹, A. Vovk¹, R. C. da Silva², P. Strichovanec³, P. A. Algarabel⁴, L. P. Ferreira, M. D. Carvalho⁶, M. Godinho¹, M. M. Cruz¹

1. *BioISI - Biosystems & Integrative Sciences Institute, Faculdade de Ciências, Universidade de Lisboa, Campo Grande, Lisboa, Portugal*
2. *IPFN, Instituto Superior Técnico, Universidade de Lisboa, Campus Tecnológico e Nuclear, E.N.10, Bobadela LRS, Lisboa, Portugal*
3. *INA, University of Zaragoza, Zaragoza, Spain*
4. *ICMA, University of Zaragoza-CSIC, Facultad de Ciencias, Zaragoza, Spain*
5. *Department of Physics, University of Coimbra, Coimbra, Portugal*
6. *Centro de Química e Bioquímica, Faculdade de Ciências, Universidade de Lisboa, Campo Grande, Lisboa, Portugal*

Mo.H-P102 - Tantalium-mediated Epitaxial Crystallization of Fe₃O₄ Films

T. Hee Kim¹, J. Hyun Gook¹, N. Jong Lee¹, Y. Jeong Bae¹, A. Michel²

1. *Ewha Womans University, Seoul, South Korea*
2. *CNRS - Université de Poitiers – ENSMA, Poitiers, France*

Mo.H-P103 - Seed layer improvements to multilayer Giant Magnetoresistance thin-films through the use of polarized neutron reflectometry

J. Davies¹, M. Torija¹, T. Turmanian², B. Kirby²

1. *NVE Corporation, Eden Prairie, United States*
2. *Center for Neutron Research, National Institute of Standards and Technology, Gaithersburg, United States*

Mo.H-P105 - The effect of Ta buffer layer on the microstructure, roughness and dead layer of CoFeB/MgO systems

J. Kanak¹, J. Wrona^{1,3}, M. Banasik¹, A. Zywczyk², W. Powrozniak¹, M. Czapkiewicz¹, T. Stobiecki¹

1. *Department of Electronics, AGH University of Science and Technology, Krakow, Poland*
2. *Academic Center of Materials and Nanotechnology, AGH University of Science and Technology, Krakow, Poland*
3. *Singulus Technologies AG, Kahl am Main, Germany*

Mo.H-P106 - Growth and characterisation studies of the metamagnet Eu3O₄ Thin Films Grown on Si and Graphene

R. Aboljadayel¹, G. Cheglakov¹, A. Ionescu¹, J. Rackham¹, C. Ciorra¹, P. Monteiro¹, D. Love¹, C. Barnes¹

1. *TFM Group, Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*

Mo.H-P107 - Thermal cycling on the magnetostructural transition on thin film of $Gd_5Si_{1.3}Ge_{2.7}$

L. Pires^{1,2}, J. H. Belo¹, I. T. Gomes¹, R. L. Hadimani^{3,4}, D.L. Schlagel⁴, T.A. Lograsso^{4,5}, D.C. Jiles^{3,4}, A. M. Pereira¹, A. M. L. Lopes^{1,2}, J. P. Araújo¹

1. IFIMUP And IN - Institute of Nanoscience And Nanotechnology
2. CFNUL - Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal
3. Department of Electrical and Computer Engineering, Iowa State University, Ames, United States
4. Ames Laboratory, US Department of Energy, Iowa State University, Ames, United States
5. Division of Materials Science and Engineering, Ames Laboratory, Ames, United States

Mo.H-P108 - Magnetic percolation in Co/Ag multilayers grown by molecular beam epitaxy

E. Navarro¹, M. Alonso¹, A. Ruiz¹, F. Cebollada², F.J. Palomares¹, J.M. González¹, B. Martinez³, L. Balcells³

1. Instituto de Ciencia de Materiales de Madrid – CSIC, Madrid, Spain
2. Escuela Técnica Superior de Ingenieros de Telecomunicaciones-UPM, Madrid, Spain
3. Institut de Ciència de Materials de Barcelona-CSIC, Barcelona, Spain

I. Exchange bias and exchange springs

Mo.I-P01 - Influence of the seed layer on the exchange spring coupling of the NiFe/IrMn/Co trilayer

I. Castro Merino¹, V. Pedruzzi Nascimento², E. Passamani Caetano³, E. Baggio Saitovitch⁴

1. Centro Brasileiro de Pesquisas Físicas-CBPF, Rio de Janeiro, Brazil
2. Universidade Federal do Espírito Santo-UFES, Vitória, Espírito Santo, Brazil
3. Universidade Federal do Espírito Santo-UFES, Vitória, Espírito Santo, Brazil
4. Centro Brasileiro de Pesquisas Físicas-CBPF, Rio de Janeiro, Brazil

Mo.I-P02 - Exchange bias induced at a $Co_2FeAl_{10.5}Si_{0.5}$ /Cr interface

N. T. Chris Yu¹, A. Vick¹, N. Inami², K. Ono², A. Hirohata³

1. Department of Physics, University of York, Heslington, England, United Kingdom
2. Institute of Materials Structure Science
3. Department of Electronics, University of York, Heslington, England, United Kingdom

Mo.I-P04 - Independently tuning the interfacial and bulk contributions to exchange bias for ferromagnetic / (antiferromagnetic) thin films with (IrMn/Pt/FeMn) based composite antiferromagnets

L. Frangou^{1,2,3}, K. Akmalidinov^{1,2,3,4}, Cl. Ducruet⁴, I. Joumard^{1,2,3}, B. Dieny^{1,2,3}, V. Baltz^{1,2,3}

1. Univ. Grenoble Alpes, SPINTEC, Grenoble, France
2. CNRS, SPINTEC, Grenoble, France
3. CEA, INAC-SPINTEC, Grenoble, France
4. CROCUS Technology, Grenoble, France

Mo.I-P05 - Exchange bias in Co/CoO nanocaps and nanoislands

I. Panagiotopoulos¹, A. Ma. G. Akdogan², G. Hagjipanayis³

1. Department of Materials Science and Engineering, University of Ioannina, Ioannina, Greece
2. Institut NEEL CNRS/UJF UPR2940, Grenoble cedex 9, France
3. Department of Physics and Astronomy, University of Delaware, Newark, United States

Mo.I-P06 - Exchange bias of epitaxially grown Ni₂MnAl/X bilayer (X: Fe, Co, Co₂MnSi)

T. Tsuchiya¹, T. Sugiyama¹, T. Kubota¹, K. Takanashi

1. Institute for Materials Research, Tohoku University, Sendai, Japan

Mo.I-P07 - Tuning structures and magnetism of NiFe/Cr-oxide bilayers via ion-beam bombardment and annealing

W.-R. Luo¹, K.-W. Lin¹, Y. Wroczynskyj², W.-T. Lo¹, A. Ruotolo³, J. V. Lierop²

1. National Chung Hsing University, Taichung, Taiwan
2. University of Manitoba, Winnipeg, Manitoba, Canada
3. City University of Hong Kong, Kowloon Tong, Hong Kong

Mo.I-P08 - Dependence of the interfacial coupling in FeMn/NiFe/Cu/Co spin valves on the thickness of the Cu spacer

M. Sousa¹, P. Barreto¹, F. Pelegrini², E. Baggio-Saitovitch¹

1. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil
2. Instituto de Física, Universidade Federal de Goiás, Goiânia, Brazil

Mo.I-P09 - Photo-control of exchange bias in BiFeO₃/La₂/3Sr₁/3MnO₃ thin films

J. Jung¹, K. Sung¹, T. Lee¹

1. Inha University, Incheon, South Korea

Mo.I-P10 - Angular dependent FORC studies on FeMn/Co exchange bias systems utilizing the magneto-optical Kerr effect

M. Schmidt¹, J. Gräfe¹, G. Schütz¹, E. Goering¹

1. Max Planck Institute For Intelligent Systems, Stuttgart, Germany

Mo.I-P11 - Hard-soft magnetic composites prepared by wet-chemical method followed by Spark Plasma Sintering

P. Jenu¹, M. Topole¹, P. J. McGuinness¹, K. Zuzek Rozman¹, M. Stingaciu², M. Christensen², S. Kobe¹

1. Department for Nanostructured Materials, Jožef Stefan Institute, Ljubljana, Slovenia
2. Center for Materials Crystallography, Department of Chemistry and iNANO, Aarhus University, Aarhus, Denmark

Mo.I-P12 - Hybrid exchange-biased core@shell nanoparticles through the growth of polymer brushes : Synthesis, assembly and study of their magnetic properties

D. Toulemon¹, L. Ourry¹, T. Gaudisson¹, L. Mouton¹, S. Nowak¹, S. Ammar¹, F. Mammeri¹

1. ITODYS, Université Paris Diderot, CNRS UMR-7086, Paris, France

Mo.I-P13 - Magnetic anisotropies of core-shell ferrite nanoparticles

F. Da Silva⁰, R. Aquino², F. A. Tourinho¹, J. Depeyrot¹, E. Dubois³, R. Perzynski³, V. I. Stepanov⁴, Y. L. Raikher⁴, G. Ballon⁵, A. Sulpice⁶

1. *Complex Fluids Group, Institutode Física, UnB 70919-970, Brasília-DF, Brazil*
2. *Universidade de Brasília, Laboratório de Nanociência Ambiental e Aplicada, Complex Fluid Group, Faculdade UnB Planaltina, 70910-900, Brasília-DF, Brazil*
3. *Sorbonne Universités, UPMC Univ Paris 06, UMR 8234, PHENIX, Paris, France*
4. *Institute of Continuous Media Mechanics, Ural Branch of RAS, Perm, Russia*
5. *LNCMI-T, UPR 3228, CNRS-UJF-UPS-INSA, 31400, Toulouse, France*
6. *CRETA/CNRS-UJF BP166, 38042, Grenoble Cedex 9, France*

Mo.I-P15 - Magnetization enhancement through exchange-coupling in CoFe₂O₄/CoFe₂ Nanocomposites

C. Granados-Miralles¹, A. Quesada², M. Stingaciu¹, F. Rubio-Marcos², F. J. Mompeán³, M. García-Hernández³, F. J. Pedrosa⁴, A. Bollero⁴, J. F. Fernández², M. Christensen¹

1. *Center for Materials Crystallography CMC, Department of Chemistry & iNANO, Aarhus University, Denmark*
2. *Instituto de Cerámica y Vidrio ICV-CSIC, Madrid, Spain*
3. *Instituto de Ciencia de Materiales de Madrid ICMM-CSIC, Madrid, Spain*
4. *IMDEA Nanoscience, Madrid, Spain*

Mo.I-P16 - Negative rotatable anisotropy as a signature of antiparallel interface exchange coupling in exchange bias systems

D. Schafer¹, P. L. Grande¹, L. G. Pereira¹, G. de Medeiros Azevedo¹, A. Harres¹, M. A. de Sousa², F. Pelegrini², J. Geshev¹

1. *Instituto de Física, UFRGS, Porto Alegre, Brazil*
2. *Instituto de Física, UFG, Goiânia, Brazil*

Mo.I-P17 - Exchange bias effect in multilayers of NiFe/IrMn/Ta

P. Kern¹, J. Siqueira¹, O. Escobar¹, A. de Andrade², J. Rigue³, M. Carara¹

1. *Universidade Federal de Santa Maria, Santa Maria, Brazil*
2. *Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil*
3. *Instituto Federal Farroupilha, Camobi, Santa Maria, Brazil*

Mo.I-P18 - Spring-magnet behaviour in annealed Fe₆₄Pd₃₆ thin films: exchange coupling between coexistent soft α -Fe and hard L1₀ FePd magnetic phases

S. Bahamida^{1,2}, A. Fnidiki², A. Laggoun¹, M. Coisson³, G. Barrera^{3,4}, F. Celegato³, P. Tiberto³, A. Guitoum⁵

1. *Research unit UR-MPE, University of Boumerdes, Boumerdes, Algeria*
2. *Material Physics Group UMR 6634 CNRS – University of Rouen, Saint-Etienne-du-Rouvray, France*
3. *INRIM, Nanoscience and Materials Division, Torino, Italy*
4. *Università degli Studi di Torino, Chemistry Department, Torino, Italy*
5. *Nuclear Research Centre of Algiers, Algiers, Algeria*

Mo.I-P22 - Room temperature metastable behavior of exchange bias systems

R. Cicheler¹, A. Harres¹, J. E. Schmidt¹, L. G. Pereira¹, J. Geshev¹

1. *Instituto de Física, UFRGS, Porto Alegre, Brazil*

Mo.I-P23 - Electric field effect in CoFeB/NiO exchange coupled system

K. Okabe¹, M. Kawakita¹, S. Yakata², T. Kawae^{3,4}, T. Kimura^{1,4}

1. Department of Physics, Kyushu University, Fukuoka, Japan

2. Department of Information Electronics, Fukuoka Institute of Technology, Fukuoka, Japan

3. Department of Applied Quantum Physics and Nuclear Engineering, Kyushu University, Fukuoka, Japan

4. Research Center for Quantum Nano-Spin Sciences, Fukuoka, Japan

Mo.I-P24 - Direct observation of controllable exchange bias configurations in Ni/FeF₂ nanostructures

A. F. Rodríguez¹, M. Kovylyna¹, A. C. Basaran², R. Morales³, R. Morales⁴, J. Llobet⁵, X. Borrís⁶, M. A. Marcus⁷, A. Schöll⁷, I. K. Schuller², X. Batlle¹, A. Labarta¹

1. Dpt. Física Fonamental & Institut de Nanociència i Nanotecnologia, Universitat de Barcelona, Barcelona, Spain

2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States

3. Department of Chemical-Physics, BCMaterials, University of the Basque Country UPV/EHU, Leioa, Spain

4. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

5. Institut de Microelectrònica de Barcelona (IMB-CNM CSIC), Bellaterra, Spain

6. Institut Català de Nanociència i Nanotecnologia (ICN2), Bellaterra, Spain

7. Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, United States

Mo.I-P25 - Facile synthesis and exchange-bias in FeO/gamma-Fe₂O₃ core/shell nanoparticles

B. Leszczynski^{1,4}, V. Tzitzios², A. Aboud El-Gendy³, A. Skumiel¹, G. C. Hadjipanayis³, K. Zaleski⁴, S. Jurga^{1,4}

1. Department of Physics, Adam Mickiewicz University, Poznan, Poland

2. Institute of Materials Science, NCSR Demokritos, Greece

3. Department of Physics and Astronomy, University of Delaware, Newark, United States

4. NanoBioMedical Centre, Adam Mickiewicz University, Poznan, Poland

Mo.I-P26 - Effects of short post-deposition heat treatment on structure and exchange bias in sputtered FeNi/FeMn system

P. Savin¹, J. Guzmán², V. Lepalovskij¹, A. Svalov¹, G. Kurl'yanskaya³, A. Asenjo², V. Vas'kovskiy¹, M. Vazquez²

1. Ural Federal University, Yekaterinburg, Russia

2. Instituto de Ciencia de Materiales, CSIC, Madrid, Spain

3. University of The Basque Country UPV-EHU, Bilbao, Spain

Mo.I-P27 - "Dependence of the exchange bias blocking temperature on the thickness of antiferromagnetic layer in the trilayered Si/Ta/NiFe/IrMn/NiFe/Ta thin-films"

C. Gritsenko¹, I. Dzhun, N. Chechenin, V. Rodionova

1. Immanuel Kant Baltic Federal University, Kaliningrad, Russia

2. Lomonosov Moscow State University, Moscow, Russia

Mo.I-P28 - Exchange Bias down to the sub-nanometer regime

F. J. Ferraro^{1,2}, P. David^{1,2}, E. Mossang^{1,2}, A. Bernand-Mantel⁰, L. Ranno⁰

1. Univ. Grenoble Alpes, Inst. NEEL, F-38042 Grenoble, France
2. CNRS, Inst. NEEL, F-38042 Grenoble, France

Mo.I-P29 - The role of shape and interface roughness in the exchange bias effect in core-shell magnetic nanoparticles

D. Kechrakos¹, V. Dimitriadis¹, O. Chubykalo-Fesenko², V. Tsiantos³

1. School of Pedagogical And Technological Education, Athens, Greece
2. Instituto de Ciencia de Materiales de Madrid, Madrid, Spain
3. Department of Electrical Engineering, East Macedonia and Thrace Institute of Technology, Kavala, Greece

Mo.I-P30 - Exchange bias effect in hybrid magnetic nanoparticles

A. Tzavellas¹, D. Kechrakos¹, V. Tzitzios², I. Panagiotopoulos³, H. Srikanth⁴, O. Chubykalo-Fesenko⁵, V. Dimitriadis¹, N. Moutis¹, E. Sideris¹, G. Hadjipanayis⁶

1. School of Pedagogical And Technological Education (ASPETE), Athens, Greece
2. Institute of Nanoscience and Nanotechnology, NCSR 'Demokritos', Athens, Greece
3. Department of Materials Science and Engineering, University of Ioannina Ioannina, Greece,
4. Department of Physics, University of South Florida, Tampa, United States
5. Instituto de Ciencia de Materiales de Madrid, Madrid, Spain
6. Department of Physics and Astronomy, University of Delaware, Newark, United States

Mo.I-P31 - Probing the exchange bias training effect at the interface using XMCD

E. Jiménez¹, N. Mikuszeit², D. R. Cavicchia³, F. D'Orazio⁵, L. Rossi⁴

1. The European Synchrotron, ESRF, Grenoble, France
2. Univ. Grenoble Alpes INAC-SPINTEC, CNRS INAC-SPINTEC,CEA INAC-SPINTEC, Grenoble, France
3. Institut für Angewandte Physik, Universität Hamburg, Hamburg, Germany
4. Dipartimento di Scienze Fisiche e Chimiche, Università degli studi del l'Aquila, L'Aquila, Italy
5. Dipartimento di Scienze Fisiche e Chimiche, Università degli studi del l'Aquila, L'Aquila, Italy

Mo.I-P32 - Comparison between a concentrated and a diluted superspin systems

D. Pedds¹, D. Fiorani¹, K. Trohidou³, M. Vasilikaki³, S. Baker², P. Nordblad⁴, R. Mathieu⁴, C. Binns²

1. ISM-CNR, Institute of Structure of Matter, Area della Ricerca di Roma, Roma, Italy
2. Department of Physics and Astronomy, University of Leicester, Leicester, United Kingdom
3. Institute of Nanoscience and Nanotechnology, NCSR 'Demokritos', Agghia Paraskevi, Attiki, Greece
4. Department of Engineering Sciences, Uppsala University, Uppsala, Sweden

Mo.I-P33 - Modeling of the exchange bias behavior of Bi-Magnetic Nanoparticle assemblies

G. Margarit¹, K. Trohidou¹, J. Nogués²

1. *Institute of Nanoscience and Nanotechnology, NCSR "Demokritos", Aghia Paraskevi, Attiki, Greece*
2. *ICREA and ICN2 - Institut Catala de Nanociencia i Nanotecnologia, Campus UAB, Bellaterra, Spain*

Mo.I-P34 - Hysteresis properties of exchange coupled Fe-Ni/Tb-Co bilayers separated by ultrathin Ti spacer

N. Kulesh¹, K. Balymov¹, O. Adanakova¹, A. Svalov¹, V. Vas'kovskiy¹

1. *Ural Federal University, Ekaterinburg, Russia*

Mo.I-P35 - Interface exchange coupling in a CoPt/NiO bilayer

S. Laureti¹, L. Del Bianco², B. Detlefs³, E. Agostinelli¹, D. Peddis¹, A. Maria Testa¹, G. Varvaro¹, D. Fiorani¹

1. *ISM-CNR, Area della Ricerca RM1, Monterotondo Scalo, Roma, Italy*
2. *Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy*
3. *European Synchrotron Radiation Facility, 6 Rue Jules Horowitz, Grenoble Cedex 9, France*

Mo.I-P36 - Exchange bias Study of Ni_{50.3}Mn_{36.9}Sb_{12.8}/BiFeO₃ heterostructures fabricated by magnetron sputtering

R. Barman¹, D. Kaur²

1. *Indian Institute of Technology Roorkee, Roorkee, India*
2. *Indian Institute of Technology Roorkee, Roorkee, India*

Mo.I-P37 - Interfacial coupling induced symmetry-breaking of spin-orbit interaction in exchange biased systems

P. Perna¹, D. Maccariello^{1,2}, F. Ajejas^{1,2}, J. L. F. Cuñado^{1,2}, R. Guerrero¹, M. A. Niño¹, J. Pedrosa^{1,2}, A. Bollero¹, J. Camarero^{1,2}, R. Miranda^{1,2}

1. *IMDEA Nanociencia, Campus de Cantoblanco, Madrid, Spain*
2. *D.F.M.C., Universidad Autonoma de Madrid, Madrid, Spain*

Mo.I-P38 - Modeling the exchange bias interaction in ferromagnetic/anti-ferromagnetic films and nanostructures

E. Bonfiglioli¹, P. Malagò¹, F. Chinni¹, F. Spizzo¹, M. Tamisari^{1,2}, L. Giovannini¹, L. Del Bianco^{1,3}

1. *Dipartimento di Fisica e Scienze della Terra, Università di Ferrara, Ferrara, Italy*
2. *Dipartimento di Fisica e Geologia, CNISM Università di Perugia, Perugia, Italy*
3. *Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy*

Mo.I-P39 - Spin flop transitions in exchange-biased structures

F. Pelegrini¹, D. Schafer², J. Geshev², V. Nascimento³, E. Baggio-Saitovitch⁴

1. *Universidade Federal de Goiás - Instituto de Física, Goiânia, Brazil*
2. *Universidade Federal do Rio Grande do Sul - Instituto de Física, Porto Alegre, Brazil*
3. *Universidade Federal do Espírito Santo - Departamento de Física, Vitória, Espírito Santo, Brazil*
4. *Universidade Federal do Rio de Janeiro - Instituto de Física, Rio de Janeiro, Brazil*

Mo.I-P40 - Magnetothermal behavior of the antiferromagnet in exchange-coupled NiFe/IrMn bilayers

E. Bonfiglioli¹, F. Chinni¹, F. Spizzo¹, M. Tamisari^{1,2}, L. Del Bianco^{1,3}

1. Dipartimento di Fisica e Scienze della Terra, Università di Ferrara, Ferrara, Italy
2. Dipartimento di Fisica e Geologia, CNISM Università di Perugia, Perugia, Italy
3. Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

Mo.I-P41 - Pressure effect on ferromagnetism and exchange bias in phase-separated (Bi,Ca)Mn_{1-x}Ru_xO₃ manganites

A. Wisniewski¹, I. Fita¹, V. Markovich², R. Puzniak¹

1. Institute of Physics, PAS, Warsaw, Poland
2. Department of Physics, Ben-Gurion University of The Negev, Beer-Sheva, Israel

J.Theory and modeling

Mo.J-P01 - Full-potential KKR calculations for lattice distortion of point defects in al, based on the generalized-gradient approximation

C. Liu¹, M. Asato², N. Fujima³, T. Hoshino³

1. Graduate School of Science and Technology, Shizuoka University, Shizuoka, Japan
2. National Institute of Technology, Niihama College, Niihama, Japan
3. Graduate School of Engineering, Shizuoka University, Shizuoka, Japan

Mo.J-P02 - Magnetism of 4d clusters compared to magnetism of 3d clusters: ab-initio study of free Rh and Fe clusters

O. Sivr¹, H. Ebert², J. Vackar¹, J. Minar^{2,3}

1. Institute of Physics ASCR, Prague, Czech Republic
2. Ludwig-Maximilians-Universität München, Germany
3. University of West Bohemia, Pilsen, Czech Republic

Mo.J-P03 - On the edge magnetism and energy gaps in graphenelike nanoribbons

S. Krompiewski¹

1. Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland

Mo.J-P04 - Control of domain wall thickness by introducing spatial modulation of uniaxial anisotropy and exchange stiffness parameters

H. Arai^{1,2}, H. Imamura²

1. Presto, Jst, Tokyo, Japan
2. AIST, Tsukuba, Japan

Mo.J-P05 - Imprinting skyrmions in thin films by ferromagnetic and superconducting templates

C. Navau¹, N. Del-Valle¹, S. Agramunt¹, A. Sanchez¹

1. University Autonomous Barcelona, Bellaterra, Spain

MO.J-P07 - Spin glass state (SGS) and other seven fundamental magnetic structures with their symmetry groups in terms of the fibre bundle approach: Application to explain experiments on the temperature dependence of susceptibility in SGS

J. Warczewski¹, P. Gusin², D. Wojcieszak³

1. University of Silesia, Institute of Physics, ul. Uniwersytecka 4, Katowice, Poland
2. Wrocław University of Technology, Faculty of Technology and Informatics, Jelenia Góra, Poland
3. University of Silesia, Institute of Physics, ul. Uniwersytecka 4, Katowice, Poland

MO.J-P08 - Magnetization processes of CoPt antidot arrays

P. Gawronski¹, C. Bran², A. Asenjo², O. Chubykalo-Fesenko², I. Lucas³, R. Del Real², M. Vazquez²

1. AGH University of Science And Technology, Kraków, Poland
2. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain
3. Instituto de Nanociencia de Aragón (INA) Universidad de Zaragoza, Zaragoza, Spain

MO.J-P09 - First-principles calculations of the spin coupling between lanthanide adatoms and iron islands

C. de la Fuente¹, D. Coffey², J. L. Diez-Ferrer³, D. Serrate⁴, M. Ciria⁵, J. Arnaudus⁶

1. Depto. Física de la Materia Condensada e ICMA, Univ. Zaragoza – CSIC, Zaragoza, Spain
2. Depto. Física de la Materia Condensada & LMA-INA, Universidad de Zaragoza, Zaragoza, Spain
3. Lab. Microscopías Avanzadas (LMA) & Inst. de Nanociencia de Aragón (INA), Univ. de Zaragoza, Zaragoza, Spain
4. Depto. Física de la Materia Condensada & LMA-INA, Universidad de Zaragoza, Zaragoza, Spain
5. Depto. Física de la Materia Condensada e ICMA, Univ. Zaragoza – CSIC, Zaragoza, Spain
6. Depto. Física de la Materia Condensada & LMA-INA, Universidad de Zaragoza, Zaragoza, Spain

MO.J-P10 - A Methodology Study of the Hysteresis Loops by Monte Carlo Simulation

Z. Nehme¹, Y. Labaye¹, N. Yaacoub¹, R. Sayed Hassan^{1,2}, J. Greneche¹

1. IMMM, Université du Maine, CNRS UMR-6283, Le Mans, France
2. Faculté des Sciences, Université Libanaise, Elhadath, Beyrouth, Liban

MO.J-P12 - Micromagnetic study of inverse opal-like structures which exhibit spin ice behavior

I. Dubitskiy^{1,2}, A. Syromyatnikov^{1,2}, N. Grigoryeva¹, A. Mistonov^{1,2}, I. Shishkin^{1,2}, S. Grigoriev^{1,2}

1. Saint Petersburg State University, Saint Petersburg, Russia
2. Petersburg Nuclear Physics Institute, Gatchina, Russia

MO.J-P13 - Roles of grain boundaries in the coercivity of magnetic thin films investigated by a two-dimensional Ginzburg-Landau model

K. Iwano¹, C. Mitsumata², K. Ono¹

1. High Energy Accelerator Research Organization (KEK), Tsukuba, Japan
2. National Institute for Materials Science (NIMS), Tsukuba, Japan

Mo.J-P14 - Laser heating and thermal stresses in the core-shell nanowires

I. Astefanoaei¹, I. Dumitru¹, A. Stancu¹

1. *Alexandru Ioan Cuza University, Iasi, Romania*

Mo.J-P15 - Micromagnetic modelling of a magnetic nanoparticle including surface effects.

N. Ntallis¹, K. G. Efthimiadis¹, K. N. Trohidou²

1. *Aristotle University, Thessaloniki, Greece*

2. *INN-Institute of Nanoscience and Nanotechnology, NCSR "Demokritos", Agia Paraskevi, Greece*

Mo.J-P16 - Temperature-dependent exchange stiffness and domain wall width in hcp Co

R. Moreno Ortega¹, O. Chubycalo-Fesenko¹, M. del C. Munoz¹, L. Szunyogh², R. Evans³, R. Chantrell³

1. *Instituto de Ciencias de Materiales de Madrid, CSIC, Madrid, Spain*

2. *Budapest University of Technology, Budapest, Hungary*

3. *3Department of Physics, University of York, Heslington, York, , United Kingdom*

Mo.J-P18 - Magnetic reversal modes in multisegmented nanowire arrays with long aspect ratio

S. Allende¹, E. Rando¹

1. *Universidad de Santiago de Chile, Santiago, Chile*

Mo.J-P19 - Noise-induced effective potential for analysis of switching in spin-valves

S. Perna¹, C. Serpico¹, G. Bertotti², M. d'Aquino³, A. Quercia¹, I. D. Mayergoyz⁴

1. *DIETI, University of Naples Federico II, Napoli, Italy*

2. *Istituto Nazionale di Ricerca Metrologica, Torino, Italy*

3. *Dipartimento di Ingegneria, Università di Napoli "Parthenope", Napoli, Italy*

4. *ECE Department and UMIACS, University of Maryland, College Park, United States*

Mo.J-P20 - Analysis of fast precessional switching in nanomagnets subject to hard-axis field pulses

M. d'Aquino¹, S. Perna², C. Serpico², A. Quercia², G. Bertotti³, I. D. Mayergoyz⁴

1. *Department of Engineering, University of Naples Parthenope, Naples, Italy*

2. *DIETI, University of Naples Federico II, Naples, Italy*

3. *Istituto Nazionale di Ricerca Metrologica, Turin, Italy*

4. *ECE Department and UMIACS, University of Maryland, College Park, United States*

Mo.J-P21 - Chaotic assisted switching of magnetic spin-valves

M. d'Aquino¹, A. Quercia², C. Serpico², G. Bertotti³, I. D. Mayergoyz⁴, S. Perna², P. Ansalone³

1. *Department of Engineering, University of Naples Parthenope, Naples, Italy*

2. *DIETI, University of Naples Federico II, Naples, Italy*

3. *Istituto Nazionale di Ricerca Metrologica, Turin, Italy*

4. *ECE Department and UMIACS, University of Maryland, College Park, United States*

Mo.J-P22 - Thermal stability and the size- and field-dependence of chiral profiles in ferromagnetic nanoparticles

N. Grisewood¹, H. Braun¹

1. *School of Physics, University College Dublin, Dublin, Ireland*

K. Magnetic nanodots, nanowires and nanotubes

Mo.K-P03 - Magnetocaloric functional properties of $\text{Sm}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ manganite due to advanced nanostructured morphology

V. Andrade¹, S. Pedro², D. Rocco¹, M. Reis¹, A. Campos³, A. Coelho⁴, M. Escote⁵, A. Zenatti⁵

1. *InsInstituto de Física, Universidade Federal Fluminense, Niterói, Brasil*

2. *Departamento de Física, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brasil*

3. *Divisão de Metrologia de Materiais, Instituto Nacional de Metrologia, Qualidade e Tecnologia, Duque de Caxias, Brasil*

4. *Instituto de Física 'Gleb Wataghin', Universidade Estadual de Campinas, Campinas, Brazil*

5. *Universidade Federal do ABC, Santo André, Brasil*

Mo.K-P04 - Vortex-state Permalloy nanodisks prepared by Colloidal Lithography for Biomedical Applications

M. Goiriena¹, A. García-Arribas^{1,2}, A. Svalov²

1. *BCMaterials, Universidad del País Vasco (UPV/EHU), Spain*

2. *Departamento de Electricidad y Electrónica, Universidad del País Vasco (UPV/EHU), Spain*

Mo.K-P05 - Skyrmion state stability in magnetic nanodots with perpendicular anisotropy

K. Gusliyenko¹

1. *Depto. Física de Materiales, Universidad del País Vasco, UPV/EHU*

Mo.K-P06 - Instability thresholds for quantized spin waves in ferromagnetic nanowires under microwave pumping

Z. Haghshenasfard¹, M. Cottam¹

1. *Department of Physics and Astronomy, University of Western Ontario, London, Canada*

Mo.K-P07 - Quantification of nanowire uptake by living cells

M. Bogdan Margineanu¹, E. Jose Perez¹, K. Julfakyan¹, C. Sommer², M. Contreras¹, N. Khashab¹, J. Kosel¹, T. Ravasi¹

1. *King Abdullah University of Science And Technology (KAUST), Thuwal, Saudi Arabia*

2. *Institute of Molecular Biotechnology of the Austrian Academy of Sciences (IMBA) Vienna, Austria,*

Mo.K-P08 - Magnetization reversal and domain wall motion in magnetic nanotubes

P. Landeros¹, J. Otálora¹

1. *Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*

Mo.K-P09 - Aging effects on magnetic vanadium oxide nanotubes

M. E. Saleta^{1,2}, S. J.A. Figueroa², M. Granada³, H. E. Troiani³, R. D. Sánchez³, M. Malta⁴, R. M. Torresi⁵

1. *Instituto de Física "Gleb Wataghin", Universidade de Campinas (UNICAMP), Campinas, Brazil*

2. *Brazilian Synchrotron Light Laboratory (LNLS), Campinas (SP), Brazil*

3. *Centro Atómico Bariloche (CNEA), S.C. de Bariloche, Argentina*

4. *Instituto de Química, Universidade Federal da Bahia (UFBA), Salvador, Brazil*

5. *Instituto de Química, Universidade de São Paulo (USP), São Paulo, Brazil*

Mo.K-P10 - Magnetite Nanotubes and Nanorods: Microstructures and Magnetism

Feng Luo ¹, Y. Chunjiang Jia ², N. lingdong Sun ³, N. Kun Zheng ⁴, N. Xiaodong Han ⁴, N. Ze Zhang ⁴, N. Naoaki Hayashi ⁵, N. Mikio Takano ⁵, N. Chunhua Yan ³, N

1. *IMDEA Nanoscience,*

2. *Shandong University, Madrid, SpainJinan, China*

3. *Beijing National Laboratory for Molecular Sciences, State Key Laboratory of Rare Earth, Materials Chemistry and Applications, PKU-HKU Joint Laboratory in Rare Earth Materials and Bioinorganic Chemistry, Peking University, Beijing, China*

4. *Institute for Chemical Research, Kyoto University, Uji, Kyoto-fu, Japan*

5. *Microstructure & Properties of Advanced Materials, Beijing University of Technology, Beijing, China*

Mo.K-P11 - Influence of dipolar interactions on the magnetic states and hysteresis of ferromagnetic single-wall zigzag nanotubes

O. Iglesias¹, H. Salinas², J. Restrepo²

1. *Dpt. Física Fonamental and IN2UB, Universitat de Barcelona, Spain*

2. *Instituto de Física, Universidad de Antioquia, Medellín, Colombia*

Mo.K-P12 - Controllable switching of transverse domain wall polarity in ferromagnetic planar nanowires: A prototype of 2 bits nonvolatile memory cell

S. Leonel¹, D. Toscano ¹, P. Coura¹, F. Sato ¹, B. Costa², M. Vazquez³

1. *Universidade Federal de Juiz De Fora, Juiz de Fora, Brazil*

2. *Universidade Federal de Juiz de Fora, Juiz de Fora, Brazil*

3. *Institute of Materials Science of Madrid, Madrid, Spain*

Mo.K-P15 - Time-dependent factorial cumulants in quantum dots coupled to ferromagnetic leads

P. Stegmann¹, J. König¹, B. Sothmann²

1. *Theoretische Physik, Universität Duisburg-Essen and CENIDE, 47048 Duisburg, Germany*

2. *Département de Physique Théorique, Université de Genève, Geneva, Switzerland*

Mo.K-P16 - Magnetization reversal of thin iron nanowires grown by focused-electron-beam-induced deposition

L. A. Rodríguez^{1,2}, L. Deen^{1,3}, R. Córdoba^{1,3}, C. Magén^{1,4}, E. Snoeck², B. Koopmans³, J. M. De Teresa^{1,5}

1. *Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain*

2. *CEMES-CNRS 29, Toulouse Cedex, France*

3. *Department of Applied Physics, Eindhoven University of Technology, MB Eindhoven, The Netherlands*

4. *Fundación ARAID, Zaragoza, Spain*

5. *Instituto de Ciencia de Materiales de Aragón (ICMA) and Departamento de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain*

Mo.K-P17 - Three-dimensional magnetic nanowires grown by focused-electron-beam-induced deposition

L. Serrano-Ramón^{1,2}, A. Fernández-Pacheco³, J. Pablo-Navarro⁴, L. A. Rodríguez^{1,2}, C. Magén^{1,5}, E. Snoeck², C. Gatel², M. R. Ibarra^{1,4}, J. M. De Teresa^{1,4}

1. *Laboratorio de Microscopias Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain*

2. *CEMES-CNRS 29, Toulouse Cedex, France*

3. *Cavendish Laboratory, University of Cambridge, Cambridge United Kingdom*

4. *Instituto de Ciencia de Materiales de Aragón (ICMA) and Departamento de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain*

5. *Fundación ARAID, Zaragoza, Spain*

Mo.K-P20 - Magnetic properties of iron oxide nanotubes: Influence of the diameter of the nanotubes

A. Pereira^{1,2}, J. L. Palma^{1,2}, R. Zierold³, J. C. Denardin^{1,2}, M. Vázquez⁴, K. Nielsch³, J. Escrig^{1,2}

1. *Departamento de Física, Universidad de Santiago de Chile, Santiago, Chile*

2. *Center for the Development of Nanoscience and Nanotechnology, Santiago, Chile*

3. *Institute of Applied Physics, University of Hamburg, Hamburg, Germany*

4. *Institute of Materials Science of Madrid, CSIC, Madrid, Spain*

Mo.K-P21 - Temperature dependent magnetic properties of ni nanotube arrays

A. Pereira^{1,2}, J. L. Palma^{1,2}, J. C. Denardin^{1,2}, J. Escrig^{1,2}

1. *Universidad de Santiago de Chile (USACH), Santiago, Chile*

2. *Center for the Development of Nanoscience and Nanotechnology (CEDENNA), Santiago, Chile*

Mo.K-P22 - Skyrmion modes excitations and their hybridization induced by spin Hall effect spin torque

K. Lee¹, T. Shiino², B. Park²

1. *School of Materials Science And Engineering, KIST-UNIST Ulsan Center For Convergent Materials, Ulsan National Institute of Science And Technology (UNIST), Ulsan, South Korea*

2. *Department of Materials Science and Engineering, KAIST, Daejeon, Republic of Korea*

Mo.K-P23 - Domain Wall Dynamics in Parabolic Wire

K. Yershov^{1,2}, V. Kravchuk¹, D. Sheka³, Y. Gaididei¹, O. M. Volkov³

1. Bogolyubov Institute For Theoretical Physics, Kiev, Ukraine

2. National University of "Kyiv-Mohyla Academy", Skovorody Str. 2, 04655 Kyiv, Ukraine

3. Taras Shevchenko National University of Kyiv, Kiev, Ukraine

Mo.K-P24 - Magnetic properties of nanostructured CoNiFe-B alloy prepared by electroless plating

D. Richardson^{1,2}, F.M.F. Rhen^{1,2}

1. Department of Physics and Energy, University of Limerick, Limerick, Ireland

2. Materials and Surface Science Institute, University of Limerick, Limerick, Ireland

Mo.K-P25 - Control of Domain Wall Nucleation in Cylindrical Nanowires

H. Mohammed¹, E. Vilanova Vidal¹, I. P. Ivanov¹, J. Kosel¹

1. King Abdullah University of Science And Technology, Thuwal, Saudi Arabia

Mo.K-P26 - Identification and motion of magnetic domain walls in cylindrical nanowires

S. Da-Col^{1,2}, S. Jamet^{1,2}, N. Rougemaille^{1,2}, A. Locatelli³, T. Onur Mentès³, R. Afid^{1,2}, L. Cagnon^{1,2}, J. Toussaint^{1,2}, O. Fruchart^{1,2}

1. Univ. Grenoble Alpes, Institut NEEL, Grenoble, France

2. CNRS, Institut NEEL, Grenoble, France

3. Elettra - Sincrotrone Trieste S.C.p.A., Trieste, Italy

Mo.K-P27 - Magnetic properties of hexagonally ordered nanowire and nanotube arrays

M. P. Proença¹, J. Ventura¹, C. T. Sousa¹, J. Escrig², M. Vázquez³, J. P. Araújo¹

1. IFIMUP And IN - Institute of Nanoscience And Nanotechnology And Dep. Física E Astronomia, Univ. Porto, Porto, Lisboa

2. Dep. Física, Univ. Santiago de Chile, and Center for the Development of Nanoscience and Nanotechnology, Santiago, Chile

3. Instituto de Ciencia de Materiales de Madrid - CSIC, Madrid, Spain

Mo.K-P28 - Magnetic domain structure in epitaxial FeGa/MgO(001) wires

E. C. Corredor^{1,2,3}, M. Ciria^{1,2}, D. Coffey^{1,2}, J. I. Arnaudas^{2,3}

1. Instituto de Ciencia de Materiales de Aragón, Consejo Superior de Investigaciones Científicas, Zaragoza, Spain

2. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain

3. Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain

Mo.K-P29 - Domain Wall annihilation via Phase Correction in Cylindrical Nanowires

S. Goolaup¹, R. Maddu¹, W. Siang Lew¹

1. Nanyang Technological University, Singapore

Mo.K-P30 - Mechanism of magnetic switching in rapidly solidified amorphous nanowires

T. Ovari¹, C. Rotarescu¹, A. Atitoaie¹, H. Chiriac¹

1. National Institute of R&D For Technical Physics, Iasi, Romania

Mo.K-P31 - Manipulation of the magnetization reversal in ferromagnetic nanostructures grown by Focused Electron Beam Induced Deposition

R. Córdoba¹, D. Han¹, B. Koopmans¹

1. Eindhoven University of Technology, Department of Applied Physics, MB Eindhoven, The Netherlands

Mo.K-P33 - Thermodynamic properties of anisotropic triangular lattices obtained from finite-temperature exact-diagonalization

B. Schmidt^{1,2}, P. Thalmeier¹

1. Max-Planck-Institut für chemische Physik fester Stoffe, Dresden, Germany

L. Materials for Energy applications

Mo.L-P01 - Magneto-mechanical property of the Fe₅₅Co₁₇Ga₂₈ alloy

S. U. Jen¹, Y. C. Lin¹

1. Institute of Physics, Academia Sinica, Taipei, Taiwan

Mo.L-P02 - Magnetocaloric effect studies on MnSb and MnSbR_{0.05} (R: Nd, Er)

R. Pothala¹, Markandeyulu G¹

1. Indian Institute of Technology Madras, Chennai, India

Mo.L-P03 - Peculiarities of giant magnetocaloric effect in Ni₅₀Mn₃₅In₁₅ alloys in the vicinity of martensitic transition

I. Rodionov¹, Y. Koshkid'ko^{2,3}, J. Cwik³, A. Quetz⁴, S. Pandey⁴, A. Aryal⁴, I. Dubenko⁴, S. Stadler⁵, N. Ali⁴, I. Titov¹, M. Blinov¹, V. Prudnikov¹, E. Lähderanta⁶, I. Zakharchuk⁶, A. Granovsky¹

1. Lomonosov Moscow State University, Faculty of Physics, Moscow, Russia

2. VSB-Technical University of Ostrava, Ostrava-Poruba, Czech Republic

3. International Laboratory of High Magnetic Fields and Low Temperatures, Wrocław, Poland

4. Department of Physics, Southern Illinois University, Carbondale, United States

5. Department of Physics & Astronomy, Louisiana State University, Baton Rouge, LA United States

6. Lappeenranta University of Technology, Lappeenranta, Finland

Mo.L-P04 - Effect of strontium deficiency on structural, magnetic and magnetocaloric properties of La_{0.65}Eu_{0.05}Sr_{0.3-x}MnO₃ (0 ≤ x ≤ 0.15) manganite

R. Bellouz¹, A. Dinia², M. Oumezzine¹, K. Hlil³, G. Schemerber², M. Oumezzine¹

1. Laboratoire de Physico-chimie des Matériaux, Département de Physique, Faculté des Sciences de Monastir, Université de Monastir, Tunisia

2. Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS) UMR 7504 CNRS-Université de Strasbourg, Strasbourg Cedex 2, France

3. Institut Néel, CNRS-Université J. Fourier, Grenoble, France

Mo.L-P05 - Theoretical investigation of the coupling between the electrocaloric and magnetocaloric effects in quantum paraelectric EuTiO_3

P. V. Ranke¹, P. Ribeiro¹, A. Carvalho², B. Alho¹, T. Alvarenga¹, E. Nobrega¹, A. Caldas¹, V. Sousa¹, P. Lopes¹, N. Oliveira¹

1. Instituto de Física Armando Dias Tavares, UERJ, Rio de Janeiro, Brazil
2. Laboratório Nacional de Luz Síncrotron, CNPEM, Campinas, Brazil

Mo.L-P07 - Giant reversible rotating magnetocaloric effect in $\text{KEr}(\text{MoO}_4)_2$

V. Tkáč^{1,2}, A. Orendáčová¹, M. Orendáč¹, A. G. Anders³, A. Feher¹

1. Institute of Physics, P. J. Šafárik University, Košice, Slovak Republic
2. Department of Condensed Matter Physics, Faculty of Mathematics And Physics, Charles University, Prague, Czech Republic
3. B. I. Verkin Institute for Low Temperature Physics and Engineering of NASU, Lenin, Kharkov, Ukraine

Mo.L-P08 - KINETICS OF PHASE TRANSITIONS IN MAGNETOCALORIC MATERIALS

A. Kamantsev¹, V. Koledov¹, V. Shavrov¹, I. Tereshina², D. Kuzmin³, I. Bychkov³

1. Kotelnikov IRE RAS, Moscow, Russia
2. Baikov Institute of Metallurgy and Material Science of RAS, Moscow, Russia
3. Chelyabinsk State University, Chelyabinsk, Russia

Mo.L-P11 - Enhancement of Thermal Stability and Soft Magnetic Properties of High Induction $(\text{Fe}(1-x)\text{Cox})_{79}\text{Si}_{8.5}\text{B}_{8.5}\text{Nb}_{3}\text{Cu}_1$ ($x= 0, 0.05, 0.35$) Nanocrystalline Alloys

R. K. Roy¹, A. K. Panda¹, A. Mitra¹

1. MST Division, CSIR-National Metallurgical Laboratory, Jamshedpur, India

Mo.L-P12 - Structural and magnetic characterization of CoNiA and CoNiGa pseudo-Heusler superelastic alloys

J. Mino^{1,2}, V. Komanický¹, M. Ipatov², A. Zhukov^{2,3}, V. Zhukova², R. Varga¹, Zuzana Vargova¹

1. Institute of Physics, Faculty of Science, UPJS, Kosice, Slovakia
2. Dpto. Física de Materiales, Fac. Químicas, UPV/EHU, San Sebastian, Spain
3. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

Mo.L-P13 - A new method for determining the Curie temperature from magnetocaloric measurements

L. M. Moreno-Ramírez¹, V. Franco¹, A. Conde¹, M. Marsilius², G. Herzer²

1. Dpto. Física de la Materia Condensada, ICMSE-CSIC, Universidad de Sevilla, Sevilla, Spain
2. Vacuumschmelze GmbH & Co KG, Grüner Weg 37, Hanau, Germany

Mo.L-P14 - Analysis of the field dependence of magnetocaloric effect at the transition temperatures for biphasic systems

J.J. Ipus¹, L.M. Moreno-Ramírez¹, J.S. Blázquez¹, V. Franco¹, A. Conde¹

1. Departamento de Física de la Materia Condensada, ICMSE-CSIC, Universidad de Sevilla, Sevilla, Spain

Mo.L-P15 - Study of Magnetocaloric Effect in the Pseudo Binary Laves-Phase Compounds

J. Āewik¹, Y. Koshkid'ko ^{1,2}, A. Mikhailova³, N. Kolchugina³, K. Nenkov^{1,4}, A. Hackamer⁵, M. Miller¹

1. *International Laboratory of High Magnetic Fields And Low Temperatures, Wrocław, Poland*
2. *VSB-Technical University of Ostrava, Ostrava, Czech Republic*
3. *Baikov Institute of Metallurgy and Materials Science, Moscow, Russia*
4. *IFW Dresden, Institute of Metallic Materials, Dresden, Germany*
5. *Institute of Low Temperature and Structure Research, Wrocław, Poland*

Mo.L-P16 - Shedding light on first-order magnetostructural transitions

M. Boeije¹, F. Guillou¹, Yibole ¹, X. Miao¹, P. Roy², N. van Dijk¹, R. de Groot², E. Brück¹

1. *TU Delft, Delft, Netherlands*
2. *Radboud University Nijmegen, Nijmegen, Netherlands*

Mo.L-P17 - Giant irreversible inverse and large reversible magnetocaloric effect in (Dy_{0.6}Gd_{0.4})₅Pd₂ intermetallic compound

T. Paramanik¹, I. Das¹

1. *CMP Division, Saha Institute of Nuclear Physics, Kolkata, India*

Mo.L-P18 - Magnetic investigation on MnNiGe_{0.9}Al_{0.1} alloy

P. Dutta¹, D. Das¹, S. Chatterjee¹

1. *UGC-DAE Consortium For Scientific Research, Kolkata Centre, Kolkata, India*

Mo.L-P19 - Influence of high pressure oxygenation on the structure and magnetic properties of la-ca-sr-mn-o perovskite ceramic material

K. Zmorayová¹, V. Antal¹, S. Piovarèi¹, V. Kaveèanský¹, J. Kovàè¹, L. Vojtková¹, P. Diko¹, M. Kaňuchová²

1. *Institute of Experimental Physics, Slovak Academy of Sciences In Košice, Košice, Slovakia*
2. *The Technical University of Košice, Košice, Slovakia*

Mo.L-P20 - Structural, optical and magneto-optical studies of martensitic transformation in magnetic shape memory alloy Ni₂MnGa

P. Cejpek¹, L. Beran¹, R. Antoš¹, V. Holý¹, M. Veis¹, O. Heczko²

1. *Charles University In Prague, Prague, Czech Republic*
2. *Institute of Physics, Academy of Science of Czech Republic, Prague, Czech Republic*

Mo.L-P23 - Magnetic and magnetothermal properties of the melt-spun (Gd_{1-x}Tb_x)₇₅Co₂₅ and (Gd_{1-x}Y_x)₇₅Co₂₅ alloys

D. Shishkin^{1,2}, A. Volegov², A. Chirkova^{1,2,3}, K.i Nenkov³, N. Baranov^{1,2}

1. *Institute of Metal Physics, Russian Academy of Science, Ekaterinburg, Russia*
2. *Institute of Natural Sciences, Ural Federal University, Ekaterinburg, Russia*
3. *IFW Dresden, Dresden, Germany*

Mo.L-P24 - Magnetic behaviour of martensite in metamagnetic Ni-Co-Mn-Ga alloys

C. Seguí¹, E. Cesari¹, P. Lázpita²

1. *Departament de Física. Universitat Illes Balears, Palma de Marllorca, Spain*

2. *Departamento de Electricidad y Electrónica. Universidad del País Vasco, Leioa, Spain*

Mo.L-P25 - Rotational Electromagnetic Energy Harvesting System

D. Dinulovic¹, M. Haug¹, T. Petrovic²

1. *Wurth Elektronik EISos, Germany*

2. *University of Nis, Niš, Serbia*

Mo.L-P26 - Comparison of conventional sintering and spark plasma sintering routes for the fabrication of magnetocaloric Mn-Fe-P-Si compounds

A. Bartok¹, A. Pasko¹, K. Zehani², L. Bessais², F. Mazaleyrat¹, V. Russier², M. LoBue¹

1. *SATIE, ENS Cachan, CNRS, Université Paris-Saclay, Cachan, France*

2. *ICMPE, CNRS, Université Paris 12, Thiais, France*

Mo.L-P27 - Pressure induced magnetic and magnetocaloric properties in Mn rich Mn-Ni-Sn Heusler alloys

J. Sharma¹, K. G. Suresh¹, A. A. Coelho²

1. *Indian Institute of Technology Bombay, Mumbai, India*

2. *Instituto de Física "Gleb Wataghin", Universidade Estadual de Campinas-UNICAMP, Sao Paulo, Brazil*

Mo.L-P28 - Enhancement of coercivity through Nd-Cu eutectic reaction for Nd-Fe-B thin films

R. Nakagawa¹, T. Shima¹

1. *Tohoku-Gakuin University, Sendai, Japan*

Mo.L-P29 - Microstructural control of Nd-Fe-B materials sintered using electric Field Assisted Sintering Techniques (FAST)

E. Castle¹, S. Grasso¹, M. Reece¹, R. Sheridan², A. Walton²

1. *Queen Mary, University of London, London, United Kingdom*

2. *University of Birmingham, Birmingham, United Kingdom*

Mo.L-P31 - The magnetic properties and magnetocaloric effect in Mn_{1-x}Ni_xCoGe

Q. Ren¹, W. Hutchison¹, J. Wang², A. Studer³, S. Cadogan¹, S. Campbell¹

1. *PEMS, University of New South Wales, Canberra, Australia*

2. *ISEM, University of Wollongong, Wollongong, Australia*

3. *Bragg Institute, Australian Nuclear Science and Technology Organisation, Lucas Heights, Australia*

Mo.L-P32 - Direct and inverse thermal magnetocaloric effect obtained from non-adiabatic measurements: Gd_{0.5}Pr_{0.5}Al₂ compound case

A. Carvalho¹, C. Salazar Mejía², A. Gomes²

1. *Laboratório Nacional de Luz Síncrotron, CNPEM, Campinas, Brazil*

2. *Instituto de Física, UFRJ, Rio de Janeiro, Brazil*

Mo.L-P33 - Giant Magnetic Entropy Change in $\text{La}_{0.6}\text{Ce}_{0.4}\text{Fe}_{11.5}\text{Si}_{1.5}$ Alloy Exhibiting First- and Second-Order Phase Transitions

T. D. Thanh¹, W. Z. Nan¹, B. Y. Jeon², T. S. You², T. L. Phan³, S. C. Yu¹

1. Department of Physics, Chungbuk National University, Cheongju, South Korea

2. Department of Chemistry, Chungbuk National University, Cheongju, Korea

3. Department of Physics, Hankuk University of Foreign Studies, Yongin, South Korea

Mo.L-P35 - 3D nano-architected multiferroic CuO electrodes for high-performance supercapacitors

K. Lu¹, M. Deng¹, C. Song², C. Wang², Y. Tseng², J. Chen¹

1. National Synchrotron Radiation Research Center (NSRRC), Hsinchu, Taiwan

2. Department of Materials Science and Engineering, National Chiao Tung University, Hsinchu, Taiwan

Mo.L-P37 - Direct measurements of the crucial characteristics of MCE refrigeration in high magnetic fields in a Gd sample

E. Dilmieva¹, V. Koledov¹, A. Kamantsev¹, V. Shavrov¹, A. Mashirov¹, I. Tereshina², V. Nizhankovskii³

1. Kotelnikov Institute of Radio Engineering And Electronics of RAS, Moscow, Russia

2. International Laboratory of High Magnetic Fields & Low Temperatures of PAN, Wrocław, Poland

3. Baikov Institute of Metallurgy and Material Science of RAS, Moscow, Russia

Mo.L-P39 - Magnetocaloric effect of $\text{La}(\text{Fe,Si,Co})_{13}$ compounds as measured in pulsed magnetic fields

M. Ghorbani-Zavareh^{1,2}, Y. Skourski¹, K.P. Skokov³, J. Wosnitza^{1,2}, O. Gutfleisch³

1. Hochfeld-Magnetlabor Dresden (HLD-EMFL), Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

2. Institut für Festkörperphysik, TU Dresden, Dresden, Germany

3. Technische Universität Darmstadt, Institut für Materialwissenschaft, Darmstadt, Germany

Mo.L-P40 - Influence of structural disorder on normal and inverse magnetocaloric effect in $\text{Y}_{1-x}\text{Gd}_x\text{Co}_2$ ($0 \leq x \leq 1$) compounds

N. Pierunek¹, Z. Śniadecki¹, V. Franco², B. Idzikowski¹

1. Institute of Molecular Physics Polish Academy of Sciences, Poznań, Poland

2. Condensed Matter Physics Department, Sevilla University, Spain

Mo.L-P41 - Origin of martensitic phase transition in ferromagnetic shape memory alloy Ni-Fe(Co)-Ga thin film

K. Sumida¹, K. Shirai¹, S. Zhu¹, M. Taniguchi^{1,2}, M. Ye³, S. Ueda⁴, Y. Takeda⁵, Y. Saitoh⁵, I. Rodriguez⁶, J. Barandiaran⁶

1. Graduate School of Science, Hiroshima University, Hiroshima, Japan

2. Hiroshima Synchrotron Radiation Center, Hiroshima, Japan

3. Shanghai Institute of Microsystem and Information Technology, Chinese Academy of Science, Shanghai, China

4. Synchrotron X-ray Station at SPring-8, National Institute for Materials Science, Hyogo, Japan

5. Condensed Matter Science Division, Japan Atomic Energy Agency, Ibaraki, Japan

6. BCMaterials & University of Basque Country, Derio, Spain

7. Ikerbasque, Basque Foundation for Science, Bilbao, Spain

Mo.L-P42 - The magnetic and magnetocaloric properties of CoMnGe_{1-x}GaxB_{0.015}

I. Dincer¹, G. Durak¹, E. Yüzüak², Y. Elerman¹

1. Department of Engineering Physics, Faculty of Engineering, Ankara University, Besevler, Ankara, Turkey
2. Department of Nanotechnology Engineering, Faculty of Engineering, Recep Tayyip Erdogan University, Rize, Turkey

Mo.L-P43 - The Effect of the Substitution of Cu and Al for Mn on Magnetic and Magnetocaloric Properties of Ni₅₀Mn₃₄In₁₆

Y. Elerman¹, M. Kaya¹, M. Mirac Cicek¹, I. Dincer¹

1. Department of Engineering Physics, Faculty of Engineering, Ankara University, 06100 Besevler, Ankara, Turkey

Mo.L-P44 - Visualization of crack evolution in field cycled LaFe_{11.8}Si_{1.2}

A. Funk¹, A. Waske¹, J. Eckert^{1,2}

1. Institute for Complex Materials, IFW Dresden, Helmholtzstraße, Dresden, Germany
2. Institute for Material Science, TU Dresden, Helmholtzstraße, Dresden, Germany

Mo.L-P45 - Magnetic properties of magnetostrictive galphenol nanowires

I. Ivanov¹, M. Alnassar¹, M. Vazquez², J. Kosel¹

1. King Abdullah University of Science And Technology (KAUST), Thuwal, Saudi Arabia
2. Institute of Materials Science of Madrid, CSIC, Madrid, Spain

Mo.L-P47 - Effects of pressure on the magnetic, structural, and Griffiths-like transitions in magnetocaloric R₅(SixGe_{1-x})₄ (R= Tb and Dy)

N. Marcano Aguado^{1,2}, P. Algarabel Lafuente^{2,3}, J. Rodríguez Fernández⁴, J. Herreiro-Albillos^{1,2}, C. Magén Domínguez^{3,5,6}, J.P Araújo⁷, A. Pereira⁷, J. H. Belo⁷, Y. Mudryk⁸, V. K. Pecharsky⁸

1. Centro Universitario de la Defensa, Academia General Militar, Zaragoza, Spain
2. Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza - Consejo Superior de Investigaciones Científicas, Zaragoza, Spain
3. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain
4. Departamento CITIMAC, Universidad de Cantabria, 39005 Santander, Spain
5. Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain
6. Fundación ARAID, Zaragoza, Spain
7. IFIMUP and IN-Institute of Nanoscience and Nanotechnology, Departamento de Física da Faculdade de Ciências, Universidade do Porto, Porto, Portugal
8. Ames Laboratory, U.S. Department of Energy, Iowa State University, Ames, Iowa, USA
9. Department of Materials Science and Engineering, Iowa State University, Ames, Iowa, United States

Mo.L-P48 - Experimental investigation and FEM simulation of epoxy-bonded magnetocaloric composites

B. Weise¹, M. Bierdel¹, B. Pulko², K. P. Skokov³, O. Gutfleisch³, A. Kitanovski⁴, A. Waske¹, J. Eckert^{1,2}

1. IFW Dresden, Institute for Complex Materials, Dresden, Germany
2. TU Dresden, Faculty of Mechanical Engineering, Dresden, Germany
3. TU Darmstadt, Department of Materials Science, Darmstadt, Germany
4. University of Ljubljana, Faculty of Mechanical Engineering, Ljubljana, Slovenia

Mo.L-P49 - Magnetocaloric properties of purified Gd: assessing structural and impurity aspects

I. Tereshina^{1,2}, G. Burkhanov², E. Tereshina³, G. Politova², V. Chzhan², O. Chistyakov², N. Kolchugina², H. Drulis⁴, M. Paukov⁵, L. Havela⁵

1. Department of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
2. Baikov Institute of Metallurgy and Material Science Russian Academy of Sciences, Moscow, Russia
3. Institute of Physics, Academy of Sciences of Czech Republic, Prague, Czech Republic
4. Institute of Low Temperature and Structure Research, Polish Academy of Sciences, Wroclaw, Poland
5. Charles University, Faculty of Mathematics and Physics, Department of Condensed Matter Physics, Prague, Czech Republic

Mo.L-P51 - Effect of Fe substitution on Ni₅₀Mn₃₅In₁₅ Heusler alloys

M. Halder¹, Penkey Suresh¹, N. K. G. Suresh¹

1. Department of Physics, Indian Institute of Technology Bombay, Bombay, India

Mo.L-P52 - Structural and magnetic properties of FeRh_{1-x}Co_x

K. Takahashi¹, K. Ohtake¹, K. Koyama², K. Watanabe¹

1. Institute For Materials Research, Tohoku University, Sendai, Japan
2. Graduate School of Science and Engineering, Kagoshima University, Kagoshima, Japan

Mo.L-P53 - Magnetocaloric effect in Ni-Fe-Ga-Co-Al Heusler alloys

F. Tolea¹, M. Sofronie¹, A. Daniela Crisan¹, M. Valeanu¹

1. National Institute of Materials Physics, Magurele, Romania

Mo.L-P54 - Magnetic properties of soft magnetic thin ribbons prepared by an electroplating method

T. Yanai¹, Y. Watanabe¹, M. Otsubo¹, N. Shimoya², K. Fujisaki², M. Nakano¹, H. Fukunaga¹

1. Nagasaki University, Nagasaki, Japan
2. Toyota Technological Institute, Chicago, United States

Mo.L-P55 - A new method for maximizing magnetic refrigeration efficiency in antiferromagnets

R. Tamura¹, S. Tanaka², T. Ohno³, H. Kitazawa⁴

1. *International Center for Young Scientists, National Institute for Materials Science, Ibaraki, Japan*
2. *Yukawa Institute for Theoretical Physics, Kyoto University, Kyoto, Japan*
3. *Computational Materials Science Unit, National Institute for Materials Science, Ibaraki, Japan*
4. *Quantum Beam Unit, National Institute for Materials Science, Ibaraki, Japan*

Mo.L-P56 - Mechanical and corrosion properties of La(Fe,Si)₁₃ for magnetic refrigeration technology

B. Kaeswurm¹, S. Sharma¹, A. Barcza², P. Geiger¹, M. Vögler¹, K.E. Johanns¹, N. Wilson³, M. Katter², O. Gutfleisch¹

1. *Institut für Geo- und Materialwissenschaften, Technische Universität Darmstadt, Darmstadt, Germany*
2. *Vacuumschmelze GmbH & Co. KG, Hanau, Germany*
3. *Camfridge Ltd, Cambridge, United Kingdom*

Mo.L-P57 - EBSD analysis of {111}-Conjugated Interfaces in Mn-Al-C permanent magnetic materials

F. Bittner^{1,2}, L. Schultz^{1,2}, T. George Woodcock¹

1. *IFW Dresden, Dresden, Germany*
2. *Department of Materials Science, TU Dresden, Dresden, Germany*

Mo.L-P58 - Influence of Nb content on high temperature magnetic properties of FeCo based high induction alloys

R.K. Roy¹, A. K. Panda¹, A. Mitra¹, M.E. McHenry²

1. *NDE & Magnetic Materials Gr., MST Division, CSIR-National Metallurgical Laboratory, Jamshedpur, India*
2. *Department of Materials Science and Engineering, Carnegie Mellon University, Pittsburgh, United States*

Mo.L-P59 - Magnetocaloric effect and Magnetothermopower in Pr_{0.5}Sr_{0.5}MnO₃

R. Mahendiran¹, D.V. Maheswar Repaka¹

1. *National University of Singapore, Singapore, Singapore*

Mo.L-P60 - Enhanced electrical resistivity after rapid cool of the specimens in layered oxide LixCoO₂

K. Miyoshi¹, K. Manami¹, G. Motoyama¹, K. Fujiwara¹, J. Takeuchi¹, R. Sasai¹, S. Nishigori²

1. *Department of Materials Science, Shimane University, Matsue, Japan.*
2. *Department of Materials Analysis, ICSR, Shimane University, Matsue, Japan*

Mo.L-P61 - Effect of the induced internal stresses on the martensitic transition and magnetic properties of Ni-Mn-Ga glass-coated microwires

S. Shevyrtalov¹, A. Zhukov^{2,3}, V. Zhukova², V. Rodionova¹

1. *Institute of Physics & Technology, Immanuel Kant Baltic Federal University, Kaliningrad, Russia*
2. *Dpto. Fisica de Materiales, Fac. Quimicas, SUPV/EHU, San Sebastian, Spain*
3. *IKERBASQUE, Basque Foundation for Science, Bilbao, Spain*

Mo.L-P62 - Influence of Pr substitution for La on the structural, magnetic and magnetocaloric properties of (La_{1-x}Pr_x)₂/3Ba₁/3MnO₃ manganites

A. Bezerghéanu¹, C. Bazil Cizmas¹, I. Grigore Deac², R. Tetean²

1. Transilvania University of Brasov, Dept. Electrical Engineering & Applied Physics, Brasov, Romania

2. Babes-Bolyai University, Faculty of Physics, Cluj-Napoca, Romania

Mo.L-P63 - Study of the magnetocaloric effect in (Pr,Dy)₂Fe₁₇ and Pr₂(Fe,Al)₁₇ intermetallic compounds

K. Zehani¹, R. Guetari^{1,2}, N. Mliki², L. Bessais¹

1. CMTR, ICMPE, UMR7182, CNRS-UPEC, Thiais, France

2. LMOP, Faculté des Sciences de Tunis, Université Tunis El Manar, Tunis, Tunisia

Mo.L-P64 - Large magnetocaloric effect and magnetic properties in ErCoAl

D. X. Li¹, Y. Homma¹, F. Honda¹, T. Yamamura², D. Aoki¹

1. Institute for Materials Research, Tohoku University, Oarai, Ibaraki, Japan

2. Institute for Materials Research, Tohoku University, Sendai, Japan

Mo.L-P65 - New synthetic route for HoN particles as magnetic refrigerant in hydrogen re-liquefaction system

D. Kim¹, J. Ahn¹, C. Choi¹

1. Korea Institute of Materials Science, Changwon, Republik of Korea

Mo.L-P66 - Field-induced Martensitic Transformation in MnCo_{0.92}Fe_{0.08}Ge

K. Ozono¹, Y. Mitsui¹, R. Umetsu², K. Takahashi², M. Hiroi¹, K. Koyama¹

1. Department of Physics and Space, Graduate School of Science and Engineering, Kagoshima University, Kagoshima, Japan

2. Institute for Materials Research, Tohoku University

Mo.L-P67 - Effect of Mn-deficient on magnetocaloric effect in non-stoichiometric La_{0.8}Ca_{0.2}MnO_{3+δ}

D. Nanto¹, B. Kurniawan², N. Chebotaev³, A. Telegin³, S.C. Yu⁴

1. Dept. of Physics Education, Syarif Hidayatullah State Islamic University, Banten, Indonesia

2. Dept. of Physics, University of Indonesia

3. Institute of Metal Physics, UB of RAS

4. Dept. of Physics, Chungbuk National University

Mo.L-P68 - Critical exponents and EXAFS study of Non-stoichiometric Nd_{0.5}Sr_{0.5}MnO₃ Single Crystalline

D. Nanto¹, B. Kurniawan², S. Telegin³, A. Telegin³, S.C. Yu⁴

1. Dep Syarif Hidayatullah State Islamic University, Jakarta, Indonesia

2. Dept. of Physics, University of Indonesia, Indonesia

3. Institute of Metal Physics, UB of RAS, Ekaterinburg, Russia

4. Dept. of Physics, Chungbuk National University, Cheongju, South Korea

Mo.L-P69 - Investigation of Structural, Magnetic and Magnetocaloric Properties of $(\text{La}_{1-x}\text{Pr}_x)\text{0.85Ag0.15MnO}_3$ ($x = 0.0, 0.2$) Perovskites

A.O. Ayaş¹, M. Akyol², S. Kılıç Çetin², G. Akça², A. Ekicibil², Bekir Özçelik²

1. Department of Mechatronic Engineering, Faculty of Technology, Adiyaman University, Adiyaman, Turkey

2. Department of Physics, Faculty of Sciences and Letters, Çukurova University, Adana, Turkey

Mo.L-P70 - Relaxation dynamics across the first-order metamagnetic phase transition in magnetocaloric $\text{La}(\text{Fe},\text{Mn},\text{Si})\text{13}$

E. Lovell¹, M. Bratko¹, A.D. Caplin¹, L.F. Cohen¹, A. Barzca², M. Katter²

1. Blackett Laboratory Imperial College London United Kingdom, London, United Kingdom

2. Vacuumschmelze GmbH & Co. KG, Hanau, Germany

Mo.L-P71 - Temperature dependence of the electrical resistivity for the Heusler alloy system $\text{Ni}_2\text{Mn}_{1-x}\text{Cr}_x\text{Ga}$

Y. Adachi¹, M. Fujio², T. Kanomata³, R.Y. Umetsu⁴, X. Xu⁵, R. Kainuma⁵

1. Graduate School of Science and Engineering, Yamagata University, Yonezawa, Japan

2. Faculty of Engineering, Yamagata University, Yonezawa, Japan

3. Research Institute for Engineering and Technology, Tohoku Gakuin University, Sendai, Japan

4. Institute for Materials Research, Tohoku University, Sendai, Japan

5. Department of Materials Science, Graduate School of Engineering, Tohoku University, Sendai, Japan

Mo.L-P72 - Magnetic structure and magnetocaloric properties of $\text{Ho}(\text{Co}_{1-x}\text{Fe}_x)_2$ quasibinary intermetallic compounds

M. Anikin¹, E. Tarasov¹, A. Pirogov¹, N. Kudrevatykh¹, A. Zinin¹

1. Ural Federal University, Ekaterinburg, Russian Federation

Mo.L-P73 - Hydrogen-induced magnetic anisotropy and magnetocaloric effect in SmFeCo

N. Mushnikov¹, A. Protasov¹, V. Gaviko¹, V. Lazukin¹

1. Institute of Metal Physics UB RAS, Ekaterinburg, Russian Federation

Mo.L-P74 - Specific heat, magnetostriction and magnetocaloric effect in $\text{Fe}_{48}\text{Rh}_{52}$ alloy

A. Aliev¹, A. Batdalov¹, L. Khanov¹, A. Kamatsev², E. Dilmieva², A. Mashirov², V. Koledov², V. Shavrov², M. Topic²

1. Amirkhanov Institute of Physics of Daghestan Scientific Center, RAS, Makhachkala, Russia

2. Kotelnikov Institute of Radio-engineering and Electronics of RAS, Moscow, Russia

Mo.L-P75 - Predictions of large magnetocaloric effects in Co- and Cr-substituted Heusler alloys using first-principles and Monte Carlo approaches

V. Sokolovskiy¹, V. Buchelnikov¹, M. Gruner², P. Entel²

1. Chelyabinsk State University, Chelyabinsk, Russia

2. Duisburg-Essen University, Essen, Germany

Mo.L-P76 - Direct measurements of the low-field magnetocaloric effect in low volume and thin film samples

J. Döntgen¹, J. Rudolph¹, T. Gottschall², O. Gutfleisch², S. Salomon³, A. Ludwig³, D. Hägele¹

1. *Arbeitsgruppe Spektroskopie der kondensierten Materie, Ruhr-Universität Bochum, Bochum, Germany*
2. *Institut für Materialwissenschaft, TU Darmstadt, Darmstadt, Germany*
3. *Institut für Werkstoffe, Ruhr-Universität Bochum, Bochum, Germany*

Mo.L-P77 - Phase transformations and magnetocaloric effect in Ni-Mn-(Co)-In Heusler alloys

V. Buchelnikov¹, R. Fayzullin¹, A. Mashirov², V. Koledov², V. Shavrov², S. Taskaev¹

1. *Chelyabinsk State University, Chelyabinsk, Russia*
2. *Kotelnikov Institute of Radioengineering and Electronics, Moscow, Russia*

Mo.L-P78 - MAGNETIC and structural analysis of MN rich MN-NI-SN alloys

J.J. Suñol¹, R. Coll¹, L. Escoda¹, M. Ipatov²

1. *University of Girona, Girona, Spain*
2. *SGIKer, University of Basque Country, Leioa, Spain*

Mo.L-P79 - The effects of hydrogenation and Mn doping on the first order nature of the metamagnetic transition in La(Fe,Si)₁₃

M. Bratko¹, Y. E. Lovell¹N, J. Turcaud¹N, D. Caplin¹N, L.F. Cohen¹N, V. Basso²N, M. Kupferling²N, C. Curcio²N, C. Bennati²N, A. Barzca³N

1. *Imperial College London, London, United Kingdom*
2. *Istituto Nazionale di Ricerca Metrologica, Torino, Italy*
3. *Vacuumschmelze GmbH & Co. KG, Hanau, Germany*

Mo.L-P80 - Magnetocaloric effect in Gd - Y alloys

M. Drobosyuk¹, S. Taskaev¹, M. Ulyanov¹, D. Bataev¹, R. Fayzullin¹, V. Buchelnikov¹

1. *Chelyabinsk State University, Chelyabinsk, Russian Federation*

Mo.L-P81 - Thermal and rheological properties of water based ferrofluids and their applicability as quenching media

J. Župan¹, M. Majić Renjo¹

1. *University of Zagreb, Faculty of Mechanical Engineering And Naval Architecture, Quenching Research Centre (QRC), Zagreb, Croatia*

Mo.L-P82 - Two Dumbbell-shaped M₅Gd₄ Herterometallic Clusters exhibiting well magnetocaloric effect

J.P. Tong¹, X.J. Xu¹Y, D.J. Yang¹Y, K. Zhang¹, J. Tao²

1. *Xiangyang Noncommissioned Officers School, Xiangyang, China*
2. *Xiamen University, Fujian, China*

Mo.L-P83 - Direct measurements of giant adiabatic temperature change in FeRh alloys under cyclic conditions

A. Chirkova¹, K.P. Skokov², T. Gottschall², O. Gutfleisch², L. Schultz¹, N.V. Baranov^{3,4}, T.G. Woodcock¹

1. *IFW Dresden, Germany, Dresden, Germany*
2. *TU Darmstadt, Darmstadt, Germany*
3. *Ural Federal University, Yekaterinburg, Russia*
4. *Institute of Metal Physics, Yekaterinburg, Russia*

Mo.L-P84 - $(\text{Mn}_{55}\text{Al}_{45})_{100}\text{B}_2$ and $\text{Mn}_{55}\text{Al}_{45}\text{Ga}_5$ - promising permanent magnetic materials

Sofia Kontos¹, Klas Gunnarson¹, H.ailiang Fang², P. Svedlindh¹, Martin Sahlberg²

1. Uppsala University, Engineering Sciences, Uppsala, Sweden

2. Uppsala University, Chemistry, Uppsala, Sweden

Mo.L-P85 - Ab-initio based analytical evaluation of entropy in magnetocaloric materials with first order phase transitions

M. Piazzzi^{1,2}, V. Basso¹, J. Zemen², K. Sandeman^{2,3}

1. Istituto Nazionale di Ricerca Metrologica, Torino, Italy

2. Blackett Laboratory, Imperial College London, London, United Kingdom

3. Brooklyn College, CUNY, New York, United States

Mo.L-P88 - Ferrites in the low-power wireless power transfer systems

B. Stergiou¹, V. Zaspalis¹

1. Laboratory of Inorganic Materials, Centre for Research and Technology – Hellas, Thessaloniki, Greece

Mo.L-P89 - Magnetocaloric effect in some magnetic materials in alternating magnetic fields

A. Aliev¹, A. Batdalov¹, A. Gamzatov¹, L. Khanov¹, V. Koledov², V. Shavrov²

1. Amirkhanov Institute of Physics of Daghestan Scientific Center, RAS, Makhachkala, Russia

2. Kotelnikov Institute of Radio-engineering and Electronics of RAS, Moscow, Russia

Mo.L-P90 - Anodic iron oxide nanotubes: Structural and magnetic characterization

A. Apolinário¹, C. T. Sousa¹, A. M. Pereira¹, M. P. Fernandez¹, G. Oliveira¹, J. Azevedo^{1,2}, J. Ventura¹, L. Andrade², A. M. Mendes², J.P. Araújo¹

1. IFIMUP-IN - Universidade Do Porto, Porto, Portugal

2. LEPAE - Universidade Do Porto, Porto, Portugal

Mo.L-P92 - Influence of quenching and heat-treatment parameters on the antiferromagnetic-ferromagnetic phase transitions in $\text{Fe}_{49}\text{Rh}_{51}$ alloys

V. Rodionov¹, V. Rodionova¹, S. Shevyrtalov¹, M. Annaorazov¹

1. Immanuel Kant Baltic Federal University, Kaliningrad, Russia

Mo.L-P93 - Ni-Mn-Sn-Co metamagnetic shape memory thin films

I.R. Aseguinolaza^{1,2}, A.V. Svalov¹, V.A. Chernenko^{1,2,3}, J.M. Barandiaran^{1,2}

1. University of The Basque Country (UPV/EHU), Bilbao, Spain

2. BCMaterials, Technology Park of Biscay, Derio, Spain

3. Ikerbasque, the Basque foundation for Science, Bilbao, Spain

A. Ferroics and Multiferroics

TU.A-P01 - Magneto-electric coupling, magnetoreistance and magnetocaloric effect in Ba rich quantum paraelectrics : $\text{Eu}_{0.4}\text{Ba}_{0.6}\text{TiO}_3$

R. Mahendiran¹

1. National University of Singapore, Singapore, Singapore

TU.A-P03 - Photostriction in multiferroic BiFeO_3

B. Kundys¹

1. Institut De Physique Et De Chimie Des Matériaux De Strasbourg, Strasbourg, France

TU.A-P07 - Physical properties of Single Crystals of A-site ordered manganites $\text{REBaMn}_2\text{O}_6$ (RE = rear earth)

S. Yamada¹, K. Higuchi¹, T. Sasaki¹, H. Aoki¹, H. Sagayama², T.H. Arima³

1. Department of Materials System Science, Yokohama City University, Kanagawa, Japan

2. Institute of Materials Structure, High Energy Accelerator Research Organization, Ibaraki, Japan

3. Department of Advanced Materials Science, The University of Tokyo, Chiba, Japan

TU.A-P08 - Structural and physical properties of multiferroic $\text{Bi}_{1-x}\text{RE}_x\text{FeO}_3$ powders (RE = Nd^{3+} , Eu^{3+}) synthesized by the sol-gel method

T. Slimani Tlempani¹, T. El Bahraoui¹, M. Taibi², G. Schmerber³, A. Belayachi¹, M. Abd-Lefdil¹, A. Dinia³

1. University of Mohammed V, Materials Physics Laboratory, Rabat, Morocco

2. University of Mohammed V, Laboratoire de Physico-Chimie des Matériaux Inorganiques et Organiques, Ecole Normale Supérieure Rabat-Morocco, Rabat, Morocco

3. IPCMS, CNRS-Université de Strasbourg, Strasbourg, France

TU.A-P09 - Magnetic properties of the $\text{CaBaCo}_3\text{FeO}_7$

J. Blasco¹, V. Cuartero², J. García¹, G. Subías¹, J. A. Rodríguez-Velamazán^{1,3}

1. Instituto De Ciencia De Materiales De Aragón, CSIC-Universidad De Zaragoza, Zaragoza, Spain

2. ESRF-The European Synchrotron, Grenoble, France

3. Institute Laue Langevin, Grenoble, France

TU.A-P10 - Metamagnetic transitions in R_2CoMnO_6 (R=Yb, Lu) magneto-electric double perovskites

J. Blasco¹, J. García¹, G. Subías¹, J. Stankiewicz¹, J.L. García-Muñoz², C. Ritter³, J.A. Rodríguez-Velamazán^{1,3}

1. Instituto De Ciencia De Materiales De Aragón, CSIC-Universidad De Zaragoza, Zaragoza, Spain

2. Institut de Ciència de Materials de Barcelona, CSIC, Campus univ. de Bellaterra, Bellaterra, , Spain

3. Institute Laue Langevin, Grenoble, France

TU.A-P11 - Optical activity in multiferroic ferroborate

A.M. Kuzmenko ², A. Shuvaev ¹, V. Dziom ¹, A. Pimenov ¹, M. Schiebl ¹, A.A. Mukhin ², V.Y. Ivanov ², L.N. Bezmaternykh ³, A. Pimenov ¹

1. Vienna University of Technology, Vienna, Austria

2. Prokhorov General Physics Institute, Russian Academy of Sciences, Moscow, Russia

3. L.V. Kirensky Institute of Physics Siberian Branch of RAS, Krasnoyarsk, Russia

TU.A-P12 - Giant Magnetoelectric Effect in FeCo and FeCo/Ag films on (011) oriented PIN-PMN-PT

M. Staruch ¹, P. Finkel ¹

1. Naval Research Laboratory, Washington, United States

TU.A-P13 - Role of Tb single ion Ising-nature on the magnetic anisotropy on TbMnO₃ under applied magnetic fields

V. Cuartero ¹, S. Lafuerza ¹, G. Subias ², J. Garcia ², E. Schierle ³, J. Blasco ², J. Herrero-Albillos ^{2,4}

1. European Synchrotron Radiation Facility, Grenoble, France

2. Instituto de Ciencia de Materiales de Aragón, Departamento de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain

3. Helmholtz Zentrum Berlin Mat & Energie, Berlin, Germany

4. CentroUniversitario de la Defensa, Universidad de Zaragoza, Zaragoza, Spain

TU.A-P14 - Theoretical prediction of spin-valley coupling in 5d transition-metal oxides

K. Yamauchi ¹, P. Barone ², T. Shishidou ³, T. Oguchi ¹, S. Picozzi ²

1. ISIR-Sanken, Osaka University, Osaka, Japan

2. CNR-SPIN, Genova, Italy

3. AdSM, Hiroshima University, Hiroshima, Japan

TU.A-P15 - Crossover from paramagnetism to superparamagnetism in zinc ferrite nanoparticles: X-Ray Absorption Spectroscopy study

S. Gautam ¹, J. Pal Singh ², R.C. Srivastva ³, K. Asokan ⁴, D. Kanjilal ⁴, K. Hwa Chae ²

1. Dr. SSB, University Institute of Chemical Engg. & Tech., Panjab University Chandigarh, Chandigarh, India

2. Advanced Analysis Center, Korea Institute of Science & Technology, Seoul, South Korea

3. Deptt of Physics, Govind Ballabh Pant Univ. of Agri and Tech, Pantnagar, Uttarakhand, India

4. Materials Science Division, Inter University Accelerator Centre, New Delhi, India

TU.A-P16 - Charge ordering, Ferroelectric, and Magnetic Domains in LuFe₂O₄ Observed by Scanning Probe Microscopy

Y.H. Jeong ¹, I. Yang ¹

1. Dept of Physics, POSTECH, Kyungbuk, Republic of Korea

TU.A-P17 - Polarization modulation induced by a magnetic field in polar oxide alpha-Cu₂V₂O₇

Y.H. Jeong ¹, Y. Lee ¹, S. Lee ²

1. Dept of Physics, POSTECH, Kyungbuk, Republic of Korea

2. Dept of Physics, Univ of Virginia, Charlottesville, United States

TU.A-P18 - The magnetic properties of SrCo₂Ti₂Fe₈O₁₉ compound

M. Mihalik¹, M. Mihalik¹, M. Zentková¹, V. Eremenko², V. Sirenko², A. Mikhailovich Balbashov³

1. *Institute of Experimental Physics SaS, Košice, Slovak Republic*
2. *B. I. Verkin Institute for Low Temperature Physics and Engineering, Kharkov, Ukraine*
3. *Moscow power engineering institute, Moscow, Russian Federation*

TU.A-P19 - Magnetic and magnetodielectric behavior of GdCrTiO₅ and its implications

T. Basu¹, K. Singh¹, K.K. Iyer¹, E.V. Sampathkumaran¹

1. *Tata Institute of Fundamental Research, Mumbai, India*

TU.A-P20 - Magnetic ordering in multiferroics Ba(Fe,Nb)O₃ AND Pb(Fe,Nb)O₃ observed by müssbauer spectrometry

T. Kmjec¹, J. Kohout¹, K. Zaveta¹, D. Kubaniova¹, V.V. Laguta², I.P. Raevsky³

1. *Faculty of Mathematics and Physics, Charles University in Prague, Prague, Czech Republic*
2. *Institute of Physics, Academy of Sciences of the Czech Republic, v. v. i., Prague, Czech Republic*
3. *Department of Physics and Research Institute of Physics, Southern Federal University, Rostov on Don, Russia*

TU.A-P21 - Anisotropic orbital occupation and Jahn-Teller distortion of orthorhombic YMnO₃ epitaxial films: a combined experimental and theoretical study on polarization-dependent x-ray absorption spectroscopy

J.M. Chen¹, S.C. Haw^{1,2}, J.M Lee¹, S.A Chen Chen^{1,2}, K.T Lu¹, P.A Lin³, C.H Lee², M.T. Lee¹, T.W. Pi¹, Z. Hu⁴

1. *National Synchrotron Radiation Research Center, Hsinchu, Taiwan*
2. *Department of Engineering and System Science, National Tsing Hua University, Hsinchu, Taiwan*
3. *Department of Physics, National Tsing Hua University, Hsinchu, Taiwan*
4. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*

TU.A-P22 - Uniaxial-stress control of spin-driven ferroelectricity in multiferroic Ba₂CoGe₂O₇

T. Nakajima¹, Y. Tokunaga^{1,3}, V. Kocsis^{1,2}, Y. Taguchi¹, Y. Tokura^{1,4}, T.H. Arima^{1,3}

1. *RIKEN Center For Emergent Matter Science, Saitama, Japan*
2. *Department of Physics, Budapest University of Technology and Economics, Budapest, Hungary*
3. *Department of Advanced Materials Science, University of Tokyo, Chiba, Japan*
4. *Department of Applied Physics and Quantum-Phase Electronics Center, University of Tokyo, Tokyo, Japan*

TU.A-P23 - Evolution of magnetic and crystallographic transition in $\text{Cu}_{1-x}\text{Zn}_x\text{Fe}_2\text{O}_4$ studied by neutron powder diffraction

F. Chang¹, M. Avdeev², J. Bertinshaw¹, G. Deng², X. Wang³, C Ulrich^{1,2}

1. School of Physics, University of New South Wales, Kensington, Australia

2. The Bragg Institute, Australia Nuclear Science and Technology Organization, Lucas Heights, Australia

3. The Institute for Superconducting & Electronic Materials, University of Wollongong, Wollongong, Australia

TU.A-P24 - Strain-induced multiferroicity in antiferromagnetic SrMnO_3 thin films

L. Maurel^{1,2}, C. Becher³, U. Aschauer³, M. Lilienblum³, R. Guzman^{1,4}, C. Magen^{1,4,5}, D. Meier³, E. Langenberg¹, M. Trassin³, J. Blasco^{2,6}

1. Instituto De Nanociencia De Aragón, Universidad de Zaragoza, Zaragoza, Spain

2. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain

3. Department of Materials, ETH Zürich, Zurich, Switzerland

4. Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain

5. Fundación ARAID, Zaragoza, Spain

6. Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza-CSIC, Zaragoza, Spain

7. Forschungszentrum Jülich, Peter-Grünberg-Institut (PGI-6), Jülich, Germany, currently at: Institut für Optik und Atomare Physik, Berlin, Germany

8. Departamento de Ciencia y Tecnología de Materiales y Fluidos, Universidad de Zaragoza, Zaragoza, Spain

TU.A-P26 - Pseudocubic phase stabilization of epitaxial $(\text{Sr}_{1-x}\text{Ba}_x)\text{MnO}_3$ thin films

E. Langenberg^{1,2}, R. Guzmán^{1,3}, L. Maurel^{1,4}, L. Martínez de Baños¹, L. Morellón^{1,4}, R. Ibarra^{1,4}, J. Blasco^{4,5}, C. Magén^{1,3,6}, P.A. Algarabel^{4,5}, J.A. Pardo^{1,7}

1. Institute of Nanoscience of Aragon (University of Zaragoza), Zaragoza, Spain

2. Centro de Investigación en Química Biológica y Materiales Moleculares (CIQUS), University of Santiago de Compostela, Santiago de Compostela, Spain

3. Laboratorio de Microscopías Avanzadas, Institute of Nanoscience of Aragon (University of Zaragoza), Zaragoza, Spain

4. Departamento de Física de la Materia Condensada, University of Zaragoza, Zaragoza, Spain

5. Instituto de Ciencia de Materiales de Aragón, University of Zaragoza-CSIC, Zaragoza, Spain

6. Fundación ARAID, Zaragoza, Spain

7. Departamento de Ciencia y Tecnología de Materiales y Fluidos, University of Zaragoza, Zaragoza, Spain

TU.A-P27 - Electric Control of the Local Magnetic Moment in Multiferroic Compound $\text{Ba}_2\text{CoGe}_2\text{O}_7$

M. Soda¹, S. Hayashida¹, B. Roessli², M. Mansson², J. White², M. Matsumoto³, R. Shiina⁴, T. Masuda¹

1. Neutron Science Laboratory, Institute for Solid State Physics, University of Tokyo, Chiba, Japan

2. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

3. Department of Physics, Shizuoka University, Shizuoka-Ken, Japan

4. Department of Materials Science and Technology, Niigata University, Niigata, Japan

TU.A-P28 - Tunable metamagnetic transitions in a mixed-valent ferromagnet

N. Lee¹, H.Y. Choi¹, M.S. Seo², S.Y. Park², Y.J. Jo³, Y.J. Choi¹

1. Yonsei University, Seoul, Republic of Korea

2. Korea Basic Science Institute, Seoul, Republic of Korea

3. Kyungpook University, Daegu, Republic of Korea

TU.A-P29 - Strong ferromagnetic-dielectric coupling in multiferroic $\text{Lu}_2\text{CoMnO}_6$ single crystals

N. Lee¹, H.Y. Choi¹, Y.J. Jo², M.S. Seo³, S.Y. Park³, Y.J. Choi¹

1. Yonsei University, Seoul, Republic of Korea

2. Kyungpook National University, Daegu, Republic of Korea

3. Korea Basic Science Institute, Seoul, Republic of Korea

TU.A-P30 - Key features of the magnetic and magnetoelectric properties of rare-earth multiferroic $\text{HoFe}_3(\text{BO}_3)_4$

Y.F. Popov¹, A.I. Popov^{2,3}, G.P. Vorob'ev¹, V.Y. Ivanov⁴, A.A. Mukhin⁴, N. Kostyuchenko^{2,4}, A.K. Zvezdin^{2,4}

1. Lomonosov Moscow State University, Moscow, Russia

2. Moscow Institute of Physics and Technology, Dolgoprudny, Moscow region, Russia

3. National Research University of Electronic Technology, Zelenograd, Moscow, Russia

4. A. M. Prokhorov General Physics Institute of Russian Academy of Sciences, Moscow, Russia

TU.A-P33 - Large low field room temperature magneto-dielectric response from $(\text{Sr}_{0.5}\text{Ba}_{0.5})\text{Nb}_2\text{O}_6$ / $\text{Co}(\text{Cr}_{0.4}\text{Fe}_{1.6})\text{O}_4$ bulk 3-0 composites

S. Vitta², S. Rathore¹

1. Indian Institute of Technology Bombay, Mumbai, India

TU.A-P34 - Effect of magnetic and non-magnetic substitution on properties of magnetoelectric $\text{Ba}_3\text{NbFe}_3\text{Si}_2\text{O}_{14}$

S.S. Rathore^{1,2}, S. Vitta¹

1. Indian Institute of Technology Bombay, Mumbai, India

2. University of Petroleum and Energy Studies, Dehradun, India

TU.A-P35 - Magnetoelectric properties of two-phase composite system $\text{Cu}_{0.6}\text{Zn}_{0.4}\text{Fe}_2\text{O}_4/\text{BaTiO}_3$ prepared by high energy ball milling technique

M. Salem¹, L. Panina¹, A. Morchenko¹, V. Kostishyn¹, O. Hemeda², A. El-Raouf Tawfik

1. National University of Science And Technology, Islamabad, Pakistan
2. Faculty of Science, Physics Department, Tanta University, Tanta, Egypt

TU.A-P36 - Reversible spin ordering transition by an electric field near a multiferroic triple phase point

B.-K. Jang¹, J.H. Lee¹, K.E. Kim¹, H. Jang², K.T Ko³, M.H. Jung⁴, T.Y. Koo⁵, Y.H. Jeong⁴, H. Ohldag², J.S. Lee²

1. Department of Physics, KAIST, Daejeon, Republic of Korea
2. Stanford Synchrotron Radiation Lightsource, SLAC National Accelerator Laboratory, Menlo Park, United States
3. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany
4. Department of Physics, POSTECH, Kyungbuk, Republic of Korea
5. Pohang Accelerator Laboratory, POSTECH, Gyeongbuk, Republic of Korea

TU.A-P37 - XANES: A probing tool for mixed valence, modified magnetism

H. Singh¹, M.N. Singh¹, A.K. Sinha¹

1. Indus Synchrotrons Utilization Division, Raja Ramanna Centre for Advanced Technology Indore, India

TU.A-P38 - A comparison in multiferroic coupling between triangular lattice polytypes of hexagonal and rhombohedral AgFeO_2

N. Terada¹, D. Khalyavin², P. Manuel², Y Tsujimoto¹, A. Belik¹

1. National Institute For Materials Science, Tsukuba, Japan
2. ISIS facility, STFC Rutherford Appleton Laboratory, Harwell Oxford, United Kingdom

TU.A-P39 - Negative magneto-dielectric coupling in ceramic multiferroic Co_3TeO_6

H. Singh¹, G. Sharma², H. Ghosh¹, S. Patnaik², A. K. Sinha¹

1. Indus Synchrotrons Utilization Division, Raja Ramanna Center for Advanced Technology, Indore, India
2. School of Physical Sciences, Jawaharlal Nehru University, New Delhi, India

TU.A-P40 - Magnetoelectric effect in diamagnetic sillenites

K. Filar¹, V.I. Nizhankovskii¹

1. International Laboratory of High Magnetic Fields And Low Temperatures, Wrocław, Poland

TU.A-P41 - Cone \square Planar \square Uniaxial transitions in $\text{Sr}_{(3-x)}\text{Ba}_x\text{CoFe}_{24}\text{O}_{41}$ multiferroics

Y. Santos¹, B. Andrade², M. Macedo¹

1. Federal University of Sergipe - Physics Department, São Cristóvão, Brazil
2. Instituto Federal de Alagoas - Piranhas, Piranhas, Brazil

TU.A-P42 - Magnetodielectric frequency behavior in nanoparticulated BTO-CFO multiferroic composites

U. Acevedo Salas¹, R. Lopez Noda^{1,2}, S. Ammar³, F. Calderón Piñar⁴, N. R. Valenzuela¹

1. Instituto De Investigaciones En Materiales, Universidad Nacional Autónoma De México, Mexico District Federal, Mexico
2. Departamento de Física Aplicada, Instituto de Cibernética, Matemática y Física, ICIMAF, CITMA, Havana, Cuba
3. ITODYS, Université Paris Diderot, PRES Sorbonne Paris Cité, Paris, France
4. Instituto de Ciencia y Tecnología de Materiales, Universidad de La Habana, Havana, Cuba

TU.A-P43 - Magnetic and magnetoelectric dynamical Mn/rare-earth coupling in RMnO₃ multiferroics

V. Simonet¹, L. Chaix², S. deBrion¹, X. Fabrèges³, S. Petit³, R. Ballou¹, A. Cano⁴, L.P. Regnault⁵, E. Ressouche⁵, J. Ollivier²

1. Institut Néel, CNRS/Grenoble Alpes, Grenoble, France
2. Institut Laue Langevin, Grenoble, France
3. Laboratoire Léon Brillouin, CEA/CNRS, Gif-sur-Yvette, France
4. ICMCB, Université Bordeaux, Pessac, France
5. MDN/SPSMS/INAC, CEA, Grenoble, France
6. synchrotron SOLEIL, Gif-sur-Yvette, France

TU.A-P44 - Effects of in-plane strain on charge/orbital ordering in La_{0.5}Ca_{0.5}MnO₃ thin films

J.Y. Juang¹, J.W. Mi¹, T. Tsai¹, Y.F. Hsiao¹, Y.W. Jiang¹, Y.M. Chang¹, C.W. Luo¹, K.H. Wu¹, J.Y. Lin², T.M. Uen¹

1. Department of Electrophysics, National Chiao Tung University, Hsinchu, Taiwan
2. Institute of Physics, National Chiao Tung University, Hsinchu, Taiwan

TU.A-P45 - Direct observation of polar state in multiferroic (Sr_{1-x}Ba_x)MnO₃

R. Guzman¹, E. Langenberg², L. Maurel^{2,3}, P.A. Algarabel^{3,4}, J.A. Pardo^{2,5}, C. Magen^{1,2,6}

1. Laboratorio de Microscopías Avanzadas (LMA), Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain
2. Instituto de Nanociencia de Aragón, Universidad de Zaragoza, Zaragoza, Spain
3. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain
4. Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza-CSIC, Zaragoza, Spain
5. Departamento de Ciencia y Tecnología de Materiales y Fluidos, Universidad de Zaragoza, Zaragoza, Spain
6. Fundación ARAID, Zaragoza, Spain

TU.A-P46 - Unravelling the basic mechanisms in magnetoelectric $\text{TbMn}_{1-x}\text{Fe}_x\text{O}_3$ system

M. Mihalik¹, M. Mihalik¹, M. Zentková¹, M. Vavra^{1,2}, D. Passos³, R. Vilarinho³, D. Mota³, A. Almeida³, A. Moreira³, P. Tavares⁴

1. *Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovak Republic*

2. *P. J. Šafárik University, Faculty of Science, Kosice, Slovak Republic*

3. *IFIMUP-IN, Departamento de Física e Astronomia da Faculdade de Ciências, Universidade do Porto, Rua do Campo Alegre, Porto, Portugal*

4. *Centro de Química, Universidade de Trás-os-Montes e Alto Douro, Vila Real, Portugal*

5. *Institute of Nuclear Physics, Polish Academy of Sciences, Kraków, Poland*

6. *Institute of Mathematics, Physics and Mechanics & Faculty of Civil and Geodetic Engineering, University of Ljubljana, Slovenia*

TU.A-P47 - Single-crystal growth and magnetic properties of multiferroic triangular-lattice antiferromagnet 3R-AgFeO_2 and $\alpha\text{-NaFeO}_2$

Y. Ikedo¹, H. Sato¹, N. Terada², K. Kindo³, A. Matsuo³, M. Tokunaga³, A. Miyake³

1. *Department of Physics, Chuo University, Bunkyo-Ku, Japan*

2. *National Institute for Materials Science, Ibaraki, Japan*

3. *Institute for Solid State Physics, University of Tokyo, Chiba, Japan*

TU.A-P49 - Effect of partial substitution of Fe^{3+} with Al^{3+} on the magnetic and dielectric properties of Z-type hexaferrite, $\text{Sr}_3\text{Co}_2\text{Fe}_{24}\text{O}_{41}$

S. Tiwari¹, S. Vitta¹

1. *Indian Institute of Technology, Bombay, India*

TU.A-P50 - Magnetostriction of $\text{Cu}_3\text{Mo}_2\text{O}_9$ under the pulsed magnetic fields

S. Nishikawa¹, Y. Hirata¹, H. Kuroe¹, T. Sekine¹, S. Kawachi², A. Miyake², M. Tokunaga², M. Hase³, K. Oka⁴, T. Ito⁴

1. *Sophia Univ., Tokyo, Japan*

2. *Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan*

3. *National Institute for Materials Science (NIMS), Ibaraki, Japan*

4. *National Institute of Advanced Industrial Science and Technology (AIST), Ibaraki, Japan*

TU.A-P52 - Multiferroic properties of $(\text{Cu,Zn})_3(\text{Mo,W})_2\text{O}_9$

Y. Hirata¹, S. Nishikawa¹, K. Aoki¹, R. Kino¹, H. Kuroe¹, T. Sekine¹, M. Hase², K. Oka³, T. Ito³, H. Eisaki³

1. *Sophia Univ., Tokyo, Japan*

2. *National Institute for Materials Science (NIMS), Ibaraki, Japan*

3. *National Institute of Advanced Industrial Science and Technology (AIST), Ibaraki, Japan*

TU.A-P53 - Muon-spin rotation in multiferroic $\text{Cu}_3\text{Mo}_2\text{O}_9$ under electric fields

H. Kuroe¹, H. Kuwahara¹, T. Sekine¹, I. Watanabe², A.R. Raselli³, M. Elender³, P.K. Biswas³, M. Hase⁴, K. Oka⁵, T. Ito⁵

1. *Sophia Univ., Tokyo, Japan*

2. *RIKEN Nishina Center, Saitama, Japan*

3. *Paul Scherrer Institute (PSI), Villigen, Switzerland*

4. *National Institute for Materials Science (NIMS), Ibaraki, Japan*

5. *National Institute of Advanced Industrial Science and Technology (AIST), Ibaraki, Japan*

TU.A-P54 - Interplay between electronic correlation and charge transport properties of self-doped multiferroic oxides $\text{CuCr}_{1-x}\text{O}_2$ ($0 < x < 0.1$)

D.C. Ling¹, S.B. Singh¹, L.T. Yang¹, Y.F. Wang¹, Y.C. Shao¹, C.W. Chiang¹, K.T. Lin¹, W.F. Pong¹

1. Dept. of Physics, Tamkang University, Taipei, Taiwan

TU.A-P55 - Oxygen vacancy mediation of magnetoelectric coupling in W-type strontium hexaferrites doped with Ce^{3+} ion

B. Andrade¹, M. Macedo²

1. Instituto Federal De Alagoas – Piranhas, Piranhas, Brazil

2. Federal University of Sergipe - Physics Department, São Cristóvão, Brazil

TU.A-P56 - Structural and magnetic properties of M-type $\text{Sr}_{1-x}\text{MgxFe}_{12}\text{O}_{19}$

M. Macedo¹, B. Andrade², Y. Santos¹

1. Federal University of Sergipe - Physics Department, , São Cristóvão, Brazil

2. Instituto Federal de Alagoas – Piranhas, Piranhas, Brazil

TU.A-P57 - Magnetic and Magneto-optical properties of films of multiferroic GdMnO_3 grown on SrTiO_3 (100) and LSAT (100) and (111)

H. Albargi¹, H. Blythe¹, A.M. Fox¹, G. Gehring¹, V. Chichkov², N. Andreev²

1. The University of Sheffield, Sheffield, United Kingdom

2. National University of Science and Technology "MISIS"

TU.A-P58 - Anisotropy, Magnetostriction and Inverse Magnetoelectric effect in Dy substituted Ni Ferrite

A. Majumder¹, K. Ugendar¹, A. Baby K. B.¹, V. Chunchu¹, M. G¹

1. Indian Institute of Technology Madras, Chennai, India

TU.A-P59 - 'One-way transparency of light' in multiferroic CuB_2O_4

S. Toyoda¹, N. Abe¹, S. Kimura², Y. Matsuda³, T. Nomura³, A. Ikeda³, S. Takeyama³, T.H. Arima¹

1. Department of Advanced Materials Science, University of Tokyo, Chiba, Japan

2. Institute for Materials Research, Tohoku University, Sendai, Japan

3. Institute for Solid State Physics, University of Tokyo, Chiba, Japan

TU.A-P60 - 'One-way transparency of light' in multiferroic CuB_2O_4

S. Toyoda¹, N. Abe¹, S. Kimura², Y.H. Matsuda³, T. Nomura³, A. Ikeda³, S. Takeyama³, T.H. Arima¹

1. Department of Advanced Materials Science, The University of Tokyo, Chiba, Japan

2. Institute for Materials Research, Tohoku University, Sendai, Japan

3. Institute for Solid State Physics, University of Tokyo, Chiba, Japan

TU.A-P61 - Weak ferromagnetic transition induced by structure phase transition in chiral antiferromagnet $\text{Ba}_3\text{Fe}_2\text{O}_5\text{Cl}_2$

N. Abe¹, S. Shiozawa¹, N. Netsu¹, K. Nguyen¹, K. Matsuura¹, H. Sagayama², A. Nakao³, Y. Tokunaga¹, T.H. Arima¹

1. Department of Advanced Materials Science, University of Tokyo, Chiba, Japan

2. Institute of Materials Structure Science, KEK, Ibaraki, Japan

3. Research Center for Neutron Science and Technology, CROSS, Ibaraki, Japan

TU.A-P62 - Strain induced phase separation in thin films of half-doped $\text{La}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ manganites: 55Mn NMR studies

M. Wojcik¹, E. Jedryka¹, G. Radaelli^{2,3}, D. Gutiérrez², F. Sánchez², J. Fontcuberta²

1. *Institute of Physics, Polish Academy of Sciences, Warsaw, Poland*

2. *Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Bellaterra, Spain*

3. *Istituto Italiano di Tecnologia, Smart Materials, Nanophysics Department, Genova, Italy*

TU.A-P63 - Overlayer-induced reconstruction of Mn orbitals in manganite thin films studied by 55Mn NMR

M. Wojcik¹, E. Jedryka¹, D. Pesquera², F. Sánchez², G. Herranz², J. Fontcuberta²

1. *Institute of Physics, Polish Academy of Sciences, Warsaw, Poland*

2. *Institut De Ciència De Materials De Barcelona (ICMAB-CSIC), Bellaterra, Spain*

TU.A-P65 - Peculiar Magnetoelectric Coupling in $\text{BaTiO}_3:\text{Fe}_{113}$ ppm

C. De Oliveira Amorim¹, F. Figueiras^{1,2}, J. de Sequeira Amaral^{1,2}, P. Tavares³, M.d.R. Correia⁴, E. Alves⁵, J. Rocha⁵, V.d.S. Amaral¹

1. *Physics Department & CICECO, University of Aveiro, Aveiro, Portugal*

2. *IFIMUP-IN, Science Faculty, Porto University, Porto, Portugal*

3. *Chemistry Center, Trás-os-Montes & Alto-Douro University, Vila Real, Portugal*

4. *Physics Department & I3N, Aveiro University, Aveiro, Portugal*

5. *C2TN, Instituto Superior Técnico, Campus Tecnológico e Nuclear, Bobadela, Portugal*

TU.A-P66 - Huge Resistive Change in Tunnel Junctions Using the Multiferroic BiFeO_3 Barrier

T. Ichinose¹, H. Naganuma¹, M. Oogane¹, Y. Ando¹

1. *Tohoku University, Japan*

TU.A-P67 - Tests for electromagnetic effects on a toroidal magnetic ordered state of UNi_4B

H. Saito¹, K. Uenishi¹, N. Miura¹, C. Tabata¹, H. Hidaka¹, T. Yanagisawa¹, H. Amitsuka¹

1. *Graduate School of Science, Hokkaido University, Hokkaido, Japan*

TU.A-P73 - Magnetic- and electric-field control of magnetoelectric properties of $\text{CaBaCo}_4\text{O}_7$

R. Oda¹, R. Kajihara¹, K. Nishida¹, M. Akaki², H. Kuroe¹, H. Kuwahara¹

1. *Department of Physics, Sophia University*

2. *Center for Advanced High Magnetic Field Science, Graduate School of Science, Osaka University*

TU.A-P75 - Charge-Ordering induces magnetic axes rotation in organic materials (TMTTF)2X (X=PF6, AsF6, SbF6)

C. Dutoit¹, S. Bertainà¹, M. Orío², M. Dressel³, A. Stepanov¹

1. *Aix-Marseille Université, CNRS, IM2NP UMR7334, Marseille, France*

2. *Aix-Marseille Université, CNRS, iSm2 UMR7313, Marseille, France*

3. *Physikalisches Institut Universität Stuttgart, Stuttgart, Germany*

TU.A-P76 - Improper ferroelectricity in the ~ 1 μC cm⁻² range in the single-valent quadruple perovskite LaMn₃Mn₄O₁₂

A. Gauzzi¹, P. Bordet², C. Bellin¹, M. Verseils¹, A. Polian¹, Y. Klein¹, F. P. Milton³, A. Gualdi³, D. Dreifus³, P. S. Pizani³

1. Sorbonne Universités - UPMC - IMPMC, Paris, France
2. Institut Néel - CNRS, Grenoble, France
3. Universidade Federal de SÕo Carlos, SÕo Carlos, SP, Brazil
4. IMEM-CNR, Parma, Italy

TU.A-P77 - Using pinned domain walls to implement magnetic logic gates in ferromagnetic-ferroelectric heterostructures

D. López González¹, A. Casiraghi¹, S. van Dijken¹

1. NanoSpin, Department of Applied Physics, Aalto University School of Science, Aalto, Finland

TU.A-P78 - Exotic ferromagnetic ordering of polar magnetic PbVO₃ epitaxial thin films

S. Hee Oh¹, H. Jin¹, J. Cha², S. Hong², W. Jo¹

1. Department of Physics, Ewha Woman University
2. Department of Physics and Graphene Research Institute, Sejong University

TU.A-P79 - Magnetic properties and Magnetoelectric coupling of vacancy doped hexagonal LuMn_xO_{3+/-delta} ceramics

A. Baghizadeh¹, J.M. Vieira¹, J.S. Amaral, M.P Gr̄pa

1. CICECO, Dep. of Materials And Ceramics Engineering

TU.A-P81 - Excitonic Multipole Order in a d-p Model with Parity Mixing

Y. Sugita¹, S. Hayami¹, Y. Motome¹

1. Department of Applied Physics, University of Tokyo, Tokyo, Japan

TU.A-P82 - Effect of Fe doping on magnetic properties of RMnO₃ single crystals (R = Gd and Dy)

J. Laz̄rov̄β¹, V. Viktor¹, M. Mihalik¹, M. Mihalik¹, M. Zentkov̄β¹, J. Brian̄pin², K. Uhl̄řov̄β³, M. Kratochv̄ilov̄β³, M. Fitta⁴

1. Institute of Experimental Physics, Slovak Academy of Sciences, Watsonova 47, KoŰice, Slovak Republic
2. Institute of Geotechnics, Slovak Academy of Sciences, Košice, Slovak Republic
3. Department of Condensed Matter Physics, Faculty of Mathematics and Physics, Charles University in Prague, Prague, Czech Republic
4. Institute of Nuclear Physics, Polish Academy of Sciences, Kraków, Poland

TU.A-P83 - Determination of incommensurate magnetic structures using symmetry arguments

I. Urcelay-Olabarria¹, J.M. Pérez-Mato¹, E. Ressouche², J.L. García-Muñoz³

1. Departamento de Física de la Materia Condensada, Facultad de Ciencia y Tecnología, Universidad del País Vasco, UPV-EHU, Leioa, Spain
2. SPSMS, UMR-E CEA/UJF-Grenoble 1, INAC, Grenoble, France
3. Institut de Ciència de Materials de Barcelona, ICMAB-CSIC, Campus universitari de Bellaterra, Bellaterra, Spain

TU.A-P85 - Phase transitions and magnetoelectric coupling in $\text{Bi}1-x\text{axFeO}_3$ ($a=\text{La, Nd}$) multiferroic ceramics

A. Amirov¹, I. Kamilov¹, D. Yousupov², L. Reznichenko², O. Razumovskaya², I. Verbenko²

1. *Institute of Physics, Dagestan Scientific Center of Russian Academy of Sciences, Makhachkala, Russia*
2. *Institutes of Physics, South Federal University*

TU.A-P86 - Superficial strain effect on magnetic anisotropy of $\text{BaTiO}_3/\text{La}_2/\text{3Sr}_4/\text{3MnO}_3$ bilayers

J.E. Ordoñez¹, L. Marín², L. Alfredo Rodriguez³, M.E Gómez¹, P. Algarabel^{4,5}, J.A. Pardo⁶, L. Morellón^{4,6}, C. Magen^{4,7,8}, P. Prieto^{1,9}, M. Ricardo Ibarra^{4,7}

1. *Universidad Del Valle, Cali, Colombia*
2. *LAAS-CNRS 7, Toulouse, France*
3. *CEMES-CNRS 29, Toulouse, France*
4. *Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain*
5. *ICMA-CSIC, Universidad de Zaragoza, Zaragoza, Spain*
6. *INA, Universidad de Zaragoza, Zaragoza, Spain*
7. *LMA-INA, Universidad de Zaragoza, Zaragoza, Spain*
8. *Fundación ARAID, Zaragoza, Spain*

TU.A-P87 - Magnetic and structural features of multiferroic $\text{EuFe}_3(\text{BO}_3)_4$: Spectroscopic studies

K. Boldyrev¹, M. Popova¹, D. Erofeev^{1,2}, T. Stanislavchuk³, B. Malkin⁴, L. Bezmaternykh⁵, I. Gudim⁵

1. *Institute of Spectroscopy, Russian Academy of Sciences, Troitsk, Moscow, Russia*
2. *Moscow institute of physics and technology, Dolgoprudnyj, Moscow region, Russia*
3. *Department of Physics, New Jersey Institute of Technology, Newark, NJ, United States*
4. *Kazan Federal University, Kazan, Russia*
5. *Kirensky Institute of Physics, Siberian Branch of the Russian Academy of Sciences, Krasnoyarsk, Russia*

TU.A-P88 - New dipolar ordering of $(\text{C}_2\text{H}_5\text{NH}_3)_2\text{CuCl}_4$ below 26 K

T. Sakami¹, T. Ohtani¹, X. Xi¹, T. Suzuki¹

1. *Department of Quantum Matter, ADSM, Hiroshima University, Higashi-Hiroshima, Japan*

TU.A-P89 - Jahn-Teller distortions study in $\text{Sm}(\text{Nd})\text{MnO}_3$ Manganites

R. Teixeira^{1,2}, G. Nuno Pinho Oliveira^{1,2}, M. Barbosa², J. Nuno Gonçalves³, J. Schell⁴, T. Melo Mendonça^{2,5}, J. Guilherme Correia⁶, A.M. Lima Lopes², J. Pedro Araujo²

1. *CFNUL - Centro de Física Nuclear, University of Lisbon, Lisbon, Portugal*
2. *IFIMUP and IN-Institute of Nanoscience and Nanotechnology, University of Porto, Porto, Portugal*
3. *CICECO and Department of Physics, University of Aveiro, Aveiro, Portugal*
4. *Helmholtz-Institut für Strahlen- und Kernphysik, University of Bonn, Bonn, Germany*
5. *CERN, Geneva, Switzerland*
6. *Centro de Ciências e Tecnologias Nucleares, Instituto Superior Técnico, University of Lisbon, Bobadela, Portugal*

TU.A-P90 - Inelastic neutron scattering on multiferroics NdFe₃(BO₃)₄

S. Hayashida¹, M. Soda¹, S. Itoh², T. Yokoo², K. Ohgushi³, D. Kawana¹, T. Masuda¹

1. Neutron Science Laboratory, Institute for Solid State Physics, University of Tokyo, Chiba, Japan
2. Neutron Science Division, Institute of Material Structure Science, High Energy Accelerator Research Organization, Ibaraki, Japan
3. Department of Physics, Tohoku University, Sendai, Japan

TU.A-P91 - Angular-dependent magnetic properties of exchange-coupled ferromagnetic and multiferroic BiFeO₃ thin films

J. Camarero¹, P. Perna², J.L.F. Cuñado^{1,2}, F. Ajejas¹, S.L. de las Heras², C. Rodrigo¹, R. Miranda^{1,2}, J. Albillé³, C. Deranlot³, A. Barthélémy³

1. Universidad Autonoma De Madrid, Madrid, Spain
2. IMDEA nanoscience, Madrid, Spain
3. Unite Mixte de Physique CNRS/Thales, Palaiseau, France

TU.A-P93 - Magnetic order, anisotropy and ferroelectricity in frustrated Mn_{1-x}Co_xWO₄ multiferroics at high doping

J.L. García-Muñoz¹, J. Herrero-Martín², I. Urcelay-Olabarria³, J. Padilla-Pantoja¹, B. Bozzo¹, V. Pomjakushin⁴, E. Ressouche⁵, A.A. Mukhin⁶, V. Yu Ivanov⁶, V. Skumryev⁷

1. Institut de Ciència de Materials de Barcelona, ICMAB-CSIC, Campus universitari de Bellaterra, Bellaterra, Spain
2. ALBA Synchrotron Light Source, 08290 Cerdanyola del Vallès, Barcelona, Spain
3. BCMaterials, Technological Park of Biscay, Derio, and Dep. de Física de la Materia Condensada, Universidad del País Vasco, UPV-EHU, Zaragoza, Spain
4. Lab. for Neutron Scattering, Paul Scherrer Institute, Villigen PSI, Switzerland
5. SPSMS, UMR-E CEA/UJF-Grenoble 1, INAC, Grenoble, France
6. Prokhorov General Physics Institute, Russian Academy of Science, Moscow,
7. Institut Català de Recerca i Estudis Avançats (ICREA), Barcelona, Spain; and Dep. de Física, Univ. Autònoma de Barcelona, Bellaterra, Spain

TU.A-P94 - Magnetoelectric effect in CoFe alloy/Piezoelectric/CoFe alloy three-layered structures

K. Chichay¹, L. Fetisov², V. Rodionova¹, M. Shamonin³, Y. Fetisov²

1. Immanuel Kant Baltic Federal University, Kaliningrad, Russia
2. Moscow State Technical University of Radio Engineering, Electronics and Automation, Moscow, Russia
3. Regensburg University of Applied Sciences, Faculty of Electrical Engineering and Information Technology, Regensburg, Germany

TU.A-P95 - Enhanced magnetism and electrical behavior of Co-doped KNbO₃
J.A. Astudillo Lagos¹, J.L. Izquierdo², A. Gómez³, M. Castro⁴, O. Morán⁵, G. Bolaños⁶

1. *Universidad del Cauca, Departamento de Física, Laboratorio de Bajas Temperaturas, Popayán, Colombia*
2. *Universidad Nacional de Colombia, Campus Medellín, Departamento de Física, Laboratorio de Materiales Cerámicos y Vítreos, Medellín, Colombia*
3. *Universidad Nacional de Colombia, Campus Medellín, Facultad de Minas, Laboratorio de Caracterización de Materiales, Medellín, Colombia*
4. *Universidad Nacional de Mar del Plata, Facultad de Ingeniería, INTEMA, Mar del Plata, Argentina*
5. *Universidad Nacional de Colombia, Campus Medellín, Facultad de Minas, Laboratorio de Caracterización de Materiales, Medellín, Colombia*
6. *Universidad del Cauca, Departamento de Física, Laboratorio de Bajas Temperaturas, Popayán, Colombia*

TU.A-P97 - Electric tuning of magnetization dynamics and negative magnetic permeability in nanoscale composite multiferroics

C. Jia¹

1. *Lanzhou University, Lanzhou, China*

TU.A-P98 - Stabilization of the multiferroic spin cycloid in Ni₃V₂O by light Co-doping

N. Qureshi¹, E. Ressouche², A.A. Mukhin³, V.Y. Ivanov³, S.N. Barilo⁴, S.V. Shiryayev⁴, V. Skumryev⁵

1. *Institut Laue-Langevin, Grenoble, France*
2. *SPSMS, UMR-E CEA/UJF-Grenoble I, INAC, Grenoble, France*
3. *Prokhorov General Physics Institute, Russian Academy of Sciences, Moscow, Russia*
4. *Institute of Solid State and Semiconductor Physics, National Academy of Sciences of Belarus, Minsk, Belarus*
5. *Institució Catalana De Recerca I Estudis Avançats (ICREA), and Departament De Física, Universitat Autònoma De Barcelona, Bellaterra, Spain*

TU.A-P99 - Preparation of ferromagnetic-insulating double perovskites of transition metal oxides for spintronic applications

E.V. Pannunzio Miner^{1,2}, L. López Mir¹, R. Galcerán¹, J. Cisneros-Fernández¹, Ll. Balcells¹, C. Frontera¹, B. Martínez¹

1. *Institut De Ciència De Materials De Barcelona (ICMAB-CSIC), Barcelona, Spain*
2. *INFIQC-CONICET, Dpto De Fisicoquímica, Fac. Ciencias Químicas, UNC. Córdoba, Argentina*

TU.A-P100 - Local electrical control of the Ferromagnetic/Antiferromagnetic transition in FeRh just above room temperature

S. Valencia¹, L.C. Phillips², A.A. Ünal¹, F. Kronast¹, R.O. Cherifi², V. Ivanovskaya², A. Zobelli³, I.C. Infante⁴, E. Jacquet², N. Guiblin⁴

1. *Helmholtz-Zentrum Berlin Für Materialien Und Energie, Berlin, Germany*
2. *Unité Mixte De Physique CNRS/Thales, Palaiseau & Université Paris-Sud, Orsay, France*
3. *Laboratoire De Physique Des Solides, Université Paris-Sud, CNRS UMR 8502, Orsay, France*
4. *Laboratoire SPMs, UMR 8580, Ecole Centrale Paris-CNRS, Grande Voie Des Vignes, Châttenay-Malabry, France*

B. Heavy Fermion Physics including Valence and charge fluctuations

TU.B-P01 - Study of d-electron correlations in skutterudite-related $\text{Ce}_3\text{M}_4\text{Sn}_{13}$ (M = Co, Rh, and Ru)

Andrzej Siewarski¹, J. Goraus¹, P. Witas¹, L. Kalinowski¹, M. Fijałkowski¹

1. Institute of Physics, University of Silesia, Katowice, Poland

TU.B-P02 - Conduction Electron Spin Resonance in the heavy fermions $\text{a-YbAl}_{1-x}\text{Fe}_x\text{B}_4$ ($x < 0.55$) and their reference compound a-LuAlB_4

P. Pagliuso¹, L.M. Holanda², G.G. Lesseux¹, E.T. Magnavita³, R.A. Ribeiro³, S. Nakatsuji⁴, K. Kuga⁴, Z. Fisk⁵, S.B. Oseroff⁶, R.R. Urbano¹

1. GPOMS-IFGW-Unicamp, Campinas, Brazil

2. Universidade Federal Rural do Semi-Árido, Pau dos Ferros, Brazil

3. CCNH, Universidade Federal do ABC (UFABC), Santo Andre, Brazil

4. Institute for solid State Physics (ISSP), University of Tokyo, Kashiwa, Japan

5. University of California, Irvine, United States

6. San Diego State University, San Diego, United States

TU.B-P03 - Static magnetic order in A-site ordered perovskite, $\text{LaCu}_3\text{Cr}_4\text{O}_{12}$, probed with muon-spin spectroscopy

J. Sugiyama¹, H. Nozaki¹, I. Umegaki¹, E. Ansaldo², J. Brewer^{3,4}, H. Sakurai⁵, M. Isobe⁶, H. Takagi⁶

1. Toyota Central Research & Development Laboratories, Inc., Nagakuyte, Japan

2. University of Saskatchewan, Saskatoon, Canada

3. University of British Columbia, Vancouver, Canada

4. TRIUMF, Vancouver, Canada

5. National Institute for Materials Science (NIMS), Tsukuda, Japan

6. Max Planck Institute for Solid State Research, Stuttgart, Germany

TU.B-P05 - Clarification of the crystal-field ground state in the Kondo semiconductor CeNiSn

F. Strigari¹, M. Sundermann¹, Z. Hu², K.A. McEwen⁶, D. Fort³, K. Kummer⁴, N.B. Brookes⁴, A. Tanaka⁵, M.W. Haverkort², L.H. Tjeng²

1. Institute of Physics II, University of Cologne, Cologne, Germany

2. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

3. Department of Metallurgy and Materials, University of Birmingham, Birmingham, United Kingdom

4. European Synchrotron Radiation Facility (ESRF), Grenoble, France

5. Department of Quantum Matter, AdSM, Hiroshima University, Higashi-Hiroshima, Japan

6. Department of Physics and Astronomy, University College London, London, United Kingdom

TU.B-P08 - Transport properties of Field-Insensitive Heavy-Fermion Compound $\text{SmTa}_2\text{Al}_{20}$

A. Yamada¹, R. Higashinaka¹, T.D. Matsuda¹, Y. Aoki¹, H. Sato¹

1. Department of Physics, Tokyo Metropolitan University, Tokyo, Japan

TU.B-P09 - Powder x-ray diffraction study of caged magnetic compound $\text{DyFe}_2\text{Zn}_{20}$ at low temperature

N. Kishii ¹, S. Tateno ¹, M. Ohashi ¹, Y. Isikawa ²

1. Kanazawa University, Kanazawa, Japan

2. Toyama University, Toyama-Takaoka, Japan

TU.B-P10 - Itinerant-Localized Transitions in Magnetic Phases of the Periodic Anderson Model

K. Kubo ¹

1. Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki, Japan

TU.B-P11 - Double-k commensurate magnetic order in $\text{NdFe}_2\text{Al}_{10}$

J. Robert ¹, F. Damay ¹, K. Saito ^{1,3}, A.M. Bataille ¹, F. Porcher ¹, G. André ¹, A. Gukasov ¹, J.M. Mignot ¹, H. Tanida ², M. Sera ²

1. Laboratoire Léon Brillouin, CEA-CNRS, CEA/Saclay, Gif sur Yvette, France

2. Department of Quantum Matter, ADSM, Hiroshima University, Higashi-Hiroshima, Japan

3. Present address: Institute of Materials Structure Science, KEK, 1-1 Oho, Tsukuba, Ibaraki, Japan

TU.B-P12 - CeRh_6Si_4 : An intermediate valent cerium compound

T. Gruner ¹, C. Geibel ¹

1. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

TU.B-P13 - Thermodynamic properties of CeRh_2Si_2 : Evidence for a meta-orbital transition?

P. Kushwaha ¹, N. Caroca-Canales ¹, D.V. Vyalikh ², C. Geibel ¹

1. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

2. Institute of Solid State Physics, Dresden University of Technology, Dresden, Germany

TU.B-P14 - Heavy fermion behavior in itinerant ferromagnet CeCrGe_3 and possible existence of a quantum bi-critical point in $\text{CeCr}_{1-x}\text{Ti}_x\text{Ge}_3$

Z. Hossain ¹, D. Das ¹, T. Gruner ², C. Geibel ²

1. Department of Physics, Indian Institute of Technology, Kanpur, India

2. Max-Planck Institute for Chemical Physics of Solids, Dresden, Germany

TU.B-P15 - A combined full multiplet and configuration interaction analysis of hard x-ray photoelectron spectroscopy data of cerium compounds with strong plasmons

M. Sundermann ¹, F. Strigari ¹, T. Willers ¹, E.D. Bauer ², J.L. Sarrao ², J.D. Thompson ², P. Lejay ³, A. Tanaka ⁴, J. Weinen ⁵, Y.F. Liao ⁶

1. Institute of Physics II, University of Cologne, Cologne, Germany

2. Los Alamos National Laboratory, Los Alamos, New Mexico, United States

3. Institut NEEL - CNRS, Grenoble, France

4. Department of Quantum Matter, AdSM, Hiroshima University, Higashi-Hiroshima 739-8530, Japan

5. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

6. National Synchrotron Radiation Research Center, Hsinchu, Taiwan

TU.B-P17 - Crystal Field of Superstoichiometric Samarium Dihydride ($\text{SmH}_{2+\delta}$)

O. Nakamura¹, M. Sakai², K. Matsubayashi³, Y. Uwatoko³

1. Faculty of Engineering, Okayama University of Science, Okayama, Japan
2. Faculty of Engineering, Saitama University, Saitama, Japan
3. Institute for Solid State Physics, University of Tokyo, Tokyo, Japan

TU.B-P18 - Relation between Heavy Quasi Particles and Crystal Electric Field Multiplet in f2-Configuration Based Systems

T. Hinokihara¹, A. Tsuruta², K. Miyake³

1. Department of Physics, University of Tokyo, Bunkyo-ku, Japan
2. Department of Materials Engineering Science, Osaka University, Osaka, Japan
3. Toyota Physical and Chemical Research Institute, Nagakute, Japan

TU.B-P19 - Break-Junction tunneling spectroscopy of Kondo semiconductor semiconductors $\text{Ce}_2\text{Al}_{10}$ (T = Fe, Os)

J. Kawabata¹, Y. Yamada¹, T. Takabatake^{1,2}, Y. Sakai³, A. Sugimoto³, T. Ekino³, Y. Muro⁴

1. Graduate School of Advanced Sciences of Matter, Higashi-Hiroshima, Japan
2. Institute for Advanced Materials Research, Miyagi, Japan
3. Graduate School of Integrated Arts and Sciences, Hiroshima University, Higashi-Hiroshima, Japan
4. Liberal Arts and Sciences, Faculty of Engineering, Toyama Prefectural University, Izumi, Japan

TU.B-P20 - Under-compensation effect in the Kondo insulator (Yb,Tm)B₁₂

K. Nemkovski¹, P. Alekseev^{2,3}, J.M. Mignot⁴, A. Ivanov⁵, S. Rols⁵, V. Filipov^{6,12}, N. Shitsevalova⁶

1. Forschungszentrum Jülich GmbH, Jülich Centre For Neutron Science, Outstation At MLZ, Garching, Germany
2. National Research Centre "Kurchatov Institute", Moscow, Russia
3. National Research Nuclear University "MEPhI", Moscow, Russia
4. Laboratoire Léon Brillouin, CEA-CNRS, CEA/Saclay, Gif sur Yvette, France
5. Institut Laue-Langevin, Grenoble, France
6. I. N. Frantsevich Institute for Problems of Materials Science, Kiev, Ukraine

TU.B-P21 - Magnetic excitations through the hidden order transition in URu_2Si_2

N. Butch^{1,2,3}, M. Manley⁴, J. Jeffries³, M. Janoschek⁵, K. Huang⁶, B. Maple⁶, A. Said⁷, B. Leu⁷, J. Lynn¹

1. NIST Center For Neutron Research, Gaithersburg, Maryland
2. CNAM, Dept. of Physics, University of Maryland, College Park, United States
3. Lawrence Livermore National Laboratory, Livermore, United States
4. Oak Ridge National Laboratory, Oak Ridge, United States
5. Los Alamos National Laboratory, Los Alamos, United States
6. Dept. of Physics, University of California, San Diego, United States
7. Advanced Photon Source, Argonne National Laboratory, Argonne, United States

TU.B-P22 - Magnetic order in USb_2 at high pressures

J. Jeffries¹, N. Butch², R. Stillwell¹, S. Weir¹

1. Lawrence Livermore National Laboratory, Livermore, United States
2. NIST, National Institute of Standards and Technology, Gaithersburg, Maryland

TU.B-P23 - Inelastic neutron scattering measurement and low-temperature properties of CePd₂(Al,Ga)₂ compounds

M. Klicpera^{1,2}, M. Boehm², M. Marek Koza², S. Rols², P. Dolezal¹, P. Javorsky¹

1. Charles University In Prague, Prague, Czech Republic

2. Institut Laue-Langevin, Grenoble, France

TU.B-P24 - Valence fluctuation mediated quantum criticality in heavy fermions

R.U.H. Wani¹, N. Rao Dasari², V. N.S.³

1. Jawaharlal Nehru Center for Advanced Scientific Resaerch, Karnataka, India

2. TSU, JNCASR, Bangalore, India

3. TSU, JNCASR, Bangalore, India

TU.B-P25 - Quantum Criticality and Valence Fluctuation Study for Ce- and Yb-based Compounds Probed by 3d-2p Resonant X-ray Emission Spectroscopy

N. Kawamura¹, H. Tonai², M. Mizumaki¹, T. Uozumi², S. Watanabe³

1. Japan Synchrotron Radiation Research Institute (JASRI/SPring-8), Sayo-gun, Japan

2. Osaka Prefecture University, Sakai, Japan

3. Kyushu Institute of Technology, Kitakyushu, Japan

TU.B-P26 - Isotropic magnon dispersion in A-type CeCu₂Si₂

Z. Huesges¹, K. Schmalzl², C. Geibel¹, F. Steglich¹, O. Stockert¹

1. MPI Chemical Physics of Solids, Dresden, Germany

2. Institut Laue-Langevin, Grenoble, France

TU.B-P27 - Magnetic properties of heavy fermion antiferromagnet YbRhGe

S. Nakamura¹, K. Araki², K. Katoh², T. Nojima¹, A. Ochiai³

1. IMR, Tohoku University, Sendai, Japan

2. Dept. Appl. Phys., National Defense Academy, Yokosuka, Japan

3. Dept. Phys., Tohoku University, Sendai, Japan

TU.B-P28 - Magnetic properties of a novel CeCo_{0.715}Si_{2.285} compound

J. Moudrik¹, J. Prokleška¹, I. Císarova², J. Pospíšil¹, V. Sechovský¹, M. Klicpera³,

B. Ouladdiaf³

1. Charles University In Prague, Faculty of Mathematics and Physics, DCMP, Prague, Czech Republic

2. Charles University In Prague, Faculty of Science, DIC, Prague, Czech Republic

3. Institut Laue-Langevin, Grenoble, France

TU.B-P29 - Magnetic and Electronic properties of RCr₂Al₂₀

T. Namiki¹, S. Tsuchimoto¹, Q. Lei¹, K. Nishimura¹

1. University of Toyama, Toyoma, Japan

TU.B-P30 - Strong ferromagnetism at the surface of an antiferromagnet EuRh₂Si₂

A. Chikina^{1,2}, M. Höppner^{1,3}, S. Seiro⁴, K. Kummer⁵, S. Danzenböcher¹, A. Generalov¹, M. Güttler¹, E.V. Chulkov^{6,7}, Y.M. Koroteev^{7,8}, C. Geibel⁴

1. *University of Technology Dresden, Dresden, Germany*

2. *St. Petersburg State University, St. Petersburg, Russia*

3. *Max Planck Institute for Solid State Research, Stuttgart, Germany*

4. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*

5. *European Synchrotron Radiation Facility, Grenoble, France*

6. *Donostia International Physics Center (DIPC), Departamento de Física de Materiales and CFM-MPC UPV/EHU, San Sebastian, Spain*

7. *Tomsk State University, Tomsk, Russia*

8. *Institute of Strength Physics and Materials Science of Siberian Branch Russian Academy of Sciences, Tomsk, Russia*

TU.B-P31 - Relationship between onset of RKKY interaction and Ce element in Ce-based (RE-Gd)Ni; (RE=Ce, Y, Lu) compounds

K. Yano¹, K. Nishimura², T. Namiki³, T. Ohta⁴

1. *Nihon University, Chiyoda, Japan*

2. *University of Toyama, Toyama, Japan*

3. *University of Toyama, Toyama, Japan*

4. *Quantum Design of Japan, Tokyo, Japan*

TU.B-P32 - Low temperature anomalies of the magnetic heat capacity of HoxLu_{1-x}B₁₂

A. Khoroshilov¹, N. Sluchanko², A. Bogach², V. Glushkov^{1,2}, S. Demishev^{1,2}, V. Filippov³, N. Shitsevalova³, S. Gabani⁴, K. Flachbart⁴

1. *Moscow Institute of Physics And Technology, Dolgoprudny, Russia*

2. *A.M. Prokhorov General Physics Institute of RAS, Moscow, Russia*

3. *Institute for Problems of Materials Science, NAS of Ukraine, Kiev, Ukraine*

4. *Institute of Experimental Physics, SAS, Kosice, Slovakia*

TU.B-P33 - Anomalous thermal expansion of intermediate valence YbAl₃ nanometric alloys

L. Fernandez Barquin¹, M. de la Fuente Rodríguez¹, C. Echevarria-Bonet^{1,7}, D.P. Rojas², J.C. Gómez Sal¹, J.I. Espeso¹, P. Gorria³, A. Garcia-Prieto⁴, M.L. Fdez-Gu-bieda⁴, E. Bauer⁵

1. *Universidad de Cantabria, Santander, Spain*

2. *Universidad Politécnica de Madrid, Madrid, Spain*

3. *Universidad de Oviedo, Oviedo, Spain*

4. *Universidad del País Vasco, Bilbao, Spain*

5. *Technische Universität Wien, Wien, Austria*

6. *ALBA-CELLS, Barcelona, Spain*

7. *Institute for Energy Technology, Kjeller, Norway*

TU.B-P34 - Magnetic, thermal and electronic properties of nanosized YbAl₂ alloys

D.P. Rojas¹, L. Fernandez Barquin², J.C. Gomez sal², J.I. Espeso², J. Rodriguez Fernandez², J. Chaboy³

1. *Universidad Politécnica De Madrid, Madrid, Spain*

2. *Universidad de Cantabria, Santander, Spain*

3. *CSIC- Universidad de Zaragoza, Zaragoza, Spain*

TU.B-P36 - Magnetism in UBeGe

R. Gumeniuk^{1,2}, W. Schnelle², U. Burkhardt², H. Borrmann², A. Leithe-Jasper², Y. Grin²

1. *Institute For Experimental Physics, TU Bergakademie Freiberg, Germany*
2. *MPI CPFS, Dresden, Germany*

TU.B-P38 - Valence state of Tm in YbB₆ and YB₆

H. Sato¹, H Nagata², F. Iga³, K. Mimura⁴, S. Ueda⁵, K. Fukuda⁶, Y. Tobita⁷, K. Ishii⁷, K. Hayashi⁷, Y. Osanai⁷

1. *Hiroshima Synchrotron Radiation Center, Hiroshima University*
2. *Graduate School of Science, Hiroshima University*
3. *College of Science, Ibaraki University, Ibaraki, Japan*
4. *Graduate School of Engineering, Osaka Prefecture University, Osaka, Japan*
5. *Synchrotron X-ray Station at SPring-8, National Institute for Materials Science*
6. *Graduate School of Advanced Sciences of Matter, Hiroshima University*
7. *Graduate School of Science and Engineering, Ibaraki University*
8. *Institute for Solid State Physics, University of Tokyo*

TU.B-P39 - Single crystal growth and electronic state of UPd₂Cd₂₀

H. Doto¹, Y. Hirose², F. Honda³, D. Li³, D. Aoki³, R. Settai²

1. *Graduate School of Science And Technology, Niigata University, Niigata, Japan*
2. *Department of Physics, Niigata University, Niigata, Japan*
3. *Institute for Materials Research, Tohoku University, Sendai, Japan*

TU.B-P40 - Fragile antiferromagnetism in a new Shastry-Sutherland lattice compound Yb₂Ru₃Ga₁₀

Y. Muro¹, T. Fukuhara¹, T. Kuwai²

1. *Faculty of Engineering, Toyama Prefectural University, Toyoma, Japan*
2. *Graduate School of Science and Engineering, University of Toyama, Toyoma, Japan*

TU.B-P41 - Theoretical investigation of the linear and the nonlinear magnetic susceptibility of URu₂Si₂ compound

A. Lausmann¹, B. Pedrolo¹, E. Calegari¹, S. Magalhães², P Riseborough³

1. *Universidade Federal de Santa Maria, Santa Maria, Brazil*
2. *Universidade Federal Fluminense, Niterói, Brazil*
3. *Temple University, Philadelphia, United States*

TU.B-P42 - Thermal Expansion and Magnetostriction Measurements on Heavy-Fermion Compound YbCu₄Au

T. Takeuchi¹, Y. Hirose², R. Tsunoda³, F. Honda⁴, R. Settai²

1. *Low Temperature Center, Osaka University, Toyonaka, Osaka, Japan*
2. *Department of Physics, Niigata University, Niigata, Japan*
3. *Graduate School of Science and Technology, Niigata University, Niigata, Japan*
4. *IMR, Tohoku University, Oarai, Ibaraki, Japan*

TU.B-P43 - Pressure effect of EuCu_9Sn_4 and EuZn_{13}

S. Satoh¹, Y. Hirose², S. Tomaru¹, S. Kurahashi¹, T. Takeuchi³, F. Honda⁴, D. Li⁴, D. Aoki⁴, K. Matsubayashi⁵, Y. Uwatoko⁵

1. Graduate School of Science And Technology, Niigata University, Niigata, Japan

2. Department of Physics, Niigata University, Niigata, Japan

3. Low Temperature Center, Osaka University, Osaka, Japan

4. Institute for Materials Research, Tohoku University, Sendai, Japan

5. Institute for Solid State Physics, Tokyo University, Chiba, Japan

6. Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki, Japan

TU.B-P44 - Study of valence in heavy-fermion single crystals under pulsed magnetic fields up to 30 T

A. Poux¹, F. Duc¹, W. Knafo¹, S. Pascarelli², D. Braithwaite³, O. Mathon², P. van der Linden², C. Strohm², V. Balédent⁴, X. Fabrèges¹

1. Laboratoire National Des Champs Magnétiques Intenses - CNRS

2. ESRF, 6 rue Jules Horowitz, Grenoble, France

3. Univ. Grenoble Alpes and CEA, INAC-SPSMS, Grenoble, France

4. Laboratoire de Physique des Solides, Orsay, France

5. Synchrotron Soleil, L'Orme des Merisiers, Saint-Aubin, Gif-sur-Yvette, France

6. Institut Néel, Grenoble, France

TU.B-P45 - Crystallographic and Magnetic Properties of UAu_2Si_2

C. Tabata¹, S. Shimmura¹, N. Miura¹, H. Saito¹, H. Hidaka¹, Y. Ihara¹, H. Amitsuka¹

1. Graduate School of Science, Hokkaido University, Japan

TU.B-P47 - NMR observation of quadrupole order and multipole fluctuations in $\text{PrTi}_2\text{Al}_2\text{O}$

T. Taniguchi¹, M. Yoshida¹, H. Takeda¹, M. Takigawa¹, M. Tsujimoto¹, A. Sakai¹, S. Nakatsuji¹

1. Institute For Solid State Physics, University of Tokyo, Chiba, Japan

TU.B-P48 - G_3 lattice instability of URu_2Si_2 highlighted by pulsed magnetic field

T. Yanagisawa¹, T. Murazumi¹, S. Mombetsu¹, H. Hidaka¹, H. Amitsuka¹, M. Akatsu², S. Yasin³, P.T Cong³, S. Zherlitsyn³, J. Wosnitza³

1. Department of Physics, Hokkaido University, Sapporo, Japan

2. Department of Physics, Niigata University, Niigata, Japan

3. Hochfeld-Magnetlabor Dresden, Helmholtz-Zentrum Dresden-Rossendorf, Niigata, Japan

4. Department of Physics, University of California San Diego, Niigata, Japan

5. Los Alamos National Laboratory, Niigata, Japan

6. CEA-Grenoble, Grenoble, France

7. Institute for Materials Research, Tohoku University, Niigata, Japan

TU.B-P49 - Magnetic, transport, and structural properties of caged compounds $\text{RO}_2\text{Zn}_{20}$ (R=La-Nd)

K. Wakiya¹, K. T. Matsumoto¹, N. Nagasawa¹, T. Onimaru¹, K. Umeo², T0 Takabatake⁰

1. Graduate School of Advanced Sciences of Matter, Hiroshima University, Higashi-Hiroshima, Japan
2. Natural Science Center for Basic Research and Development, Hiroshima University, Higashi-Hiroshima, Japan
3. Institute for Advanced Materials Research, Hiroshima University, Hiroshima, Japan

TU.B-P50 - High-Frequency Ultrasonic Measurements of $\text{SmOs}_4\text{Sb}_{12}$ under Hydrostatic Pressure

S. Mombetsu¹, H. Inagaki¹, T. Murazumi¹, T. Yanagisawa¹, H. Hidaka¹, H. Amitsuka¹, P.C. Ho², M.B. Maple³

1. Department of Physics, Hokkaido University, Sapporo, Japan
2. Department of Physics, California State University, Fresno, United States
3. Department of Physics, University of California, Berkeley, United States

TU.B-P51 - Magnetic and transport properties of mixed-valent europium sulfide EuPd_3S_4

S. Michimura^{1,2}, M. Tanahashi², H. Hirabayashi², K. Shibata², S. Katano², M. Kosaka²

1. Saitama University, Research And Development Bureau, Saitama, Japan
2. Saitama University, Graduate School of Science & Engineering, Saitama-shi, Japan

TU.B-P52 - Role of c-f hybridization to the mid-IR peaks in Ce compounds

S.I. Kimura¹, Y.S. Kwon², Y. Matsumoto³, H. Aoki⁴, O. Sakai⁵

1. FBS and Physics Department, Osaka University, Osaka, Japan
2. Department of Emerging Materials Science, DGIST, Daegu, Korea
3. Department of Engineering Physics, Nagoya Institute of Technology, Aichi, Japan
4. Department of Physics, Tohoku University, Sendai, Japan
5. National Institute for Materials Science, Ibaraki, Japan

TU.B-P53 - Anomalous low-energy excitations on LaB_6 investigated by Raman scattering measurements

T. Hasegawa¹, N. Ogita¹, F. Iga², M. Udagawa^{1,3}

1. Graduate School of Integrated Arts and Sciences, Hiroshima University, Higashi-Hiroshima, Japan
2. College of Science, Ibaraki University, Ibaraki, Japan
3. Institute for Advanced Material Research, Hiroshima University, Hiroshima, Japan

TU.B-P54 - Al-NMR study of single crystal CeAl_2 under high pressure

K. Fujiwara¹, T. Umezawa¹, K. Takamiya¹, G. Motoyama¹, K. Miyoshi¹, S. Nishigori²

1. Department of Materials Science, Shimane University, Matsue, Japan
2. Interdisciplinary Center for Science Research, Shimane University, Matsue, Japan

TU.B-P55 - Electronic structure of ThRu₂Si₂ studied by ARPES

S.I. Fujimori¹, M. Kobata¹, Y. Takeda¹, T. Okane¹, Y. Saitoh¹, A. Fujimori^{1,2}, H. Yamagami^{1,3}, Y. Matsumoto^{4,5}, E. Yamamoto⁵, Y. Haga⁵

1. Condensed Matter Science Division, Japan Atomic Energy Agency, Ibaraki, Japan
2. Department of Physics, University of Tokyo, Bunkyo-Ku, Japan
3. Department of Physics, Faculty of Science, Kyoto Sangyo University, Kyoto, Japan
4. Graduate School of Engineering, Nagoya Institute of Technology, Aichi, Japan
5. Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki, Japan

TU.B-P57 - Novel heavy-fermion antiferromagnet YbRhGe with the TiNi-Si-type structure

K. Araki¹, H. Tanaka¹, T. Kohei¹, S. Nakamura^{2,4}, T. Nojima^{2,4}, A. Ochiai^{3,4}, K. Katoh¹

1. Dept. Appl. Phys., National Defense Academy, Yokosuka-Shi, Japan
2. Inst. For Materials Research, Tohoku Univ, Sendai, Japan
3. Graduate School of Science, Tohoku Univ., Sendai, Japan
4. Univ. Centr. For Low Temp. Sci., Tohoku Univ., Sendai, Japan

TU.B-P58 - Possible existence of partially disordered Sm ions in magnetically ordered state of Ising magnet SmPt₂Si₂

K. Fushiya¹, Ryuji Higashinaka¹, Tatsuma¹, D Matsuda¹, Yuji Aoki¹

1. Tokyo Metropolitan University, Tokyo, Japan

TU.B-P59 - Nature of heavy fermion state in R_{0.01}La_{0.99}B₆ (R=Ce, Ho)

M. Anisimov¹, V. Glushkov¹, S. Demishev¹, V. Voronov¹, S. Gavrilkin², K. Mitsen², N. Shitsevalova³, A. Levchenko³, V. Filippov³, A. Bogach¹, S. Gabani¹

1. A.M. Prokhorov General Physics Institute of RAS, Moscow, Russia
2. Lebedev Physical Institute of RAS, Moscow, Russia
3. Institute for Problems of Materials Science of NASU, Kiev, Ukraine
4. Institute of Experimental Physics of SAS, Košice, Slovak Republic

TU.B-P60 - Intersite electron correlations in quasi-periodic systems

N. Takemori¹, A. Koga¹, H. Hafermann²

1. Tokyo Institute of Technology, Tokyo, Japan
2. CNRS, Grenoble, France

TU.B-P61 - Influence of the Crystal Field on the Magnetic Properties of RE-Ni₃Ga₉ (RE = Gd, Tb, Dy and Ho) single crystals

J. Duque¹, S. Silva¹, G. Mecena¹, T. Meneses¹

1. Federal University of Sergipe, São Cristóvão, Brazil

TU.B-P63 - Charge dynamics of heavy fermions in CeCu₆ and YbRh₂Si₂ probed by microwave spectroscopy

K. Parkkinen^{1,2}, D. Hafner¹, M. Thiemann¹, M. Dressel¹, O. Stockert³, K. Grube⁴, H.V. Löhneysen^{4,5}, C. Krellner^{3,6}, C. Geibel³, F. Steglich³, M. Scheffler¹

1. Physikalisches Institut, Universität Stuttgart, Stuttgart, Germany
2. University of Helsinki, Helsinki, Finland
3. Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany
4. Institut für Festkörperphysik, Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany
5. Physikalisches Institut, Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany
6. Physikalisches Institut, Goethe-Universität Frankfurt, Frankfurt, Germany

TU.B-P64 - trivalent uranium crystal-field states in UGa_2 and UPd_2Al_3 intermetallics

R. Radwanski^{1,2}, D. Nalecz¹, Z. Ropka²

1. *Institute of Physics, Pedagogical University, Krakow, Poland*

2. *Center of Solid State Physics, Krakow, Poland*

TU.B-P66 - Quantum criticality in CeCu_2Ge_2 ?

P. Geselbracht¹, E. Faulhaber¹, M. Rotter², K. Schmalzl³, D. Quintero Castro⁴, M. Deppe⁵, O. Stockert⁵, M. Loewenhaupt⁶, A. Schneidewind⁷

1. *Technische Universität München, Heinz Maier-Leibnitz Zentrum, Garching, Germany*

2. *McPhase Project, Dresden, Germany*

3. *ülich Centre for Neutron Science at ILL Forschungszentrum Jülich GmbH, Grenoble, France*

4. *Helmholtz-Zentrum Berlin, Berlin, Germany*

5. *Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany*

6. *Technische Universität Dresden, Dresden, Germany*

7. *Jülich Centre for Neutron Science at MLZ, Forschungszentrum Jülich GmbH, Garching, Germany*

TU.B-P67 - $\text{Yb}_2\text{Ni}_{12}\text{Pn}_7$ (Pn = P,As): A promising system for studying valence fluctuations and quantum criticality

W. Jiang¹, L. Yang¹, C. Guo¹, J. Chen², Z. Hu³, J. Lee², Y. Wang¹, Y. Chen¹, M. Smidman¹, Z. Chen¹

1. *Center for Correlated Matter and Department of Physics, Zhejiang University, Hangzhou, China*

2. *National Synchrotron Radiation Research Center, Hsinchu, Taiwan*

3. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*

TU.B-P69 - Possible signature of magnetic order inside the superconducting state at low magnetic fields in CeCoIn_5

C.F. Miclea¹, M. Niclas², A.C. Mota³, J.D. Thomson⁴, R. Movshovich⁴

1. *National Institute for Materials Physics, Bucharest-Magurele, Romania*

2. *Max-Planck-Institute for Chemical Physics of Solids, Dresden, Germany*

3. *Solid State Laboratory, ETH Zurich, Zurich, Switzerland*

4. *Los Alamos National Laboratory, Los Alamos, New Mexico, United States*

TU.B-P70 - XMCD study of ferromagnetism in YbCu_2Si_2 under pressure

F. Wilhelm¹, D. Braithwaite², S. M. Ramos², E.N. Hering², G. Lapertot², A. Rogalev¹

1. *European Synchrotron Radiation Facility (ESRF), Grenoble, France*

2. *SPSMS, UMR-E CEA / UJF-Grenoble 1, INAC, Grenoble, France*

TU.B-P72 - Crystal field in $\text{\$R}_2\text{\$RhIn}\text{\$}_8$ series studied by bulk measurements

P. Čermák¹, M. Prachařová², J. Zubáč², K. Pajskr², P. Javorský²

1. *Forschungszentrum Jülich, Outstation At MLZ, Jülich, Germany*

2. *Charles University in Prague, Prague, Czech Republic*

TU.B-P73 - Neutron scattering and high pressure transport properties in a rare correlated ferromagnet Nd_2PdSi_3

S. Saha¹, R. Wang¹, J. Paglione¹, J. Lynn², J. Jeffries³

1. Center for Nanophysics and Advanced Materials, Department of Physics, University of Maryland, College Park, Maryland, United States

2. NIST Center for Neutron Research, National Institute of Standards and Technology, Gaithersburg, Maryland, United States

3. Condensed Matter and Materials Division, Lawrence Livermore National Laboratory, Livermore, California, United States

TU.B-P74 - Magnetic and related properties of $\text{Ce}_3\text{T}_2\text{Sn}$, (where T = Ti, V, Cr, Co, Ni).

G. Chajewski¹, A. Pikul¹

1. Institute of Low Temperature And Structure Research, Polish Academy of Sciences, Wroclaw, Poland

TU.B-P75 - Low-temperature properties of the non-centrosymmetric heavy-fermion compound CeTAI_3 (T = Cu, Ag, Au, Pd, Pt)

C. Franz¹, R. Schönmann¹, J. Spallek¹, A. Regnat¹, A. Senyshyn², P. Cermak³, P.J. Cabre¹, A. Schneidewind³, A. Bauer¹, C. Pfleiderer¹

1. Physik Department E51, Technische Universität München, Garching, Germany

2. Forschungs-Neutronenquelle Heinz Maier-Leibnitz, Garching, Germany

3. Jülich Centre for Neutron Science JCNS, Outstation at MLZ, Garching, Germany

TU.B-P76 - Thermal expansion and magnetostriction of heavy fermion $\text{Ce-Ru}_2\text{Si}_2$ at millikelvin temperatures

D. Inoue¹, D. Kaido¹, Y. Yoshikawa¹, M. Minegishi¹, K. Matsumoto¹, S. Abe¹, S. Murayama²

1. Kanazawa University, Kanazawa, Japan

2. Muroran Institute of Technology, Mumoran, Japan

TU.B-P77 - Fermi Surface properties in impurity kondo effect : Quantum oscillation study on $\text{Ce}_{1-x}\text{La}_x\text{Ru}_2\text{Si}_2$ and $\text{U}_{1-x}\text{Th}_x\text{Ru}_2\text{Si}_2$

Y. Matsumoto¹, Y. Haga², N. Tateiwa², N. Kimura³, H. Aoki³, E. Yamamoto², S. Ohara¹, Z. Fisk^{2,4}, H. Yamagami^{2,5}

1. Nagoya Institute of Technology, Nagoya, Japan

2. Japan Atomic Energy Agency, Ibaraki, Japan

3. Tohoku University, Sendai, Japan

4. University of California, Sacramento, United States

5. Kyoto Sangyo University, Kyoto, Japan

TU.B-P78 - Single Crystal Growth and physical properties of $\text{R}_2\text{Pt}_6\text{Ga}_{15}$ (R=rare earth)

Y. Matsumoto¹, T. Ueda¹, S. Ohara¹

1. Nagoya Institute of Technology, Aichi, Japan

X. Non-Fermi Liquids and Quantum criticality

TU.C-P01 - Quantum criticality of spin liquids in novel insulators and magnets

V. Stephanovich¹, V. Shaginyan², E. Kirichenko¹

1. *Opole University, Opole, Poland*

2. *Petersburg Nuclear Physics Institute, Gatchina, Russia*

TU.C-P02 - Variation of magnetic phases in $\text{Sr}_{1-x}\text{Ca}_x\text{Co}_2\text{P}_2$ clarified with muon-spin spectroscopy

J. Sugiyama¹, H. Nozaki¹, M. Harada¹, I. Umegaki¹, K. Miwa¹, M. Imai², C. Michioka², K. Yoshimura², E. Ansaldo³, J. Brewer^{4,5}

1. *Toyota Central Research & Development Laboratories, Inc., Nagakuyte, Japan*

2. *Kyoto University, Kyoto, Japan*

3. *University of Saskatchewan, Saskatoon, Canada*

4. *University of British Columbia, Vancouver, Canada*

5. *TRIUMF, Vancouver, Canada*

6. *Babes-Bolyai University, Cluj-Napoca, Romania*

7. *Paul Scherrer Institut, Villigen, Switzerland*

8. *KTH Royal Institute of Technology, Stockholm, Sweden*

TU.C-P03 - Quantum criticality of a Kondo quantum dot coupled to helical edge states of 2D interacting topological insulators

C.H. Chung^{1,2}, S. Silotri¹

1. *Department of Electrophysics, National Chiao-Tung University, HsinChu, Taiwan*

2. *Physics Division, National Center for Theoretical Sciences, HsinChu, Taiwan*

TU.C-P04 - Yb-based quantum critical materials: Single crystal growth and characterization of YbRh_2Si_2 and YbNi_4P_2

K. Kliehm¹, C. Butzke¹, C. Krellner¹

1. *Goethe-University Frankfurt, Frankfurt, Germany*

TU.C-P05 - Crossover from non-Fermi liquid to Fermi liquid behavior and the superconductivity dome in heavy electron systems

P. Schlottmann¹

1. *Florida State University, Tallahassee, United States*

TU.C-P06 - Non-linear quantum critical conductance in a dissipative resonant level through a double-barrier

C.H. Chung^{1,2}, C.Y. Lin¹, H. Baranger³, G. Finkelstein³

1. *Department of Electrophysics, National Chiao-Tung University, HsinChu, Taiwan*

2. *Physics Division, National Center for Theoretical Sciences, HsinChu, Taiwan,*

3. *Department of Physics, Duke University, Durham, United States*

TU.C-P07 - Quantum criticality of an itinerant 5f-electron ferromagnet: Ru doped UCoAl

P. Opletal¹, Jan Prokleška¹, V Sechovský¹

1. *Charles University In Prague, Faculty of Mathematics And Physics, Department of Condensed Matter Physics, Prague, Czech Republic*

TU.C-P09 - Tuning ZrFe₄Si₂ by Ge substitution: Confirming the proximity to a magnetic quantum critical point

K. Weber^{1,2}, N. Mufti¹, T. Goltz², T. Woike³, H.H. Klaus², C. Bergmann¹, H. Rosner¹, C. Geibel¹

1. Max Planck Institute For Chemical Physics of Solids, Dresden, Germany

2. Institute of Solid State Physics, Dresden University of Technology, Dresden, Germany

3. Institute for Structural Physics, Dresden University of Technology, Dresden, Germany

TU.C-P10 - Electron doping effect on AeCo₂As₂ (Ae = Ca, Sr and Ba)

H. Ohta¹, E. Akabane¹, H. Katori¹

1. Institute of Engineering, Division of Advanced Applied Physics, Tokyo University of Agriculture And Technology, Koganei, Jpana

TU.C-P11 - Perfect Metal Phases of One-Dimensional and Anisotropic Higher-Dimensional Systems

M. Mulligan¹, E. Plamadeala², C. Nayak^{2,3}

1. Stanford University, Stanford, United States

2. University of California, Santa Barbara, United States

3. Microsoft Research, Station Q, Santa Barbara, United States

TU.C-P12 - Magneto - crystalline anisotropy and non - Fermi - liquid behaviour in CeNi_{1-x}CoGe₂

Z. Molčanová¹, M. Mihalik¹, M. Mihalik¹, M. Zentková¹, Viktor Kavečanský¹, J. Briančin²

1. Institute of Experimental Physics SAS, Košice, Slovak Republic

2. Institute of Geotechnics SAS, Košice, Slovak Republic

TU.C-P13 - Non-fermi liquid behaviors in PrIr₂Zn₂₀: Effect of Ga substitution

T. Onimaru¹, K. Uenisi¹, K.T. Matsumoto¹, K. Wakiya¹, K. Umeo², T. Takabatake^{1,3}

1. Dept. Quantum Matter, AdSM, Hiroshima University, Higashi-Hiroshima, Japan

2. N-BARD, Hiroshima University, Hiroshima, Japan

3. IAMR, Hiroshima University, Higashi-Hiroshima, Japan

TU.C-P14 - Substitution driven magnetic instabilities of non-Fermi liquid Ce₂Pd₄Si₄

E. Bauer¹, N. Robisc¹, K. Sirhan¹, I. Messner¹, R. Kurinjimala¹, B. Raab¹, F. Kneidinger¹, H. Michor¹, J. Sereni², A. Griбанov³

1. Vienna University of Technology, Vienna, Austria

2. CAB Bariloche, San Carlos de Bariloche, Argentina

3. Moscow State University, Moscow, Russia

4. University of Vienna, Vienna, Austria

TU.C-P15 - Theory for anomalous magneto transport of CeCu₂Si₂ under the pressure of sharp valence crossover

K. Miyake¹, S. Watanabe²

1. Toyota Physical And Chemical Research Institute, Nagakute, Japan

2. Kyushu Institute of Technology, Kitakyushu, Japan

TU.C-P16 - Strange Metal Without Magnetic Criticality

T. Tomita¹, K. Kuga², Y. Uwatoko¹, S. Nakatsuji¹

1. Institute For Solid State Physics (ISSP), University of Tokyo, Kashiwa, Japan
2. Center for Advanced High Magnetic Field Science, Graduate School of Science, Osaka University

TU.C-P17 - Non-Fermi liquid behavior in disordered Kondo systems $Ce_2Co_{0.8}Si_{3.2}$ and $Ce_2Rh_{0.4}Co_{0.4}Si_{3.2}$

D. Gnida¹, M. Szlowska¹, D. Kaczorowski¹

1. Institute of Low Temperature And Structure Research, Polish Academy of Sciences, Wroclaw, Poland

TU.C-P18 - High-pressure effect on low-temperature properties of the approximant crystal to magnetic Au-Al-Yb quasicrystal

S. Matsukawa¹, M. Nakayama¹, T. Yamashiya¹, K. Nobe¹, K. Kamiya¹, K. Deguchi¹, K. Imura¹, H. Takakura², T. Ishimasa², N. Sato¹

1. Nagoya University, Nagoya, Japan
2. Hokkaido University, Sapporo, Japan

TU.C-P19 - Unconventional quantum critical behavior in nonmetallic $CeO-BiS_2$: A mother phase of BiS_2 -based superconductor

R. Higashinaka¹, T. Asano¹, T. Nakashima¹, K. Fushiya¹, Y. Mizuguchi¹, O. Miura¹, T. D. Matsuda¹, Y. Aoki¹

1. Tokyo Metropolitan University, Tokyo, Japan

TU.C-P20 - Exploring the vicinity of a quantum critical point with coplanar microwave resonators

D. Geiger¹, A. Sidorenko¹, D.H. Nguyen¹, L. Prochaska^{1,2}, S. Putz^{2,3}, J. Majer^{2,3}, H. Hübl⁴, R. Gross⁴, S. Paschen¹

1. Institute of Solid State Physics, Vienna University of Technology, Vienna, Austria
2. Center for Micro and Nanostructures ZMNS, Vienna, Austria
3. Institute of Atomic and Subatomic Particles, Vienna, Austria
4. Walther-Meißner-Institut, Bayerische Akademie der Wissenschaften, Garching, Germany

TU.C-P21 - Correlation effects in One-Dimensional Quasiperiodic Anderson-Lattice Model

F. Matsuda¹, M. Tezuka¹, N. Kawakami¹

1. Department of Physics, Kyoto University, Kyoto, Japan

TU.C-P22 - Common Anomalies of Transport Properties in $PrTr_2Zn_{20}$ (Tr = Ir, Rh) with Non-Kramers Doublet Ground State

T. Yoshida¹, Y. Machida¹, K. Izawa¹, Y. Shimada², N. Nagasawa², T. Onimaru², T. Takabatake²

1. Department of Condensed Matter Physics, Tokyo Institute of Technology, Tokyo, Japan
2. Graduate School of Advanced Science of Matters, Hiroshima University, Higashi-Hiroshima, Japan

TU.C-P23 - muSR-investigations on $\text{Nb}_{1-y}\text{Fe}_{2+y}$

S. Süllow¹, D. Rauch¹, M. Kraken¹, J. Litterst¹, H. Luetkens², A. Neubauer³, C. Pfeleiderer³, W. Duncan⁴, M. Grosche⁵

1. TU Braunschweig, Braunschweig, Germany
2. PSI Villigen, Switzerland
3. TU München, München, Germany
4. Royal Holloway, University of London, United Kingdom
5. University of Cambridge, United Kingdom

TU.C-P24 - Single-ion Kondo physics in the cage compound $\text{CeRh}_4\text{Al}_{15.37}$

A. Strydom¹, V. Avzuragova², A. Tursina², S. Nesterenko²

1. Highly Correlated Matter Research Group, Physics Department, University of Johannesburg, Auckland Park 2006, South Africa
2. Department of Chemistry, Lomonosov Moscow State University, Moscow, Russia

TU.C-P25 - Spin-fluctuation effects near the quantum phase transition of the ising-type itinerant ferromagnet URhAl

Y. Shimizu¹, D. Braithwaite², B. Salce², T. Combier², D. Aoki^{2,3}, J. Flouquet²

1. The Institute for Solid State Physics, The University of Tokyo, Chiba, Japan
2. CEA-Grenoble, Grenoble, France
3. IMR, Tohoku University, Ibaraki, Japan

TU.C-P26 - Electron spin resonance studies in the antiferromagnetic phase of YbRh_2Si_2

W. Voesch¹, C. Claus¹, M. Javaheri¹, M. Dressel¹, K. Kliemt², C. Krellner², J. Sichelschmidt³, C. Geibel³, M. Scheffler¹

1. Physikalisches Institut, Universität Stuttgart, Stuttgart, Germany
2. Goethe-Universität Frankfurt, Physikalisches Institut, Frankfurt/Main, Frankfurt, Germany
3. Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, German

TU.C-P27 - Peculiar transport and phase diagram in non-Kramers doublet compounds with quadrupole degree of freedom

K. Izawa¹, T. Yoshida¹, Y. Machida¹, K. Matsumoto², T. Onimaru², T. Takabatake², H. Suzuki³

1. Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
2. Graduate School of Advanced Science of Matters, Hiroshima University, Higashi-Hiroshima, Japan
3. Advanced Technologies Division National Institute for Material Science, Ibaraki, Japan

TU.C-P28 - The effect of hydrostatic pressure on the electronic liquid crystal phase of $\text{Sr}_3\text{Ru}_2\text{O}_7$

D. Sun¹, S.A. Grigera^{2,3}, R. Perry⁴, A.P. Mackenzie^{2,5,6}, S.R. Julian^{1,5}

1. University of Toronto, Toronto, Canada
2. University of St. Andrews, Saint Andrews, United Kingdom
3. Instituto de Física de Líquidos y Sistemas Biológicos, La Plata, Argentina
4. University College London, London, United Kingdom
5. Canadian Institute for Advanced Research, Toronto, Canada
6. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

TU.C-P29 - Magnetic field-induced quantum criticality in pressurized CeNiAsO and CeNiAsO.65P0.35O

G. Pristas ^{1,2}, J. Larrea J. ^{1,3}, D. Geiger ¹, H.M. Rønnow ⁴, Z. Xu ⁵, Q. Chen ⁵, S. Paschen ¹

1. Institute of Solid State Physics, Vienna University of Technology, Vienna, Austria
2. Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovak Republic
3. Brazilian Center for Research in Physics, Rio de Janeiro, Brazil
4. Laboratory for Quantum Magnetism, École Polytechnique Fédérale de Lausanne, Lausanne, Switzerland
5. Department of Physics and State Key Laboratory of Silicon Materials, Zhejiang University, Hangzhou, China

TU.C-P30 - Search for a Quantum Brazovskii phase transition in Mn_{1-x}F_xSi

J. Kindervater ¹, S. Ernst ¹, F. Haslbeck ¹, T. Adams ¹, A. Bauer ¹, C. Franz ^{1,2}, N. Martin ^{1,2,3}, W. Häußler ^{1,2}, M. Garst ⁴, P. Böni ¹, C. Pfleiderer ¹

1. Physik Department, Technische Universität München, Garching, Germany
2. Heinz Maier-Leibnitz Zentrum (MLZ), Garching, Germany
3. CEA Saclay, DSM/IRAMIS/Laboratoire Leon Brillouin, Gif sur Yvette, France
4. Institute for Theoretical Physics, Universität zu Köln, Köln, Germany

TU.C-P31 - Tetragonal iron monotelluride under extreme conditions

R. Viennois ^{1,2}, S. Arsenijevic ^{3,4}, R. Gaal ³, L. Forro ³, W. Knafo ⁵, G. Ballon ⁵, X. Fabre ⁵, F. Duc ⁵, J. Léotin ⁵, C. Dertels ⁶

1. Institut Charles Gerhardt, Université De Montpellier, Montpellier, France
2. DQMP, Université de Genève, Genève, Switzerland
3. Institute of Condensed Matter Physics, Swiss Federal Institute of Technology, EPFL, Switzerland
4. High Magnetic Field Laboratory, Institute for Molecules and Materials, Radboud University Nijmegen, 6525 ED Nijmegen, The Netherlands
5. LNCMI, UPR 3228, CNRS-UJF-UPS-INSA, Toulouse, France
6. ESRF, Grenoble, France

TU.C-P32 - Magnetic field - temperature phase diagrams including modulated magnetic order near the border of ferromagnetism in NbFe₂

J. Poulten ^{1,2}, P. Niklowitz ¹, M. Hirschberger ³, W. Duncan ¹, A. Neubauer ⁴, K. See-
mann ⁵, C. Peleiderer ⁴, F. Malte Grosche ⁶

1. Royal Holloway University of London, Egham, UK
2. Diamond Light Source, Harwell Science and Innovation Campus
3. Department of Physics, Princeton University
4. Fakultät für Physik, Technische Universität München
5. Forschungsneutronenquelle Heinz Maier-Leibnitz (FRM II), Technische Universität München
6. Cavendish Laboratory, University of Cambridge, Cambridge, UK

TU.C-P33 - Tuning of the modulated magnetic order at the border of ferro-magnetism in NbFe₂

P.G. Niklowitz¹, M. Gamza¹, M. Hirschberger², J. Poulten¹, W. Duncan¹, A. Neubauer³, P. Cermak⁴, A. Schneidewind⁴, K. Seemann⁴, E. Faulhaber⁴

1. Department of Physics, Royal Holloway, University of London, Egham, TW20 0EX, U.K.

2. Department of Physics, Princeton University, NJ 08544, U.S.A.

3. Fakultät für Physik, Technische Universität München, 85748 Garching, Germany

4. Forschungsneutronenquelle Heinz Maier-Leibnitz (FRM II), Technische Universität München, 85748 Garching, Germany

5. Cavendish Laboratory, University of Cambridge, CB3 0HE, U.K.

Δ. Molecular Magnetism

TU.D-P01 - Magnetization jumps in [Mn((R/S)-pn)]₂[Mn((R/S)-pn)₂(H₂O)] [Cr(CN)₆]₂ molecular magnets

M. Kirman¹, A. Talantsev¹, R. Morgunov¹

1. Institute of Problems of Chemical Physics of Russian Academy of Sciences

TU.D-P02 - Single-ion magnet behavior of Co(II) in cyclodextrine-based multinuclear sandwich-type complexes

N. Nedelko¹, P. Aleshkevych¹, A. Kornowicz², J. Lewinski², A. Krzyzewski¹, S. Lewinska¹, A. Slawska-Waniewska¹

1. Institute of Physics, Polish Academy of Sciences

2. Warsaw University of Technology

TU.D-P03 - Magnetism of Mn(dppm)₂(OAc): Field induced slow magnetic relaxation of single five-coordinated Mn(III) ion

N. Nedelko¹, P. Aleshkevych¹, A. Kornowicz², J. Lewinski², A. Krzyzewski¹, S. Lewinska¹, A. Slawska-Waniewska¹

1. Institute of Physics, Polish Academy of Sciences

2. Warsaw University of Technology

TU.D-P04 - Magnetostructural correlations in anion-radical salts M(bi-py)₃(TCNQ)₄, where M=Co, Ni, Zn

A. Feher¹, D. Šoltéssová¹, Erik ěiřmár¹, G. Vasylets², V. Starodub³

1. Institute of Physics, Faculty of Science, P. J. Šafárik University In Košice, Park Angelinum 9, 041 54 Košice, Slovakia

2. Applied Chemistry Department, V.N. Karazin Kharkiv National University, Svo-body Sq. 4, 61022 Kharkiv, Ukraine

3. Institute of Chemistry, Jan Kochanowski University of Humanities and Sciences, 25-406 Kielce, Poland

TU.D-P05 - Magneto-structural correlations of paramagnetic ionic liquids with 3D ordering in the solid state

A. García-Saiz¹, I. de Pedro¹, P. Migowski², I. Hernández¹, L. Fernández Barquín¹, I. Abrahams³, M. Motevalli³, J. Rodríguez Fernández¹

1. CITIMAC, Facultad de Ciencias, Universidad de Cantabria, Santander 39005, Spain

2. CITIMAC, Facultad de Ciencias, Universidad de Cantabria, Santander 39005, Spain

3. Materials Research Institute, Department of Chemistry and Biochemistry, School of Biological and Chemical Sciences, Queen Mary University of London, London E1 4NS, United Kingdom.

TU.D-P07 - Comparison of spin dynamics and magnetic properties in anti-ferromagnetic closed and open molecular Cr-based rings

F. Adelnia ^{1,2}, F. Borsa ², L. Bordonali ², M. Mariani ³, S. Bordignon ⁴, T. Orlando ², R. Winpenny ⁵, G. Timco ⁵, A. Lascialfari ^{1,2}

1. Dipartimento Di Fisica And INSTM, Università Degli Studi Di Milano, Italy

2. Dipartimento di Fisica and INSTM, Università degli Studi di Pavia, Italy

3. Dipartimento di Fisica e Astronomia, Università degli studi di Bologna, Italy

4. Dipartimento di Fisica e Scienze della Terra, Università degli studi di Parma, Italy

5. School of Chemistry, University of Manchester, United Kingdom

TU.D-P08 - Raman scattering study of a chiral two-dimensional molecule-based magnet

N. Ogita ¹, T. Hasegawa ¹, M. Udagawa ¹, L. Li ², K. Inoue ²

1. Graduate School of Integrated Arts and Sci., Hiroshima University

2. Department of Chemistry and Institute for Advanced Materials Research, Hiroshima University

TU.D-P09 - Correlation between dielectric and magnetic properties on fullerene-based magnets

T. Kambe ¹, K. Oshima ¹

1. Okayama University

TU.D-P10 - Magnetic properties of FePc on In/Si(111) surface studied with ab initio calculations

J.M. Hyun ¹, H. Kim ¹

1. Department of Physics, Sookmyung Women's University,

TU.D-P11 - A ferrimagnetic dodecuclear Fe(III) complex exhibiting single-molecule magnet behavior

J.P. Tong ¹, X.J. Xu ¹, D.J. Yang ¹, Jun Tao ¹

1. Xiangyang Noncommissioned Officers School, Xiamen University, Fujian, China

TU.D-P12 - Unexpected antiferromagnetic interaction of CrTPP molecules with bare cobalt thin film

M. Baljovic ¹, J. Girovsky ¹, K. Tarafder ^{2,3}, J. Nowakowski ¹, C. Wäckerlin ⁴, D. Siewert ⁵, A. Wäckerlin ⁵, A. Kleibert ⁶, N. Ballav ⁷, T.A. Jung ¹

1. Laboratory For Micro And Nanotechnology, Paul Scherrer Institute

2. Uppsala University, Uppsala, Sweden

3. BITS, Sharnepet, Andhra Pradesh, India

4. LNS, EPFL, Lausanne Switzerland

5. University of Basel, Basel, Switzerland

6. Swiss Light Source, Paul Scherrer Institute, Villigen, Switzerland

7. Indian Institute of Science Education and Research (IISER), Pune, India

TU.D-P13 - Neutron scattering signatures of the entanglement transition in molecular magnets: An exact-diagonalisation study

H. Irons^{1,2,3}, J. Quintanilla^{1,2,3}, T. Perring², L. Amico⁴, G. Aeppli^{6,7,8}, M.A. Martin-Delgado⁵

1. University of Kent
2. ISIS Neutron Facility
3. SEPnet and Hubbard Theory Consortium
4. MATIS-CNR-INFM & Dipartimento di Metodologie Fisiche e Chimiche (DMFCI), viale A. Doria 6, 95125 Catania, Italy
5. Departamento de Física Teórica I, Universidad Complutense, E-28040 Madrid, Spain
6. UCL Department of Physics and Astronomy and London Centre for Nanotechnology, University College London
7. Department of Synchrotron Radiation and Nanotechnology at the Paul Scherrer Institute (PSI)
8. Swiss Federal Institute of Technology Lausanne

TU.D-P14 - Slow magnetic relaxation of Co-Ni ferrimagnetic chains

M. Novak¹, R. Allão Cassaro², M. Vaz³, P. Lahti⁴

1. Instituto de Física, Universidade Federal do Rio de Janeiro, Brazil
2. Instituto de Química, Universidade Federal do Rio de Janeiro, Brazil
3. Instituto de Química, Universidade Federal Fluminense, Brazil
4. Department of Chemistry, University of Massachusetts, Amherst, United States

TU.D-P15 - A stochastic model for magnetic dynamics in single-molecule magnets

R. López-Ruiz¹, P. Toderó de Almeida¹, M.G.F. Vaz², M.A. Novak³, F. Béron¹, K. Roberto Pirotta¹

1. Unicamp
2. Universidade Federal Fluminense
3. Universidade Federal do Rio de Janeiro

E. Electronic Structure. Itinerant-electron magnetism. Half-metals. Insulators

TU.E-P01 - Full-potential KKR calculations for electronic and magnetic properties of transition metal monosilicide MSi (M=Cr-Co) and mixtures of FeSi and CoSi, based on the generalized-gradient approximation

M. Asato¹, C. Liu², N. Fujima³, T. Hoshino³

1. National Institute of Technology, Niihama College
2. Graduate School of Science and Technology, Shizuoka University
3. Graduate School of Engineering, Shizuoka University

TU.E-P02 - AA-stacked bilayer graphene in an applied electric field: Tunable antiferromagnetism and coexisting exciton order parameter

R. Akzhanov^{1,2,3}, A. Rakhmanov^{1,2,3,4}, A. Rozhkov⁰, A. Sboychakov^{3,4}, F. Nori^{4,5}

1. All-Russian Research Institute of Automatics
2. Moscow Institute of Physics and Technology
3. Institute for Theoretical and Applied Electrodynamics
4. CEMS RIKEN
5. University of Michigan

TU.E-P03 - Magnetic properties of $Ce_{n+1}Co_{3n+5}B_{2n}$ ($n = 0, 1, 2, 3$) compounds investigated by ^{59}Co NMR

K. Shimizu¹, K. Kakiuchi¹, T. Ito², H. Ido²

1. *Department Of Physics, Faculty Of Science, University Of Toyama, Toyama, Japan*

2. *Department Of Electronic Engineering, Tohoku Gakuin University, Sendai, Japan*

TU.E-P04 - Optical investigation on the electronic structure of FeGe thin film

Y. Lee¹, S. Cho²

1. *Soongsil University, Seoul, South Korea*

2. *Ulsan University, Ulsan, South Korea*

TU.E-P05 - Effect of annealing on magnetic and structural properties of half-metallic Co_2MnAl Heusler ribbons

T. Ryba¹, L. Galdun¹, Z. Vargova², M. Obaida³, K. Saksl⁴, M. Durisin⁴, V. Haskova¹, P. Szabo⁴, C. Garcia⁵, R. Varga¹

1. *Institute Of Physics, Faculty Of Sciences, P. J. Safarik University, Kosice, Slovakia*

2. *Dept. Inorg. Chem., Fac. Sci., P. J. Safarik University, Kosice, Slovakia*

3. *Solid State Physics Department, National Research Centre, Giza, Egypt*

4. *IEF SAS, Watsonova 47, Kosice, Slovakia*

5. *Departamento de Fisica, Universidad Technica Federico Santa Maria, Valparaiso, Chile*

TU.E-P07 - First-principles study of spin-wave dispersion in FeCo alloy system with tetragonal distortion

Y. Kota¹, A. Sakuma²

1. *Fukushima National College of Technology, Fukushima, Japan*

2. *Tohoku University, Sendai, Japan*

TU.E-P08 - Investigating the metallic and insulating behaviors in $NiCo_2O_4$ thin films by X-ray absorption spectroscopy

Y.Y. Chin¹, Y. Bitla², J.C. Lin³, N. Chien², R.R. Liu⁴, Y.M. Zhu⁴, H.J. Liu², Q. Zhan⁴, H.J. Lin¹, C.T. Chen¹

1. *National Synchrotron Radiation Research Center, Hsinchu, Taiwan*

2. *Department of Materials Science and Engineering, National Chiao Tung University, Hsinchu, Taiwan*

3. *Institute of Physics, Academia Sinica, Taipei, Taiwan*

4. *Department of Material Physics and Chemistry, University of Science and Technology Beijing, Beijing, China*

5. *Department of Physics, Durham University, Durham, United Kingdom*

TU.E-P09 - Magnetic and resistivity properties in half-metallic glass-coated Co_2FeSi Heusler microwires

L. Galdun¹, T. Ryba¹, V. Prida², V. Zhukova³, A. Zhukov³, Z. Vargova¹, R. Varga¹

1. *Inst. Phys., Fac. Sci., UPJS, Kosice, Slovakia*

2. *Dpto. De Física, Universidad de Oviedo, Oviedo, Spain*

3. *Dpto. Fisica de Materiales, Fac. Quimicas, UPV/EHU, San Sebastian, Spain*

TU.E-P10 - Half-metallic ferromagnetism in Sn-doped perovskite ruthenates: A first-principles study

J. Yu¹, N. Kim¹, R. Kim¹

1. Seoul National University, Seoul, South Korea

TU.E-P11 - Effect of hydrogen on magnetic properties of ϵ -Fe₂O₃

D. Hirai^{1,2}, S. Tsuneyuki^{1,2,3}, Y. Gonda^{1,2,4}

1. Department of Physics, The University of Tokyo, Tokyo, Japan

2. Elements Strategy Initiative Center For Magnetic Materials, Tsukuba, Japan

3. Institute For Solid State Physics, The University of Tokyo, Tokyo, Japan

4. Department of Materials Science and Engineering, Tokyo Institute of Technology, Tokyo, Japan

TU.E-P12 - X-ray and visible magnetic circular dichroism spectroscopy of Pr_{1-x}Sr_xMnO₃ thin films: Comparative study

A. Rogalev⁴, Y. Samoshkina¹, I. Edelman¹, A. Sokolov¹, K. Ollefs², N. Andreev³, V. Chichkov³

1. Kirensky Institute Of Physics, Krasnoyarsk, Russia

2. European Synchrotron Radiation Facility (ESRF), Grenoble, France

3. National University of Science and Technology 'MISIS', Moscow, Russia

4. European Synchrotron Radiation Facility (ESRF), Grenoble, France

TU.E-P13 - Electronic structure and magnetic properties of (LaMnO₃)_m/(SrTiO₃)_n Superlattices

A. Aezami¹, M. Reza Abolhassani², M. Elahi², M. Niayfar¹

1. Department of physics, Science and Research Branch, Islamic Azad university, Ahwaz, Iran

2. Department of physics, Science and Research Branch, Islamic Azad University, Tehran, Iran

TU.E-P14 - Quantum interference of surface-induced friedel oscillations enhanced by fermi-surface nesting in layered manganites

R. Yamamura¹, T. Hotta¹

1. Department Of Physics, Tokyo Metropolitan University, Hachioji, Japan

TU.E-P15 - First-principles study for the chiral magnet Cr(NbS₂)₃

T. Shishidou¹

1. ADSM, Hiroshima University, Hiroshima-shi, Japan

TU.E-P16 - Anomalous oxidation state of iron in two-leg ladder compound Ba₆Fe₈S₁₅

H. Aruga Katori¹, T. Adachi¹, H. Ohta¹, S. Nakamura^{2,3}, A. Fuwa⁴

1. Institute Of Engineering, Tokyo University Of Agriculture And Technology, Tokyo, Japan

2. Department of Science and Engineering, Teikyo University, Itabashi, Japan

3. Advanced Research Institute of Science and Engineering, Waseda University, Tokyo, Japan

4. Faculty of Science and Engineering, Waseda University, Tokyo, Japan

TU.E-P17 - Metal-Insulator Transition driven by all-in/all-out magnetic ordering in $\text{Cd}_2\text{Os}_2\text{O}_7$

C.H. Sohn¹, H.G. Jeong¹, H.S. Jin¹, J. Yamaura², S.Y. Kim¹, L.J. Sandilands¹, H.J. Park¹, K.W. Kim³, S.J. Moon⁴, D.Y. Cho⁵

1. *Center for Correlated Electron Systems, Institute for Basic Science, Seoul National University, Seoul, Korea*
2. *MCES, Tokyo Institute of Technology, Kanagawa, Japan*
3. *Department of Physics, Chungbuk University, Cheong-ju, Chungbuk, Korea*
4. *Department of Physics, Hanyang University, Seoul, Korea*
5. *Department of Physics, Chonbuk National University, Jeonju, Korea*
6. *ISSP, University of Tokyo, Kashiwa, Japan*

TU.E-P18 - Fabrication of epitaxial Mn_2CoAl films for spintronic applications using spin-gapless semiconductors

K. Ueda¹, S. Hirose¹, M. Nishiwaki¹, T. Hajiri¹, H. Asano¹

1. *Nagoya University, Nagoya, Japan*

TU.E-P19 - Semiconducting behaviour of $\text{Ce}_3\text{Cu}_3\text{Sb}_4$ revisited

L. Kalinowski¹, P. Witas¹, M. Fijałkowski¹, J. Goraus¹, A. Ćelebarski¹

1. *Institute of Physics, University Of Silesia, Katowice, Poland*

TU.E-P20 - De haas-van alphen effect and fermi surface properties in ferromagnet LaCo_2P_2 and related compounds

A. Teruya¹, A. Nakamura¹, T. Takeuchi², F. Honda³, D. Aoki³, K. Matsubayashi⁴, Y. Uwatoko⁴, H. Harima⁵, K. Uchima⁶, M. Hedo⁷

1. *Graduate School of Engineering and Science, University of the Ryukyus, Nishihara, Japan*
2. *Low Temperature Center, Osaka University, Osaka, Japan*
3. *Institute for Materials Research, Tohoku University, Sendai, Japan*
4. *Institute for Solid State Physics, University of Tokyo, Tokyo, Japan*
5. *Graduate School of Science, Kobe University, Kobe, Japan*
6. *General Education, Okinawa Christian Junior College, Nishihara, Japan*
7. *Faculty of Science, University of the Ryukyus, Nishihara, Japan, Japan*

TU.E-P21 - Spin stiffness constant of half-metallic ferrimagnet in Mn-based Heusler alloys

R. Umetsu^{1,2}, T. Kanomata³

1. *Tohoku University, Sendai, Japan*
2. *JST-PRESTO, Tokyo, Japan*
3. *Tohoku Gakuin University, Sendai, Japan*

TU.E-P23 - Curie temperature within the electronic correlation formalism in double perovskites systems

O. Navarro¹, F. Estrada¹, M. Avignon²

1. *Instituto de Investigaciones en Materiales, UNAM, Mexico D.F., Mexico*
2. *Institut Néel, CNRS and Université Joseph Fourier, Grenoble, France*

TU.E-P24 - Half-metallic properties of (001) surfaces of quaternary Heusler alloys CoFeCrZ (Z=Al and Ga): A first-principles study

J.I. Lee¹, B. Bialek¹, D.C. Kim²

1. Inha University, Incheon, South Korea
2. Halla University, Wonju-si, South Korea

TU.E-P25 - Magnetic exchange interaction between A'-site transition-metal ions in A-site-ordered perovskites

M. Toyoda^{1,2}, K. Yamauchi¹, T. Oguchi^{1,2}

1. Institute Of Science And Industrial Research, Osaka University, Osaka, Japan
2. Japan Science and Technology Agency

TU.E-P26 - Spin gapless ferrimagnetism induced by triangular frustration in (111)-oriented FeX/GaX (X = N, P, and As) superlattices

M. Nakao¹

1. Department Of Precision Engineering, Tokai University, Toyko, Japan

TU.E-P27 - Electronic structure and magnetic properties of (LaMnO₃)_m/(SrTiO₃)_n superlattices

A. Aezami¹, M. Reza Abolhassani², M. Elahi², M. Niyaifar¹

1. Science And Research Branch, Islamic Azad University, Ahwaz, Iran
2. Department of physics, Science and Research Branch, Islamic Azad University, Tehran, Iran

TU.E-P28 - Chemical disorder and enhanced curie temperature of Co_{2-x}Fe_{1+x}Si heusler alloys

J. Karel¹, J. Fischer¹, P. Adler¹, L. Wollmann¹, S. Fabbrici², G. Fecher¹, F. Albertini², C. Felser¹

1. Max Planck Institutue For Chemical Physics Of Solids, Dresden Germany
2. Institute of Materials for Electronics and Magnetism, Parma, Italy

TU.E-P29 - Magnetic structure of Hf_{0.825}Ta_{0.175}Fe₂ itinerant-electron system as probed by neutron diffraction under high pressure

L.V.B. Diop^{1,2}, O. Isnard^{1,2}

1. Univ. Grenoble Alpes, Inst. Néel, Grenoble, France
2. CNRS, Inst. Néel, Grenoble, France

TU.E-P30 - Spectral signatures of thermal spin disorder and excess Mn in half-metallic NiMnSb

K. Belashchenko¹, J. Weerasinghe¹, S. Mu¹, B. Pujari¹

1. University of Nebraska-Lincoln, Lincoln, Nebraska, United States

TU.E-P31 - ESR study of heavily Na-doped low-silica X zeolite near the insulator-to-metal transition

T. Nakano¹, K. Mukai¹, S. Hayashi¹, Y. Nozue¹

1. Department of Physics, Osaka University, Osaka, Japan

TU.E-P33 - Pressure induced insulator to metal transition in neutral radical FBBO

D. Tian¹, S. Julian¹, S. Winter², A. Mailman², R. Oakley²

1. Department of Physics, University Of Toronto, Toronto, Ontario, Canada

2. Department of Chemistry, University of Waterloo, Waterloo, Ontario, Canada

TU.E-P34 - Spectral features of angle-resolved photoemission in a magnetic-polaron system

H.D. Kim¹

1. Center For Correlated Electron Systems, Seoul, Korea

TU.E-P35 - Magnetic properties of Cr-based ternary compound CrAlGe

S. Yoshinaga¹, Y. Mitsui¹, R. Umetsu², K. Koyama¹

1. Faculty of Science, Kagoshima University, Kagoshima, Japan

2. Institute for Materials Research, Tohoku University, Sendai, Japan

TU.E-P36 - Electronic and magnetic properties of impurity hydrogen in semiconductors

K. Yoshizawa¹, Y. Iwazaki², Y. Gohda³, S. Tsuneyuki^{1,4}

1. Institute For Solid State Physics, The University Of Tokyo, Tokyo, Japan

2. Taiyo Yuden Co., Ltd., Tokyo, Japan

3. Dept. Mater. Sci. Eng., Tokyo Institute of Technology, Tokyo, Japan

4. Department of Physics, The University of Tokyo, Tokyo, Japan

TU.E-P37 - Magnetism and insulator-to-metal transition of strongly correlated polarons in alkali-metal loaded zeolites

T. Nakano¹, G. Prasad Hettiarachchi¹, L.M. Kien¹, T. Goto¹, Y. Nozue¹

1. Department Of Physics, Graduate School Of Science, Osaka University, Osaka, Japan

TU.E-P38 - 77Se NMR study on the possible excitonic insulator Ta₂NiSe₅

S. Li¹, Y. Kobayashi¹, Masayuki Itoh¹

1. Department of Physics, Graduate School of Science, Nagoya University, Furo-cho, Chikusa-ku, Nagoya, Japan

TU.E-P39 - NMR/NQR studies on the phase transition in A-site-ordered perovskites ACu₃Cr₄O₁₂ (A= La and Bi)

Y. Kobayashi¹, M. Iguchi¹, M. Itoh¹, M. Isobe², H. Takagi², H. Sakurai³, H. Takagi²

1. Department of Physics, Graduate School of Science, Nagoya University, Japan

2. Max Planck Institute For Solid State Research, Stuttgart, Germany

3. National Institute for Materials Science, Tsukuba, Japan

TU.E-P40 - Electric field dependence of the induced magnetic moment of pd thin film

M. Kim¹, T. Quang¹, J.M. Hyun¹, H. Kim¹

1. Sookmyung Women's University, Seoul, South Korea

TU.E-P41 - Tailoring of electronic and magnetic properties of bcc Fe- based high entropy alloys

K. Perzynska¹, K. Szymanski¹, A. Matwiejczyk¹, M. Biernacka¹, D. Oleszak², L. Hawelek³, J. Waliszewski¹, M. Gutowska⁴, T. Zajarniuk⁴, A. Szweczyk⁴

1. Faculty of Physics, University of Białystok, Białystok, Poland

2. Faculty of Materials Science and Engineering, Warsaw University of Technology, Warszawa, Poland

3. Institute of Non Ferrous Metals in Gliwice, Gliwice, Poland

4. Institute of Physics, Polish Academy of Sciences, Warszawa, Poland

TU.E-P42 - Thickness dependent dynamic study of ion-beam sputtered Co₂FeAl thin films

S. Akansel¹, A. Kumar¹, S. Husain², S. Chaudhary², P. Svedlindh¹

1. Engineering sciences, Uppsala university, Uppsala, Sweden

2. Department of Physics, Indian Institute of Technology Delhi, Delhi, India

TU.E-P43 - Moessbauer spectroscopy study of collapse-like decrease of Fe magnetic moment in amorphous (Fe-Cr)-B and Fe(Cr-Cu)-B alloys

K. Yano¹, H. Tange², S. Lee³, E. Kita³

1. Nihon University, Japan, Chiyoda, Tokyo, Japan

2. Ehime University, Matsuyama, Japan

3. University of Tsukuba, Tsukuba, Japan

4. University of Tsukuba, Tsukuba, Japan

TU.E-P44 - Studies of ²⁷Al NMR in SrAl₄

H. Niki¹, N. Higa¹, H. Kuroshima¹, T. Toji¹, M. Morishima¹, M. Minei¹, M. Yogi¹, A. Nakamura¹, M. Hedo¹, T. Nakama¹

1. Department of Physics, Faculty of Science, University of The Ryukyus, Nishihara, Japan

2. Faculty of Science, Kobe University, Hyogo, Japan

TU.E-P45 - Influence of structural disorder on electronic structure and magnetic properties of YCo₂-based compounds

Z. Sniadecki¹, M. Werwinski²

1. Institute of Molecular Physics, Polish Academy of Sciences, Poznan, Poland

2. Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden

TU.E-P46 - Relation between composition, crystal structure, and magnetic properties of Cu_{1+x}Mn_{1-x}As compounds

B. Vondráčková¹, K. Uhlířová¹, R. Tarasenko¹, F.J. Martínez-Casado², Z. Matij¹, V. Holý¹

1. Charles University In Prague, Faculty Of Mathematics And Physics, Praha, Czech Republic

2. Max IV Laboratory - Lund University, Lund, Sweden.

TU.E-P47 - Magnetic phases in Single Crystals Mn₅Si₃

R.F. Luccas^{1,2,3}, A. Correa-Orellana^{1,2,3}, F.J. Mompean^{1,3}, M. García-Hernández^{1,3}, H. Suderow^{2,3}

1. Instituto de Ciencia de Materiales de Madrid, Consejo Superior de Investigaciones Científicas (ICMM-CSIC), Madrid, Spain
2. Laboratorio de Bajas Temperaturas, Departamento de Física de la Materia Condensada, Instituto de Ciencia de Materiales Nicolás Cabrera, Condensed Matter Physics Center (IFIMAC), Universidad Autónoma de Madrid, Madrid, Spain
3. Unidad Asociada de Bajas Temperaturas y Altos Campos Magnéticos, UAM, CSIC, Cantoblanco, Madrid, Spain

TU.E-P48 - Polarized neutron reflectivity and atomic structure study of a Co₂FeSiAl/Si(111) heterointerface

B. Kuerbanjiang¹, L. Lari¹, Z. Nedelkoski¹, S. Yamada², T. Saerbeck³, S. Glover⁴, P. Hasnip¹, T. Hase⁴, G. Bell⁴, A. Hirohata¹

1. University Of York, Heslington, York, United Kingdom
2. Osaka University, Osaka, Japan
3. Institut Laue-Langevin, Grenoble, France
4. University of Warwick, Coventry, United Kingdom

TU.E-P49 - The effect of post annealing conditions on the iron oxides thin films grown on MgO(100)

B. Kuerbanjiang¹, D. Pingstone¹, C. Chirside¹, L. Lari¹, S. Tear¹, V. Lazarov¹

1. University Of York, Heslington, York, United Kingdom

TU.E-P51 - Transport properties of a metallic two-dimensional triangular antiferromagnet Ag₂CrO₂

T. Kida¹, A. Okutani¹, H. Yoshida², M. Hagiwara¹

1. Osaka University, Osaka, Japan
2. Hokkaido University, Sapporo, Japan

TU.E-P53 - The ground-state phase diagram of the XXZ spin-s kagome antiferromagnet

J. Richter¹, O. Goetze¹

1. Institute for Theoretical Physics, University Magdeburg, Magdeburg, Germany

Φ. Magnetic nanoparticles

TU.F-P03 - Preparation and characterization of poly-alpha-olefin-based ferrofluids

J.H. Kim¹, K. Park¹

1. Research Center For Advanced Magnetic Materials, Chungnam National University, Daejeon, South Korea

TU.F-P04 - Magnetic and magnetoelectric properties of Fe₃O₄ nanocrystal self-assembly

S. Kohiki¹, Y. Nakamura¹, K. Akiyama-Hasegawa², M. Mitome², D. Tsuya²

1. Kyushu Institute of Technology, Kitakyushu, Japan
2. National Institute for Materials Science, Tsukuba, Japan

TU.F-P05 - Effect of dextran coated superparamagnetic iron oxide nanoparticles during in vivo observation of the rats

A.M. Prodan^{1,2,3}, C. Steluta Ciobanu⁴, M. Beuran^{1,2}, C. Turculeț^{1,2}, G. Teleanu¹, M. Motelica-Heino⁵, S. Sizaret⁵, D. Predoi⁴

1. Emergency Hospital Floreasca, Bucharest, Romania
2. Carol Davila University of Medicine and Pharmacy, Bucharest, Romania
3. University Politehnica of Bucharest, Faculty of Applied Chemistry and Materials Science, Department of Science and Engineering of Oxide Materials and Nanomaterials, Bucharest, Romania
4. National Institute of Materials Physics, Bucharest, Magurele, Romania
5. ISTO, UMR 7327 CNRS, Université d'Orléans, Orléans Cedex 2, France

TU.F-P06 - Synthesis, self-organization and magnetism of iron oxide and Au-iron oxide core/shell nanocomposite particles

D. Muraca¹, S. Sharma¹, M. Knobel¹, P. Mendoza Zelis²

1. Instituto de Física Gleb Wataghin (IFGW), Universidade Estadual De Campinas (Unicamp), Campinas, SP, Brazil
2. Instituto de Física La Plata CONICET, La Plata, Argentina

TU.F-P07 - Magnetic properties and crystal structure of DyMn₂O₅ nanoparticles embedded in mesoporous silica

T. Tajiri¹, Y. Ando², H. Deguchi², M. Mito², A. Kohno¹

1. Faculty of Science, Fukuoka University, Fukuoka, Japan
2. Faculty of Engineering, Kyushu Institute of Technology, Kitakyushu, Japan

TU.F-P09 - Proton relaxometry and magnetic hyperthermia evaluation of gadolinium doped nickel ferrite nanoparticles

T. Yadavalli¹, S. Ramaswamy², G. Chandrasekharan¹, H. Annal Therese¹, R. Chen-nakesavulu³

1. Nanotechnology Research Centre, SRM University, Kattankulathur, Tamilnadu, India
2. Accendere Knowledge Management, Annanagar, Chennai, Tamilnadu, India
3. Department of Pharmacy Practice, SRM University, Kattankulathur, Tamilnadu, India

TU.F-P10 - Synthesis of Co doped AgFeO₂ delafossite nanoparticles

T. Yamazaki¹, K. Mori¹, M. Hachisu¹, S. Morimoto¹, K. Hyodo¹, Y. Ichiyanagi¹

1. Graduate School Of Yokohama National University, Yokohama, Japan

TU.F-P11 - Evolution of complex magnetoresistance and perpendicular magnetic anisotropy in cobalt nanoparticles in silver matrix

D. Kumar¹, S. Chaudhary¹, D.K. Pandya¹

1. Thin Film Laboratory, Physics Department, Indian Institute of Technology Delhi, New Delhi, India

TU.F-P12 - Excluded volume causes integer and fractional plateaus in magnetic colloidal ratchet currents

P. Tierno¹, T. Johansen², T. Fischer³

1. University Of Barcelona, Barcelona, Spain
2. University of Oslo, Oslo, Norway
3. University of Bayreuth, Bayreuth, Germany

TU.F-P13 - Depinning and collective dynamics of magnetically driven colloidal monolayers

P. Tierno¹

1. *University Of Barcelona, Barcelona, Spain*

TU.F-P14 - Enhanced room temperature ferromagnetism of Sol-Gel synthesized LaMnO₃ nanoparticles

C. Liu¹, B. Lee¹, P. Tola¹, D.H. Kim¹

1. *Hankuk University Of Foreign Studies, Seoul, South Korea*

TU.F-P15 - Stability of patrons inscribed on arrays of magnetic nanowires

E. Vogel¹, J. Faundez¹, E. Cisternas¹

1. *Universidad De La Frontera, Temuco, Chile*

TU.F-P16 - Magnetic anisotropy of maghemite nanoparticles probed by RF transverse susceptibility

A.I. Figueroa^{1,2}, J. Bartolomé¹, L.M. García¹, F. Bartolomé¹, A. Millán¹, F. Palacio¹

1. *Instituto de Ciencia de Materiales de Aragón, CSIC-Universidad de Zaragoza. Departamento de Física de la Materia Condensada, Zaragoza, Spain.*

2. *Magnetic Spectroscopy Group, Diamond Light Source, Didcot, United Kingdom*

TU.F-P17 - Universal behaviour for magnetic entropy change in Ba-doped La_{0.7}Ca_{0.3}MnO₃ nanoparticles

T.D. Thanh^{1,2}, D.C. Linh², T.A. Ho¹, T.L. Phan³, S.K. Oh¹, N. S.C. Yu¹

1. *Chungbuk National University, Cheongju, South Korea*

2. *Vietnam Academy of Science and Technology, Hanoi, Vietnam*

3. *Hankuk University of Foreign Studies, Yongin, South Korea*

TU.F-P18 - Core-shell Ag@Fe₃O₄ brick-like nanoparticles for magnetic hyperthermia

M.E. Fortes Brollo¹, C. Sato², D. Muraca¹, R. López-Ruiz¹, K. Pirola¹, M. Knobel¹

1. *Instituto de Física Gleb Wataghin, Unicamp, Campinas - Brazil*

2. *Brazilian Synchrotron Light Laboratory (LNLS) / Brazilian Center of Energy and Materials (CNPEM), Campinas - Brazil*

TU.F-P19 - Tailoring magnetic size-dependent properties of Co-ferrite nanoparticles for permanent magnet applications

A. López-Ortega¹, E. Lottini¹, C.d.J. Fernandez², C. Sangregorio³

1. *INSTM And Dipartimento Di Chimica, Firenze, Italy*

2. *INSTM and CNR-IMEM, Parma, Italy*

3. *INSTM and CNR-ICCOM, Sesto Fiorentino (Firenze), Italy*

TU.F-P20 - Magnetic properties of mechanically alloyed bcc Fe-Pd influenced by hydrogen

Y. Jiraskova¹, J. Bursik¹, I. Turek¹, J. Cizek², O. Zivotsky³

1. *Institute of Physics of Materials in Brno, Academy of Science of the Czech Republic, Brno Czech Republic*

2. *Charles University in Prague, Faculty of Mathematics and Physics, Department of Low Temperature Physics, Prague, Czech Republic*

3. *Department of Physics and RMTVC, VèB-Technical University of Ostrava, Ostrava, Czech Republic*

TU.F-P21 - On the interplay of dipolar interactions and surface spin disorder in colloidal maghemite nanocrystal clusters

A. Lappas ¹, K. Brintakis ^{1,2}, A. Kostopoulou ¹, M. Vasilikaki ³, L. Manna ⁴, A. Douvalis ⁵, K. Trohidou ³

1. *Institute of Electronic Structure and Laser (IESL), Foundation for Research and Technology - Hellas (FORTH), Heraklion, Greece*
2. *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
3. *IAMPPNM, Department of Materials Science, NCSR Demokritos, Athens, Greece*
4. *Istituto Italiano di Tecnologia, Genova, Italy*
5. *Department of Physics, University of Ioannina, Ioannina, Greece*

TU.F-P22 - Influence of annealing process on the structure and magnetic behavior of Ba_{0.5}Co_{0.5}Fe₂O₄ nanoparticles

N. Osman ¹, T. Moyo ¹

1. *University Of KwaZulu-Natal, Durban, South Africa*

TU.F-P23 - Dimensionality effects on the dynamics of dipolar interacting ferromagnetic fine particles: A monte carlo investigation

D. Brinis ^{1,2}, D. Ledue ², R. Patte ², A. Laggoun ¹

1. *Unité de Recherche MPE- Université de Boumerdes, Boumerdes , Algérie*
2. *Groupe de Physique des Matériaux, UMR 6634 CNRS - Université de Rouen, Saint-Etienne-du-Rouvray, France*

TU.F-P24 - Effect of Zn concentration on photonic crystals band structure of Co_{1-x}Zn_xFe₂O₄ nanoparticules under an external perpendicular magnetic field

G. Zambrano ¹, N. Porras-Montenegro ², M.E. Gomez ¹, J. Alonso Lopez ^{1,3}, L.E. González ²

1. *Thin Films Group, Universidad del Valle, , Cali, Colombia*
2. *Grupo de Física Teórica del Estado Sólido, Universidad del Valle, Cali, Colombia*
3. *CNyN-UNAM, Ensenada B.C., Mexico*

TU.F-P26 - Crystal Field Effects Of Er³⁺ In Cubic NaY_{1-x}Er_xF₄ Nanoparticles

A.F. Garcia-Flores ¹, G. Lesseux ², T. Caldonazo ², D. Garcia ^{1,3}, R. Urbano ², C. Rettori ^{1,2}

1. *Universidade Federal do ABC, CCNH, Santo André-SP, Brazil*
2. *Instituto de Física Gleb Wataghin, UNICAMP, Campinas-SP, Brazil*
3. *Centro Atómico Bariloche, S.C. de Bariloche, Río Negro, Argentina*

TU.F-P29 - Structural changes in ferronematic liquid crystals studied by surface acoustic waves

Peter Bury ¹, Štefan Harďoň ¹, Jozef Kúdelčík ¹, Peter Kopčanský ², Milan Timko ²

1. *Department Of Physics, Žilina University, Žilina, Slovakia*
2. *Institute of Experimental Physics, Slovak Academy of Science, Košice, Slovakia*

TU.F-P30 - Interactions in densely packed nanoparticle systems

M. Svante Andersson ¹, R. Mathieu ¹, P.S. Normile ², S.S. Lee ³, G. Singh ⁴, P. Nordblad ², J.A. De Toro ¹

1. *Department of Engineering Sciences, Uppsala University, Uppsala, Sweden*
2. *Instituto Regional de Investigación Científica Aplicada (IRICA) and Departamento de Física Aplicada, Universidad de Castilla-La Mancha, Ciudad Real, Spain*
3. *Institute of Bioengineering and Nanotechnology, Singapore, Singapore*
4. *Ugelstad Laboratory, Department of Materials Science and Engineering, Norwegian University of Science and Technology (NTNU), Trondheim, Norway*

TU.F-P31 - Autoresonant switching of the magnetization in single-domain nanoparticles

G. Klughertz ¹, [L. Friedland](#) ², G. Manfredi ¹, P.A. Hervieux ¹

1. *Institut de Physique et Chimie des Matériaux de Strasbourg, CNRS and Université de Strasbourg, Strasbourg, France*

2. *Racah Institute of Physics, Hebrew University of Jerusalem, Jerusalem, Israel*

TU.F-P32 - Magneto-optical study of ferritin with different iron content

M. Koralewski ¹, [L. Melnikova](#) ², M. Pochylski ¹, Z. Mitroova ², P. Kopcansky ²

1. *Faculty of Physics, Adam Mickiewicz University, Poznań, Poland*

2. *Institute Of Experimental Physics SAS, Košice, Slovakia*

TU.F-P33 - High performance core-shell structured magnetic nanoparticles: Fabrication, characterization, and application

[L. Wang](#) ¹, Y. Jin ¹, J. Wang ¹, A. Ferrie ¹, Y. Chen ¹

1. *Corning Incorporated, Corning, United States of America*

TU.F-P34 - Magnetostatic interactions in dense clusters of magnetic nanoparticles

[N. Usov](#) ¹, O. Serebryakova ¹

1. *Pushkov Institute Of Terrestrial Magnetism, Ionosphere And Radio Wave Propagation RAS*

TU.F-P35 - Preparation of ϵ -Fe₂O₃ nanoparticles by crystal structural transformation of iron oxide nanoparticles

[R. Nishida](#) ¹, A. Muramatsu ¹, M. Nakaya ¹

1. *Tohoku University, Sendai, Japan*

TU.F-P36 - Spin diffusion in nonlocal spin valves operated by spin pumping

[L. Feiler](#) ¹, N. Kuhlmann ¹, G. Meier ^{1,2,3}

1. *Institut für Nanostruktur- und Festkörperphysik, ehem. Institut für Angewandte Physik und Zentrum für Mikrostrukturforschung, Universität Hamburg, Hamburg, Germany*

2. *The Hamburg Centre for Ultrafast Imaging, Hamburg, Germany*

3. *Max-Planck Institute for the Structure and Dynamics of Matter, Hamburg, Germany*

TU.F-P37 - Effects of milling conditions on nano-scale MnFe(P,Si) particles by surfactant-assisted high-energy ball milling

[T. Nguyen](#) ¹, E.H. Bruck ¹, N.H. van Dijk ¹

1. *FAME, RST, TU Delft*

TU.F-P38 - Effects of milling conditions on nano-scale MnFe(P,Si) particles by surfactant-assisted high-energy ball milling

[T. Nguyen](#) ¹, E.H. Bruck ¹, N.H. van Dijk ¹

1. *FAME, RST, TU Delft*

TU.F-P39 - Synthesis of iron-oxide nanoparticles. Size and shape effect on magnetic properties

J.M. Orozco ¹, [D. Muraca](#) ¹, S. Sharma ¹, M. Knobel ¹

1. *Universidade Estadual De Campinas, Campinas, Brazil*

TU.F-P41 - Soft magnetic $Zn_xMn_{1-x}Fe_2O_4$ spinels

M. Schmidt ¹, M. Christensen ¹

1. Center for Materials Crystallography, Department of Chemistry and iNANO, Aarhus University, Aarhus, Denmark

TU.F-P42 - Structural and magnetic properties of cobalt ferrite nanoparticles obtained by laser ablation in liquid

G. Bulai ¹, I. Dumitru ¹, M. Pinteala ², C. Focsa ³, S. Gurlui ¹

1. Atmosphere Optics, Spectroscopy and Lasers Laboratory- LOASL, Faculty of Physics, Alexandru Ioan Cuza University, Iasi, Romania

2. Petru Poni Institute of Macromolecular Chemistry, 41A Gr. Ghica Voda Alley, Iasi, Romania

3. Laboratoire de Physique des Lasers, Atomes et Molécules (UMR 8523), Université Lille 1 Sciences et Technologies, Villeneuve d'Ascq, France

TU.F-P43 - Dopant effect on the magnetic and structural properties in $Sn_{1-x}TM_xO_y$ nanoparticles (TM = Co, Fe and Mn)

C. Meneses ¹, T. Cunha ², I. Costa ², J. Duque ¹, R. Lima ³

1. Universidade Federal De Sergipe, Departamento de Física, Campus de Itabaiana, Itabaiana, Brazil

2. Universidade Federal De Sergipe, Departamento de Física, Campus São Cristóvão, São Cristóvão, Brazil

3. Universidade Federal de Campina Grande - Unidade Acadêmica de Física, Campina Grande, Brazil

TU.F-P44 - Fe,Mn-dilution effect on the magnetic properties in $Zn_{1-x}(Fe,Mn)O$ nanoparticles

C. Meneses ¹, I. Costa ², T. Cunha ², J. Almeida ¹, J. Duque ¹

1. Universidade Federal De Sergipe, Departamento de Física, Campus de Itabaiana, Itabaiana, Brazil

2. Universidade Federal De Sergipe, Departamento de Física, Campus São Cristóvão, São Cristóvão, Brazil

TU.F-P45 - Behavior of the magnetic hyperfine field in Fe_3O_4 nanoparticles doped with hafnium

I. Matos ¹, G. Cabrera-Pasca ¹, R. Vianden ², R. Saxena ¹, A. Carbonari ¹, J.A. Souza ³

1. Ipen-Usp, São Paulo, Brazil

2. HISKP, Bonn University, Bonn, Germany

3. Universidade Federal Do ABC, Santo André, SP, Brazil

TU.F-P46 - Tuning the size of magnetic $CoFe_2O_4$ nanocrystallites - An in situ powder X-ray diffraction study

H. Lyder Andersen ¹, M. Christensen ¹

1. Center for Materials Crystallography, Department of Chemistry and iNANO, Aarhus University, Aarhus, Denmark

TU.F-P47 - Coexistence of superparamagnetic and spin glass behaviors in $Co_{30}Cu_{70}$ granular alloy and room temperature memory effect

S. Dhara ¹, R. Roy Chowdhury ¹, B. Bandyopadhyay ¹

1. Saha Institute Of Nuclear Physics, Kolkata, India

TU.F-P48 - Characterization of biocompatible magnetic nanoparticles modified by PEG

M. Kubovcikova¹, I. Antal¹, M. Koneracka¹, V. Zavisova¹, J. Kovac¹, P. Kopcansky¹
1. *Institute Of Experimental Physics, Slovak Academy Of Sciences Bratislava, Slovak*

TU.F-P49 - Influence of magnetic nanoparticles on nematic to isotropic phase transition kinetics in liquid crystal mixture

K. Csach¹, A. Juriková¹, J. Miskuf¹, N. Tomasovicová¹, Z. Mitroová¹, V. Zavisová¹, M. Koneracká¹, P. Kopcanský¹, N. Éber², K. Fodor-Csorba², V. Vajda²

1. *Institute Of Experimental Physics, Slovak Academy Of Sciences, Kosice, Slovakia*
2. *Institute for Solid State Physics and Optics, Wigner Research Centre for Physics, Hungarian Academy of Sciences, Budapest, Hungary*

TU.F-P50 - Influence of magnetic nanoparticles on phase transition temperatures in bent-core and rod-shaped liquid crystal mixture

A. Juriková¹, K. Csach¹, J. Miskuf¹, N. Tomasovicová¹, Z. Mitroová¹, V. Zavisová¹, M. Koneracká¹, P. Kopcanský¹, N. Éber², K Fodor-Csorba²

1. *Institute Of Experimental Physics, Slovak Academy Of Sciences, Kosice, Slovakia*
2. *Institute for Solid State Physics and Optics, Wigner Research Centre for Physics, Hungarian Academy of Sciences, Budapest, Hungary*

TU.F-P51 - Probing structural and chemical inhomogeneities in assemblies of nanoparticles with wide size distributions: A ferromagnetic nuclear resonance study of cobalt nanoparticles for producing synthetic fuel

Y. liu¹, Y. Shin^{2,3}, C. PhamHuu¹, C. Meny^{2,3}

1. *Institut de Chimie et Procédés pour l'Energie, l'Environnement et la Santé (ICPEES), UMR 7515 CNRS-University of Strasbourg, ECPM, 25, Strasbourg Cedex 02, France*
2. *Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR 7504 CNRS- University of Strasbourg, Strasbourg Cedex 02, France*
3. *Department of Physics, CNRS-Ewha International Research Center, Ewha Womans University, Seoul, South Korea*

TU.F-P52 - Exchange-bias and collective magnetic behavior of random binary compacts of maghemite nanoparticles

J.A. De Toro¹, M. Svante Andersson², S.S. Lee³, P.S. Normile¹, P. Muñiz¹, G. Singh⁴, J.M. Colino¹, R. Mathieu², P. Nordblad²

1. *Instituto Regional de Investigación Científica Aplicada (IRICA) and Departamento de Física Aplicada, Universidad de Castilla-La Mancha, Ciudad Real, Spain*
2. *Department of Engineering Sciences, Uppsala University*
3. *Institute of Bioengineering and Nanotechnology, Singapore*
4. *Department of Chemical Engineering, Norwegian University of Science and Technology*

TU.F-P53 - Interactions and surface effects in bimagnetic CoO_core/Co_{0.5}Ni_{0.5}Fe₂O₄_shell nanoparticles

G. Lavorato¹, E.Winkler¹, E. Lima Jr¹, D. Peddis², H. Troiani¹, E. Agostinelli², D. Fiorani², A. Ghirri³, D. Rinaldi³, R. Zysler¹

1. *Centro Atómico Bariloche, S.C. de Bariloche, RN, Argentina*
2. *Istituto di Struttura della materia-CNR, Monterotondo (Rome),Italy*
3. *Università Politecnica delle Marche, Ancona, Italy*

TU.F-P54 - Coffee ring effect analyzed by eddy current sensing in drying magnetite solution droplets

J.C. Martínez-García¹, A. Rascón¹, D. Lago-Cachón¹, M. Rivas¹, J.A. García¹

1. *Departamento de Física & IUTA, Universidad de Oviedo. Edificio Departamental Este, Gijón, Spain*

TU.F-P55 - Bottom-up Structuring of Magnetic SrFe₁₂O₁₉ Nanoplatelets

M. Saura-Múzquiz¹, C. Granados-Miralles¹, M. Christensen¹

1. *Center for Materials Crystallography, Department of Chemistry and iNANO, Aarhus University, Denmark*

TU.F-P56 - X-ray magnetic circular dichroism of free, 3d transition metal molecules

V. Zamudio-Bayer¹, K. Hirsch², A. Langenberg², A. Lawicki², A. Terasaki^{3,4}, B. von Issendorff¹, T. Lau²

1. *University of Freiburg, Freiburg, Germany*

2. *Helmholtz-Zentrum Berlin, Berlin, Germany*

3. *Cluster Research Laboratory, Toyota Technological Institute*

4. *Kyushu University, Fukuoka, Japan*

TU.F-P57 - Spatially-resolved EELS analysis of antibody distribution on bio-functionalized magnetic nanoparticles

R. Arenal^{1,2,3}, L. De Matteis¹, L. Custardoy^{1,2}, A. Mayoral^{1,2}, M. Tence⁴, V. Grazú¹, J.M. de la Fuente⁵, C. Marquina^{5,6}, M.R. Ibarra^{1,2,6}

1. *Instituto de Nanociencia de Aragón (INA); Universidad de Zaragoza, Zaragoza, Spain*

2. *Laboratorio de Microscopías Avanzadas (LMA); Universidad de Zaragoza, Zaragoza, Spain*

3. *Fundación ARAID; Gobierno de Aragón, Zaragoza, Spain*

4. *Laboratoire de Physique Solides; Université Paris-Sud, Orsay, France*

5. *Instituto De Ciencia De Materiales De Aragón (ICMA); CSIC-UZ, Zaragoza, Spain*

6. *Departamento de Física de la Materia Condensada; Universidad de Zaragoza, Zaragoza, Spain*

TU.F-P58 - Structural and magnetic properties in co-deposited Fe-doped Yb films

C. Rojas-Ayala^{1,2}, E. Passamani³, M. Sousa¹ F.J. Litterst^{1,4}, E. Baggio-Saitovitch¹

1. *Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*

2. *Universidad Nacional Mayor de San Marcos, Facultad de Ciencias Físicas, Lima, Peru*

3. *Universidade Federal do Espírito Santo, Departamento de Física, Vitória, Brazil*

4. *Technische Universität Braunschweig, Institut für Physik der Kondensierten Materie, Braunschweig, Germany*

TU.F-P59 - Pressure-dependence of the magnetic irreversibility in the disordered phase of Superantiferromagnetic TbCu₂ nanoparticles

M. De La Fuente Rodríguez¹, C. Echevarria-Bonet^{1,5}, D.P. Rojas², I. de Pedro^{1N}, J. Rodríguez Fernández¹, J.A. Blanco³, P. Gorria³, M.L. Fdez-Gubieda⁴, L. Fernández Barquín¹

1. *Universidad de Cantabria, Santander, Spain*

2. *Universidad Politécnica de Madrid, Madrid, Spain*
3. *Universidad de Oviedo, Oviedo, Spain*
4. *Universidad del País Vasco/EHU, Leioa, Spain*
5. *Institut for Energy Technology*

TU.F-P60 - Co and Ni doping in iron oxide nanoparticles: A systematic study

T. Orlando¹, M. Albino², C. Innocenti², C. Sangregorio², M. Corti¹, A. Lascialfari³

1. *Department of Physics and INSTM, University Of Pavia, Pavia, Italy*
2. *Department of Chemistry 'U. Schiff' and INSTM, University of Florence, Florence, Italy*
3. *Department of Physics and INSTM, Università degli Studi di Milano, Milan, Italy*

TU.F-P61 - Synthesis strategies of single-core magnetic nanoparticles

H. Gavilán¹, S. Veitemillas- Verdaguer¹, L. Gutiérrez¹, M. Puerto Morales¹

1. *Institute Of Material Science (ICMM-CSIC) Cantoblanco, Madrid, Spain*

TU.F-P62 - Mössbauer Study of Co-Ti ferrite nanoparticles for magnetic hyperthermia treatment

Y. Ichiyonagi², A. Kamzin¹, K.E. Romachevsky¹, K. Mori²

1. *Yokohama National University, Yokohama, Japan*
2. *A. F. Ioffe Physico-Technical Institute of RAS, St Petersburg, Russia*

TU.F-P63 - Coherency of reversible magnetization changes in Ni nanorods

C. Schopphoven¹, A. Tschöpe¹, C. Dennis², R. Shull²

1. *Universität des Saarlandes, Campus D2.2, Saarbrücken, Germany*
2. *National Institute of Standards and Technology, Gaithersburg, United States of America*

TU.F-P64 - Iron oxide-based magnetic nanostructures for enhanced theranostic applications

E. Fantechi^{1,2}, A. Roca¹, J. Nogués^{1,3}, C. Innocenti², M. Albino², C. Sangregorio⁴

1. *Institut Catala De Nanociencia I Nanotecnologia (ICN2), Bellaterra, Spain*
2. *INSTM - Laboratorio di Magnetismo Molecolare (LA.M.M.), Dip. di Chimica, Università di Firenze, Firenze, Italy*
3. *Istitució Catalana de Recerca i Estudis Avançats (ICREA), Barcelona, Spain*
4. *Consiglio Nazionale delle Ricerche - Istituto di Chimica dei Composti Organometallici (CNR-ICCOM), Firenze, Italy*

TU.F-P65 - Spin-glass-like freezing of inner and outer surface layers in hollow maghemite nanoparticles.

H. Khurshid¹, P. Lampen-Kelley¹, O. Iglesias², M.H. Phan¹, M.L Saboungie³, C. Sun³, H. Srikanth¹

1. *Department of Physics, University of South Florida, Tampa, United States*
2. *Dpt. Física Fonamental and IN2UB, Universitat de Barcelona, Barcelona, Spain*
3. *Center for Nanoscale Materials, Argonne National Laboratory, Illinois, United States*

TU.F-P66 - Dielectric and magnetic properties of α -Fe₂O₃ nanoparticles

J.W. Chen¹, Y.H. Huang¹, N. Rao G¹

1. Department Of Physics, National Taiwan University, Taipei, Taiwan

TU.F-P67 - Beyond the effect of particle size: Influence of CoFe₂O₄ nanoparticle arrangements on magnetic properties

D. Peddis¹, C. Cannas², A. Musinu², A. Ardu², F. Orrù², D. Fiorani¹, S. Laureti¹, D. Rinaldi^{1,4,5}, G. Muscas^{1,3}, G. Concas³

1. Istituto di Struttura della Materia-CNR

2. Dipartimento di Scienze Chimiche e Geologiche, Università di Cagliari, Cagliari, Italy

3. Dipartimento di Fisica, Università di Cagliari, Cagliari, Italy

4. Dipartimento di Fisica e Ingegneria dei Materiali e del Territorio, Università Politecnica delle Marche, Ancona, Italy

5. Consorzio Nazionale Interuniversitario per le Scienze Fisiche della Materia (CNISM)

TU.F-P68 - Magnetic properties of small magnetite nanocrystals

G. Muscas^{1,3}, G. Concas³, C. Cannas², A. Musinu², A. Ardu², F. Orrù², D. Fiorani¹, S. Laureti¹, D. Rinaldi^{1,4,5}, G. Piccaluga²

1. Istituto di Struttura della Materia-CNR

2. Dipartimento di Scienze Chimiche e Geologiche, Università di Cagliari, Cagliari, Italy

3. Dipartimento di Fisica, Università di Cagliari, Cagliari, Italy

4. Dipartimento di Fisica e Ingegneria dei Materiali e del Territorio, Università Politecnica delle Marche, Ancona, Italy

5. Consorzio Nazionale Interuniversitario per le Scienze Fisiche della Materia (CNISM)

TU.F-P69 - Magnetic properties of transition metal co-doped TiO₂ nanoparticles and local structure analysis by XAFS measurements

M. Hachisu¹, K. Mori¹, K. Hyodo¹, S. Morimoto¹, T. Yamazaki¹, Y. Ichianagi¹

1. Yokohama National University, Yokohama, Japan

TU.F-P70 - AC magnetic susceptibility and hyperthermia effect in vitro experiment of cozn-ferrite nanoparticles

Y. Ichianagi¹, T. Yamazaki¹, S. Morimoto¹, K. Hyodo¹, K. Mori¹, M. Hachisu¹

1. Yokohama National University, Yokohama, Japan

TU.F-P71 - Energy losses in bacterial magnetosomes

M. Timko¹, M. Molcan¹, J. Kovac¹, P. Kopcansky¹, A. Skumiel², H. Gojzewski^{3,4}, S. Dutz⁵

1. Institute of Experimental Physics SAS, Kosice, Slovakia

2. Institute of Acoustics, Adam Mickiewicz University, Poznan, Poland

3. Institute of Physics, Poznan University of Technology Poznan, Poland

4. Max Planck Institute of Colloids and Interfaces, Potsdam, Germany

5. Institute of Biomedical Engineering and Informatics, Technische Universität Ilmenau, Germany

TU.F-P72 - Arsenic adsorption in a magnetic stabilized bed made of magnetic aggregates based on hydrated iron oxides

A.M. Estevez¹, J.M Rodriguez¹, A. Alvaro¹, P. Augusto¹, C. Torrente¹, T. Castelo-Grande²

1. APLICAMA - Dep. Chem Engineering - Fac Chem Sciences - Univ Salamanca, Salamanca, Spain

2. LEPABE, Departamento de Engenharia Química, Faculdade de Engenharia da Universidade do Porto, Porto, Portugal

TU.F-P73 - Nanomagnetic particles synthesis: Comparison of methods and applications

P. Augusto¹, C. Torrente¹, A.M Estevez¹, T. Castelo-Grande², D. Barbosa², M. Gonzalez¹, M. Diego¹, E. Martin¹, B. Rodriguez¹, A. Sanchez¹

1. APLICAMA - Dep. Chem Engineering - Fac Chem Sciences - Univ Salamanca, Salamanca, Spain

2. LEPABE, Departamento de Engenharia Química, Faculdade de Engenharia da Universidade do Porto, Porto, Portugal

TU.F-P76 - Novel structures and spin correlations in nanomagnets

D. Sellmyer¹, B. Balasubramanian¹, P. Manchanda¹, B. Das¹, T. George¹, P. Mukherjee¹, R. Skomski¹, G. Hadjipanayis²

1. Nebraska Center for Materials and Nanoscience and Department of Physics and Astronomy, University of Nebraska, Lincoln, United States

2. Department of Physics and Astronomy, University of Delaware, Newark, United States

TU.F-P78 - Energy losses in bacterial magnetosomes

M. Molcan¹, J. Kovac¹, P. Kopcansky¹, A. Skumiel², H. Gojzewski^{3,4}, S. Dutz^{5,6}, M Timko¹

1. Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia

2. Institute of Acoustics, Adam Mickiewicz University, Poznań, Poland

3. Institute of Physics, Poznań University of Technology, Poznań, Poland

4. Max Planck Institute of Colloids and Interfaces, Potsdam, Germany

5. Institute of Biomedical Engineering and Informatics, Technische Universität Ilmenau, Ilmenau, Germany

6. Department of Nano Biophotonics, Leibniz Institute of Photonic Technology, Jena, Germany

TU.F-P79 - Size-dependent electronic and magnetic properties of iron oxide and cobalt ferrite nanocrystals probed by synchrotron X-ray imaging and spectroscopy

A. Fraile Rodríguez¹, C. Moya¹, N. Pérez¹, C. Piamonteze², X. Batlle¹, A. Labarta¹

1. Dpt. Física Fonamental and Institut de Nanociència i Nanotecnologia (IN2UB), Universitat de Barcelona, Barcelona, Spain

2. Swiss Light Source, Paul Scherrer Institut, Villigen-PSI, Switzerland

TU.F-P80 - The role of the 1,2-hexadecanediol on the magnetic properties of Co-ferrite nanoparticles

C. Moya¹, M. del Puerto Morales², X. Batlle¹, A. Labarta¹

1. Departament de Física Fonamental and Institut de Nanociència i Nanotecnologia (IN2UB), Universitat de Barcelona, Barcelona, Spain

2. Instituto de Ciencia de Materiales de Madrid, CSIC. Campus de Cantoblanco, Madrid, Spain

TU.F-P81 - Designing new manganite/ferrite nanocomposites with tunable magnetic and electrical properties

G. Muscas^{1,2,3}, R. Mathieu³, A. Puri Kumar³, G. Concas², G. Varvaro¹, D. Peddis¹

1. Istituto di Struttura della Materia - CNR, Monterotondo Scalo (RM), Italy

2. Dipartimento di Fisica, Università di Cagliari, Monserrato, Italy

3. Department of Engineering Sciences, Uppsala University, Uppsala, Sweden

TU.F-P82 - ESR study of YbNi₂ nanometric alloys

V. Ivanshin¹, E. Gataullin¹, D. Rojas², L. Fernández Barquín³

1. Institute of Physics, Kazan Federal (Volga region) University, Kazan, Russia

2. Departamento de Física e Instalaciones-ETSAM, Universidad Politécnica de Madrid, Madrid, Spain

3. DCITIMAC, Facultad de Ciencias, Universidad de Cantabria, Santander, Spain

TU.F-P83 - Geometry-induced effects on domain walls on curved surfaces

O. Pylypovskiy¹, V. Kravchuk², D. Sheka¹, D. Makarov³, O. Schmidt³, Y. Gaididei²

1. Taras Shevchenko National University of Kyiv, Kyiv, Ukraine

2. Institute for Theoretical Physics, Kyiv, Ukraine

3. Institute for Integrative Nanosciences, IFW Dresden, Dresden, Germany

TU.F-P84 - Magnetic properties and relaxation processes in FePt nanoparticles

A. Zelenakova¹, V. Zelenak², J. Kovac³

1. University of Pavol Jozef Safarik, Institute of Physics, Department of Condensed Matter Physics, Košice, Slovakia

2. University of Pavol Jozef Safarik, Institute of Chemistry, Department of Inorganic Chemistry, Košice, Slovakia

3. Institute of Experimental Physics, Slovak Academy of Sciences, Bratislava, Slovakia

TU.F-P85 - Nanocomposite magnetic materials obtained by synthesis of Fe nanoparticles in presence of SrFe₁₂O₁₉ nanoparticles

V. Nachbaur¹, N. Maât¹, E. Folcke¹, M. Jean¹, J.M. Le Breton¹

1. Groupe de Physique des Matériaux - UMR 6634 CNRS, Université et INSA de Rouen, France

TU.F-P86 - Chemical synthesis of SrFe₁₂O₁₉ nanoparticles: influence of processing parameters on structural and magnetic properties

N. Maât¹, J.M. Le Breton¹, E. Folcke¹, A. Rossigny¹, V. Nachbaur¹, M. Jean¹, R. Lardé¹

1. Groupe de Physique des Matériaux - UMR 6634 CNRS, Université et INSA de Rouen, France

TU.F-P87 - Size dependent magnetism in FeO/Fe₃O₄ Core/Shell nanoparticles

A.G. Roca¹, M. Estrader^{2,3}, A. Lopez-Ortega^{1,4}, S. Estrade^{5,6}, G. Salazar-Alvarez², D. Tobia⁷, E. Winkler⁷, I.V. Golosovsky⁸, W.A.A. Macedo⁹, M. Vasilakaki¹⁰

1. Institut Català de Nanociència i Nanotecnologia (ICN2), Campus UAB, Bellaterra, Spain

2. Dept. de Química Inorgànica, Univ. de Barcelona, Barcelona, Spain

3. Dept. of Materials and Environmental Chemistry, Stockholm Univ., Stockholm, Sweden

4. INSTM and Dipt. di Chimica æU. Schiff', Univ. degli Studi di Firenze, Firenze, Italy

5. TEM-MAT, SCT, Univ. de Barcelona, Barcelona, Spain

6. LENS-MIND-IN2UB, Dept. d'Electrònica, Univ. de Barcelona, Barcelona, Spain

7. Centro Atómico Bariloche, S.C. de Bariloche, Argentina

8. St. Petersburg Nuclear Physics Institute, Gatchina, St. Petersburg, Russia.

9. Centro de Desenvolvimento da Tecnologia Nuclear, Belo Horizonte, Brazil.

10. IAMPPMN, Dept. of Materials Science, NCSR æDemokritos', Attiki, Greece

TU.F-P88 - Chemically synthesized Cu_{1-x}Fe_xCr₂Se₄ nanoparticles. Morphology and magnetic properties

C.R. Lin¹, C.C. Chen¹, O. Li^{1,2}, H.S. Hsu¹, R. Ivantsov², S. Zharkov^{2,3}, I. Edelman², D. Velikanov², S. Ovchinnikov^{2,3}

1. National Pingtung University, Pingtung City, Pingtung County, Taiwan

2. L. V. Kirensky Institute of Physics, Russian Academy of Sciences, Krasnoyarsk, Russia

3. Siberian Federal University, Krasnoyarsk, Russia

TU.F-P89 - Magnetic and EPR studies of electron-hole asymmetry in bulk and nanoparticles of Bi_{1-x}Ca_xMnO₃ (x = 0.4, 0.6): A comparison

G. Singh¹, S.V. Bhat²

1. Department of Pjysics, Indian Institute Of Science, Bangalore, India And National Physical Laboratory, New Delhi, India

2. Department of Pjysics, Indian Institute Of Science, Bangalore, India

TU.F-P90 - Preparation and magnetic properties of interaction-free magnete nanoparticles

J. Balachandran¹, M. Fukunaga¹, I. Furukawa¹, J. Cuya¹, H. Mamiya², H. Miyamura¹

1. The University Of Shiga Prefecture, Hikone, Japan

2. National Institute of Materials Science, Tsukuba, Japan

TU.F-P91 - Acoustic investigation of biocompatible magnetic fluid under magnetic field

P. Bury¹, J. Kúdelčík¹, S. Hardon¹, M. Kubovcikova², M. Timko², P. Kopčanský²

1. Department Of Physics, Žilina University

2. Institute of Experimental Physics, Slovak Academy of Science, Bratislava, Slovakia

TU.F-P93 - Cobalt ferrite nanoparticles: A two phases behavior at low temperature

M. Saidani ¹, W Belkacem ¹, A. Bezergeanu ², N. Mliki ¹, C. Bazil Cizmas ²

1. *Laboratoire Matériaux, Organisation et Propriétés, Faculté des Sciences de Tunis, Université de Tunis El Manar, Tunis, Tunisia*

2. *Transilvania University of Brasov, Dept. Electrical Engineering & Applied Physics, Brasov, Romania*

TU.F-P94 - Small angle neutron scattering and superspin glass behavior in compacts of as-received and 350 °C-annealed maghemite nanoparticles

P. Normile ¹, D. Alba Venero ², R. Fan ³, S. King ², G. Singh ⁴, S.S. Lee ⁵, D. Marques ¹, P. Muñiz ¹, J.A De Toro ¹

1. *Instituto Regional de Investigación Científica Aplicada (IRICA) and Departamento de Física Aplicada, Universidad de Castilla-La Mancha, Ciudad Real, Spain*

2. *ISIS, STFC Rutherford Appleton Laboratory, Chilton, Didcot, United Kingdom*

3. *Diamond Light Source, Didcot, Oxon, England*

4. *Ugelstad Laboratory, Department of Materials Science and Engineering, Norwegian University of Science and Technology (NTNU), Trondheim, Norway*

5. *Institute of Bioengineering and Nanotechnology, 31 Biopolis Way, The Nanos, Singapore, Singapore*

TU.F-P95 - Exchange bias in Co_xFe_{1-x}O(AFM)|Co_xFe_{3-x}O₄(FiM) Core|Shell nanoparticles

E. Lottini ^{1,2}, A. López-Ortega ^{1,2}, G. Bertoni ³, S. Turner ⁴, C.d.J. Fernandez ^{2,3}, C. Sangregorio ^{2,5}

1. *University Of Florence - Sesto Fiorentino, Firenze, Italy*

2. *INSTM Sesto Fiorentino, Firenze, Italy*

3. *CNR-IMEM, Parma, Italy*

4. *EMAT, University of Antwerp, Antwerp, Belgium*

5. *CNR-ICCOM, Sesto Fiorentino, Firenze, Italy*

TU.F-P96 - Mössbauer and magnetic study of Co(Ti,Sn)_xFe_{2-x}O₄ nanoferrites

J.Z. Msomi ¹, N. Ngema ¹, T. Moyo ¹

1. *School of Chemistry and Physics, University of KwaZulu-Natal, Durban, South Africa*

TU.F-P98 - Structural and magnetic properties of CoFe₂O₄ nanoparticles diluted in SiO₂ amorphous matrix

J. Duque ¹, H. C. Costa ¹, J. S. Lima ², A. Coelho ³, T. Meneses ¹

1. *NPGFI, Federal University of Sergipe, São Cristóvão, Brazil*

2. *Unidade Acadêmica de Física, Universidade Federal de Campina Grande, Campina Grande, Brazil*

3. *Instituto de Física 'Gleb Wataghin' – UNICAMP, Campinas, Brazil*

TU.F-P100 - Ultrafast hyperthermia using Fe₃O₄ nanoparticles

V. Tzitzios ¹, G. Basina ², C. Hadjipanayis ³, G. Hadjipanayis ⁴

1. *Institute of Materials Science, Demokritos, Athens, Greece*

2. *Department of Chemistry, University of Crete, Voutes, Heraklion, Greece*

3. *Department of Neurosurgery, Emory University School of Medicine, Winship Cancer Institute of Emory University, GA, United States*

4. *Department of Physics and Astronomy, University of Delaware, Newark, DE, United States*

TU.F-P101 - Surface oxidation effect on the verwey transition in cubic magnetite nanoparticles

M. Copkun ¹, S. Çitođlu², T. Edvinsson ³, E. Wetterskog ⁴, P. Svedlindh ⁴

1. Hacettepe University, Department of Physics Engineering, Beytepe, Ankara, Turkey
2. Hacettepe University, Department of Nanotechnology and Nanomedicine, Beytepe, Ankara, Turkey
3. Uppsala University, Department of Chemistry, Uppsala, Sweden
4. Uppsala University, Department of Engineering Sciences, Uppsala, Sweden

TU.F-P102 - SANS, Mössbauer and magnetic characterization of interacting iron oxide nanoparticles

P. Bender ¹, D. Alba Venero ¹, L. Fernández Barquín ¹, R. Costo ², J. Fock ³, C. Frandsen ³, M. Fougts Hansen ³, S. Rogers ⁴, E. Wetterskog ⁵, P. Svedlindh ⁵

1. CITIMAC, Universidad de Cantabria, Santander, Spain
2. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain
3. Department of Physics, Technical University of Denmark, Kgs. Lyngby, Denmark
4. ISIS-STFC, Rutherford Appleton Laboratory, United Kingdom
5. Faculty of Technology, Uppsala University, Uppsala, Sweden
6. Acreo Swedish ICT AB, Göteborg, Sweden

TU.F-P103 - The effect of pH on the structural and magnetic properties of MnFe₂O₄ nanoparticles synthesized via proteic sol-gel process

N. Ferreira ¹, S. Farias ¹, M. Macêdo ²

1. Departamento de Física, Universidade Federal do Amazonas, Manaus, Brazil
2. Departamento de Física, Universidade Federal de Sergipe, São Cristóvão, Brazil

TU.F-P104 - XRD, Mössbauer and magnetic study of Mn_xMg_{0.5-x}Zn_{0.5}Fe₂O₄ nanoparticles

W.B. Dlamini ¹, J. Msomi ¹, T. Moyo ¹

1. University Of KwaZulu-Natal, Durban, South Africa

TU.F-P105 - Magnetic properties of Mg_{0.5}Co_{0.5}Fe₂O₄ and Mg_{0.8}Co_{0.2}Fe₂O₄: The effect of milling

W.B. Dlamini ^{1,2}, J. Msomi ¹, T. Moyo ¹

1. University Of KwaZulu-Natal, Durban, South Africa

TU.F-P106 - Modulation of interacting phenomena in iron oxide nanoparticle colloids

D. Cabrera ¹, D. Ortega ^{1,2,3}, G. Salas ^{1,2}, F.J. Teran ^{1,2}

1. Imdea Nanociencia, Madrid, Spain
2. Unidad Asociada de Nanobiotecnología, CNB-CSIC ---IMDEA, Madrid, Spain
3. Institute of Biomedical Engineering, University College London, London, United Kingdom

TU.F-P107 - Effects of vanadium doping on the magnetism of FeCo and FeCo/SiO₂ Core/Shell nanoparticles

R. Desautels ^{1,2}, J. Freeland ³, M. Rowe ², J. van Lierop ¹

1. University Of Manitoba, Winnipeg, Manitoba, Canada
2. Toyota Research Institute of North America, United States
3. Argonne National Laboratory, Lemont, United States

TU.F-P108 - Iron/silicon/ silica nanoparticles synthesized via laser pyrolysis technique and thermal treatment

F. Dumitrache^{1,2}, C. Fleaca^{1,2}, I. Morjan¹, A. Badoi¹, A.M. Niculescu¹, O. Marinica³, L. Vekas⁴, E. Vasile²

1. *National Institute for Plasma, Laser and Radiation Physics (NILPRP), Bucharest, Romania*
2. *'Politehnica' University of Bucharest, Independentei 313, Bucharest, Romania*
3. *'Politehnica' University of Timisoara - Research Center for Engineering of Systems with Complex Fluids, Timisoara, Romania*
4. *Romanian Academy Timisoara branch, Timisoara, Romania*

TU.F-P111 - Magnetic and structural characterization of the cobalt ferrite nanoparticles

T. Torres Molina^{1,2,3}, E. Lima Jr.⁴, A. Mayoral^{1,3}, A. Ibarra^{1,3}, C. Marquina^{2,5}, M.R. Ibarra^{1,2,3}, G.F. Goya^{1,2}

1. *Instituto De Nanociencia De Aragón & Laboratorio De Microscopias Avanzadas, Universidad De Zaragoza, Zaragoza, Spain*
2. *Departamento de Física de la Materia Condensada, Facultad de Ciencias, Universidad de Zaragoza, Zaragoza, Spain*
3. *Laboratorio de Microscopias Avanzadas (LMA), Universidad de Zaragoza, Zaragoza, Spain*
4. *División Resonancias Magnéticas, Centro Atómico Bariloche/CONICET, S. C. Bariloche, Argentina*
5. *Instituto de Ciencia de Materiales de Aragón (ICMA), CSIC - Universidad de Zaragoza, Zaragoza, Spain*

TU.F-P113 - Room temperature ferromagnetism in (Fe,Cr)-doped CeO_{2-δ} nanoparticles synthesized by proteic sol-gel process

N. Ferreira¹

1. *Departamento de Física, Universidade Federal do Amazonas, Manaus, Brazil*

TU.F-P114 - Synthesis, structural and magnetic properties of mixed Zinc-Cobalt ferrite nanoparticles

P. Copolla¹, G. Siqueira Gomide³, F. Gomes da Silva², F.L. de Oliveira Paula³, R. Aquino², J. Depeyrot³, F. Augusto Tourinho¹

1. *Universidade de Brasília, Instituto de Química, Universidade de Brasília, Brasília, Brazil*
2. *Laboratório de Nanociência Ambiental e Aplicada, Grupo de Fluidos Complexos, Faculdade UnB Planaltina, Universidade de Brasília, Brasília, Brazil*
3. *Grupo de Fluidos Complexos, Instituto de Física, Universidade de Brasília, Brasília, Brazil*

TU.F-P115 - Towards ideal biotechnologically applicable magnetic particles with highly tunable perpendicularly magnetized synthetic anti-ferromagnets

T. Vemulkar¹, R. Mansell¹, D. Petit¹, R.P. Cowburn¹

1. *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*

TU.F-P122 - Ferronematics in low magnetic fields

P. Kopcansky¹, N. Tomasovicova¹, V. Gdovinova¹, M. Timko¹, V. Zavisova¹, N. Eber², T. Toth- Katona², F. Royer³, D. Jamon³, C.K. Hu⁴

1. Institute of Experimental Physics, Slovak Academy of Sciences, Kosice, Slovakia
2. Research Institute for Solid State Physics and Optics, Hungarian Academy of Sciences, Budapest, Hungary
3. Université de Saint Etienne, Saint Etienne, France
4. Institute of Physics, Academia Sinica, Taipei, Taiwan

Tu.F-P123 - Magnetic moments in Pd nanoparticles: from sub- μm to sub-nm size

F. Bartolomé¹, U. Urdíroz-Urricelqui¹, L. Badía-Romano¹, M. Kovylyna^{2,3}, A. Labarta², X. Batlle²

1. ICMA, Departamento de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain
2. Departament de Física Fonamental and Institut de Nanociència i Nanotecnologia IN2UB, Universitat de Barcelona, Barcelona, Catalonia, Spain
3. University of Toronto, , Toronto, Canada

Г. Perpendicular magnetic anisotropy materials

TU.G-P01 - [Co/Pt] multilayers structural, magnetic and electronic properties: role of the Pt thickness

K. Dumesnil¹, M. Bersweiler¹, D. Lacour¹, S. Robert¹, M. Hehn¹

1. Institut Jean Lamour, Université de Lorraine and CNRS, Nancy, France

TU.G-P02 - Perpendicular magnetic anisotropy and Gilbert damping study in amorphous FeTaC film

M. Nandi¹, B. Samantaray¹, A. Perumal², N. Khan¹, P. Mandal¹, R. Ranganathan¹

1. Saha Institute of Nuclear Physics, 1/AF Bidhannagar, Calcutta, India
2. Department of Physics, Indian Institute of Technology Guwahati, Guwahati, India

TU.G-P03 - Effects of process parameters on structures and perpendicular magnetic properties of Co-rich Co-Pt thin films

S.C. Chen¹, J.Y. Chiou¹, C.K. Wen¹, S.T. Chen², P.C. Kuo²

1. Ming Chi University Of Technology, Taipei, Taiwan
2. National Taiwan University, Taipei, Taiwan

TU.G-P04 - perpendicular magnetic anisotropy of very thin L₁₀ FePt films

A. Kaidatzis¹, G. Giannopoulos¹, V. Psycharis¹, J.M. García-Martín², D. Niarchos¹

1. Institute of Nanoscience and Nanotechnology, NCSR Demokritos, Athens, Greece
2. IMM-Instituto de Microelectrónica de Madrid (CNM-CSIC), Madrid, Spain

TU.G-P06 - Magnetic properties of the interfaces of MgO/Fe and Pt/Fe studied by hard X-ray photoemission

S. Ueda¹, T. Tashiro², M. Mizuguchi², K. Takanashi²

1. Synchrotron X-ray Station at SPRING-8, National Institute For Materials Science, Sayocho, Japan
2. Institute for Materials Research, Tohoku University, Sendai, Japan

TU.G-P07 - Structure and spin texture of FeCo ultrathin films on Cu₃Au(001)

A. Cotta¹, A. Ponce¹, W. Macedo¹

1. Centro de Desenvolvimento da Tecnologia Nuclear, Belo Horizonte, Brazil

TU.G-P08 - Influence of high density plasma processes on magnetic properties and microstructures of FePt alloy films

S.C. Chen¹, T.H. Sun², S.U. Jen^{3,4}, C.K. Wen¹, J.Y. Chiou¹

1. Ming Chi University Of Technology, New Taipei City, Taiwan
2. National Tsing Hua University, Hsinchu City, Taiwan
3. Academia Sinica, Taipei, Taiwan
4. National Taiwan Ocean University, Keelung, Taiwan

TU.G-P09 - Negative perpendicular anisotropy in NiFe₂O₄ (001) epitaxial film grown on MgAl₂O₄(001)

M. Matsumoto¹, H. Yanagihara¹, S. Sharmin¹, J.I. Inoue¹, E. Kita¹

1. Institute Of Applied Physics, University Of Tsukuba, Tsukuba, Japan

TU.G-P10 - Rotatable magnetic anisotropy in anisotropy-graded FePt films induced by ion irradiation at low incidence angle

M.G. Pini¹, A. Rettori², S. Tacchi³, G. Gubbiotti³, M. Madami⁴, A. di Bona⁵, S. Valeri⁶, F. Albertini⁷, F. Casoli⁷, P. Ranzieri⁷

1. Istituto Dei Sistemi Complessi Del CNR (CNR-ISC), Unità Di Firenze, Florence, Italy
2. Dipartimento di Fisica ed Astronomia, Università di Firenze, Sesto Fiorentino, Italy
3. Istituto Officina dei Materiali del CNR (CNR-IOM), Unità di Perugia, c/o Dipartimento di Fisica e Geologia, Università di Perugia, Perugia, Italy
4. Dipartimento di Fisica e Geologia, Università di Perugia, Perugia, Italy
5. Centro S3, c/o Istituto Nanoscienze del CNR (CNR-NANO), Modena, Italy
6. Dipartimento di Scienze Fisiche, Informatiche e Matematiche, Università di Modena e Reggio Emilia, Modena, Italy
7. Istituto dei Materiali per l'Elettronica e il Magnetismo del CNR (CNR-IMEM), Parma, Italy
8. Information Storage Materials Laboratory, Department of Electrical and Computer Engineering, National University of Singapore, Singapore

TU.G-P11 - Competing Nd and Co contributions to the perpendicular magnetic anisotropy of Nd_xCo_{1-x} amorphous thin films first time observed by X-ray magnetic circular dichroism

R. Cid Barreno^{1,2}, J. Díaz^{1,2}, H. Rubio¹, J.M. Alameda^{1,2}, S. Manuel Valvidares³

1. Universidad De Oviedo, Oviedo, Spain
2. Centro de Investigación en Nanomateriales y Nanotecnología, El Entrego, Asturias, Spain
3. ALBA Synchrotron, Cerdanyola Del Vallès, Barcelona, Spain

TU.G-P12 - Synesthetic ferrimagnet of cubic Heusler/tetragonal Heusler Mn₃Ga bilayers with perpendicular magnetic anisotropy

R. Ranjbar¹, K. Suzuki¹, A. Sugihara¹, Q. Ma¹, T. Miyazaki¹, S. Mizukami¹

1. WPI Advanced Institute For Materials Research, Tohoku University, Sendai, Japan

TU.G-P13 - Real-space calculations of uniaxial magnetic anisotropy at surfaces of bcc Fe films and of Y2Fe14B compounds

J.I. Inoue¹, T. Yoshioka¹, H. Tsuchiura¹

1. Department of Applied Physics, Tohoku University, Sendai, Japan

TU.G-P14 - Magnetic properties of amorphous Tb_{x}Co_{1-x} thin films grown in an in-plane external magnetic field by combinatorial magnetron sputtering

Gabriella Andersson¹, Y. Sebastian George¹ N, Andreas Frisk¹ N, Fridrik Magnus¹

1. Uppsala University, Department Of Physics And Astronomy, Uppsala, Sweden

TU.G-P15 - Anisotropy studies of Co and FeCo nanowires with Torque Magnetometry

N.M. Nemes¹, D. Gonzalez², C Bran², M. Garcia-Hernandez¹, M. Vazquez², T. Feher³

1. Laboratorio de Heteroestructuras con aplicación en Spintronica, Unidad Asociada Consejo Superior de Investigaciones Científicas/Universidad Complutense Madrid, Madrid, Spain

2. Instituto de Ciencia de Materiales de Madrid, Consejo Superior de Investigaciones Científicas, Madrid, Spain

3. Budapest University of Technology and Economics, Institute of Physics and Condensed Matter Research Group of the Hungarian Academy of Sciences, Budapest, Hungary

TU.G-P16 - Fabrication of Mn₃Ga nanodisks using polystyrene nanosphere lithography

Julie Karel¹, F. Casoli², P. Lupo³, L. Nasi², P. Tiberto⁴, F. Celegato⁴, F. Albertini², C. Felser¹

1. Max Planck Institutue for Chemical Physics Of Solids, Dresden Germany

2. Institute of Materials for Electronics and Magnetism, Parma, Italy

3. Department of Electrical and Computer Engineering, National University of Singapore, , Singapore

4. INRIM, Torino, Italy

TU.G-P17 - Perpendicular magnetic anisotropy of Co₂FeAl Heusler alloy thin films grown on flexible kapton substrates

M. Gabor¹, T. Petrisor jr.¹, C. Tiusan¹, M. Belmeguenai², F. Zighem², D. Faurie²

1. Center for Superconductivity, Spintronics and Surface Science, Technical University of Cluj-Napoca, Cluj-Napoca, Romania

2. Laboratoire des Sciences des Procédes et des Materiaux, CNRS-Universite Paris XIII, Villetaneuse, France

TU.G-P18 - Magnetic anisotropy of Fe_{1-y}X_yPt-L₁₀ [X = Cr, Mn, Co, Ni, Cu] bulk alloys.

R. Cuadrado¹, T.J. Klemmer², R.W. Chantrell¹

1. Department of Physics, University of York, York, United Kingdom

2. Seagate Technology, Fremont, California, United States

TU.G-P19 - Effect of Copper underlayer on perpendicular magnetic anisotropy in Co/Ni multilayers

M. Stebliy ¹, A. Kolesnikov ¹, A. Ognev ¹, A. Samardak ¹, A. Davydenko ¹, L. Chebotkevich ¹, A. Lara ², F. Aliev ²

1. School of Natural Sciences, Far Eastern Federal University, Vladivostok, Russia
2. Fisica Materia Condensada, Universidad Autónoma de Madrid, Madrid, Spain

TU.G-P20 - Sputtering energy and perpendicular magnetic anisotropy of CoFeB

B. Kim ¹, D. Kim ¹, Y.J. Jang ¹, J. Kim ¹, K. Rhie ¹

1. Department of Display and Semiconductor Physics, Korea University, Sejong, South Korea

TU.G-P21 - Large perpendicular magnetic anisotropy in magnetostrictive Fe_{1-x}Ga_x thin films

M. Barturen ^{1,2,3,4}, J. Milano ^{1,2,5}, M. Vázquez-Mansilla ¹, C. Helman ^{5,6}, M.A. Barral ^{5,6}, A.M. Llois ^{5,6}, M. Eddrief ^{3,4,5}, M. Marangolo ^{3,4,5}

1. CNEA-CONICET, Centro Atómico Bariloche, San Carlos de Bariloche, Argentina
2. Instituto Balseiro, Universidad Nacional de Cuyo, Centro Atómico Bariloche, San Carlos de Bariloche, Argentina
3. Sorbonne Universités, UPMC Univ Paris 06, UMR 7588, INSP, Paris, France
4. CNRS, UMR 7588, Institut des Nanosciences de Paris, Paris, France
5. LIFAN, Laboratorio Internacional Franco-Argentino en Nanociencias
6. CNEA, Centro Atómico Constituyentes, San Martín, Argentina

TU.G-P24 - Estimation of Fe buffer layer for higher perpendicularly anisotropic magnetic property of L₁₀-FePt grains fabricated by Rapid Thermal Annealing

M. Imazato ¹, A. Ogasawara ¹, A. Tsukamoto ²

1. Graduate School Of Science And Technology Nihon University, Chiyoda, Tokyo, Japan
2. College of Science and Technology, Nihon University, Japan, Chiyoda, Tokyo, Japan

TU.G-P25 - Out of plane magnetic anisotropy and anisotropic magnetoresistance in epitaxial La_{5/8-y}Pr_yCa_{3/8}MnO₃ (y=0.4) thin films

Lalit M. Kandpal ¹, Y. P. K. Siwach ¹, N. V. P. S. Awana ¹, H. K. Singh ¹

1. CSIR-National Physical Laboratory, New Delhi, India

TU.G-P27 - Temperature dependence of perpendicular magnetic anisotropy in CoFeB thin films

Y. Fu ¹, I. Barsukov ², A. Goncalves ^{2,3}, M. Spasova ⁴, M. Farle ⁴, C. Kuo ⁵, J.P. Attané ¹, L. Vila ¹, I. Krivorotov ²

1. Institut Nanosciences Et Cryogénie, CEA Grenoble, France
2. Physics and Astronomy, University of California, Irvine, United States
3. Centro Brasileiro de Pesquisas Físicas, Rua Dr. Xavier Sigaud, 150, Rio de Janeiro, Brazil
4. Fakultät für Physik and Center for Nanointegration (CeNIDE), Universität Duisburg-Essen, Duisburg, Germany
5. Components Research, Intel, Hillsboro, United States

TU.G-P28 - PNR studies of magnetization in Pt/Co/Pt trilayers irradiated by EUV light pulses

W. Szuszkiewicz¹, F. Ott², E. Dynowska¹, R. Minikayev¹, A. Bartnik³, I. Jacyna¹, D. Klinger¹, A. Wawro¹, R. Sobierajski¹, Z. Kurant⁴

1. Institute of Physics Polish Academy of Sciences, Warsaw, Poland

2. Laboratoire Leon Brillouin, UMR-12 CEA-CNRS, CEA Saclay, Gif sur Yvette, France

3. Institute of Optoelectronics, Military University of Technology, Warsaw, Poland

4. Faculty of Physics, University of Białystok, ul. L. Ciolkowskiego, Białystok, Poland

H. Soft and Hard magnetic materials

TU.H-P02 - Specific heat and thermal expansion of $\text{LaCo}_{1-x}\text{Ga}_x\text{O}_3$ cobaltates

N.K. Gaur¹, R. Thakur¹, R.K. Thakur¹

1. Barkatullah University, Bhopal, India

TU.H-P03 - Micromagnetic simulations of nanocomposites and their neutron scattering response

S. Erokhin¹, A. Michels², D. Berkov¹

1. General Numerics Research Lab, Jena, Germany

2. Physics and Materials Science Research Unit, University of Luxembourg, Luxembourg

TU.H-P04 - Critical behaviors at low-field of Fe-Ni-Zr alloy ribbons

T.D. Thanh^{1,2}, N.H. Dan², T.L. Phan³, S.C. Yu¹

1. Chungbuk National University, Cheongju, South Korea

2. Vietnam Academy of Science and Technology, Hanoi, Vietnam

3. Hankuk University of Foreign Studies, Yongin, South Korea

TU.H-P06 - The Memory in Magnetic Systems

C. Appino¹

1. Inrim, Torino, Italy

TU.H-P07 - Forced volume magnetostriction of $\text{Y}_2\text{Fe}_{17-x}\text{M}_x$ ($\text{M}=\text{Al, Si, Ga}$)

T. Kamimori¹, D. Haruna¹, H. Tange¹

1. Faculty Of Science, Ehime University, Matsuyama, Japan

TU.H-P09 - New medium frequency MnZn Ferrite with low losses over a broad temperature range

G. Kogias¹, V. Zaspalis¹

1. Center For Research And Technology-Hellas, Thessaloniki, Greece

2. Aristotle University of Thessaloniki, Thessaloniki, Greece

TU.H-P10 - Vector model for losses in non-oriented steel sheets

C. Appino¹

1. Inrim, Torino, Italy

TU.H-P11 - magnetic and structural evolution of $\text{Nd}_2\text{Fe}_{14}\text{B}$ nanoparticles doped with Co and Ni during surfactant-assisted ball-milling

J.S. Trujillo Hernandez ¹, J. Anselmo Tabares ¹, G.A. Pérez Alcázar ¹

1. *Universidad Del Valle, Cali, Colombia*

TU.H-P12 - The effect of high energy ball - milling on the morphology and magnetic properties of Ho(Ni_{0.5}Co_{0.5})₃ compound

A. Bajorek ^{1,2}, P. Skornia ^{1,2}, K. Prusik ^{2,3}, M. Wojtyniak ^{2,3}, G. Chelkowska ^{1,2}

1. *A. Chelkowski Institute of Physics, University of Silesia, Katowice, Poland*

2. *Silesian Center for Education and Interdisciplinary Research, University of Silesia, Chorzów, Poland*

3. *Institute of Materials Science, University of Silesia, Chorzów, Poland*

TU.H-P13 - Partitioning of rare earth dopant and magnetic properties of RF3-doped Nd-Fe-B hot-pressed magnet

J.Y. Kim ¹, H.W. Kwon ¹, J.G. Lee ², J.H. Yu ²

1. *Pukyong National University, Busan, South Korea*

2. *Korea Institute of Materials Science, South Korea*

TU.H-P14 - Direct imaging of Fe nanoclusters in a melt-spun FeSiBPCu alloy by aberration corrected high-resolution transmission electron microscopy

K. Sato ¹, K. Takenaka ¹, A. Makino ¹, Y. Hirotsu ¹

1. *Institute For Materials Research, Tohoku University, Sendai, Japan*

TU.H-P15 - The effect of film thickness on the forming process and switching parameters of sol-gel prepared cobalt ferrite thin films

C. Liu ¹, M. Mustaqima ¹, D.H. Kim ¹, B.W. Lee ¹

1. *Hankuk University Of Foreign Studies, Seoul, South Korea*

TU.H-P16 - A novel experimental determination of the magnetometric self-demagnetization factor

N. Hillier ¹, M. Hall ¹, S. Turner ¹, S. Harmon ¹

1. *National Physical Laboratory, Teddington, United Kingdom*

TU.H-P17 - Power density increasing design for railway vehicle traction motor using Halbach magnet array structure

H.W. Lee ¹, H.W. Jun ², K.D. Lee ²

1. *Korea National University Of Transportation, Chungju, South Korea*

2. *Hangyang University, Seoul, South Korea*

TU.H-P18 - Application of the Jiles-Atherton model for the temperature dependence of magnetic hysteresis loops of amorphous alloys with perpendicular anisotropy

R. Szewczyk ¹

1. *Industrial Research Institute For Automation And Measurements PIAP, Warsaw, Poland*

TU.H-P19 - Influence of grain boundaries on magnetization-reversal within Nd-Fe-B magnets

I. Kitagawa ¹, J. Ushio ¹, A. Sugawara ¹, T. Nishiuchi ²

1. *Central Research Laboratory, Hitachi Ltd., Kokubunji, Tokyo, Japan*

2. *Magnetic Materials Research Laboratory, Magnetic Materials Company, Hitachi Metals Ltd., Tokyo, Japan*

TU.H-P20 - Effect of pre-sintering on the magnetic properties of NdFeB sintered magnets diffusion -treated with Cu/Al mixed DyH₂ powder

M.W. Lee¹, H.S. Lee¹, T. Jang¹, T.H. Kim², S.R. Lee², H.J. Kim³

1. Sunmoon University, Asan, Chungcheongnam-do, South Korea

2. Korea University, Seoul, South Korea

3. R&D center of Jahwa electronics, Cheongwon-gun, South Korea

TU.H-P21 - Synthesis and Magnetic Properties of SrZn_xFe_(2-x)Fe₁₆O₂₇ (0.0 ≤ x ≤ 2.0)

J.H. You¹, S.J. Choi¹, S. Lee¹, S.I. Yoo¹

1. Seoul National University, Seoul, South Korea

TU.H-P23 - Effect of milling energy and soft phase pre-milling on the microstructure and interphase exchange coupling of Nd₂Fe₁₄B/ α -Fe nanocomposites

S. Mican¹, R. Hirian¹, O. Isnard², I. Chicinaş³, V. Pop¹

1. Babes-Bolyai University, Faculty Of Physics, Cluj-Napoca, Romania

2. Institut Néel, CNRS, Université Grenoble Alpes, Grenoble, Cédex 9, France

3. Materials Sciences and Engineering Dept., Technical University of Cluj-Napoca, Cluj-Napoca, Romania

TU.H-P24 - Structural and magnetic properties of mechanically milled Mn₅₀Al₄₆M₄ (M = Mn, Ni) alloys

R. Hirian¹, S. Mican¹, O. Isnard², I. Chicinaş³, M. Coldea¹, V. Pop¹

1. Babes-Bolyai University, Faculty Of Physics, Cluj-Napoca, Romania

2. Institut Néel, CNRS, Université Grenoble Alpes, Grenoble, Cédex 9, France

3. Materials Sciences and Engineering Dept., Technical University of Cluj-Napoca, Cluj-Napoca, Romania

TU.H-P25 - Tic additive in neodymium iron boron magnets

Z. Mural¹, Y. Ilke Cakmakoglu¹, J. Link², L. Kollo¹, R. Veinthal¹

1. Department of Materials Engineering, Tallinn University Of Technology, Tallinn, Estonia

2. National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

TU.H-P26 - Permalloy thin films on palladium activated self assembled monolayer for magnetics on silicon applications

R. Anthony^{1,2}, J. Rohan¹, C. Ó Mathúna^{1,2}

1. Tyndall National Institute, University College Cork, Dyke Parade, Cork, Ireland

2. Department of Electrical and Electronics Engineering, University College Cork, Cork, Ireland

TU.H-P27 - Magnetic anisotropy and stress sensitivity of thin-gauge non-oriented electrical steels

S. Turner¹, N. Hillier¹, M. Hall¹, S. Harmon¹

1. National Physical Laboratory, Teddington, United Kingdom

TU.H-P28 - Effect of Nd-Fe layer on the hard magnetic properties for Nd-

Fe-B thin films

T. Furuuchi¹, M. Doi^{1,2}, T. Shima^{1,2}

1. *Tohoku Gakuin University, Sendai, Japan*

TU.H-P29 - Microstructure and magnetic properties of highly condensed anisotropic MnBi system

Y.C. Chen¹, G. Gregori², S. Sawatzki³, B. Rheingans⁴, F. Qu⁴, S. Ener³, O. Gutfleisch³, H. Kronmüller¹, Gisela Schütz¹, Eberhard Goering¹

1. *Max-Planck-Institut für Intelligente Systeme, Stuttgart, Germany*

2. *Max-Planck-Institut für Festkörperforschung, Stuttgart, Germany*

3. *Institute of Materials Science, Technische Universität Darmstadt, Darmstadt, Germany*

4. *Institute of Materials Science, Universität Stuttgart, Stuttgart, Germany*

TU.H-P30 - Effect of stress on hysteresis loops of crystalline and amorphous materials

O. Perevertov¹

1. *Institute Of Physics, Academy Of Sciences, Na Slovance 2, Prague, Czech Republic*

TU.H-P31 - Valence-specific magnetization of the ferrimagnetic oxyborate single crystals using soft and hard X-ray magnetic circular dichroism under high magnetic fields

S. Ovchinnikov^{1,2}, M. Platonov¹, N Kazak¹, Y. Knyazev², L. Bezmaternykh¹, A. Rogalev³, F. Wilhelm³, E. Weschke⁴, E. Schierle⁴, Y. Zubavichus⁵

1. *L.V. Kirensky Institute of Physics, SB RAS, Krasnoyarsk, Russia*

2. *Siberian Federal University, Krasnoyarsk, Russia*

3. *ESRF, CS40220, Grenoble, Cedex 9, France*

4. *HZB/BESSY II, Berlin, Germany*

5. *NRC Kurchatov Inst, Moscow, Russia*

TU.H-P32 - Fabrication and characterization of iron phosphate-coated Fe metal powder

H.E. Kim¹, J.H. You¹, S. Choi¹, S.W. Lee¹, S.K. Kwon², S.I. Yoo¹

1. *Seoul National University, Seoul, South Korea*

2. *Samsung Electro-Mechanics, Suwon, South Korea*

TU.H-P33 - Study on hysteresis properties and domain behaviours in high purity Fe-(4-6)wt% Si alloys

Z. Lei¹, T. Horiuchi¹, I. Sasaki¹, C. Kaido², M. Takezawa¹, Y. Horibe¹, T. Ogawa³, H. Era¹

1. *Kyushu Institute Of Technology, Kitakyushu, Fukuoka, Japan*

2. *Kitakyushu National College of Technology, Kokuraminamiku, Kitakyushu, Fukuoka, Japan*

3. *Fukuoka Industrial Technology Center, Fukuoka, Japan*

TU.H-P34 - Comparison of the magnetic properties of submicron-sized strontium hexaferrite powders prepared with a top-down or a bottom-up approach

M. Topole¹, P. Jenuš¹, C. Granados², P. McGuinness¹, M. Christensen², K. Žužek Rožman¹, S. Kobe¹

1. *Department for nanostructured materials, Jozef Stefan Institute, Ljubljana, Slo-*

venia

2. Center for Materials Crystallography, Department of Chemistry and iNANO, Aarhus University, Denmark

TU.H-P35 - Frozen orbital moment at rare earth M_{4,5} absorption edges in Nd based rare earth permanent magnets

S. Tripathi ¹, Y. Chun Chen ¹, T. Tietze ¹, S. Schuppler ², P. Nagel ², M. Merz ², G. Schütz ¹, E. Goering ¹

1. Max Planck Institute For Intelligent Systems, Germany

2. Institute for Solid-State Physics, Karlsruhe Institute of technology, Eggenstei Leopoldshafen, Karlsruhe, Baden-Württemberg, Germany

TU.H-P36 - From exchange-biased core@shell nanoparticles to hard magnetic nanostructured ceramics

T. Gaudisson ^{1,2}, G. Franchésin ¹, N. Flores-Martinez ³, R. Valenzuela ³, N. Yaacoub ⁴, J. Grenèche ⁴, F. Mazaleyrat ², S. Ammar ¹

1. ITODYS, Université Paris-Diderot, Sorbonne Paris Cité, Paris, France

2. SATIE, ENS CACHAN, Paris Saclay, Cachan, France

3. IIM, Universidad Nacional Autónoma de México, Mexico D.F., Mexico

4. IMMM, Université du Maine, LUNAM, Le Mans, France

TU.H-P37 - Evidence of dipolar magnetic interaction in melted Fe₅₀Al₅₀ samples

G. A. Perez Alcazar ¹, H. Bustos ², J. S. Trujillo ¹, D. Oyola ², Y. A. Rojas ²

1. Departamento De Fisica, Universidad Del Valle, Cali, Colombia

2. Departamento de Fisica, Universidad del Tolima, Cali Colombia

TU.H-P38 - Fe-Pt / Fe-Co Nanocomposite films fabricated by electrochemical method

Y. Hayashi ¹, S. Hashi ¹, H. Kura ², T. Yanai ³, T. Ogawa ², K. Ishiyama ¹, M. Nakano ³, H. Fukunaga ³

1. Research Institute of Electrical Communication, Tohoku University, Miyagi, Japan

2. Department of Electronic Engineering, Graduate School of Engineering, Tohoku University, Japan

3. Department of Electronic and Electrical Engineering, Graduate School of Engineering, Nagasaki University, Nagasaki, Japan

TU.H-P39 - Discontinuities of plastic deformation in amorphous alloys with different glass forming ability

M. Huráková ¹, K. Csach ¹, J. Miskuf ¹, A. Juríková ¹, S. Demcak ², V. Ocelík ³, J.Th.M. De Hosson ³

1. Institute Of Experimental Physics, Slovak Academy Of Sciences, Kosice, Slovakia

2. Department of Environmental Engineering, Faculty of Civil Engineering, Technical University of Kosice, Kosice, Slovakia

3. Department of Applied Physics, Faculty of Mathematics and Natural Sciences, University of Groningen, Groningen, The Netherlands

TU.H-P40 - Magnetic SANS study of a sintered Nd-Fe-B magnet: estimation of defect size

E. A. Périgo ¹, E. Paul Gilbert ², A. Michels ¹

1. University of Luxembourg, Luxembourg

2. Bragg Institute, ANSTO, Lucas Heights, Australia

TU.H-P41 - Steinmetz law in AC magnetic fields for iron-phenolformaldehyde resin soft magnetic composites

D. Olekšáková¹, V. Vojtek², P. Kollár², J. Füzér², R. Bureš³, M. Fáberová³

1. *Technical University In Košice, Košice, Slovakia*

2. *Institute of Physics, Faculty of Science, P.J. Šafárik University, Košice, Slovakia*

3. *Institute of Materials Research, Slovak Academy of Sciences, Košice, Slovakia*

TU.H-P42 - Study of dy diffusion in high-coercivity NdFeB magnets for electric-vehicle drive applications

K. Zagar¹, A. Kocjan¹, A. Kovács², M. Duchamp², R.E. Dunin-Borkowski², J. Mayer^{2,3}, P. McGuinness¹, S. Kobe¹

1. *Jozef Stefan Institute, Ljubljana, Slovenia*

2. *Ernst Ruska-Centre for Microscopy and Spectroscopy with Electrons and Peter Grünberg Institute, Forschungszentrum Jülich, Jülich, Germany*

3. *RWTH Aachen, Aachen, Germany*

TU.H-P43 - Optimizing the magnetic properties of bulk Mn-Ga by severe plastic deformation and magnetic field annealing

S. Ener¹, K.P. Skokov¹, D. Yu. Karpenkov¹, M.D. Kuz'min¹, O. Gutfleisch^{1,2}

1. *TU Darmstadt, Materialwissenschaft, Alarich-Weiß, Darmstadt, Germany*

2. *IWKS Hanau, Fraunhofer-Projektgruppe für Wertstoffkreisläufe und Ressourcenstrategie, Hanau, Germany*

TU.H-P44 - Effect of WS₂/Al co-doping on the microstructural and magnetic properties of Nd-Fe-B sintered magnet

K.H. Bae¹, T.H. Kim¹, S.R. Lee¹, H.J. Kim², M.W. Lee³, T.S. Jang³

1. *Dept. of Materials Science and Engineering, Korea University, Seoul, Republic of Korea*

2. *R&D Center of Jahwa Electronics Co. Ltd., Seoul, Republic of Korea*

3. *Dept. of Advanced Materials Engineering, Sunmoon University, Asan-s, Republic of Korea*

TU.H-P45 - DC reversible and irreversible magnetization processes in Fe-based composite materials

P. Kollár¹, Z. Biréáková¹, J. Füzér¹, M. Fáberová², R. Bureš²

1. *Institute of Physics, Faculty of Science, Pavol Jozef Šafárik University, Košice, Slovakia*

2. *Institute of Materials Research, Slovak Academy of Sciences, Košice, Slovakia*

TU.H-P46 - Different metastable states of Hf₂Co₁₁B alloy as precursors for rare-earth free permanent magnets

A. Musiał^{1,2}, Z. Iniadecki¹, J. Marcin³, J. Kováč³, I. Skorvanek³, B. Idzikowski¹

1. *Institute of Molecular Physics, Polish Academy of Sciences, M. Smoluchowskiego, Poznan, Poland*

2. *NanoBioMedical Centre, Adam Mickiewicz University, Umultowska, Poznan, Poland*

3. Institute of Experimental Physics, Slovak Academy of Sciences, Watsonova, Kosice, Slovakia

TU.H-P47 - A study on the anisotropic diffusion of Dy in the grain boundary diffusion processed Nd-Fe-B sintered magnet

T.H. Kim ¹, K.H. Bae ¹, S.R. Lee ¹, S. Jin Yun ¹, S. Ho Lim ¹, H.J. Kim ², M.W. Lee ³, T.S. Jang ³

1. Dept. of Materials Science and Engineering, Korea University, Seoul, Republic of Korea

2. R&D Center of Jahwa Electronics Co. Ltd., Cheongwon, Republic of Korea

3. Dept. of Advanced Materials Engineering, Sunmoon University, Asan, Republic of Korea

TU.H-P48 - Microwave properties of MnCuZn substituted BaFe₁₂O₁₉ in 0-26.5 GHz range

Z. Mehmedi ^{1,2}, H. Sözeri ¹, H. Kavas ³, U. Topal ¹, A. Baykal ⁴, B. Aktas ⁵

1. TUBITAK-UME, National Metrology Institute, Gebze-Kocaeli, Turkey

2. Fatih University, Bio-Nano Technology Engineering, Turkey

3. Istanbul Medeniyet University, Goztepe, Istanbul, Turkey

4. Department of Chemistry, Fatih University, B.Cekmece, Istanbul, Turkey

5. Gebze Technical University, Gebze-Kocaeli, Turkey

TU.H-P49 - Investigation of microwave properties of Cu²⁺ substituted NiZn-ferrite with sample thickness in 0-26.5 GHz range

F.Genç ^{1,2}, H. Sözeri ¹, H. Kavas ³, U. Topal ¹, A. Baykal ⁴, B. Aktas ⁵

1. TUBITAK-UME, National Metrology Institute, Gebze-Kocaeli, Turkey

2. Department of Physics, Gebze Technical University, Gebze-Kocaeli, Turkey

3. Department of Physics, Istanbul Medeniyet University, Goztepe, Istanbul, Turkey

4. Department of Chemistry, Fatih University, B.Cekmece, Istanbul, Turkey

TU.H-P50 - Dielectric properties of AgY_{1-x}Gd_x(WO₄)₂ solid solutions

B. Sawicki ¹, E. Tomaszewicz ², M. Piątkowska ², Ź. Groń ¹, P. Urbanowicz ¹, H. Duda ¹, Z. Kukuła ¹

1. Institute of Physics, University of Silesia, Katowice, Poland

2. Department of Inorganic and Analytical Chemistry, West Pomeranian University of Technology, Szczecin, Poland

TU.H-P51 - Dynamics of magnetization processes in complex permeability spectra of Fe-based soft magnetic ribbons and powder cores

J. Fuzer ¹, S. Dobak ¹, P. Kollar ¹

1. Institute of Physics, Faculty of Science, Pavol Jozef Šafárik University, Košice, Slovakia

TU.H-P52 - Magnetic properties of mixed and vacuum/pressure impregnated Fe/SiO₂/shellac composites

J. Fuzerova ¹, J. Fuzer ², P. Kollar ², E. Dudrova ³, M. Kabatova ³

1. Faculty of Mechanical Engineering, Technical University of Kosice, Slovakia

2. Institute of Physics, Faculty of Science, P.J. Safarik University, Kosice, Slovakia

3. Institute of Materials Research, Slovak Academy of Sciences, Kosice, Slovakia

TU.H-P53 - Specific heat of polycrystalline Ni₃InVO₆

T. Groń¹, E. Filipiek², A. Paczeńska², H. Duda¹, A. Ślebarski¹, M. Fijałkowski¹

1. *Institute of Physics, University of Silesia, Katowice, Poland*

2. *Department of Inorganic and Analytical Chemistry, West Pomeranian University of Technology, Szczecin, Poland*

TU.H-P54 - Spin wave propagation in yttrium iron garnet films grown on gadolinium gallium garnet and silicon substrates by ion beam evaporation

V. Sakharov¹, Y. Khivintsev^{1,2}, S. Vysotsky^{1,2}, Vl. Shadrov³, A. Stognij³, Y. Filimonov^{1,2}

1. *Saratov Branch of Kotelnikov Institute of Radio-engineering and Electronics of Russian Academy of Sciences, Saratov, Russia*

2. *Chernyshevsky Saratov State University, 410012, Saratov, Russia*

3. *Scientific and Practical Materials Research Centre of National Academy of Science of Belarus, Minsk, Belarus*

TU.H-P55 - Bulk CoNiFe-SiB amorphous and nanostructured alloys produced by plasma spray deposition and dynamic compaction: formation of soft magnetic properties

E. Denisova¹, L. Kuzovnikova², A. Kuzovnikov³, R. Iskhakov¹, A. Lepeshev⁴, I. Nemtsev⁵, V. Saunin⁶, S. Telegin⁶

1. *L. V. Kirensky Institute of Physics SB RAS, Krasnoyarsk, Russian Federation*

2. *Krasnoyarsk Institute of Railways Transport, Krasnoyarsk, Russian Federation*

3. *JSC "Pulse technologies", Krasnoyarsk, Russian Federation*

4. *Siberian Federal University, Russian Federation*

5. *Krasnoyarsk Scientific Center SB RAS, Krasnoyarsk, Russian Federation*

6. *Siberian State Aerospace University, Russian Federation*

TU.H-P56 - Behaviors of magnetic properties and hardness in precipitation and recovery process on deformed Fe-Cu alloy

H. Kikuchi¹, T. Sasaki¹, F. Ito¹, T. Murakami¹

1. *Iwate University, Morioka, Japan*

TU.H-P57 - Large-scale micromagnetics simulation for magnetization reversal process in Nd-Fe-B nanocrystalline magnets under periodic boundary condition

H. Tsukahara¹, K. Iwano¹, N. Inami¹, T. Ishikawa¹, C. Mitsumata^{1,2}, K. Ono¹

1. *High Energy Accelerator Research Organization, Tsukuba, Japan*

2. *National Institute for Materials Science, Japan*

TU.H-P58 - Effect of current density for electroplated films prepared in a des-based bath

T. Yanai¹, K. Shiraishi¹, K. Azuma¹, Y. Watanabe¹, M. Nakano¹, H. Fukunaga¹

1. *Nagasaki University, Japan*

TU.H-P59 - Magnetoelastic characteristics of the 13CrMo4-5 constructional steel and possibility of its modelling for non-destructive testing

D. Jackiewicz¹, R. Szewczyk¹, A. Bienkowski¹, M. Nowicki²

1. *Institute of Metrology And Biomedical Engineering, Warszawa, Poland*

2. *Industrial Research Institute for Automation and Measurements, Warszawa, Poland*

TU.H-P60 - Phase formation and magnetocaloric effect in (Pr,Nd)-Fe alloys prepared by rapidly quenched method

N. Dan¹, N. Ha², N. Yen¹, P. Thanh¹, T. Thanh^{1,3}, L. Phan³, S. Yu³

1. *Institute of Materials Science, Vietnam Academy of Science And Technology, 18 Hoang Quoc Viet, Hanoi, Vietnam*

2. *Hong Duc University, 565 Quang Trung, Dong Ve, Thanh Hoa, Vietnam*

3. *Chungbuk National University, Cheongju 361 - 763, Republic of Korea*

TU.H-P61 - Extraction and valorization of rare earth permanent magnets comprised in waste electrical and electronic equipment: the extrade project.

N. Maât¹, V. Nachbaur¹, J. Juraszek¹, R. Lardé¹, M. Jean¹, J. Le Breton¹, N. Menad²

1. *CNRS-Groupe De Physique Des Matériaux UMR 6634, France*

2. *BRGM Bureau de Recherche Géologiques et Minières, Orléans, France*

TU.H-P62 - Milling and sintering of Nd-Fe-B magnets comprised in waste: a way for recycling rare earth permanent magnets.

N. Maât¹, V. Nachbaur¹, J. Juraszek¹, R. Lardé¹, M. Jean¹, J. Le Breton¹

1. *Groupe de Physique des Matériaux, UMR 6634 CNRS, Université et INSA de Rouen, Saint Etienne du Rouvray, France*

TU.H-P63 - Coercivity enhancement in Ce-Fe-B magnets by Nd-Cu infiltration

M. Ito^{1,2,3}, M. Yano¹, N. Sakuma¹, H. Kishimoto¹, A. Manabe¹, T. Shoji¹, A. Kato¹, N. Dempsey^{2,3}, D. Givord^{2,3,4}

1. *Advanced Material Engineering Div., Toyota Motor Corporation, Susono, Japan*

2. *CNRS, Institut Néel, UPR 2940, Grenoble, France*

3. *Univ. Grenoble Alpes, Institut Néel, Grenoble, France*

4. *Instituto de Fisica, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil*

TU.H-P64 - Magnetic and microstructural properties of MnBi thin films grown by an UHV sputtering system

H. Moon¹, S. Kim¹, M. Song¹, H. Lee¹, W. Lee¹

1. *Department of Materials Science and Engineering, Yonsei University, Seodaemun-gu, Seoul, Republic of Korea*

TU.H-P65 - A model for the dysprosium diffusion from a surface layer in NdFeB magnets

M. De Campos¹, J. de Castro¹

1. *Federal Fluminense University, Brazil*

TU.H-P66 - Suitable nanostructures for the application of the SW-CLC Model

M. De Campos¹, S. Romero²

1. *Federal Fluminense University, Brazil*

2. *Institute of Physics - University of Sao Paulo, Brazil*

TU.H-P67 - Fabrication and magnetic properties of $\text{Fe}_{81.4}\text{Si}_3\text{B}_{10}\text{P}_5\text{Cu}_{0.6}$ nano-crystalline powder cores

Y. Zhang¹, J. Luan¹, N. Yodoshi¹, P. Sharma¹, A. Makino¹

1. *Institute for Materials Research, Tohoku University, Sendai, Japan*

TU.H-P68 - A soft/hard magnetic nanostructure based on multisegmented

coni nanowires

A. Pereira^{1,2}, J. L. Palma^{1,2}, M. Vazquez³, J. Casagrande Denardin^{1,2}, J. Escrig^{1,2}

1. *Universidad De Santiago De Chile (USACH), Santiago, Chile*

2. *Center for the Development of Nanoscience and Nanotechnology (CEDENNA), Santiago, Chile*

3. *Institute of Materials Science of Madrid, CSIC, Madrid, Spain*

TU.H-P69 - Enhancement of magnetic property of Nd-Fe-B powders prepared by reduction-diffusion process

D. Kim¹, C. Chen², Y.k Seo¹, C.n Choi¹

1. *Korea Institute of Materials Science, Republic of Korea*

2. *Korea University of Science and Technology, Republic of Korea*

TU.H-P70 - Coercivity enhancement in La coated Nd-Fe-B thin films

K. Koike¹, H. Ishikawa¹, D. Ogawa¹, H. Katao¹, T. Miyazaki², Y. Ando², M. Itakura³

1. *Graduate school of Science and Engineering, Yamagata University, Japan*

2. *Graduate school of Engineering, Tohoku University, Japan*

3. *Interdisciplinary Graduate school of Engineering Science, Kyushu University, Japan*

TU.H-P71 - Magnetic property and magnetocaloric effect in Ni-Mn-(Sn,Sb,Al) heusler alloys

N.n Dan¹, N. Mai², V. Quang³, N.n Yen¹, P. Thanh¹, T. Thanh^{1,4}, L. Phan⁴, S.Yu⁴

1. *Institute of Materials Science, Vietnam Academy of Science and Technology, Vietnam*

2. *VNU University of Science, Nguyen Trai, Hanoi, Vietnam*

3. *Ha noi Pedagogical University, Xuan Hoa, Vinh Phuc, Vietnam*

4. *Chungbuk National University, Cheongju, Republic of Korea*

TU.H-P72 - Effects of ordered phases on the structure and magnetic properties of fe-9%si-2%cr powder

P. Jang¹, G. Choi²

1. *Cheongju University, Cheongju, Republic of Korea*

2. *Changsung Corporation, Incheon, Republic of Korea*

TU.H-P74 - Structure and magnetic properties of sputtered smxco100-x (20< x<32) films prepared at low temperatures

F.M.F. Rhen^{1,2}, S. Belochapkin², F.P. Missell³

1. *Department of Physics and Energy, University of Limerick, Ireland*

2. *Materials and Surface Science Institute, University of Limerick, Ireland*

3. *Centro de Ciências Exatas e Tecnologia, Universidade de Caxias do Sul, Caxias do Sul, Brazil*

TU.H-P75 - Effect of RF-Power on magnetic properties and FMR line width of RF-Sputtered Zn-Ferrite thin films

B. Sahu¹, N. Venkataramani², S. Prasad¹, R. Krishnan³

1. *Department of Physics, IIT Bombay, Mumbai, India*

2. *Department of Metallurgical Engineering & Materials Science, IIT Bombay, Mumbai, India*

3. Retired scientists, CNRS/Universite de Versailles-St-Quentin, Versailles, France

TU.H-P77 - Magnetic properties and X-ray photoemission of $\text{NaCo}_{2-x}\text{Ca}_x\text{O}_4$ ($x = 0.0, 0.1$ and 0.2)

B. Kurniawan ², D. Nanto ¹, E. Ermawan ², S. Poetardji ², S.Yu ³

1. Dept. of Physics Education, Syarif Hidayatullah State Islamic University, Indonesia

2. Dept. of Physics, University of Indonesia, Indonesia

3. Dept. of Physics, Chungbuk National University, Indonesia

TU.H-P78 - Magnetic properties of hexaferrites obtained by spark plasma sintering of $\text{SrFe}_{12}\text{O}_{19}$ nanoparticles

J.M. Le Breton ¹, N. Maât ¹, V. Nachbaur ¹, E. Folcke ¹, FX. Lefevre ², Y. Bréard ², A. Pautrat ²

1. Groupe de Physique des Matériaux - UMR 6634 CNRS, Université et INSA de Rouen, France

2. CRISMAT - UMR 6508 CNRS, Université de Caen et ENSICAEN, France

TU.H-P79 - Crystallization process and magnetic properties of Fe-rich nanocrystals embedded on amorphous magnetic ribbons

J. Duque ¹, B. Peixoto ¹, G. Mecena ¹, S. Silva ¹, C. Mendonça ¹, T. Meneses ¹

1. NPGFI, Federal University of Sergipe, Sergipe, Brazil

TU.H-P80 - Direct and converse magnetoelectric effect in BSPT-NFO cofired laminate composite

D.Kumar S ¹, Ramesh G ¹, Subramanian V ¹

1. Indian Institute of Technology Madras, India

TU.H-P81 - Combinatorial development of Fe-Co-Nb thin film magnetic nanocomposites

V. Alexandrakis ¹, W. Wallisch ², S. Hamann ¹, G. Varvaro ³, J. Fidler ², A. Ludwig ¹

1. Ruhr-University Bochum, Faculty of Mechanical Engineering, Institute of Materials, Bochum, Germany

2. Institute of Solid State Physics, Vienna University of Technology, Vienna, Austria

3. Istituto di Struttura della Materia, CNR, Monterotondo Scalo, Roma, Italy

TU.H-P85 - Optical and magneto-optical properties of Bi substituted Nd iron garnets prepared by metal organic decomposition method

E. Jesenska ^{1,2}, M.Sasaki ¹, T. Hashinaka ¹, G. Lou ¹, M. Zahradnik ², L. Ohnoutek ², R. Antos ², M. Veis ², T. Ishibashi ¹

1. Nagaoka University of Technology, Japan

2. Charles University In Prague, Prague, Czech Republic

TU.H-P87 - Co ferrite thin films on MgO (100) prepared by metal-organic decomposition method

T. Ishibashi ¹, M. Sasaki ¹, M. Ninomiya ¹, T. Tsurui ¹, K. Shinozaki ¹, T.Komatsu ¹, H.Yanagihara ², E. Kita ²

1. Nagaoka University of Technology, Japan

2. University of Tsukuba, Japan

TU.H-P88 - Refining of Mo permalloy powders (MPPs) by hydrogen and magnetic properties of core made of refined MPPs

Ji Young Byun ¹, Kwang Deok Choi ¹, G. Choi ²

1. *Material Architecturing Center, Korea Institute of Science and Technology, Republic of Korea*

TU.H-P89 - crystal field parameters for rare-earth permanent magnets: wannier function approach

T. Yoshioka ¹, H. Tsuchiura ¹, P. Novak ²

1. *Department of Applied Physics, Tohoku University, Sendai, Japan*

2. *Institute of Physics of ASCR, Prague, Czech Republic*

TU.H-P90 - Effects of annealing on the structure and magnetic properties of Fe-Si-Cr flakes and composite sheets

P. Jang ¹

1. *Cheongju University, Cheongju, Republic of Korea*

TU.H-P91 - Theoretical evaluation of temperature dependence of magnetic anisotropy constants of R₂Fe₁₄B compounds

D. Miura ¹, R. Sasaki ¹, A. Sakuma ¹

1. *Applied Physics, Tohoku University, Japan*

TU.H-P92 - The influence of ac joule heating on the magnetic properties of thin finemet cold-drawn microwires

H. CHIRIAC¹, S. CORODEANU¹, A. DONAC¹, V. DOBREA¹, G. ABABEI¹, M. LOSTUN¹, T.A. OVARI¹, N. LUPU¹

1. *National Institute of Research and Development for Technical Physics, Iasi, Romania*

TU.H-P93 - Magnetoelastic properties of amorphous Co₆₆Fe₄Ni₁B₁₄Si₁₅ alloys in compressive and tensile stress sensors applications

J. Salach ¹

1. *Institute of Metrology And Biomedical Engineering, Warsaw University of Technology, Warsaw, Poland*

TU.H-P94 - Strain-controlled MO effect on highly Bi-substituted neodymium iron gallium garnet thin films

M. Sasaki ¹, G. Lou ¹, T. Hashinaka ¹, A. Meguro ¹, M. Ninomiya ¹, T. Ishibashi ¹, T. Taniyama ²

1. *Nagaoka University of Technology, Nagaoka, Japan*

2. *Tokyo Institute of Technology, Tokyo, Japan*

TU.H-P95 - Structural and magnetic properties of magnetically semi-hard (Fe_xCo_{1-x})₃B compounds

S. Pal ¹, S. Ener ¹, M. Skokov ¹, O. Gutfleisch ^{1,2}

1. *TU Darmstadt, Materialwissenschaft, Darmstadt, Germany*

2. *IWKS Hanau, Fraunhofer-Projektgruppe für Wertstoffkreisläufe und Ressourcenstrategie, Hanau, Germany*

TU.H-P96 - Effect of the Mn/Bi ratio on the microstructure and magnetic properties of melt-spun MnBi LTP alloys

M. Grigoras¹, M. Lostun¹, G. Ababaei¹, H. Chiriac¹, N. Lupu¹

1. National Institute of Research & Development For Technical Physics, Iasi, Romania

TU.H-P97 - Grain boundary engineering of thin FeCo films: a route towards new hard magnetic materials

A. Backen^{1,2}, D. Le Roy^{1,2}, N. M. Dempsey^{1,2}, D. Givord^{1,2,3}

1. Institut Néel, CNRS, UPR 2940, Grenoble, France

2. Université Grenoble Alpes, Institut Néel, Grenoble, France

3. Instituto de Física, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil

TU.H-P98 - Nanosized powder with preserved soft magnetic properties obtained by high energy and cryomilling techniques.

A. Aragón¹, M. Guzik², S. Deledda², A. Hernando¹, P. Marín¹

1. Instituto De Magnetismo Aplicado (UCM-ADIF), Las Rozas (Madrid), Spain

2. Institute for Energy Technology, Kjeller, Norway

TU.H-P99 - Magnetic and structural analysis of mechanically alloyed Fe-Co based nanocrystalline alloys

J.J. Suñol¹, J. Bonastre¹, J. Saurina²

1. University of Girona, Girona, Spain

TU.H-P100 - Study of AC magnetic properties and core losses of Fe/Fe₃O₄ - epoxy resin soft magnetic composite

Laxminarayana T. A.¹, Subhendu Kumar Manna², Fernandes B. G.³, Venkataramani N.¹

1. Department of Metallurgical Engineering and Materials Science, Indian Institute of Technology Bombay, Mumbai, India

2. Department of Physics, IIT Madras, Chennai, India

3. Department of Electrical Engineering, Indian Institute of Technology Bombay, Mumbai, India

TU.H-P101 - Tailoring the magneto-transport properties of ferromagnetic amorphous wires

T. Ovari¹, S. Corodeanu¹, H. Chiriac¹

1. National Institute of R&D For Technical Physics, Iasi, Romania

TU.H-P102 - Cobalt doping effect on Ni-Zn-Cu ferrites produced by reactive sintering

A. Mercier¹, G. Chaplier¹, A. Pasko¹, V. Loyau¹, F. Mazaleyrat¹

1. SATIE, ENS Cachan, CNRS, France

TU.H-P103 - Structural, morphological & magnetic studies on pristine and Gd-doped YBiO₃ particles

D. Bhatnagar¹, R. Chatterjee¹

1. Magnetics & Advanced Ceramics Laboratory, Physics Department, Indian Institute of Technology Delhi, New Delhi, India

TU.H-P104 - Problems of measuring and modeling of compressive stresses influence on magnetic properties of Fe-based amorphous alloy in rayleigh region

M. Kachniarz¹, R. Szewczyk², A. Bienkowski², J. Salach²

1. Industrial Research Institute For Automation And Measurements PIAP, Warsaw, Poland

2. Warsaw University of Technology, Institute of Metrology and Biomedical Engineering, Warsaw, Poland

TU.H-P105 - Transformaton of the magnetic nature of Li -Fe spinels due to substitution with Ba and Ti ions

P. Bhatia¹

1. Gurunanak College of Arts , Science And Commerce, Mumbai, India

TU.H-P106 - Shape dependent spin switching and surface state in millimeter-sized single crystals of $R_2Fe_{14}B$ (R=Nd and Tb)

R. Sakaguchi¹, R. Saito¹, D. Ogawa¹, Y. Mizuno¹, K. Koike¹, Y. Ando², H. Kato¹

1. Graduate school of Science and Engineering, Yamagata University, Japan

2. Graduate school of Engineering, Tohoku University, Japan

TU.H-P107 - Nanoanalytical TEM studies and micromagnetic modelling of (Nd,Pr)-Fe-B magnets

G. Zickler¹, P. Toson¹, A. Asali¹, J. Fidler¹

1. Institute of Solid State Physiscs, Vienna University of Technology, Vienna, Austria

TU.H-P108 - Comparison of potential approximations in electronic structure calculations of magnetic anisotropy energy of $PrCo_5$ and $Pr_2Fe_{14}B$

A. Asali¹, P. Toson¹, G. Zickler¹, J. Fidler¹

1. Institute for Solid State Physics, Vienna University of Technology, Austria

TU.H-P109 - First principles study for the effect of spin fluctuation on the crystalline magnetic anisotropy in L10-type ordered alloys

N. Kobayashi¹, K. Hyodo¹, A. Sakuma¹

1. Department of Applied Physics, Tohoku University, Japan

TU.H-P110 - Ab-initio study on the hard magnetic properties of MnBi

P. Toson¹, A. Asali¹, G. Zickler¹, J. Fidler¹

1. Institue of Solid State Physics, Vienna University of Technology, Vienna, Austria

TU.H-P111 - Directly obtained τ phase MnAl for permanent magnets

H. Fang¹, S. Kontos², J. Cedervall¹, P. Svedlindh², K. Gunnarsson², M. Sahlberg¹

1. Uppsala University, Department of Chemistry – Ångström Laboratory, Uppsala, Sweden

2. Uppsala University, Engineering Sciences, Box 534, SE-75121 Uppsala, Sweden

TU.H-P112 - Annealing effect on magnetic properties of hot-deformed Nd-Fe-B magnets

J. Lee¹, H. Cha^{1,2}, L. Shu^{1,2}, J. Yu¹, H. Kwon³

1. Powder&Ceramics Division, Korea Institute of Materials Science, Changwon, Republic of Korea

2. School of Materials Science and Engineering, Pusan National University, Geumjeong-gu, Busan, Republic of Korea

3. Department of Materials Science and Engineering, Pukyong National University, Busan, Republic of Korea

TU.H-P113 - High saturation magnetization of Fe-based amorphous / nanocrystalline ribbons

H. Yim¹

1. Sookmyung Women's University, Seoul, Republic of Korea

TU.H-P114 - Magnetic anisotropy of Nd_{0.5}Bi_{2.5}Fe_{5-y}Ga_yO₁₂ (y = 0 ~ 1) thin films on glass substrates prepared by metal organic decomposition (MOD) method

G. Lou¹, M. Sasaki¹, T. Kato², Sat Iwata², T. Ishibashi¹

1. Nagaoka University of Technology, Japan

2. Nagoya University, Japan

TU.H-P115 - SANS study of the initial magnetization process in nanocrystalline Nd-Fe-B magnets

K.Saito¹, T. Ueno², M. Yano³, T. Shoji³, N. Sakuma³, A. Manabe³, A. Kato³, E. Gilbert⁴, K. Ono¹

1. High Energy Accelerator Research Organization, Japan

2. National Institute for Materials Science, Japan

3. Toyota Motor Corporation, Japan

4. Australian Nuclear Science and Technology Organization, Australia

TU.H-P116 - Alnico V thin films with improved saturation magnetization and coercivity

F.Mohseni¹, M. Pereira¹, N.Fortunato¹, J. S. Amaral¹, A. C. Lourenço¹, J. M. Vieira²

1. Department of Physics, University of Aveiro, 3810-193, Aveiro, Portugal

2. Department of Materials and Ceramic Engineering, University of Aveiro, Aveiro, Portugal

TU.H-P117 - Mechanically induced superelastic effect in magnetic Fe-Ni-Co-Al-Ta-B rapidly quenched microwires

F. Borza¹, N. Lupu¹, I. Murgulescu¹, V.Dobrea¹, H. Chiriac¹

1. National Institute of Research & Development For Technical Physics, Iasi, Romania

TU.H-P118 - Spin reorientation temperature of ultrafine Nd2Fe14B particles: Influence of exchange-coupling

S.K. Pal^{1,2}, K.Müller², L. Schultz², O. Gutfleisch¹

1. TU Darmstadt, Materialwissenschaft, Darmstadt, Germany

2. IFW Dresden, Institute for Metallic Materials, Dresden, Germany

TU.H-P119 - Preparation of Co-based amorphous powders by wet mechanical alloying. The influence of Si and/or B substitution by Ti and/or Zr over their properties

B.V. Neamtu¹, H.F. Chicanas¹, T.F. Marinca¹, O. Isnard^{2,3}, I. Chicanas¹

1. *Technical University of Cluj-Napoca, Materials Science and Engineering Department, Cluj-Napoca, Romania*
2. *Universite de Grenoble Alpes, Institut Néel, Grenoble, France*
3. *Centre National de la Recherche Scientifique, Institut Néel, Grenoble, France*

TU.H-P120 - Structural and magnetic characteristics of nanocrystalline iron-magnetite composite powder obtained by mechanosynthesis

T. Marinca¹, B. Neamtu¹, I.Chicanas¹, O. Isnard^{2,3}, H. Chicanas¹

1. *Materials Science and Engineering Department, Technical University of Cluj-Napoca, Cluj-Napoca, Romania*
2. *Universite de Grenoble Alpes, Institut Néel, Grenoble, France*
3. *Centre National de la Recherche Scientifique, Institut Néel, Grenoble, France*

TU.H-P121 - Temperature dependence of coercivity in $(\text{Mn}_{1-x}\text{Ti}_x)_{50}\text{Bi}_{50}$ alloys

C. Curcio¹, E.S. Olivetti¹, L. Martino¹, M. Kuepferling¹, V. Basso¹

1. *INRiM, Istituto Nazionale Di Ricerca Metrologica, Torino, Italy*

TU.H-P122 - Soft magnetic composite $\text{Fe}_3\text{O}_4/\text{Ni}_3\text{Fe}$ obtained by mechanosynthesis and annealing, structural and magnetic characteristics

H. Chicanas¹, T. Marinca¹, B. Neamtu¹, I. Chicanas¹, O. Isnard^{2,3}

1. *Technical University of Cluj-Napoca, Materials Science and Engineering Department, Cluj-Napoca, Romania*
2. *Universite de Grenoble Alpes, Institut Néel, Grenoble, France*
3. *Centre National de la Recherche Scientifique, Institut Néel, Grenoble, France*

TU.H-P124 - The influence of severe plastic deformation on magnetic properties of some 3-d based alloys perspective for rare-earth free permanent magnets

S.Taskaev¹, K. Skokov², V. Khovaylo^{3,4}, D.Gunderov⁵, D. Karpenkov², O. Gutfleisch²

1. *Chelyabinsk State University, Chelyabinsk, Russian Federation*
2. *TU Darmstadt, Darmstadt, Germany*
3. *National University of Science and Technology, Moscow, Russian Federation*
4. *ITMO University, St. Petersburg, Russian Federation*
5. *Ufa State Aviation Technical University, Ufa, Russian Federation*

TU.H-P125 - Joint and separate effect of d/D and d on the magnetic properties of glass-coated amorphous ferromagnetic microwires

I.Machay¹, K. Chichay¹, A. Litvinova¹, I. Iglesias¹, N. Perov², V. Rodionova¹

1. *Immanuel Kant Baltic Federal University, Kaliningrad, Russian Federation*
2. *Faculty of physics, Lomonosov MSU, Moscow, Russian Federation*

TU.H-P126 - High frequency properties of ferrite - Fe-Si-Al alloy soft magnetic composites

B. Stergiou¹, V.Zaspalis¹

1. *Laboratory of Inorganic Materials, Centre for Research and Technology – Hellas, Greece*

TU.H-P128 - Electronic theory for the magnetic properties of Nd₂Fe₁₄B compounds

H. Tsuchiura^{1,2}, T. Yoshioka^{1,2}, P. Novák³

1. Department of Applied Physics, Tohoku University, Japan
2. ESICMM, Tsukuba, Japan
3. Institute of Physics of ASCR, Prague, Czech Republic

TU.H-P129 - Influence of the continuousness and thickness of the shell of the magnetically bi-phase microwires on the core/shell magnetostatic coupling

I. Iglesias¹, K. Chichay¹, J. Jimenez², R. Pérez del Real², M. Vazquez², V. Rodionova¹

1. Immanuel Kant Baltic Federal University, Kaliningrad, Russian Federation
2. Materials Science Institute of Madrid, CSIC, Madrid, Spain

TU.H-P130 - Structural and magnetic properties of substituted M-type barium hexagonal ferrite annealed at different temperatures

T. Ben Ghzaie^{1,2}, W. Dhaoui¹, F. Mazaleyrat²

1. Université de Tunis El Manar Faculté des Sciences de Tunis, UR11ES18 Unité de Recherche de Chimie Minérale Appliquée, Tunis, Tunisia
2. SATIE, ENS Cachan, CNRS, Université Paris-Saclay, Cachan, France

TU.H-P131 - A density functional theory study on the novel high coercivity BCT Fe-Co-Si phase

N. Fortunato¹, J. Gonçalves¹, J. S. Amaral^{1,2}

1. Departamento de Física and CICECO, Universidade de Aveiro, Aveiro, Portugal
2. IFIMUP and IN-Institute of Nanoscience and Nanotechnology, Porto, Portugal

TU.H-P132 - X-ray analysis of ordered Fe-Co thin films

N. Inami¹, T. Ueno², T. Hasegawa³, S. Ishio³, K. Ono¹

1. High Energy Accelerator Research Organization (KEK), Japan
2. National Institute for Materials Science (NIMS), Japan
3. Akita University, Japan

TU.H-P133 - Effect of magnetic field annealing on magnetoimpedance in nanocrystalline Fe-Cu-Nb-Si-B bilayer ribbons

F. Andrejka¹, M. Varga¹, L. González-Legarreta¹, J. Marcin¹, J. Kováč¹, D. Janičko-
vič², P. Švec², I. Škorvánek¹

1. Institute of Physics, Slovak Academy of Sciences, Bratislava, Slovakia
2. Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia

TU.H-P136 - Structure and the magnetic properties of RFe_{4.5}Si_{1.5} (R=Y, Dy, Gd)

M. Gjoka¹, D. Niarchos¹, V. Psycharis¹

1. Institute of Nanoscience and Nanotechnology, NCSR Demokritos, Athens 15310, Greece

Tu.H-P137 - Crystal domains and magnetic glassy state in Co-ferrite nanoparticles

C.Moya¹, G. Salas^{2,3}, M.Morales³, X.Batlle¹, A. Labarta¹

1. *Departament de Física Fonamental and Institut de Nanociència i Nanotecnologia (IN2UB), Universitat de Barcelona, Barcelona, Spain*

2. *IMDEA Nanociencia, Ciudad Universitaria de Cantoblanco, Madrid, Spain*

3. *Instituto de Ciencia de Materiales de Madrid, CSIC. Madrid, Spain*

I. Magnetic information storage, memories and computation

TU.I-P01 - Influence of applied field direction on linearity of transition and demagnetized domain structure in stacked media

H.Saito¹, N. Tomiyama¹, R. Sugita¹

1. *Department of Media And Telecommunications Engineering Ibaraki University, Japan*

TU.I-P02 - Anomalous Hall effect studies on crystalline Tb-Fe thin films

R. Pothala¹, Markandeyulu G¹

1. *Indian Institute of Technology Madras, India*

TU.I-P03 - Extraordinary hall effect based magnetic logic applications

T. Liu¹, D. Lacour¹, F. Montaigne¹, S. Le Gall², M. Hehn¹, T. Hauet¹

1. *Institut Jean Lamour, UMR CNRS 7198, Université de Lorraine, Vandoeuvre, France*

2. *LPEP*

TU.I-P04 - Energy dissipation during Landauer erasure in sub-micrometric permalloy switches: magneto-optical measurements vs micromagnetic simulations

L. Martini¹, M. Pancaldi², M. Madami¹, P. Vavassori², G. Carloti¹, G. Gubbiotti³, S. Tacchi³, F. Hartmann⁴, M. Emmerling⁴, M. Kamp⁴, L. Worschech⁴

1. *University of Perugia - Dipartimento Di Fisica E Geologia, Perugia, Italy*

2. *CIC-NanoGune, San Sebastian, Spain*

3. *Istituto officina dei Materiali del CNR (CNR-IOM), Dipartimento di Fisica e Geologia, Perugia, Italy*

4. *Center for Complex Material Systems, Würzburg, Germany*

TU.I-P05 - Novel oxygen showering post treatment (OSP) for the robust sub-20nm magnetic tunnel junctions (MTJs) patterning process

J. Jeong^{1,2} T. Endoh^{1,3}

1. *Graduate School of Engineering, Tohoku University, Japan*

2. *Semiconductor R&D Center, Samsung Electronics Co., Ltd., Republic of Korea*

3. *Center for Innovative Integrated Electronic Systems (CIES), Tohoku University, Japan*

TU.I-P06 - Non-symmetry for faster switching in p-MTJ structure

C. Engel¹, S. Goolaup¹, W. Lew¹

1. *School of Physical And Mathematical Sciences, Nanyang Technological University, Singapore*

TU.I-P07 - Micromagnetic study of exchange-coupled composite bit-patterned media

K. Son¹, D. Goll², G. Schütz¹, E. Goering¹

1. *Max Planck Institute for Intelligent Systems, Heisenbergstr.3, 70569 Stuttgart, Germany*

2. *Institute for Materials Research, University of Aalen, Beethovenstr.1, 73430 Aalen, Germany*

TU.I-P08 - A dual stacked perpendicular magnetic tunnel junction for logic application

H.K. Teoh¹, S. Goolaup¹, C. Engel¹, W.S. Lew¹

1. *School of Physical And Mathematical Sciences, Nanyang Technological University, Nanyang Link, Singapore*

TU.I-P09 - Stochastic behavior of spin transfer switching in magnetic tunnel junctions for physically unclonable function systems

T. Marukame^{1,2}, T. Tanamoto², Y. Mitani², A. Schmid¹

1. *EPFL, Laussane, Switzerland*

2. *Toshiba corporation, Japan*

TU.I-P10 - Self-initializing dual MTJ MRAM cell design

A. Khvalkovskiy¹, D. Apalkov², A. Mikhailov¹, V. Nikitin

1. *Moscow Institute of Physics And Technology, State University, Moscow, Russian Federation*

2. *Samsung Electronic Corp., Semiconductor R&D Center, Republic of Korea*

TU.I-P11 - Hybrid fan-out element with magnetic quantum dot cellular automata and domain wall logic

H.Nomura¹, N.Tanigaki¹, F. Nakamura¹, S. Miura¹, R. Nakatani¹

1. *Osaka University, Osaka, Japan*

TU.I-P12 - Two Dimensional Equalisation of Shingled Write Disk

M.Abdulrazaq^{1,2}, M.Ahmed¹, P.Davey¹

1. *University of Plymouth, United Kingdom*

2. *Ahmadu Bello University, Zaria, Nigeria*

TU.I-P13 - Potential of field-coupled magnetic logic circuits with perpendicular anisotropy in terms of scaling and material improvements

S.Breitkreutz-V. Gamm¹, I. Eichwald¹, G. Ziemys¹, D. Schmitt-Landsiedel¹, M.Becherer¹

1. *Technische Universität München, Munich, Germany*

TU.I-P14 - Control of magnetic inactivation layer thickness in MnGa film by kr^+ ion irradiation

D. Oshima¹, T. Kato¹, S. Takahashi², Y. Sonobe², S. Iwata¹, S. Tsunashima³

1. *Nagoya University, Nagoya, Japan*

2. *Samsung R&D Institute Japan, Republic of Korea*

3. *Nagoya Industrial Science Research Institute, Nagoya, Japan*

TU.I-P15 - Ultra-fast three-terminal perpendicular spin-orbit torque mram

M.Cubukcu¹, O. Boulle², N. Mikuszeit², C. Hamelin², N. Lamard⁵, L. Prejbeanu², K. Garello³, I. Miron², J. Langer⁴, B.Ocker⁴, P. Gambardella³, G. Gaudin²

1. *Unité Mixte De Physique CNRS/Thales, France*

2. *Univ. Grenoble Alpes, CNRS, CEA, INAC-SPINTEC, Grenoble, France*

3. *Department of Materials, ETH Zurich, Zürich, Switzerland*

4. *Singulus Technologies, Kahl am Main, Germany*

5. *CEA, LETI MINATEC, Grenoble, France*

TU.I-P16 - (001) Oriented MnGa film grown on Si substrate for ion beam patterned media

D. Oshima¹, N. Tsubasa¹, T. Kato¹, S. Iwata¹, S. Tsunashima²

1. *Nagoya University, Japan*

2. *Nagoya Industrial Science Research Institute, Japan*

TU.I-P18 - Investigation of p-MTJ stability for application purposes

C. Engel¹, S. Goolaup¹, H. Kheng Teoh¹, W. Siang Lew

1. *School of Physical And Mathematical Sciences, Nanyang Technological University, Singapore*

TU.I-P19 - Data input and output method for 3D-MQCA with MFM

K. Iwaki¹, R.Wakasa¹, H.Nomura¹, R.Nakatani¹

1. *Osaka University, Osaka, Japan*

U.I-P20 - High saturation magnetization and perpendicular anisotropy of atomic layer stacking Co/Pt films sputter deposited at room temperature

N. Honda¹, T. Tsuchiya¹, H. Uchida¹, S. Saito², S. Hinata²

1. *Tohoku Institute of Technology, Japan*

2. *Tohoku University, Japan*

TU.I-P21 - Dynamic magnetization reversal in NiFe wires with assistance of microwave impulse combined with 100-picosecond pulsed field

G. Okano¹, Y. Nozaki^{1,2}

1. *Keio University, Tokyo, Japan*

2. *JST-CREST, Japan*

TU.I-P22 - Atomic composition dependence of microwave-assisted magnetization reversal in CoCrPt-based perpendicular media

Y. Nozaki¹, T.Tanaka²

1. *Dept. of Physics, Keio University, Japan*

2. *ISEE, Kyushu University, Japan*

TU.I-P23 - Damping constants of Ni_xFe_{100-x} (60<x<80) single crystal thin films investigated by Q-band ferromagnetic resonance analysis

T. Nishimura¹, S. Yamanaka¹, Y. Takahashi¹, N. Inaba¹, M. Ohtake², M. Futamoto², F. Kirino³

1. *Yamagata University, Japan*

2. *Chuo University, Japan*

3. *National University of Fine Arts and Music, Japan*

TU.I-P24 - Sputter growth on amorphous Si/SiO₂ substrates of perpendicularly-magnetized ferrimagnetic Mn₃Ge heusler thin films with giant coercivity

Y. Ferrante¹, J. Jeong², M. Samant³, C. Felser⁴, S. Parkin⁵

1. IBM Almaden Research, San José, United States

2. The Graduate School of Excellence, Mainz, Germany

3. University of Kaiserslautern, Physics Department, Kaiserslautern, Germany

4. Max Planck Institute of Microstructure Physics, Germany

5. Max Planck Institute for Chemical Physics of Solids, Germany

Thursday, 9 July

A. Quantum magnetism and physics of frustration

TH.A-P01 - Quantum degradation of the second order phase transitions

S. Stishov¹, A. Petrova¹, S. Gavrilkin², L. Klinkova³

1. Institute For High Pressure Physics of RAS, Moscow, Russian Federation

3. P. N. Lebedev Physical Institute of RAS, Moscow, Russian Federation

4. Institute of Solid State Physics of the RAS, Moscow, Russian Federation

TH.A-P02 - Ground state and magnetization process of a linear chain composed of coupled localized spins and mobile electrons

J. Lisárová¹, J. Strečka¹

1. Department of Physics. P. J. Šafárik University, Kosice, Slovakia

TH.A-P03 - Novel quantum phase transitions of the frustrated spin nanotube

T. Sakai¹, H. Nakano², K. Hijii³, K. Okunishi⁴

1. JAEA, SPring-8, Japan

2. University of Hyogo, Japan

3. Kobe University, Japan

4. Niigata University, Japan

TH.A-P04 - Evidences for a non magnetic anomaly at 1K emerging from ferromagnetic Ce_{2.1}(Pd_{1-x}Ag_x)_{1.95}In_{0.95} alloys

J.G. Sereni¹, M. Giovannini², M. Gómez Berisso¹, F. Gastaldo².

1. Low Temperature Division., CAB-CNEA and Conicet, San Carlos de Bariloche, Argentina

2. Dipartimento di Chimica e Chimica Industriale, Università di Genova, Genova, Italy

TH.A-P05 - Tomonaga-luttinger spin liquid properties of a strong-leg heisenberg spin ladder

D. Schmidiger¹, K. Povarov¹, N. Reynolds¹, R. Bewley², T. Guidi², S. Mühlbauer³, P. Bouillot^{4,5}, C. Kollath⁶, T. Giamarchi⁷, A. Zheludev¹

1. Neutron Scattering and Magnetism, Laboratory for Solid State Physics, ETH Zürich, Zürich, Switzerland

2. *ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot, United Kingdom*
3. *Forschungszentrum für Neutronenphysik und Neutronenoptik Heinz Maier Leibnitz (FRM II), Technische Universität München, Garching, Germany*
4. *Interventional Neuroradiology Unit, University Hospitals of Geneva, Geneva, Switzerland*
5. *Laboratory for Hydraulic Machines, Ecole Polytechnique Fédérale de Lausanne, Lausanne, Switzerland*
6. *HISKP, Universität Bonn, Bonn, Germany*
7. *DPMC-MaNEP, University of Geneva, Geneva, Switzerland*

TH.A-P06 - Entanglement in the one-dimensional SU(2) \times XXZ spin-orbital models

A. M. Oles^{1,2}, W.You^{1,3}, P. Horsch³

1. *Max Planck Institute for Solid State Research, Stuttgart, Germany*
2. *Marian Smoluchowski Institute of Physics, Jagiellonian University, Kraków, Poland*
3. *College of Physics, Soochow University, Suzhou, People's Republic of China*

TH.A-P07 - Dynamical properties of hole-doped quantum haldane chain Nd_{2-x}CaxBaNiO₅

T.Yokoo^{1,2}, S. Itoh^{1,2}, Y. Ikeda³, H.Yoshizawa³, J. Akimitsu⁴

1. *High Energy Accelerator Research Organization, Japan*
2. *J-PARC Center, Japan*
3. *The University of Tokyo, Japan*
4. *Aoyama-Gakuin University, Japan*

TH.A-P08 - Spin-orbital order in systems with orbital dilution

W. Brzezicki^{1,2}, A. M. Oles^{1,3}, M. Cuoco²

1. *Marian Smoluchowski Institute of Physics, Jagiellonian University, Kraków, Poland*
2. *CNR-SPIN & Dipartimento di Fisica "E. R. Caianiello", Università di Salerno, Italy*
3. *Max Planck Institute for Solid State Research, 70569 Stuttgart, Germany*

TH.A-P10 - Incomplete devil's staircase in the magnetization curve of Sr-Cu₂(BO₃)₂

M. Takigawa¹, M Horvatic², T. Waki³, S. Kraemer², C. Berthier², F. Levy-Bertrand², I. Sheikin², H. Kageyama⁴, Y. Ueda¹, F. Mila⁵

1. *Institute for Solid State Physics, University of Tokyo, Kashiwanoha, Kashiwa, Chiba, Japan*
2. *Laboratoire National des Champs Magnétique Intenses, LNCMI-CNRS (UPR3228), UJF, UPS and INSA, Grenoble, France*
3. *Department of Materials Science and Engineering, Kyoto University, Kyoto, Japan*
4. *Department of Energy and Hydrocarbon Chemistry, Kyoto University, Kyoto, Japan*
5. *Institute of Theoretical Physics, Ecole Polytechnique Federale de Lausanne, Lausanne, Switzerland*

TH.A-P11 - Measurements of transport and magnetic properties of layered antiferromagnet FePS₃ under pressure.

Matthew Coak¹, Y, Sebastian Haines^{1,2}, N, Siddarth Saxena¹

1. *University of Cambridge, United Kingdom*
2. *CamCool Ltd UK, United Kingdom*



TH.A-P12 - Magnetic properties and structure diversity in RE₂Ni₂X hydrides

S. Maskova¹, R. V. Denys², I. Halevy³, V. Yartys², M. Giovannini⁴, L. Havela¹

1. *Department of Condensed Matter Physics, Charles University, Prague, Czech Republic*
2. *Institute for Energy Technology, Kjeller, Norway*
3. *Physics Department, Nuclear Research Center Negev, Beer-Sheva, Israel*
4. *Department of Chemistry, University of Genova, Genova, Italy*

TH.A-P13 - Quantum critical point of UCoAl determined by AC magnetic susceptibility

N. Kimura¹, N. Kabeya¹, K. Ohyama¹, M. Maeda¹, H. Fujii¹, M. Kogure¹, T. Asai¹, H. Aoki¹, T. Komatsubara², T. Yamamura², I. Satoh²

1. *Department of Physics, Tohoku University, Japan*
2. *Institute for Materials Research, Tohoku University, Japan*

TH.A-P14 - Quantum crystallization of magnetic quasiparticles in a dimer magnet Ba₂NiSi₂O₆Cl₂

M. Koike¹, M. Okada¹, N. Kurita¹, H. Tanaka¹, H. Uekusa¹, K. Johmoto¹, A. Matsuo², K. Kindo²

1. *Tokyo Institute of Technology, Japan*
2. *The University of Tokyo, Japan*

TH.A-P15 - Ferromagnetism in two band metals: the very strong coupling limit

C. M. Chaves¹, E. J. Calegari², S. G. Magalhaes³, A. Troper¹

1. *Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*
2. *Laboratorio de Teoria da Materia Condensada, Departamento de Fisica - UFSM, Santa Maria, RS, Brazil*
3. *Instituto de Fisica, Universidade Federal Fluminense, Niteroi, Rio de Janeiro, Brazil*

TH.A-P16 - Anomalous weak ferromagnetism of non-magnetic Sc, La, Eu, Y, Lu ion substituted RB4 (R = Sm, Gd, Tb, Dy, Ho, Er)

B. Kang¹, S. Lee¹, M. Song¹, D. Kim², J. Kim³, B. Cho¹

1. *School of Materials Science And Engineering, Gwangju Institute of Science And Technology, Republic of Korea*
2. *Department of Physics, POSTECH, Republic of Korea*
3. *Pohang Accelerator Laboratory, Republic of Korea*

TH.A-P17 - Anomalous spin dynamics of coupled spin-tetramer system Cu-SeO₃

W. Lee¹, S. Lee¹, K. Choi¹, J. van Tol², A. Ozarowski², P. L. Kuhns², Arneil P Reyes², Helmut Berger³

1. *Department of Physics, Chung-Ang University, Seoul 156-756, Republic of Korea*
2. *National High Magnetic Field Laboratory, Florida State University, Tallahassee, United States*
3. *Institute of Condensed Matter Physics, EPFL, Lausanne, Switzerland*

TH.A-P18 - Bose-einstein condensation vs. crystallization of magnons in dimer magnets $\text{Ba}_2\text{MSi}_2\text{O}_6\text{Cl}_2$ (M=Co, Cu)

M. Okada¹, N. Kurita¹, H. Tanaka¹, K. Johmoto², K. Fujii², H. Uekusa², A. Matuo³, K. Kindo³, M. Tokunaga³, H. Nojiri⁴, M. Nakamura⁵, S. Nishimoto⁶

1. Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
2. Department of Chemistry, Tokyo Institute of Technology, Tokyo, Japan
3. Institute for Solid State Physics, the University of Tokyo, Tokyo, Japan
4. Institute for Materials Research, Tohoku University, Japan
5. Institute of Industrial Science, the University of Tokyo, Tokyo, Japan
6. Institute for Theoretical Solid State Physics, IFW Dresden, Germany

TH.A-P19 - Magneto-electric effects in the interacting dimer system TlCuCl_3

K. Kaki¹, Y. Sawada¹, S. Kimura¹, K. Watanabe¹, M. Hagiwara², H. Tanaka³

1. Institute For Materials Rsearch, Tohoku University, Japan
2. Center for Advanced High Magnetic Field Science, Osaka University, Japan
3. Tokyo Institute of Technology, Japan

TH.A-P20 - NMR investigations of spin dynamics and order in the BEC-type quantum antiferromagnets

M. Horvatic¹, M. Klanjsek^{1,2}, R. Blinder¹, M. Jeong^{1,3}, S. Mukhopadhyay^{1,4}, S. Krämer¹, M. S. Grbic^{1,5}, H. Mayaffre¹, C. Berthier¹

1. Laboratoire National Des Champs Magnétiques Intenses, LNCMI-CNRS, Grenoble, France
2. Jozef Stefan Institute and EN-FIST Centre of Excellence, Ljubljana, Slovenia
3. Laboratory for Quantum Magnetism, École Polytechnique Fédérale de Lausanne, Lausanne, Switzerland
4. DCMF & MS, Tata Institute of Fundamental Research, Mumbai, India
5. Department of Physics, Faculty of Science, University of Zagreb, Zagreb, Croatia

TH.A-P21 - Magnetic polarization of the americium $J = 0$ ground state in AmFe_2

N. Magnani¹, R. Caciuffo¹, F. Wilhelm², E. Colineau¹, R. Eloi¹, J. Griveau¹, J. Ruz³, P. Oppeneer³, A. Rogalev², G.H. Lander¹

1. European Commission, Joint Research Centre, Institute For Transuranium Elements, Karlsruhe, Germany
2. European Synchrotron Radiation Facility, Grenoble, France
3. Department of Physics and Astronomy, Uppsala University, Sweden

TH.A-P22 - Magnetic properties of single crystals of the S=2 quasi-1d heisenberg antiferromagnet $\text{MnCl}_3(\text{bpy})$

M. Hagiwara¹, S. Shinozaki¹, A. Okutani¹, D. Yoshizawa¹, T. Kida¹, T. Takeuchi², O. Risset³, D. Talham³, M. Meisel⁴

1. Center For Advanced High Magnetic Field Science, Graduate School of Science, Osaka University, Toyonaka, Osaka, Japan
2. Low Temperature Center, Osaka University, Toyonaka, Osaka, Japan
3. Department of Chemistry, University of Florida, Gainesville, United States
4. Department of Physics and National High Magnetic Field Laboratory, University of Florida, Gainesville, United States

TH.A-P23 - AC susceptibility evidence for a tricritical point in the ferromagnet NdOs₄As₁₂

A. Rudenko¹, Z. Henkie¹, T. Cichorek¹

1. *Institute of Low Temperature And Structure Research, Polish Academy of Sciences, Poland*

TH.A-P24 - Ferromagnetic state of SU(3) hubbard model on the Lieb lattice

W. Nie¹, W. Zhang², H. Zhai¹

1. *Institute For Advanced Study, Tsinghua University, China*

2. *Department of Physics, Renmin University, China*

TH.A-P25 - Glassy phases in dimerized quantum antiferromagnets

S. Thomson^{1,2}, C. Pedder³, F. Kruger^{2,4}

1. *University of St Andrews, United Kingdom*

2. *ISIS Neutron and Muon Facility, United Kingdom*

3. *University of Luxembourg, Luxembourg*

4. *London Centre for Nanotechnology, UCL, United Kingdom*

TH.A-P26 - Neutron diffraction study of proton disorder in D2O - ice

K. Siemensmeyer¹, J.-U. Hofmann¹, S. Isakov², B. Klemke¹, R. Moessner³, D.J.P. Morris⁴, D.A. Tennant⁵

1. *Helmholtz Zentrum Berlin, Germany*

2. *ETH Zürich, Zürich, Switzerland*

3. *Max-Planck Institut für Physik Komplexer Systeme, Dresden, Germany*

4. *Xavier University, Cincinnati, Ohio, United States*

5. *Oak Ridge National Laboratory, Knoxville, Tennessee, United States*

TH.A-P27 - BaAg₂Cu[VO₄]₂ quantum magnet: local probe studies (ESR and NMR)

E.Vavilova¹, Y. Krupskaya², M. Schäpers³, A. Wolter-Giraud³, H. Grafe³, V.Kataev³, A. Müller⁴, B. Büchner³

1. *Zavoisky Physical-Technical Institute, Kazan, Russian Federation*

2. *University of Geneva, Switzerland*

3. *IFW-Dresden, Germany*

4. *University of Houston, United States*

TH.A-P28 - Slow thermodynamics in the phase separated state of the bilayered manganite (La_{0.4}Pr_{0.6})_{1.2}Sr_{1.8}Mn₂O₇

H. Taniguchi¹, Y. Nakamura¹, H. Takahashi¹, T. Konno¹, M. Matsukawa¹, R. Suryanarayanan²

1. *Iwate University, Japan*

2. *Univ. Paris-Sud, Paris, France*

TH.A-P29 - Pinning effect in chiral soliton lattice CrNb₃S₆

T. Honda¹, T. Ogura², Y. Kousaka^{3,4}, J. Akimitsu², Y. Yamasaki^{5,6}, H. Nakao¹, Y. Murakami¹

1. *Condensed Matter Research Center and Photon Factory, Institute of Materials Structure Science, High Energy Accelerator Research Organization, Tsukuba, Japan*

2. *Department of Physics and Mathematics, Aoyama-Gakuin University, Sagamihara, Kanagawa, Japan*

3. Graduate School of Science, Hiroshima University, Higashi-Hiroshima, Hiroshima, Japan
4. Center for Chiral Science, Hiroshima University, Higashi-Hiroshima, Hiroshima, Japan
5. Department of Applied Physics and Quantum-Phase Electronics Center (QPEC), University of Tokyo, Hongo, Tokyo, Japan
6. RIKEN Center for Emergent Matter Science (CEMS), Wako, Japan

TH.A-P30 - Angle-resolved photoemission study of a quasi-one dimensional thermoelectric material $\text{Ba}_3\text{Co}_2\text{O}_6(\text{CO}_3)_{0.7}$

T. Ito^{1,2}, S. Kouchi¹, T. Hajiri^{1,3}, M. Matsunami^{3,4}, S. Kimura^{3,5}, Y. Shimizu⁶, Y. Kobayashi⁶, M. Itoh⁶

1. Graduate School of Engineering, Nagoya University, Nagoya, Japan
2. Nagoya University Synchrotron Radiation Research Center, Nagoya University, Nagoya, Japan
3. UVSOR Facility, Institute for Molecular Science, Okazaki, Japan
4. School of Physical Sciences, The Graduate University for Advanced Studies (SO-KENDAI), Okazaki, Japan
5. Graduate School of Frontier Biosciences and Physics Department, Osaka University, Osaka, Japan
6. Graduate School of Science, Nagoya University, Nagoya, Japan

TH.A-P32 - Substitution effects in an itinerant electron metamagnetic compound SrCo_2P_2

I. Masaki¹, C. Michioka¹, H. Ueda¹, A. Matsuo², K. Kindo², K. Yoshimura^{1,3}

1. Graduate School of Science, Kyoto University, Japan
2. Institute for Solid State Physics, The University of Tokyo, Japan
3. Research Center for Low Temperature and Materials Sciences, Kyoto University, Japan

TH.A-P33 - Electron spin resonance in the strong-rung spin-1/2 heisenberg ladder system $\text{Cu}(\text{C}_8\text{H}_6\text{N}_2)\text{Cl}_2$

A. Ponomarev¹, M. Ozerov¹, L. Zviagina¹, M. Uhlarz¹, J. Wosnitza^{1,2}, K. Povarov³, F. Xiao³, A. Zheludev³, C. Landee⁴, E. Čížmár⁵, A. Zvyagin^{6,7}, S. Zvyagin¹

TH.A-P34 - Unusual magnetic ordering of the frustrated triangulated-kagome antiferromagnet, $\text{Cu}_3(\text{cpa})_6\text{Cl}_2 \cdot n\text{H}_2\text{O}$

A. Matsuo¹, H. Kikuchi², T. Asano², H. Nakata², N. Kasamatsu², K. Kunieda², Y. Fujii³, Y. Inagaki⁴, K. Kindo¹

1. Institute For Solid State Physics, University of Tokyo, Japan
2. Department of Applied Physics, Faculty of Engineering, University of Fukui, Japan
3. Research Center for Development of Far-Infrared Region, University of Fukui, Japan
4. Department of Applied Quantum Physics, Kyushu University, Japan

TH.A-P35 - Selection rule of the direct transition in the spin gap system studied by high field ESR measurements

S. Kimura¹, K. Watanabe¹, M. Hagiwara², H. Tanaka³

1. Institute For Materials Research, Tohoku University, Japan
2. Center for Advanced High Magnetic Field Science, Osaka University, Japan
3. Tokyo Institute of Technology, Japan

TH.A-P36 - On the anomalous magnetism of FeGa_{3-y}Gey: combined thermodynamic, mössbauer spectroscopy and first principles simulation studies

M. A. Avila ¹, M. Cabrera-Baez ¹, R. A. Ribeiro ¹, J. Munevar ^{1,2}, H. Micklitz ², E. M. Bittar ², E. Baggio-Saitovitch ², J. Alvarez-Quiceno ¹, J. M. Osorio-Guillen ^{1,3}, G. M. Dalpian ¹

1. CCNH, Universidade Federal do ABC (UFABC), Santo Andre, Brazil

2. Centro Brasileiro de Pesquisas Fisicas (CBPF), Rio de Janeiro, Brazil

3. Instituto de Fisica, Universidad de Antioquia (UdeA), Medellin, Colombia

TH.A-P38 - Spin liquid ground state in a vanadium based S=1/2 trimerized kagome compound

J. Orain ¹, F. Bert ¹, P. Mendels ¹, L. Clark ², F. Himeur Aidoudi ², P. Lightfoot ², R. Edward Morris²

1. Laboratoire de Physique des Solides, UMR 8502 CNRS, Université Paris-Sud, Orsay, France

2. School of Chemistry and EaSTChem, University of St. Andrews, St. Andrews, United Kingdom

TH.A-P39 - Sign reversal and non-monotonic magnetocaloric effect in EuRh₄Si₂

A. Maurya ¹, P. Bonville ², T. Arumugam ¹, S. Dhar ¹

1. Tata Institute of Fundamental Research, India

2. CEA, CE Saclay, DSM/IRAMIS/SPEC/LNO 91191 GIF-SUR-YVETTE, France

TH.A-P40 - Spin, charge and lattice dynamics in the frustrated Shastry-Sutherland system TmB₄

S. Gabáni ¹, I. Takáčová ¹, K. Siemensmeyer ², A. Bogach ³, N. Sluchanko ³, N. Shitsevalova ⁴, J. Prokleška ⁵, V. Sechovsk^{2 5}, K. Falchbart ¹, A. Ievdokimova ⁴

1. Institute of Experimental Physics SAS, Watsonova 47, 04001 Kosice, Slovakia

2. Helmholtz-Zentrum Berlin für Materialien und Energie, Hahn-Meitner Platz 1, 14109 Berlin, Germany

3. General Physics Institute RAS, Moscow, Russian Federation

4. Institute for Problems of Materials Science NASU, Kiev, Ukraine

5. Faculty of and Mathematics and Physics, Charles University, Prague, Czech Republic

TH.A-P41 - Zero-field spinon confinement and field-induced quantum phase transitions in the 1D XXZ antiferromagnet SrCo₂V₂O₈

A. K. Bera ¹, B. Lake ¹, A. Schneidewind ², D. Quintero-Castro ¹, B. Klemke ¹, J. Law ³, A. Mccollam ⁴, F. Essler ⁵

1. Helmholtz-Zentrum Berlin, Berlin, Germany

2. Julich Centre for Neutron Science, Garching, Germany

3. Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

4. High Field Magnetic Lab, Radboud University, Nijmegen, The Netherlands

5. The Rudolf Peierls Centre for Theoretical Physics, Oxford University, Oxford, United Kingdom

TH.A-P42 - Magnetic properties of the new rare earth pyrochlore Nd₂Zr₂O₇

J. Xu ¹, A. T. M. Nazmul Islam ¹, A. Bera ¹, B. Klemke ¹, J. Niedziela ², M. Frontczek ³, Y. Su ⁴, E. Feng ⁴, B. Lake ¹

1. Helmholtz-Zentrum Berlin für Materialien und Energie, Berlin, Germany

2. Oak Ridge National Laboratory, Oak Ridge, United States

3. Paul Scherrer Institute, Villigen - PSI, Switzerland
4. Juelich Centre for Neutron Science JCNS, Forschungszentrum Juelich, Outstation at MLZ, Garching, Germany

TH.A-P43 - Effective spin-1/2 model for $Tb_2Ti_2O_7$,

S. Curnoe¹, S. Mukherjee²

1. Memorial University of Newfoundland, St. John's, Canada
2. Brock University, Saint Catharines, Canada

TH.A-P44 - Interplay of charge and spin fluctuations of strongly interacting electrons on the frustrated kagome lattice

K. Roychowdhury¹

1. MpiPKs, Dresden, Germany

TH.A-P45 - Thermodynamics of frustrated magnets: High-temperature expansion revisited

J. Richter¹, A. Lohmann¹, H.J. Schmidt²

1. Institute for Theoretical Physics, University Magdeburg, Magdeburg, Germany
2. University Osnabrueck, Department of Physics, Osnabrück, Germany

TH.A-P47 - Chirality domain wall generated by the spin Z_2 vortex in 2d frustrated Heisenberg spin system

Pawel Rusek¹

1. Department of Theoretical Physics, Wroclaw University of Technology, WROCLAW, POLAND

B. Kondo physics in bulk materials and nanoscale structures

TH.B-P01 - Energy gap and mixed valence state in $Sm_{1-x}B_6$ and $Sm_{1-x}La_xB_6$ kondo insulators

S.Gabáni¹, G. Pristáš¹, J. Bednarčík², E. Welter², V. Filipov³, N.Shitsevalova³, K.Flachbart¹

1. Institute of Experimental Physics SAS, Košice, Slovakia
2. Deutsches Elektronen Synchrotron DESY, Hamburg, Germany
3. Institute for Problems of Materials Science, NASU, Kiev, Ukraine

TH.B-P03 - Magnetic polarons in EuB_6

S. Roessler¹, J. Mueller², Z. Fisk³, S. Wirth¹

1. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany
2. Institute of Physics, Goethe-University Frankfurt, Frankfurt, Germany
3. Department of Physics, University of California, Irvine, United States

TH.B-P04 - Anisotropic thermopower of the antiferromagnetic kondo semiconductor $CeOs_2Al_{10}$ doped with 5d electrons and holes

T. Takabatake^{1,2}, Y. Yamada¹, J. Kawabata¹, T. Onimaru¹, Y. Muro³

1. Graduate School of Advanced Sciences of Matter, Hiroshima University, Japan
2. Institute for Advanced Materials Research, Hiroshima University, Japan
3. Faculty of Engineering, Toyama Prefectural University, Japan

TH.B-P05 - Novel kondo lattices $CePd_3Al_3$ and $CePd_4Al_4$

D. Kaczorowski¹, D. Gnida¹, A. Tursina², E. Khamitcaeva², A. Griбанov²

1. Institute of Low Temperature and Structure Research, Polish Academy of Sciences, Poland
2. Department of Chemistry, Lomonosov Moscow State University, Russian Federation

TH.B-P06 - Friedel oscillations in strongly correlated fermionic systems-RDMFT-CTQMC approach

B. Chatterjee¹, K. Makuch¹, K. Byczuk¹

1. *Institute of Theoretical Physics, Faculty of Physics, University of Warsaw, Poland*

TH.B-P07 - Structural and high-field 57Fe mössbauer investigations on FeSb₂

M. Reissner¹, K. Hradil², W. Steiner¹

1. *Institute of Solid State Physics, TU Wien, Wien, Austria*

2. *X-Ray Center, TU Wien, 1060 Wien, Austria*

TH.B-P09 - Field dependence of the magnetic propagation vector of the heavy-fermion compound CeCu₂Ge₂ studied by neutron diffraction

M. Loewenhaupt¹, P. Geselbracht², E. Faulhaber², M. Doerr¹, O. Stockert⁵, K. Schmalzl³, K. Nemkovski⁴, M. Deppe⁵, A. Schneidewind⁴

1. *IFP-TU Dresden, Germany*

2. *MLZ-TUM*

3. *JCNS at ILL*

4. *JCNS at MLZ*

5. *MPI-CPFS*

TH.B-P10 - Kondo physics in a Ni impurity embedded in O-doped Au chains

S. Di Napoli¹, M. Barral¹, P. Roura-Bas¹, A. Llois¹, A. Aligia²

1. *Departamento de Física de la Materia Condensada, GIYA-CAC-CNEA, Avenida General Paz 1499, (1650) San Martín, Pcia. de Buenos Aires, Argentina and Consejo Nacional de Investigaciones Científicas y Técnicas, CONICET, Argentina*

2. *Centro Atómico Bariloche and Instituto Balseiro, Comisión Nacional de Energía Atómica, Bariloche, Argentina*

TH.B-P11 - Anisotropic chemical pressure effect on the antiferromagnetic kondo semiconductor Ce(Ru_{1-x}Fe_x)₂Al₁₀

K. Hayashi¹, Y. Muro¹, T. Fukuhara¹, T. Kuwai², J. Kawabata³, T. Takabatake⁴, M. Hagiwara⁵, K. Motoya⁵

1. *Faculty of Engineering, Toyama Prefectural University, Japan*

2. *Graduate School of Science and Engineering, University of Toyama, Japan*

3. *Department of Quantum Matter, AdSM, Hiroshima University, Japan*

4. *IAMR, Hiroshima University, Japan*

5. *Department of Physics, Faculty of Science and Technology, Tokyo University of Science, Japan*

TH.B-P12 - Magnetic properties of the kondo insulator CeRu₄Sn₆

A. Sidorenko¹, H. Winkler¹, A. Prokofiev¹, S. Paschen¹

1. *Institute of Solid State Physics, Vienna University of Technology, Austria*

TH.B-P13 - Modification in magnetic properties of epitaxial FeSb₂ thin film on MgO

A. Duong¹, Y. Shin¹, S. Rhim¹, V. Nguyen¹, S. Cho¹

1. *Department of Physics and Energy Harvest-Storage Research Center, University of Ulsan, Ulsan, Republic of Korea*

TH.B-P14 - Physical properties of single-crystalline LaBe_{13} , NdBe_{13} , and SmBe_{13}

H. Hidaka ¹, K. Mizuuchi ¹, S. Yamazaki ¹, N. Miura ¹, C. Tabata ¹, Y. Shimizu ², T. Yanagisawa ¹, H. Amitsuka ¹

1. Graduate School of Science, Hokkaido University, Japan

2. The Institute for Solid State Physics, The University of Tokyo, Japan

TH.B-P17 - Anomalous hall effect in ferromagnetic L1_0 -MnAl with orbital two-channel kondo effect

L. J. Zhu ^{1,2}, S. H. Nie ¹, P. Xiong ³, and J. H. Zhao ¹

1. State Key Laboratory of Superlattices and Microstructures, Institute of Semiconductors, Chinese Academy of Sciences, Beijing, China

2. Institut für Physik, Martin-Luther-Universität Halle-Wittenberg, Halle, Germany

3. Department of Physics, Florida State University, Tallahassee, United States

TH.B-P18 - Point-contact spectroscopy of heavy fermion compounds CeCu_6 and CeAl_3 in magnetic field

G. Motoyama ¹, S. Ogawa ¹, K. Matsubayashi ², K. Fujiwara ¹, S. Nishigori ¹, T. Muto ¹, K. Miyoshi ¹, A. Yamaguchi ³, A. Sumiyama ³, Y. Uwatoko ²

1. Department of Material Science, Shimane University, Japan

2. ISSP, Tokyo University, Japan

3. Graduate School of Material Science, University of Hyogo, Japan

TH.B-P19 - Anisotropy of the Kondo effect revealed by Raman scattering spectroscopy

J. Buhot ^{1,2}, Y. Gallais ², M. Cazayous ², A. Sacuto ², G. Lapertot ³, D. Aoki ^{3,4}, X. Montiel ⁵, S. Burdin ⁶, C. Pépin ⁵, M. Méasson ²

1. High Field Magnet Laboratory, Radboud University Nijmegen, The Netherlands

2. Laboratoire Matériaux et Phénomènes Quantiques, UMR 7162 CNRS, Université Paris Diderot - Paris 7, France

3. SPSMS, UMR-E CEA, UJF-Grenoble 1, INAC, 38054 Grenoble, France

4. IMR, Tohoku University, Oarai, Ibaraki 311-1313, Japan

5. Institut de Physique Théorique, CEA-Saclay, 91191 Gif-sur-Yvette, France

6. Condensed Matter Theory Group, CPMOH, UMR 5798, Université de Bordeaux I, 33405 Talence, France

TH.B-P20 - To the origin of the singlet ground state of the fe impurity in the archetype kondo system: cufe

R. Radwanski ^{1,2}, D. Nalecz ¹, Z. Ropka ²

1. Institute of Physics, Pedagogical University, 30-084 Krakow, Poland

2. Center of Solid State Physics, Snt Filip 5, 31-150 Krakow, Poland

TH.B-P21 - CePd_2Zn_3 - a new kondo lattice antiferromagnet

M. Valiska ¹, J. Prokleska ¹, P. Proschek ¹, V. Sechovsky ¹

1. Department of Condensed Matter Physics, Charles University, Prague, Czech Republic

C. Magnetic phase transitions and magnetic interactions

TH.C-P01 - Doping dependent magnetism and exchange bias in $\text{CaMn}_{1-x}\text{Nb}_x\text{O}_3$

V. Markovich ¹, I. Fita ², A. Wisniewski ², R. Puzniak ², C. Martin ³, D. Mogilyansky ⁴, G. Jung ¹, G. Gorodetsky ¹

1. Department of Physics, Ben-Gurion University of the Negev, 84105 Beer-Sheva, Israel
2. Institute of Physics, Polish Academy of Sciences, Warsaw, Poland
3. Laboratoire CRISMAT, UMR 6508, ISMRA, Caen, France
4. The Ilse Katz Institute for Nanoscale Science and Technology, Ben-Gurion University of the Negev, Beer-Sheva, Israel

TH.C-P02 - Molecular spin dynamics analysis of complex magnetic structure on the FCC lattice in itinerant electron system

Y. Kakehashi¹, S. Nohara, S. Chandra, T. Uchida²

1. University of the Ryukyus, Japan
2. Hokkaido University of Science, Japan

TH.C-P04 - Low-temperature spin-glass behaviour in a diluted dipolar Ising system

J. J. Alonso¹

1. Universidad de Málaga, Spain

TH.C-P07 - Magnetic control of thermopower in selected manganites

R. Mahendiran¹

1. National University of Singapore, Singapore

TH.C-P08 - Physical properties of the FeRh alloys: the antiferromagnetic to ferromagnetic transition

J. Kudrnovsky¹, V. Drchal¹, I. Turek²

1. Institute of Physics AS CR, Praha, Czech Republic
2. Faculty of Mathematics and Physics, Department of Condensed Matter Physics, Charles University, Praha, Czech Republic

TH.C-P09 - Magnetic properties of the RAuBi₂ (R = Ce, Pr, Nd, Gd, Sm) series of intermetallic compounds

C. B. R. Jesus¹, M. M. Piva¹, P. F. S. Rosa^{1,2}, C. Adriano¹, Z. Fisk², P. G. Pagliuso¹

1. Instituto de Física 'Gleb Wataghin', UNICAMP, Campinas-SP, Brazil
2. University of California, Irvine, United States

TH.C-P10 - Magnetic phase diagram of MnSi inferred from ultrasound studies

A. Petrova¹, S. Stishov¹

1. Institute For High Pressure Physics of RAS, Moscow, Russian Federation

TH.C-P11 - Anomalous structural, magnetic, optical and electronic properties of GdCoO_{3-y}

S. Ovchinnikov¹, Y. Orlov¹, V. Dudnikov¹, N. Kazak¹, K. Shaikhutdinov¹

1. Kirensky Institute of Physics. Siberian Branch of Russian Academy of Sciences, Russian Federation

TH.C-P12 - Non-random substitutions and magnetic ordering in Fe_{7-y}M_yX₈ (M = Ti, Co; X = S, Se)

N. Baranov^{1,2}, P. Ibrahim², N. Selezneva², A. Gubkin^{1,2}, A. Volegov², D. Shishkin^{1,2}

1. Institute of Metal Physics, RAS, Ekaterinburg, Russian Federation
2. Institute of Natural Sciences, Ural Federal University, Ekaterinburg, Russian Federation

TH.C-P13 - Critical exponents of inhomogeneous ferromagnetic $\text{La}_{0.8}\text{Sr}_{0.2}\text{CoO}_3$ single crystal

M. Nandi¹, N. Khan¹, B. Samantaray¹, P. Mandal¹, D. Prabhakaran²

1. Saha Institute of Nuclear Physics, 1/AF Bidhannagar, Calcutta, India

2. Department of Physics, Clarendon Laboratory, University of Oxford, Oxford, United Kingdom

TH.C-P14 - Tuning magnetostructural transformation temperature in anti-perovskite compounds

E. T. Dias¹, K. R. Priolkar¹, A. K. Nigam²

1. Department of Physics, Goa University, Taleigao Plateau, Goa, India

2. Tata Institute of Fundamental Research, Dr. Homi Bhabha Road, Colaba-Mumbai, India

TH.C-P15 - Ground-State and magnetocaloric properties of a spin-electron double-tetrahedral chain

L. Galisova¹, J. Strecka²

1. Technical University, Kosice, Slovakia

2. Pavol Jozef Šafárik University, Kosice, Slovakia

TH.C-P16 - Investigation of magnetic and magnetoelastic properties of the unconventional heavy-fermion compound CeCu_2Ge_2 (CCG)

M. Doerr¹, S. Granovsky^{1,2}, M. Rotter^{1,3}, Z. Wang⁴, A. Schneidewind⁵, M. Loewenhaupt¹

1. Technische Universität Dresden, Institut Für Festkörperphysik, Dresden, Germany

2. Faculty of Physics, M.V. Lomonossov Moscow State University, Leninskie Gory, Moscow, Russian Federation

3. McPhase project www.mcphase.de, Dresden, Germany

4. Hochfeld-Magnetlabor Dresden, Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

5. Jülich Centre for Neutron Science (JCNS) at Heinz Maier-Leibnitz Zentrum (MLZ), Forschungszentrum Jülich GmbH, Garching, Germany

TH.C-P17 - A new phase in antiferromagnets below the saturation field

Y. Kubo¹, S. Kurihara¹

1. Department of Physics, Waseda University, Tokyo, Japan

TH.C-P18 - Magnetic field induced phase transition in PdCrO_2

P. Kushwaha¹, N. Nandi¹, C. Geibel¹, A.P. Mackenzie^{1,2}

1. Max-Planck Institute, Chemical Physics of Solids, Dresden, Germany

2. Scottish Universities Physics Alliance, School of Physics and Astronomy, University of St. Andrews, St. Andrews, United Kingdom

TH.C-P19 - Pressure-induced novel electronic state of $\text{Fe}_{70}\text{Ni}_{30}$ Invar alloy

G. Oomi¹, R. Saito², M. Ohashi³, T. Nakano⁴

1. Kurume Institute of Technology, Japan

2. Department of Physics, Kyushu University, Japan

3. Faculty of Engineering, Kanazawa University, Japan

4. Faculty of Engineering, Niigata University, Japan

TH.C-P20 - Single crystal growth and characterization of

D. Aristizábal ¹, F. R. Arantes ¹, F. N. Costa ¹, F. F. Ferreira ¹, R. A. Ribeiro ¹, M. A. Avila ¹

1. CCNH, Universidade Federal Do ABC (UFABC), Santo André, SP, 09210-580 Brazil

TH.C-P21 - Structural and magnetic changes in $\text{Co}_x\text{Fe}_{3-x}\text{O}_4$ spinels at high pressure

G. Subías¹, V. Cuartero², J. Blasco¹, J. García ¹, S. Lafuerza², S. Pascarelli², O. Mathon², C. Strohm², K. Nagai³, M. Mito³, G. Garbarino² and C. Popescu⁴

1. Instituto De Ciencia De Materiales De Aragón.CSIC-Universidad De Zaragoza, Spain

2. ESRF-The European Synchrotron, Grenoble, France

3. Faculty of Engineering, Kyushu Institute of Technology, Kitakyushu, Fukuoka, Japan

4. ALBA Synchrotron/CELLS, Cerdanyola del Vallès, 08290, Spain

TH.C-P23 - Spin order in FeCr_2O_4 observed by mössbauer spectroscopy

S. Nakamura ^{1,2}, A. Fuwa ³

1. Department of Science and Engineering, Teikyo University, 1-1 Toyosatodai, Utsunomiya, Japan

2. Advanced Research Institute of Science and Engineering, Waseda University, Tokyo, Japan

3. Faculty of Science and Engineering, Waseda University, Tokyo, Japan

TH.C-P25 - Single crystal growth and characteristics of $\text{Sm}_{0.7}\text{Tb}_{0.3}\text{FeO}_3$ orthoferrite single crystal with spin-reorientation in room temperature

A. Wu ¹, B. Wang ¹, X. Zhao ¹, L. Su ¹, S. Cao ²

1. Shanghai Institute of Ceramics, Chinese Academy of Sciences, China

2. Department of Physics, Shanghai University, China

TH.C-P26 - Pressure-induced magnetic order in a gapped quantum magnet

A. Mannig ¹

1. ETH Zurich, Laboratory For Solid State Physics, Neutron Scattering And Magnetism Group, Zurich, Switzerland

TH.C-P27 - First-order magnetization process as a tool for magnetic-anisotropy description of $\text{U}_3\text{Cu}_4\text{Ge}_4$

D. Gorbunov ¹, M.a Henriques ^{2,3}, A. Andreev ², Y. Skourski ¹, M. Richter ⁴, J. Wosnitza ¹

1. Dresden High Magnetic Field Laboratory, Helmholtz-Zentrum Dresden-Rossendorf, Germany

2. Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic

3. CCTN, IST/CFMCUL, University of Lisbon, Nuclear and Technological Campus, Bobadela, Portugal

4. IFW Dresden, Dresden, Germany

TH.C-P28 - Substitution in LiMF_4 : a playground of fundamental interactions

P. Babkevich¹, A. Finco¹, M. Jeong¹, B. Dalla Piazza¹, I. Kovacevic¹, G. Klughertz

¹, K. W. Kr², D. T. Adroja³, E. Goremychkin³, T. Unruh⁴, J. Jensen⁵, H.M. Ronnow¹

1. *Laboratory for Quantum Magnetism, École Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland*

2. *Department of Chemistry and Biochemistry, University of Bern, Bern, Switzerland*

3. *ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot, United Kingdom*

4. *Forschungszentrum für Neutronenphysik und Neutronenoptik, Garching, Germany*

5. *Niels Bohr Institute, Copenhagen, Denmark*

TH.C-P33 - Magnetic entropy change in materials with first-order magnetic transitions under cycling

B. Kaeswurm¹, V. Franco², K.P. Skokov¹, M. Fries¹, T. Gottschall¹, O. Gutfleisch¹

1. *Institut für Geo- und Materialwissenschaften, Technische Universität Darmstadt, Darmstadt, Germany*

2. *Departamento Física de la Materia Condensada, Universidad de Sevilla, Sevilla, Spain*

TH.C-P34 - dependence of morin temperature on the size of hematite nanoparticles

J. Kohout¹, T. Kmjeè¹, D. Kubaniova¹, L. Kubiekova¹, K. Zavýta¹, P. Brazda², E.

Santava², D. Nizoansky³, M. Klementova³, A. Lanèok³

1. *Charles University In Prague, Faculty of Mathematics and Physics, Praha, Czech Republic*

2. *Institute of Physics ASCR, v.v.i., Praha, Czech Republic*

3. *Institute of Inorganic Chemistry of the ASCR, v.v.i., Husinec, Czech Republic*

TH.C-P35 - Specific heat and ESR in borate $\text{TbAl}_3(\text{BO}_3)_4$

M. Pashchenko¹, V. Bedarev¹, M. Kobets¹, K. Dergachev¹, E. Khatsko¹, S. Gnatchenko

¹, A. Zvyagin¹, T. Zajarniuk², A. Szweczyk², M. Gutowska², L. Bezmaternykh³, V. Temerov³

1. *B. Verkin Institute For Low Temperature Physics And Engineering of The National Academy of Sciences of Ukraine, Kharkiv, Ukraine*

2. *Institute of Physics, Polish Academy of Sciences, Warsaw, Poland*

3. *L.V. Kirensky Institute of Physics, Siberian Department of the Academy of Sciences, Krasnoyarsk, Russian Federation*

TH.C-P36 - Towards a simple description of magnetism in heavy rare earth elements: application to magnetic refrigeration.

E. Mendive Tapia¹, J. Staunton¹

1. *The University of Warwick, United Kingdom*

TH.C-P37 - Influence of grain size in the magnetic and magnetocaloric transitions in $\text{La}_{0.5}\text{Ca}_{0.5}\text{MnO}_3$ probed by direct and indirect methods

M. Quintero^{1,2}, S. Passanante^{1,3}, I. Irurzun^{1,3}, D. Goijman¹, G. Polla¹

1. *Departamento De Materia Condensada, Comisión Nacional De Energía Atómica, Argentina*

2. *Escuela de Ciencia y Tecnología, Universidad Nacional de General San Martín, Argentina*

3. *Departamento de Física, Facultad de Ciencias Exactas y Naturales, UBA, Argentina*

TH.C-P38 - High temperature magnetic properties and spin-lattice coupling of magnetoelectric epsilon-Fe₂O₃

M. Gich¹, J. Padilla¹, J. Nogués^{2,3}, J. Kreisel^{4,5}, A. Roig¹, J. Garcia-Muñoz¹

1. Institut De Ciència De Materials De Barcelona (ICMAB-CSIC), Barcelona, Spain

2. Institució Catalana de la Recerca i Estudis Avançats (ICREA), Barcelona, Spain

3. Institut Català de Nanociència i Nanotecnologia (ICN2), Barcelona, Spain

4. Luxembourg Institute of Science and Technology, Luxembourg

5. University of Luxembourg, Luxembourg

TH.C-P39 - Charge order in magnetite below the verwey transition studied by combination of ⁵⁷Fe NMR and mössbauer spectroscopy

J. Kohout, K. Závěta, T. Kmječ, D. Kubániová, B. Sedláč

1. Charles University In Prague, Faculty of Mathematics and Physics, Prague, Czech Republic

TH.C-P40 - Magnetocaloric effect in quaternary heusler alloys

V. Prudnikov¹, I. Rodionov¹, I. Titov¹, M. Blinov¹, A. Novikov¹, E. GanEshina¹, A. Sokolov², I. Zakharchuk³, E. Lähderanta³, A. Granovsky¹

1. Faculty of Physics, Lomonosov Moscow State University, Mosco, Russian Federation

2. Department of Physics and Astronomy, University of Nebraska-Lincoln, Linclon, Nebraska, United States

3. Lappeenranta University of Technology, Finland

TH.C-P41 - Enhanced NMR in entangled nuclear-electronic quantum magnet LiHoF₄

I. Kovacevic¹, P. Babkevich¹, M. Jeong¹, G. Boero¹, H. Ronnow¹

1. Ecole Polytechnique Federale De Lausanne (EPFL), Lausanne, Switzerland

TH.C-P42 - Ferromagnetism in partially oxidized CuCl

T. Saerbeck¹, J. Pereiro², J. Wampler³, J. Stanley³, J. Wingert³, O. G. Shpyrko³, I. K. Schuller³

1. Institut Laue-Langevin, Grenoble, France

2. School of Physics and Astronomy, Cardiff University, Cardiff, United Kingdom

3. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States

TH.C-P43 - Irreversibility induced by thermal cycles in phase separated manganites

J. Sacanell¹, M. Q¹, L. Granja¹, G. Polla¹, P. Levy¹, F. Parisi¹

1. Comisión Nacional De Energía Atómica, San Martín, Argentina

TH.C-P44 - Key role of rutile structure for layered magnetism in chromium compounds

Y. Kondo¹, T. Hotta¹

1. Department of Physics, Tokyo Metropolitan University, Japan

TH.C-P45 - Low-temperature specific heat and magnetic ordering in R₂Pd₂In

P. Svoboda¹, S. Maskova¹, L. Havela¹, A. Kolomiets²

1. Charles University, Faculty of Math. And Physics, DCMP, Prague, Czech Republic

2. Lviv Polytechnic National Univ., Lviv, Ukraine

TH.C-P46 - Magnetic systems at elevated temperatures by relativistic disordered local moments theory

D. Thonig¹, J. Henk², O. Eriksson¹

1. Institute of Physics and Astronomy, Uppsala University, Sweden
2. Martin Luther University Halle-Wittenberg, Germany

TH.C-P47 - Possible decoupling of the magnetic field instabilities in the antiferromagnet CeRh₂Si₂ close to its critical pressure in pulsed magnetic fields.

D. Braithwaite¹, W. Knafo², R. Settai³, D. Aoki^{1,4}, S. Kurahashi⁵, J. Flouquet¹

1. Univ. Grenoble Alpes and CEA, INAC-SPSMS, Grenoble, France
2. Laboratoire National des Champs Magnétiques Intenses, CNRS-UJF-UPS-INSA, Toulouse, France
3. Department of Physics, Niigata University, Niigata, Japan
4. IMR, Tohoku University, Oarai, Ibaraki, Japan
5. Graduate School of Science and Technology, Niigata University, Niigata, Japan

TH.C-P49 - Necessary conditions for the long-time variation of magnetic structure in frustrated magnets

K. Motoya¹, M. Hagihala¹, M. Matsuda²

1. Tokyo University of Science, Japan
2. Oak Ridge National Laboratory, United States

TH.C-P50 - Instability of ferromagnetic Fe nanoclusters produced in amorphous SiO₂ by ion implantation

K. Bharuth-Ram¹, H. Hofsaess², K. Zhang², H. Masenda³,

1. Physics Department, Durban University of Technology, South Africa
2. Zweites Physikalisches Institut, University of Goettingen, Germany
3. Physics Department, University of the Witwatersrand, South Africa

TH.C-P51 - Pressure effect on the magnetic phase diagram of Nd₂RhIn₈

P. Javorský¹, M. Míšek², M. Prachařová¹, J. Kaštil², J. Prchal¹, M. Klicpera¹, M. Kratochvílová¹

1. Charles University in Prague, Faculty of Mathematics and Physics, Department of Condensed Matter Physics, Prague, Czech Republic
2. Institute of Physics ASCR, v.v.i., Praha, Czech Republic

TH.C-P52 - Strong anisotropy and multiple phase transitions in the noncollinear incommensurate antiferromagnets EuRhGe₃ and EuIrGe₃

O. Bednarchuk¹, D. Kaczorowski¹

1. Institute of Low Temperature and Structure Research, Polish Academy of Sciences, Wroclaw, Poland

TH.C-P53 - Field-induced magnetic phase transitions in Ho₂Rh₃ single crystal

T. Tsutaoka¹, K. Obata¹, A. Sherstobitov^{2,3}, E. Gerasimov³, P. Terentev³, A. Gubkin^{2,3}, N. Baranov^{2,3}

1. Hiroshima University, Hiroshima, Japan

TH.C-P54 - High-field quantum phase transitions induced by weak three dimensionality in triangular-lattice antiferromagnets

D. Yamamoto¹, G. Marmorini², I. Danshita³

1. Waseda Institute For Advanced Study, Japan
2. RIKEN, Japan
3. Yukawa Institute for Theoretical Physics, Japan

TH.C-P55 - Magnetic properties of quasicrystalline (i-phase) $\text{Ti}_{45}\text{Zr}_{38}\text{Ni}_{17}$ alloy

D. Rusinek¹, J. Przewoznik¹, L. Gondek¹, A. Takasaki², A. Hoser³

1. AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
2. Department of Engineering Science and Mechanics, Shibaura Institute of Technology, Toyosu, Kotoku, Tokyo, Japan
3. Helmholtz-Zentrum Berlin, Berlin, Germany

TH.C-P56 - Dipolar-coupled heisenberg spins system LiGdF_4

M. Jeong¹, I. Kovacevic¹, P. Babkevich¹, A. Di Lieto², H. Ronnow⁴

1. Laboratory for Quantum Magnetism, ICMP, Ecole Polytechnique, EPFL, Lausanne, Switzerland
2. Dipartimento di Fisica, Università di Pisa, Pisa, Italy

TH.C-P57 - Ferromagnetic resonance of magnetic sublattices in Sc-substituted barium hexaferrite

R. Díaz-Pardo¹, S. Bierlich², G. Vazquez-Victorio¹, J. Töpfer², R. Valenzuela¹

1. National University of Mexico, Mexico
2. Ernst-Abbe-Hochschule Jena, Jena, Germany

TH.C-P58 - Extremely wide 1/3-magnetization plateau extended to megagauss magnetic fields in a distorted kagome volborthite $\text{Cu}_3\text{V}_2\text{O}_7(\text{OH})_2\cdot\text{E}_2\text{H}_2\text{O}$

T. Yamashita¹, A. Miyata¹, D. Nakamura¹, H. Ishikawa¹, Y. Okamoto², Z. Hiroi¹, S. Takeyama¹

1. Institute For Solid State Physics, UTokyo, Japan
2. Graduate School of Engineering, Nagoya University, Japan

TH.C-P59 - First principles study on solid oxygen using van der waals density functional

M. Obata¹, I. Hamada², T. Oda^{1,3}

1. Graduate School of Natural Science And Technology, Kanazawa University, Kanazawa, Japan
2. International Center for Materials Nanoarchitectonics (WPI-MANA), National Institute for Materials Science (NIMS), Tsukuba, Japan
3. Institute of Science and Engineering, Kanazawa University, Kanazawa, Japan

TH.C-P60 - Magnetic properties of two-dimensional heisenberg antiferromagnet $\alpha\text{-RbCrF}_4$

Y. Miura¹, H. Manaka²

1. Suzuka National College of Technology, Japan
2. Kagoshima University, Japan

TH.C-P61 - Magnetic resonance in the chiral helimagnet CrNb₃S₆

D. Yoshizawa¹, J. Kishine², Y. Kousaka^{3,4}, Y. Togawa⁵, M. Mito⁶, J. Akimitsu⁷, K. Inoue^{3,4}, M. Hagiwara¹

1. Center for Advanced High Magnetic Field Science, Graduate School of Science, Osaka University, Japan
2. Division of Natural and Environmental Science, The Open University of Japan, Japan
3. Graduate School of Science, Hiroshima University, Japan
4. Center for Chiral Science, Hiroshima University, Japan
5. Department of Physics and Electronics, Osaka Prefecture University, Japan
6. Faculty of Engineering, Kyusyu Institute of Technology, Japan
7. Department of Physics and Mathematics, Aoyama-Gakuin University, Japan

TH.C-P63 - I-II-III phase transitions in CeB₆ observed by high-resolution x-ray diffraction

T. Inami¹, S. Michimur², T. Matsumura³, M. Sera³, Y. Haga⁴, Z. Fisk^{4,5}

1. Condensed Matter Physics Division, Japan Atomic Energy Agency, Japan
2. Research and Development Bureau, Saitama University, Japan
3. AdSM, Hiroshima University, Japan
4. Advanced Science Research Center, Japan Atomic Energy Agency, Japan
5. University of California, United States

TH.C-P65 - Paramagnetic-diamagnetic transition in Cd_{0.9985}Dy_{0.0010}□_{0.0005}MoO₄

T. Groń¹, E. Tomaszewicz², M. Piątkowska², B. Sawicki¹, M. Oboz¹, P. Urbanowicz¹

1. Institute of Physics, University of Silesia, Katowice, Poland
2. Department of Inorganic and Analytical Chemistry, West Pomeranian University of Technology, Szczecin, Poland

TH.C-P66 - Phase transition of mobile potts model for liquid crystals

H. T. Diep¹, A. Bailly-Reyre¹

1. LPTM, UMR 8089 University of Cergy-Pontoise, CNRS, France

TH.C-P68 - Spin frustration in the spin-1/2 ising-heisenberg model on triangulated husimi lattices: exact results

C. Ekiz¹, J. Strecka

1. Department of Physics, Faculty of Science, Adnan Menderes University, Aydin, Turkey
2. Institute of Physics, Faculty of Science, P. J. Safárik University, Kosice, Slovakia

TH.C-P70 - Magnetism of alpha-Sr2MO4 (M = V, Cr) with K₂NiF₄-type structures

H. Sakurai¹

1. National Institute For Materials Science, Tsukuba, Japan

TH.C-P71 - Pressure effect on transport properties of EuNi(Si_{1-x}Gex)₃ compounds

K. Uchima¹, Y. Takaesu¹, H. Akamine², M. Kakihana², K. Tomori², A. Teruya², M. Hedo³, T. Nakama³, K. Yagasaki³, K. Matsubayashi⁴, I. Uwatoko⁴

1. Okinawa Christian Junior College, Japan
2. Graduate School of Science and Engineering, University of the Ryukyus, Japan
3. Faculty of Science, University of the Ryukyus, Japan
4. Institute for Solid State Physics, University of Tokyo, Japan

TH.C-P74 - Application of the oguchi method for studies of the hubbard model

T. Balcerzak¹, K. Szalowski¹, M. Jascur²

1. *Department of Solid State Physics, Faculty of Physics and Applied Informatics, University of Lodz, Lodz, Poland*

2. *Department of Theoretical Physics and Astrophysics, Faculty of Science, P. J. Safarik University, Kosice, Slovak Republic*

TH.C-P75 - Magnetic phase diagram determination of Ce pnictides by resonant X-ray magnetic scattering

L. Paolasini¹, J. Herrero-Martin², H. Walker³, M. Kohgi⁴, K. Kuwahara⁴, K Iwasa⁵, G. Lapertot⁶

1. *ESRF - The European Synchrotron, grenoble, France*

2. *ALBA synchrotron light source, BP 1413, Barcelona, Spain*

3. *ISIS Neutron Facility, Rutherford Appleton Laboratory, Didcot, United Kingdom*

4. *Tokyo Metropolitan University, Tokyo, Japan*

5. *University of Tohoku, Sendai , Japan*

6. *CEA Grenoble, France*

TH.C-P76 - Extreme sensitivity of magneto-structural transitions in Ni2Mn-Ga-based heusler alloys to pulsed high magnetic field

J. Kastil¹, J. Kamarad¹, Z. Arnold¹, Y. Skourski², F. Albertini³

1. *Institute of Physics ASCR, Prague, Czech Republic*

2. *Hochfeld-Magnetlabor Dresden (HLD), HZDR, Dresden, Germany*

3. *IMEM CNR, Parma, Italy*

TH.C-P77 - Magnetic anisotropy in antiferromagnet GdB₆

M. Anisimov¹, V. Glushkov¹, S. Demishev¹, Shitsevalova², A. Levchenko², V. Filippov², A. Bogach¹, V. Krassnorussky¹, S. Gabani³, K. Flachbart³, N. Sluchanko¹

1. *A. M. Prokhorov General Physics Institute of RAS, Moscow, Russian Federation*

2. *Institute for Problems of Materials Science NASU, Kyev, Ukraine*

3. *Institute of Experimental Physics, Slovak Academy of Science, Slovakia*

TH.C-P78 - Spin polarons and magnetic ground state in PrB₆

M. Anisimov¹, V. Glushkov¹, S. Demishev¹, N. Shitsevalova², A. Levchenko², V. Filippov², A. Bogach¹, V. Krassnorussky¹, S. Gabani³, K. Flachbart³, N. Sluchanko¹

1. *Prokhorov General Physics Institute, Russian Academy of Sciences, Moscow, Russian Federation*

2. *Institute for Problems of Materials Science NASU, Kiev, Ukraine*

3. *Institute of Experimental Physics, Slovak Academy of Science, Košice, Slovakia*

TH.C-P79 - Thermodynamic properties of the S=1 heisenberg square-lattice antiferromagnet Ni(pz)₂Br₂

E. Cizmár¹, K. Ráczová¹, S. A. Zvyagin², A. Feher¹

1. *Institute of Physics, Faculty of Science, P.J. Safarik University, Kosice, Slovakia*

2. *High Magnetic Field Laboratory (HLD-EMFL), Helmholtz-Zentrum Dresden-Rosendorf, Dresden, Germany*

TH.C-P80 - Successive magnetic ordering in quasi-2D T'-La₂CuO₄

G. Pascua¹, M. Günther², P. Bonfa³, R. Hord⁴, Y.G. Pashkevich⁵, A. Suter¹, R. De Renzi³, B. Albert⁴, H. Klauss², L. Alff⁶, H. Luetkens¹

1. *Laboratory for Muon Spin Spectroscopy, Paul Scherrer Institut, Switzerland*
2. *Institut für Festkörperphysik, TU Dresden, Dresden, Germany*
3. *Dipartimento di Fisica and Unit a CNISM di Parma, Università di Parma, Italy*
4. *Eduard-Zintl-Institute of Inorganic and Physical Chemistry, TU Darmstadt, Germany*
5. *A.A. Galkin Donetsk Phystek NASU, Donetsk, Ukraine*
6. *Institute of Materials Science, TU Darmstadt, Darmstadt, Germany*

TH.C-P81 - Study of the effective magnetic anisotropy in the MnCr₂O₄ cubic spinel

D. Tobia^{1,2,3}, J. Milano^{1,2}, M.T. Causa¹, E. L. Winkler^{1,2}

1. *Laboratorio de Resonancias Magnéticas, Centro Atómico Bariloche - CNEA, 8400 S.C. de Bariloche, Argentina*
2. *Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Argentina*
3. *Instituto De Física "Gleb Wataghin", UNICAMP, Campinas (SP), Brazil*

TH.C-P82 - Investigation of the relation between hysteresis and ferromagnetism in Mn₃GaC

O. Cakir¹, M. Acet², M. Farle², A. Senyshyn³, A. Wildes⁴

1. *Physics Department, Yildiz Technical University, Istanbul, Turkey*
2. *Faculty of Physics, Duisburg-Essen University, Duisburg, Germany*
3. *Forschungsneutronenquelle Heinz Maier-Leibnitz FRM-II, Technische Universität München, Germany*
4. *Institut Laue-Langevin, Grenoble, France*

TH.C-P83 - Magnetization study of cobalt ferrite by mean field approximation

S. Ouaiassa¹, A. Benyoussef², G. Abo³, M. Ouaiassa⁴, M. Hafid⁵

1. *Laboratoire de Génie Physique et Environnement, Faculté des Sciences, Université Ibn Tofail, Kénitra, Morocco*
2. *Laboratory of Magnetism and Physics of High Energy, Faculty of Science, Mohammed V University, Rabat, Morocco*
3. *Department of Electrical and Computer Engineering and MINT Center, The University of Alabama, Tuscaloosa, United States*
4. *Laboratoire de Génie Physique et Environnement, Faculté des Sciences, Université Ibn Tofail, Kénitra, Morocco*
5. *Laboratoire de Génie Physique et Environnement, Faculté des Sciences, Université Ibn Tofail, Kénitra, Morocco*

TH.C-P84 - Inverse and conventional magnetocaloric effects in Fe₃Se₈ single crystal

I. Radelytskyi¹, R. Szymczak¹, D. Gawryluk¹, R. Puzniak¹, M. Berkowski¹, M. Pekala², R. Diduszko³, J. Fink-Finowicki¹, H. Szymczak¹

1. *Institute of Physics PAS, Warsaw, Poland*
2. *Department of Chemistry, University of Warsaw, Poland*
3. *Tele and Radio Research Institute, Warsaw, Poland*

TH.C-P85 - Magnetic properties of $\text{Sm}_2\text{Fe}_{17}$, single crystal

L. V. B. Diop¹, K. P. Skokov¹, M. D. Kuzæmin^{1,2}, D. Karpenov¹, O. Gutfleisch¹

1. *Institut für Materialwissenschaft, Technische Universität Darmstadt, Darmstadt, Germany*

2. *Aix-Marseille Université, IM2NP, Faculté St. Jérôme, Marseille, France*

TH.C-P86 - Correlating structural and magnetic properties in phase separated manganites

G. Gomez Eslava¹, L. Ghivelder¹, G. Leyva², M. Quintero², F. Parisi²

1. *Universidade Federal Do Rio De Janeiro, Brazil*

2. *Escuela de Ciencia y Tecnologia, Universidad Nacional de General San Martin, Argentina*

TH.C-P87 - Ab initio construction of magnetic phase diagrams in alloys:

The case of $\text{Fe}_{1-x}\text{Mn}_x\text{Pt}$

B. Pujari¹, P. Larson¹, V. Antropov², K. Belashchenko¹

1. *University of Nebraska-Lincoln, United States*

2. *Ames Laboratory, United States*

TH.C-P88 - Strategies for increasing the Néel temperature of magnetoelectric antiferromagnets

S. Mu¹, A. Wysocki¹, K. Belashchenko¹

1. *University of Nebraska-Lincoln, United States*

TH.C-P89 - Effect of third element on spin state of europium in its 1-2-2 pnictides: ESR data

Y. Goryunov¹, A. Nateprov²

1. *E.K.Zavoisky Kazan Physical-Technical Institute, Russian Federation*

2. *Institute of Applied Physics of Moldovan Academy of Sciences, Moldova*

TH.C-P90 - Successive component-separated magnetic transitions on pseudoternary compounds $\text{Ho}_{1-x}\text{Gd}_x\text{Rh}_2\text{Si}_2$

T. Shigeoka¹, T. Morita¹, T. Fujiwara¹, K. Matsubayashi², Y. Uwatoko²

1. *Yamaguchi University, Japan*

2. *University of Tokyo, Japan*

TH.C-P91 - Magnetic susceptibility and anisotropy probed by terahertz spectroscopy of spin waves in rare earth orthoferrites

E. Constable^{1,2}, R. Lewis², J. Horvat², Z. Cheng², S. Cao³, S. Yuan³, G. Ma³

1. *Institut Néel, Grenoble, France*

2. *University of Wollongong, Wollongong, New South Wales, Australia*

3. *Shanghai University, Shanghai, China*

TH.C-P92 - Picosecond emergence and control of the photo-induced magnetization across the morin transition in DyFeO_3

D. Afanasiev¹, R. Pisarev², B. Ivanov³, T. Rasing¹, A. Kimel¹

1. *Radboud University Nijmegen, Institute for Molecules and Materials, AJ Nijmegen, The Netherlands*

2. *Ioffe Physical-Technical Institute, Russian Academy of Sciences, St. Petersburg, Russia*

3. *Institute of Magnetism, National Academy of Sciences, Kiev, Ukraine*

TH.C-P93 - μ SR study on the phase transition from antiferromagnetic Mott-insulator to non-magnetic metal in K-Rb alloy and Rb clusters in sodalite

T. Nakano¹, K. Tanibe¹, L. Manh Kien¹, S. Yoon^{2,3}, M. Abdel-Jawad², F. L. Pratt⁴, I. Watanabe², Y. Nozue¹

1. Department of Physics, Osaka University, Japan

2. RIKEN Nishina Center, Japan

3. Department of Physics, The Catholic University of Korea, Republic of Korea

4. ISIS, Rutherford Appleton Laboratory, United Kingdom

TH.C-P94 - Crystal structure and physical properties of the novel EuPdSn_2 compound

I. Čurílik^{1,2}, F. Gastaldo³, M. Giovannini³, M. Reiffers^{1,2}

1. Institute of experimental physics, Slovak academy of science, Košice, Slovakia

2. Faculty of Humanities and Natural Sciences, University of Prešov, Prešov, Slovakia

3. Department of Chemistry, University of Genova, Genova, Italy

TH.C-P96 - Magnetic properties and negative magnetocaloric effect in $\text{Mn}(\text{-Ru-Rh})\text{As}$

D. Szymański¹, J. Tobola², W. Chajec¹, R. Zach¹, S. Haj-Khlifa³, D. Fruchart³, E. K. Hlíl³

1. Institute of Physics, CUT, Cracow, Poland

2. AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Cracow, Poland

3. Institut Néel, CNRS, Grenoble, France

TH.C-P97 - Neutron depolarisation imaging of the ferromagnetic quantum phase transition in ZrZn_2

P. Schmakat^{1,2}, M. Halder², G. Brandl^{1,2}, M. Schulz¹, S. Hayden³, R. Georgii¹, P. Böni², C. Pfleiderer²

1. Technische Universität München, FRM II, Germany

2. Technische Universität München, E21, Germany

3. University of Bristol, Bristol, United Kingdom

TH.C-P98 - Correlation between electrical properties and antiferromagnetic ordering in brownmillerite-type $\text{Ca}_2\text{Fe}_2\text{O}_5$

I. Kagomiya¹, Y. Hirota¹, K. Kakimoto¹, A. Fuwa², S. Nakamura^{3,4}

1. Department of Materials Science and Engineering, Nagoya Institute of Technology, Nagoya, Japan

2. Faculty of Science and Engineering, Waseda University, Japan

3. Department of Science and Engineering, Utsunomiya, Japan

4. Advanced Research Institute of Science and Engineering, Waseda University, Japan

TH.C-P99 - The uniaxial pressure effect on the magnetic phase transitions in spin-lattice coupled system CuFeO_2

H. Tamatsukuri¹, S. Mitsuda¹, T. Nakajima², S. Aoki¹, S. Hosaka¹, K. Prokes³, K. Kiefer³

1. Tokyo University of Science

2. RIKEN Center for Emergent Matter Science (CEMS)

3. Helmholtz-Centre Berlin for Materials and Energy

TH.C-P100 - Quantum phase transitions and staggered dimer order in the J1 – J1' – J2 frustrated anisotropic exchange antiferromagnetic Heisenberg model

S. Rufo¹, J.R. de Sousa^{2,3}, J.A. Plascak^{1,4,5}

1. Universidade Federal De Minas Gerais, Brazil

2. Universidade Federal Do Amazonas, Brazil

3. National Institute of Science and Technology for Complex Systems, Brazil

4. Center for Simulational Physics, University of Georgia, United states

5. Universidade Federal da Paraíba, Brazil

TH.C-P102 - Fisher's relations between magnetic susceptibilities and heat capacity on Ising antiferromagnet at temperatures near Neel point.

Y. Satake¹, T. Shirane¹

1. National Institute of Technology, Sendai College, Japan

TH.C-P103 - Low Temperature Magnetic Properties of a New Quasi-one-dimensional Organic Magnet alpha-2-Cl-4-F-V

Y. Kono¹, S. Kittaka¹, T. Sakakibara¹, H. Yamaguchi², Y. Hosokoshi²

1. The Institute For Solid State Physics, The University of Tokyo, Japan

2. Department of Physical Science, Osaka Prefecture University, Japan

TH.C-P104 - Effect of pressure on magnetic and transport properties in the lightly electron-doped manganite compound Sr-substituted CaMn_{0.95}Sb_{0.05}O₃

T. Aoyagi¹, M. Matsukawa¹, H. Takahashi¹, H. Taniguchi¹, S. Kobayashi¹, S. Nimori², R. Suryanarayanan³

1. Iwate University, Japan

2. National Institute for Materials Science, Tsukuba, Japan

3. University Paris-Sud, Paris, France

TH.C-P105 - Metamagnetic transitions in La_{0.5}Pr_{0.5}Mn₂Si₂

E. Duman¹, M. Acet², T. Krenke³, B. Ouladiaz⁴, E. Suard⁴

1. Ankara University, Faculty of Engineering, Department of Physics, Ankara, Turkey

2. Experimentalphysik, Duisburg-Essen University, Duisburg, Germany

3. ThyssenKrupp Electrical Steel, Gelsenkirchen, Germany

4. Institut Laue-Langevin, Grenoble, France

TH.C-P107 - Exotic spin structures and phase transitions in a complex magnetoelectric CuB2O4 as evidenced by optical linear dichroism studies

K. Boldyrev¹, M. Popova¹, R. Pisarev², L. Bezmaternykh³

1. Institute of Spectroscopy, Russian Academy of Sciences, Troitsk, Moscow, Russian Federation

2. Ioffe Physical-Technical Institute, Russian Academy of Sciences, St. Petersburg, Russian Federation

3. Kirensky Institute of Physics, Siberian Branch of the Russian Academy of Sciences, Krasnoyarsk, Russian Federation

TH.C-P108 - Stabilizing the ferromagnetic ordering of Co nano-assemblies on graphene by dipolar interaction

C. Kuo¹, Y. Chang¹, Y. Chan¹, S. Wu¹, T. Wu¹, C. Huang¹, D. Wei²
1. Department of Physics, National Sun Yat-Sen University, China
2. National Synchrotron Radiation Research Center, Taiwan

TH.C-P109 - Thermodynamic properties of NdCu₄Au

A. Bashir¹, M. Tchokonté¹, D. Britz², A. Strydom²
1. University of The Western Cape, South Africa
2. University of Johannesburg, South Africa

TH.C-P110 - Magnetic characterization of YbMn₂Sb₂ single crystals

J. Munevar¹, F. P. Vieira¹, M. A. Avila¹, R. A. Ribeiro¹
1. CCNH, Universidade Federal do ABC (UFABC), Santo Andre, Brazil

TH.C-P111 - Electromagnetic waves emitted from spiral magnetic at phase transition

D. Kuzmin¹, I. Bychkov¹, A. Kamantsev², V. Koledov², V. Shavrov²
1. Chelyabinsk State University, Russian Federation
2. Kotelnikov Institute of Radio-engineering and Electronics of RAS, Russian Federation

TH.C-P112 - Modeling of first order phase transitions kinetics in systems with coupled order parameters

I. Bychkov¹, D. Kuzmin¹, A. Kamantsev², V. Koledov², V. Shavrov²
1. Chelyabinsk State University, Russian Federation
2. Kotelnikov Institute of Radio-engineering and Electronics of RAS, Russian Federation

TH.C-P114 - Effect of Cu-substitution on Magnetic State of Mn₂NiGa Heusler alloy

M. Vagadia¹, A.K. Nigam¹
1. Tata Institute of Fundamental Research, Mumbai, India

TH.C-P115 - Low-temperature properties of transition-metal and rare-earth diborides

G. Benka¹, A. Bauer¹, A. Regnat¹, C. Pfleiderer¹
1. Technische Universität München - Lehrstuhl Für Topologie Korrelierter Systeme, Germany

TH.C-P116 - CuMnSb: between local and itinerant antiferromagnetism

P. Jorba Cabré¹, A. Bauer¹, A. Regnat¹, G. Brandl¹, B. Roessli², A. Senyshyn³, M. Meven³, S. Gottlieb-Schönmeyer¹, K. Hradil⁴, Peter Böni¹, C. Pfleiderer¹
1. Technical University of Munich - Physik Department, Munich, Germany
2. Laboratory of neutron scattering, PSI, Switzerland
3. Heinz Maier-Leibnitz Zentrum (MLZ), Munich, Germany
4. Universität Wien, X-ray center, Wien, Austria

TH.C-P118 - High pressure phase diagram of the singlet-ground-state magnet CsFeCl₃

N. Kurita¹, H. Tanaka¹
1. Tokyo Institute of Technology, Tokyo, Japan

TH.C-P119 - Spin relaxation process in $\text{Cr}_{1-x}\text{Fe}_x$

S. Säubert^{1,2}, G. Benka², P. Schmakat^{1,2}, J. Kindervater³, A. Bauer², J. N. Wagner⁴, W. Häussler¹, O. Holderer¹, S. M. Shapiro⁵, P. Böni³, C. Pfleiderer²

1. *Heinz Maier-Leibnitz Zentrum (MLZ), Technische Universität München, Garching, Germany*
2. *Lehrstuhl für Topologie korrelierter Systeme, Technische Universität München, Garching, Germany*
3. *Lehrstuhl für Neutronenstreuung, Technische Universität München, Garching, Germany*
4. *Karlsruher Institute for Technology, IAM-WK, Eggenstein-Leopoldshafen, Germany*
5. *Brookhaven National Laboratory, Department of Physics, Upton, United States*

TH.C-P120 - Magnetic structure of the ordered kondo compound YbNi_3Al_9 single crystal

Y. Uwatoko³, K. Munakata¹, Y. Nambu², T. Tanaka³, K. Matsubayashi³, T. Hirayama³, T. Yamashita⁴, S. Ohara⁴

1. *Comprehensive Research Organization for Science and Society, Tokai, 319-1106, Japan*
2. *Institute of Multidisciplinary Research for Advanced Materials, Tohoku University, Sendai, Japan*
3. *Institute for Solid State Physics, The University of Tokyo, Kashiwanoha, Kashiwa, Japan*
4. *Department of Engineering Physics, Electronics and Mechanics, Graduate School of Engineering, Nagoya Institute of Technology, Nagoya, Japan*

TH.C-P122 - in MnSi

I. I. Lobanova^{1,2}, V. Glushkov^{1,2}, N. Sluchanko², S. Demishev^{1,2}

1. *Moscow Institute of Physics And Technology (State University), Moscow, Russian Federation*
2. *Prokhorov General Physics Institute of RAS, Moscow, Russian Federation*

TH.C-P124 - Competing interactions in $\text{Er}_x\text{Pr}_{(1-x)}\text{Co}_2$

F. Bartolomé¹, J. Bartolomé¹, L. García¹, C. Marcela Bonilla², Y. Skourski³

1. *ICMA, Departamento de Física de la Materia Condensada, CSIC-Universidad de Zaragoza, Zaragoza, Spain*
2. *Ames Laboratory, Iowa State University, Ames, United States*
3. *Hochfeld-Magnetlabor Dresden, Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany*

TH.C-P126 - Thermal expansion and magnetostriction of $\text{Pr}_3\text{Pd}_{20}\text{Ge}_6$

O. Iwakami¹, Y. Yao¹, S. Abe¹, K. Matsumoto¹, G. Ano², M. Akatsu³, K. Mitsumoto¹, Y. Nemoto¹, T. Goto¹, N. Takeda⁴, H. Kitazawa⁵

1. *Department of Physics, Kanazawa University, Japan*
2. *Graduate School of Science and Technology, Niigata University, Japan*
3. *Department of Physics, Niigata University, Japan*
4. *Faculty of Engineering, Niigata University, Japan*
5. *National Institute for Materials Science, Tsukuba, Japan*

TH.C-P127 - Synthesis and characterization of compositionally graded Fe-Rh films

N. B. Doan¹, Y. Dusch¹, G. Diguët¹, N. Dempsey¹, L. Ranno¹

1. CNRS - Institut NEEL, Grenoble, France

D. Actinides & Lanthanides

TH.D-P01 - Full potential calculation of magnetic properties of TbFe₂

M. Imaizumi¹, C. Soufen¹

1. Universidade Paulista Julio De Mesquita Filho -Unesp, Sao Paulo, Brazil

TH.D-P02 - High-field magnetoelasticity of Tm₂Co₁₇

A. V. Andreev¹, Y. Skourski², A. A. Zvyagin³, S. Yasin², S. Zherlitsyn²

1. Institute of Physics, Academy of Sciences, Prague, Czech Republic

2. Dresden High Magnetic Field Laboratory, Helmholtz-Zentrum Dresden-Rossendorf Dresden, Germany

3. B.I. Verkin Institute for Low Temperature Physics and Engineering of the National Academy of Sciences of Ukraine, Kharkov, Ukraine

TH.D-P03 - Ferromagnetism in UCoAl induced by Os doping

A. V. Andreev¹, K. Shirasaki², J. Sebek¹, D. I. Gorbunov^{1,3}, S. Danis⁴, T. Yamamura²

1. Institute of Physics, Academy of Sciences, Prague, Czech Republic

2. Institute for Materials Research, Tohoku University, Katahira 2-1-1, Sendai, Japan

3. Dresden High Magnetic Field Laboratory (HLD), Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

4. Department of Condensed Matter Physics, Charles University, Prague, Czech Republic

TH.D-P04 - Single crystal study of layered U_nRhIn_{3n+2} materials: case of the novel U₂RhIn₈ compound

A. Bartha¹, M. Kratochvílová¹, M. Dušek², M. Diviš¹, J. Custers¹, V. Sechovský¹

1. Department of Condensed Matter Physics, Charles University, Praha, Czech Republic

2. Department of Structure Analysis, Institute of Physics ASCR, Praha, Czech Republic

TH.D-P06 - Effect of pressure on magnetothermal properties and glassy dynamics in magnetization in Nd₂Pd₃

P. Kumar¹, R. Kumar², C. Shekhar³, A. Coelho⁴, S. Gama⁴, K.G. Suresh⁵

1. Indian Institute of Information Technology Allahabad, Allahabad, India

2. National Physical Laboratories, New Delhi, India

3. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

4. Instituto de Física "Gleb Wataghin", Universidade Estadual de CAMPINAS - UNICAMP, Campinas, Brazil

5. Indian Institute of Technology Bombay, Mumbai, India

TH.D-P07 - Control of magnetic properties in alpha-Dy₂S₃ single crystal by using magnetic field

S. Ebisu¹, K. Fuji¹, Guoqing¹, Y. Shibayama¹

1. Muroran Institute of Technology, Japan

TH.D-P08 - Magnetic properties of double doped UH_{-3} -based hydrides

M. Paukov¹, I. Tkach¹, D. Drozdenko¹, P. Minárik¹, D. Kriegner¹, Z. Matej¹, S. Masková¹, L. Havela¹

1. Charles University, Prague, Czech Republic

TH.D-P09 - Hexanuclear lanthanide clusters exhibiting magnetic chilling and relaxation properties

J. Tong¹, X. Xu¹, G. Luo¹

1. Xiangyang Noncommissioned officers School, China

TH.D-P11 - Metamagnetic transition in TmCo_4Al

A.V. Andreev¹, O. Isnard^{2,3}, Y. Skourski², D.I. Gorbunov^{1,4}

1. Institute of Physics, Academy of Sciences, Prague, Czech Republic

2. Université Grenoble Alpes, Institut NÉEL, Grenoble, France

3. CNRS, Institut NÉEL, Grenoble, France

4. Dresden High Magnetic Field Laboratory, Helmholtz-Zentrum Dresden-Rossendorf Dresden, Germany

TH.D-P12 - I-V characteristics in $\text{CdMoO}_4:\text{Nd}^{3+}$ single crystal

B. Sawicki¹, E. Tomaszewicz², M. Berkowski³, H. Duda¹, T. Groń¹

1. Institute of Physics, University of Silesia, Katowice, Poland

2. Department of Inorganic and Analytical Chemistry, West Pomeranian University of Technology, Szczecin, Poland

3. Institute of Physics, Polish Academy of Sciences, Warszawa, Poland

TH.D-P13 - Magnetic properties of NdPd_5Al_2

J. Zúbac¹, K. Vlaskova¹, P. Javorsky¹

1. Charles University, Faculty of Mathematics And Physics, Prague, Czech Republic

TH.D-P15 - Searching for superconductivity in NpAl_2 : a study of low temperature ground state properties

J. Griveau¹, E. Colineau¹, L. Martel¹, R. Eloirdi¹, R. Caciuffo¹

1. European Commission, Joint Research Centre (JRC), Institute for Transuranium Elements (ITU), Karlsruhe, Germany

TH.D-P17 - 5d-3d antiferromagnetic spin coupling of Tm and Lu adatoms with Fe monoatomic islands on $\text{W}(110)$ probed by spin-polarized tunneling microscopy

D. Coffey^{1,2}, J. L. Diez-Ferrer¹, D. Serrate^{1,2}, M. Ciria^{2,3}, C. de la Fuente^{2,3}, J. I. Arnaudas^{1,2}

1. Lab. de Microscopías Avanzadas - Inst. de Nanociencia de Aragón, Univ. de Zaragoza, Zaragoza, Spain

2. Depto. de Física de la Materia Condensada - Univ. de Zaragoza, Zaragoza, Spain

3. Instituto de Ciencia de Materiales de Aragón, CSIC-Univ. de Zaragoza, Zaragoza, Spain

TH.D-P18 - Optical and magneto-optical interactions in Co doped CeO₂ thin films prepared by pulsed laser deposition

M. Zahradnik¹, M. Kucera¹, R. Antos¹, M. Veis¹, J. Mistrik², L. Bi³, H. Kim³, G. F. Dionne³, C. A. Ross³

1. Charles University of Prague, Faculty of Mathematics and Physics, Prague, Czech Republic
2. University of Pardubice, Department of Physics, Pardubice, Czech Republic
3. Department of Materials Science and Engineering, Massachusetts Institute of Technology, Cambridge, United States

TH.D-P19 - Deviations from Matthiessen rule and resistivity saturation effects in rare-earth metals revealed in first principles calculations

J. Glasbrenner¹, B. Pujari¹, K. Belashchenko¹

1. University of Nebraska-Lincoln, United States

TH.D-P20 - Crystal field effects in polymorphic compound TbIr₂Si₂

T. Shigeoka¹, Y. Kurata¹, T. Nakata¹, T. Fujiwara¹, K. Matubayashi², Y. Uwatoko²

1. Yamaguchi University, Japan
2. University of Tokyo, Japan

TH.D-P21 - Non-equilibrium behavior of the magnetization in the helimagnetic phases of the rare earth alloys R_{1-x}Y_x (R = Gd, Tb, Dy)

T. Yamazaki¹, J. Ishiyama¹, Y. Noya¹, M. Kurihara¹, H. Yaguchi¹

1. Department of Physics, Faculty of Science And Technology, Tokyo University of Science, Japan

TH.D-P22 - Charge density wave stabilization in LaSb₂ by Ce ion substitution

R. F. Luccas^{1,2,3}, J. Hanko², A. Fente^{2,3}, A. Correa-Orellana^{1,2,3}, E. Climent-Pascual¹, J. Azpeitia^{1,2,3}, T. Perez-Castañeda², M. R. Osorio², N. M. Nemes^{1,3}, F. J. Mompean^{1,3}, E. Salas⁴, E. Herrera-Vasco^{2,3}, I. Guillamón^{2,3}, M. García-Hernández^{1,3}, J.G. Rodrigo^{2,3}, M.A. Ramos^{2,3}, H. Suderow^{2,3}

1. Instituto de Ciencia de Materiales de Madrid, Consejo Superior de Investigaciones Científicas (ICMM-CSIC), Madrid, Spain
2. Laboratorio de Bajas Temperaturas, Departamento de Física de la Materia Condensada, Instituto de Ciencia de Materiales Nicolás Cabrera, Condensed Matter Physics Center (IFIMAC), Universidad Autónoma de Madrid, Madrid, Spain
3. Unidad Asociada de Bajas Temperaturas y Altos Campos Magnéticos, UAM, CSIC, Cantoblanco, Madrid, Spain
4. Spiline Spanish CRG Beamline at the European Synchrotron Radiation Facilities, ESRF, Grenoble, France

TH.D-P23 - Magnetic phase diagram of non-kramers Γ_3 doublet system prpb₃ by specific heat measurements

Y. Sato¹, Y. Inagaki¹, T. Kawae¹, T. Onimaru², H. Suzuki³

1. Department of Applied Quantum Physics, Kyushu University, Japan
2. Department of Quantum Matter, Hiroshima University, Japan
3. National Institute for Material Science, Ibaraki, Japan

TH.D-P24 - Magnetic properties of CePtIn₄

K. Uhlířová¹, P. Proschek¹, J. Prokleska¹

1. Charles University In Prague, Faculty of Mathematics And Physics, Department of Condensed Matter Physics, Praha , Czech Republic

TH.D-P25 - Site-selective magnetic order of neptunium in Np₂Ni₁₇

A. Hen¹, E. Colineau¹, R. Eloird¹, J.-C. Griveau¹, N. Magnani¹, J.-P. Sanchez², I. Halevy^{3,4}, I. Orion³, A. B. Shick⁵, R. Caciuffo¹

1. European Commission, Joint Research Centre (JRC), Institute For Transuranium Elements (ITU), Karlsruhe, Germany

2. SPSMS, UMR-E CEA/UJF-Grenoble 1, INAC, Grenoble, France

3. Nuclear Engineering Department, Ben Gurion University, Beer-Sheva, Israel

4. Physics Department, Nuclear Research Center Negev, Beer-Sheva, Israel

5. Institute of Physics, Academy of Sciences of The Czech Republic, Prague, Czech Republic

E. Metal spintronics

TH.E-P01 - Ab initio theory of the gilbert damping in random alloys: the torque-correlation formulation

I. Turek¹, J. Kudrnovsky², V. Drchal²

1. Institute of Physics of Materials, Acad. Sci. Czech Rep., Brno, Czech Republic

2. Institute of Physics, Acad. Sci. Czech Rep., Praha, Czech Republic

TH.E-P02 - Relativistic effects on electron transport in magnetic alloys

V. Drchal¹, J. Kudrnovsky¹, I. Turek²

1. Institute of Physics, AS CR, Prague, Czech Republic

2. Institute of Physics of Materials, AS CR, Prague, Czech Republic

TH.E-P03 - Modulation of the amplitude of spin transfer torque in double barrier magnetic tunnel junctions

C. Baraduc¹, P. Clément¹, P. Coelho¹, C. Ducruet², L. Vila³, M. Chshiev¹, B. Dieny¹

1. Spintec, Grenoble, France

2. Crocus Technology, santa Clara, United States

3. SP2M/NM - CEA Grenoble, France

TH.E-P04 - The study of the spin proximity effect from a solution of the modified boltzmann transport equations

V. Zayets¹

1. Spintronics Research Center, AIST, Japan

TH.E-P05 - Resonant magnetoresistance in asymmetrical double-barrier magnetic tunnel junction

N. Useinov¹, L. Tagirov¹

1. Kazan Federal University, Russian Federation

TH.E-P06 - Spin-pumping using the $\text{Ni}_{80}\text{Fe}_{20}$ thin film annealed in a magnetic field

H. Shimogiku¹, N. Hanayama², Y. Teki³, H. Tsujimoto¹, E. Shikoh¹

1. Graduate School of Engineering, Osaka City University, Japan

2. Faculty of Engineering, Osaka City University, Japan

3. Graduate School of Science, Osaka City University, Japan

TH.E-P08 - Enhanced giant magnetoresistance signals in lateral spin valves

G. Zahnd^{1,2}, Y. T. Van Pham^{1,2}, W. Saverio Torres^{1,2}, P. Laczkowski^{1,2}, L. Vila^{1,2}, V. Dai Nguyen^{1,2}, J.C. Rojas Sanchez^{1,2}, Alain Marty^{1,2}, C. Vergnaud^{1,2}, C. Beigné^{1,2}, L. Notin^{1,2}, M. Jamet^{1,2}, J. Attané^{1,2}

1. Institut Nanosciences Et Cryogenie, CEA, Grenoble, France

2. Université Grenoble Alpes, Grenoble, France

TH.E-P09 - Modulation of pure spin currents with a ferromagnetic insulator

E.Villamor¹, M. Isasa¹, S. Vélez¹, A. Bedoya-Pinto¹, P. Vavassori^{1,2}, L. E. Hueso^{1,2}, F. S. Bergeret^{3,4}, F.Casanova^{1,2}

1. CIC NanoGUNE, Donostia-San Sebastian, Spain

2. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

3. Centro de Física de Materiales (CFM-MPC) Centro Mixto CSIC-UPV/EHU, Donostia-San Sebastian, Spain

4. Donostia International Physics Center (DIPC), Donostia-San Sebastian, Spain

TH.E-P10 - Spin current transport in a Nb/Cu/NiFe tri-layer structure

K. Ohnishi^{1,2}, Y. Ono¹, M. Sakamoto¹, T. Kimura^{1,2}

1. Dept. of Physics, Kyushu University, Japan

2. Research Center for Quantum Nano-Spin Sciences, Kyushu University, Japan

TH.E-P11 - Study of the ferromagnetic resonance properties in epitaxial FePt samples

A. Conca¹, S. Keller¹, L. Mihalceanu¹, J. Greser¹, E. Papaioannou¹, B. Hillebrands¹

1. Fachbereich Physik And Landesforschungszentrum OPTIMAS, Technische Universität Kaiserslautern, Germany

TH.E-P12 - Large extrinsic spin hall effect in gold based alloys

P. Laczkowski¹, J. Rojas-Sánchez¹, W. Saverio-Torres², N. Reyren¹, C. Deranlot¹, J. George¹, H. Jaffrès¹, A. Fert¹, L. Notin², C. Beigné², A. Marty², J. Attané², L. Vila²

1. UMR/CNRS-Thales and Université Paris-Sud, Palaiseau, France

2. INAC/SP2M, CEA-Université Joseph Fourier, Grenoble, France

TH.E-P15 - Spin-orbit torque measurement by magneto-optical Kerr effect with circularly polarized light

S. Yun¹, J. Moon¹, H. Whang¹, S. Choe¹

1. Department of Physics, Seoul National University, Seoul, Republic of Korea

TH.E-P16 - Lateral spin transport in a Cu narrow strip fabricated on a magnetic insulating film

M. Kawakita¹, K. Okabe¹, T. Nomura¹, S. Yakata², T. Kimura^{1,3}

1. Department of Physics, Kyushu University, Japan

2. FIT, Fukuoka, Japan

3. Nanospin Research Center, Kyushu University, Japan

TH.E-P18 - Temperature dependence of inverse rashba-edelstein effect at metallic interface

A. Nomura¹, T. Tashiro¹, K. Ando¹

1. Keio University, Japan

TH.E-P19 - Theoretical analysis on the anomalous hall conductivity of disordered Fe50Co50 alloys; effects of electron lifetime depending on the magnetic quantum number

K. Hyodo¹, A. Sakuma¹

1. Dept. of Appl. Phys., Tohoku University, Japan

TH.E-P20 - Spin hall magnetoresistance in absence of proximity effects in Pt/CoFe₂O₄ bilayers

M. Valvidares Suarez¹, P. Gargiani¹, K. Ollefs², F. Wilhelm², E. Pellegrin¹, A. Rogalev², N. Dix³, F. Sánchez³, J. Fontcuberta³

1. ALBA Synchrotron Light Facility, Cerdanyola del Vallés, Catalonia, Spain

2. ESRF-The European Synchrotron, Grenoble, France

3. Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Bellaterra, Catalonia, Spain

TH.E-P22 - Unidirectional spin hall magnetoresistance in ferromagnet/normal metal bilayers

C. Onur Avci¹, K. Garello¹, A. Ghosh¹, M. Gabureac¹, S. F. Alvarado¹, P. Gambardella¹

1. Department of Materials, ETH Zürich, Zürich, Switzerland

F. Domain wall motion

TH.F.P27 - Vortex domain wall trapping via asymmetric notches

M. Voto¹, L. López Díaz¹, L. Torres Rincón¹

1. University of Salamanca, Spain

TH.F-P01 - Field and current driven magnetic domain wall motion in disordered A₂-FePt nanowires

P. Ho¹, J. Zhang¹, J. Currivan^{1,2}, D. Bono¹, C. Ross¹

1. Massachusetts Institute of Technology, United States

2. Harvard University, United States

TH.F-P03 - Simulation of the field-driven magnetic domain wall motion under the dzyaloshinskii-moriya interaction

K. Yamada¹, Y. Nakatani¹

1. University of Electro-Communications, Tokyo, Japan

TH.F-P04 - Effect of electric current on domain wall dynamics in nanocrystalline FeCoMoB microwire

P. Klein¹, A. Jimenez², G. Badini-Confalonieri², M. Vazquez², R. Varga¹

1. Institute of Physics, Faculty of Science, UPJS, Kosice, Slovakia

2. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain

TH.F-P05 - Evidence for chiral magnetic domain-wall in ferrimagnetic Gd-FeCo wires

T. Tono¹, T. Taniguchi¹, K. Kim¹, T. Moriyama¹, A. Tsukamoto², T. Ono¹

1. *Institute For Chemical Research, Kyoto University, Japan*
2. *College of Science and Technology, Nihon University, Japan*

TH.F-P06 - Fast DW motion through the annihilation of vertical bloch lines induced by dzyaloshinskii-moriya interaction

Y. Yoshimura¹, K. Kim¹, T. Taniguchi¹, T. Tono¹, K. Ueda¹, R. Hiramatsu¹, T. Moriyama¹, Y. Nakatani², T. Ono¹

1. *Institute For Chemical Research, Kyoto University, Japan*
2. *The University of Electro-communications, Tokyo, Japan*

TH.F-P07 - Magnetic origami

C. Safeer¹, E. Jué¹, A. Lopez¹, L. Buda Prejbeanu¹, S. Auffret¹, J. Vogel², S. Pizzini², O. Boule¹, I. Miron¹, G. Gaudin¹

1. *SPINTEC/INAC/CEA/Université de Grenoble Alpes, France*
2. *Institute NÉel/CNRS/ Université de Grenoble Alpes, France*

TH.F-P08 - Domain walls in thin film magnets/TI junctions

Y. Ferreiros¹, F. Buijnsters²

1. *Instituto De Ciencias De Materiales De Madrid (ICMM), Madrid, Spain*
2. *Institute for Molecules and Materials, Radboud University Nijmegen, The Netherlands*

TH.F-P09 - Ultrafast dynamics of current induced motion of magnetic domain wall in permalloy sublayer in bilayer niobium-permalloy structure.

L.S. Uspenskaya¹, S.V. Egorov¹

1. *Institute of Solid State Physics RAS, Moscow, Russian Federation*

TH.F-P10 - Pure spin current injection and detection device based on magnetic domain walls

L.Vila⁵, T. Van Pham¹, W. Savero Torres², G. Zahnd³, P. Laczkowski⁴, V. Dai Nguyen⁶, J. Rojas Sanchez⁷, A. Marty⁸, C. Vergnaud⁹, C. Beigné¹⁰, L. Notin¹¹, M. Jamet¹², J. Attané¹³

1. *Institut Nanosciences Et Cryogenie, CEA, Grenoble, France*
2. *Université Grenoble Alpes, Grenoble, France*

TH.F-P11 - Magnetic bubblecade memory based on chiral domain walls

K. Moon¹, D. Kim², S. Yoo^{2,3}, S. Je², B. Chun¹, W. Kim¹, B. Min³, C. Hwang¹, S. Choe²

1. *Center for Nanometrology, Korea Research Institute of Standards and Science, Republic of Korea*
2. *Department of Physics and Astronomy, Seoul National University, Republic of Korea*
3. *Center for Spintronics Research, Korea Institute of Science and Technology, Republic of Korea*

TH.F-P12 - Magnetization dynamics of iron garnet crystals in oscillating magnetic field

L. Pamyatnykh ¹, L. Agafonov ¹, D. Mekhonoshin ¹, S. Pamyatnykh ¹, M. Lysov ¹, G. Shmatov ¹

1. Ural Federal University, Russian Federation

TH.F-P13 - Dimensional crossover in stochastic behavior of magnetic domain-wall creep motion

T. Taniguchi ¹, K. Kim ¹, T. Tono ¹, T. Moriyama ¹, T. Ono ¹

1. Institute For Chemical Research, Kyoto University, Japan

TH.F-P14 - Head-to-head domain wall structures in wide permalloy strips

V. Estevez ¹, L. Laurson ¹

1. Aalto University, Aalto, Finland

TH.F-P15 - Non-uniform internal degrees of freedom in field-driven extended domain walls in perpendicular media

T. Herranen ¹, L. Laurson ¹

1. COMP Centre of Excellence and Helsinki Institute of Physics, Department of Applied Physics, Aalto University, Aalto, Finland

TH.F-P16 - Influence of asymmetric geometry on domain wall chirality detected in Y-shaped nanowires

W. Kwak ¹, J. Kwon ¹, B. Cho ¹

1. School of Materials Science and Engineering, Gwangju Institute of Science and Technology, Republic of Korea

TH.F-P17 - Manipulation of domain wall motion in Ta-CoFeB-MgO ultrathin films by making use of sub-nanometer steps modulation

A. Digiacoimo ¹, R. Mantovan ¹, N. Vernier ², T. Devolder ², K. Garcia ², G. Tallarida ¹, M. Fanciulli^{1,3}, B. Ocker ⁴, L. Baldi ⁵, M. Mariani ⁵, D. Ravelosona²

1. Laboratorio MDM IMM-CNR, Agrate Brianza, Italy

2. Institut d'Electronique Fondamentale, Université Paris-Sud, Orsay, France

3. Dipartimento di Scienza dei Materiali, Università di Milano Bicocca, Milano, Italy

4. Singulus Technology AG, Kahl am Main, Germany

5. Micron Semiconductor Italia S.r.l., Agrate Brianza, Italy

TH.F-P19 - Enhancement of spin-orbit torque and Dzyaloshinskii-Moriya interaction in Co films sandwiched by various 3d, 4d, and 5d transition metals

C. Cho ¹, S. Yun ¹, H. Whang ¹, D. Kim ¹, D. Kim ¹, J. Moon ¹, S. Je ¹, Y. Oh ², B. Park², S. Choe ¹

1. Seoul National University, Republic of Korea

2. KAIST, DAEJEON, Republic of Korea

TH.F-P20 - Quantitative scaling of magnetic avalanches in soft materials

G. Durin ^{1,2}, F. Bohn ³, M. A. Correa ³, K. Wiese ⁴, P. Le Doussal ⁴

1. Istituto Nazionale Di Ricerca Metrologica, Torino, Italy

2. ISI Foundation, Torino, Italy

3. Universidade Federal do Rio Grande do Norte, Natal, Brazil

4. CNRS-Laboratoire de Physique Théorique de l'Ecole Normale Supérieure, Paris, France

TH.F-P21 - Improvement of current induced domain wall motion in TbFeCo wire on plastic substrates

A. Tsukasa¹, T. Atsushi¹, A. Hiroyuki¹

1. Toyota Technological Institute, Japan

TH.F-P22 - Current induced domain wall motion along current direction in Pt/GdFeCo(110nm)/SiO₂/Si sub. magnetic nanowire

Y. Kurokawa¹, M. Kawamoto¹, H. Awano¹

1. Toyota Technological Institute, Japan

TH.F-P23 - Analytical modeling of magnetic domain wall motion under applied fields and currents

S. Ali Nasser¹, B. Sarma¹, G. Durin^{1,2}, C. Serpico^{1,3}

1. ISI Foundation, Torino, Italy

2. Istituto Nazionale di Ricerca Metrologica (INRIM), Torino, Italy

3. Dip. di Ingegneria Elettrica, University of Napoli Federico II, Italy

TH.F-P24 - Current-driven vortex domain wall motion in wire-tube nanostructures

A. Espejo^{1,2}, N. Vidal-Silva¹, J. A. López-López³, D. Goerlitz², K. Nielsch², J. Escrig^{1,4}

1. Departamento de Física, Universidad De Santiago De Chile, Santiago, Chile

2. Institute of Nanostructure and Solid State Physics, University of Hamburg, Hamburg, Germany

3. Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

4. Center for the Development of Nanoscience and Nanotechnology, Santiago, Chile

TH.F-P25 - Electric-current-induced dynamics of bubble domains in TbFeCo wires of various compositions with different cap layers

M. Tanaka¹, H. Kanazawa¹, S. Sumitomo¹, S. Honda², K. Mibu¹, H. Awano³

1. Nagoya Institute of Technology, Japan

2. University of Tsukuba, Japan

3. Toyota Technological Institute, Japan

TH.F-P26 - Investigation of vortex domain wall motion in permalloy nanowire with nano-constriction

V. Parakkat¹, Anil P.S. Kumar¹

1. IISc, Bangalore, India

TH.F-P28 - DeltaE effect and magnetomechanical damping in the re-entrant spin glass state of ferromagnetic bulk metallic glasses

J. Torrens-Serra¹, F. Solivellas¹, S. Kustov¹

1. Universitat De Les Illes Balears, Palma de Mallorca, Spain

TH.F-P29 - Walker breakdown of domain wall motion driven by spin waves in perpendicular magnetic anisotropy nanostrip

L. Chang¹, S. Lee¹

1. Institute of Physics, Academia Sinica, Taiwan

G. Electric field effect on magnetic systems

Th.G-P01 - Reversible control of ferromagnetism in Fe_3O_4 via lithium insertion/extraction

G. Wei ¹, Y. Chen ¹, S. Xiao ¹

1. School of Physics, Shandong University, China

Th.G-P02 - Computer simulation of domain wall motion induced by a slope electric field

S. Murayama ¹, K. Yamada ¹, Y. Nakatani ¹

1. University of Electro-Communications, Tokyo, Japan

Th.G-P03 - Electric field control of current-induced domain wall motion

H. Kakizakai ¹, K. Yamada ¹, M. Kawaguchi ¹, T. Koyama ², D. Chiba ², T. Ono ¹

1. Institute For Chemical Research, Kyoto University, Japan

2. The University of Tokyo, Japan

Th.G-P04 - First-principles density functional study on magnetic-anisotropy-energy non-linear variation by electric field in double Fe/MgO interfaces

D. Yoshikawa ¹, M. Obata ¹, S. Haraguchi ¹, Y. Taguchi ¹, T. Oda ^{1,2}

1. Graduate School of Natural Science and Technology, Kanazawa University, Japan

2. Institute of Science and Engineering, Kanazawa University, Japan

Th.G-P05 - Electric-field effect on magnetism of L10-FePt investigated by the x-ray magnetic circular dichroism spectroscopy

S. Miwa ^{1,4}, K. Matsuda ¹, K. Tanaka ¹, T. Nozaki ^{2,4}, F. Bonell ¹, S. Yuasa ^{2,4}, M. Suzuki ³, Y. Suzuki ^{1,2,4}

1. Graduate School of Engineering Science, Osaka University, Japan

2. National Institute of Advance Industrial Science and Technology (AIST), Spintronics Research center, Japan

3. Japan Synchrotron Radiation Research Institute/SPring-8, Japan

4. CREST, Japan Science Technology, Japan

Th.G-P06 - Electric-field-controlled magnetization rotation and tunneling magnetoresistance of magnetic tunnel junctions at room temperature

Y. Zhao ^{1,3}, P. Li ¹, A. Chen ¹, D. Li ², S. Zhang ^{1,3}, L. Yang ¹, Y. Liu ¹, M. Zhu ¹, H. Zhang ¹, X. Han ²

1. Tsinghua University, Beijing, China

2. Beijing National Laboratory for Condensed Matter Physics, Chinese Academy of Sciences, China

3. College of Science, National University of Defense Technology, China

Th.G-P07 - Underlayer material dependence of perpendicular magnetic anisotropy in CoFeB/MgO tuned by electric fields

W. Skowronski ^{1,2}, T. Nozaki ², Y. Shiota ², S. Tamaru ², K. Yakushiji ², H. Kubota ², A. Fukushima ², S. Yuasa ², Y. Suzuki ²

1. AGH University of Science And Technology, Kraków, Poland

2. National Institute of Advanced Industrial Science and Technology, Ibaraki, Japan

Th.G-P08 - Electric-Field modulation of magnetic anisotropy in the system under magnetic proximity effect

Y. Hibino¹, T. Koyama¹, A. Obinata¹, K. Miwa², S. Ono², D. Chiba¹

1. *The University of Tokyo, Tokyo, Japan*

2. *Central Research Institute of Electric Power Industry, Japan*

Th.G-P10 - Electric field effect on induced magnetic moment in Pd

A. Obinata¹, D. Hayakawa¹, Y. Hibino¹, T. Koyama¹, K. Miwa², S. Ono², D. Chiba¹

1. *The University of Tokyo, Japan*

2. *Central Research Institute of Electric Power Industry, Japan*

Th.G-P11 - Correlation between resistive switching behavior and ferromagnetism in pure ZnO thin films

Y. Hu¹, S. Li²

1. *Department of Applied Physics, National University of Kaohsiung, China*

2. *Institute of Electro-Optical Science and Engineering, National Cheng Kung University, China*

Th.G-P12 - Magnetoresistance in amorphous alloys and thin ferromagnetic films

J. Zapata Farfan¹, H. Montiel Sánchez¹, G. Alvarez Lucio²

1. *Universidad Nacional Autónoma De México, Centro De Ciencias Aplicadas Y Desarrollo Tecnológico, Circuito Exterior S/N, Ciudad Universitaria, Delegación Coyoacán, México*

2. *Instituto Politécnico Nacional, Escuela Superior de Física y Matemáticas, México D.F. México*

Th.G-P13 - Voltage controlled optical and magnetic properties in ferromagnetic nanostructures studied by optical spectroscopies

L. Ohnoutek¹, L. Beran¹, R. Antos¹, M. Veis¹, A. Jun Tan², U. Bauer², G. S. D. Beach²

1. *Charles University in Prague, Faculty of Mathematics and Physics, Prague, Czech Republic*

2. *Department of Materials Science and Engineering, Massachusetts Institute of Technology, Cambridge, Massachusetts, United States*

Th.G-P14 - Electric field control of superparamagnetism in Ni/Cu system using electric double layer

K. Yamada¹, H. Kakizakai¹, T. Koyama², S. Ono³, K. Miwa³, M. Kawaguchi¹, D. Chiba², T. Ono¹

1. *Institute For Chemical Research, Kyoto University, Japan*

2. *Department of Applied Physics, The University of Tokyo, Japan*

3. *Central Research Institute of Electric Power Industry, Japan*

Th.G-P15 - Direct imaging of reversible electric control of magnetic domains in $\text{La}_2/3\text{Sr}_1/3\text{MnO}_3$

M. Foerster¹, D. Pesquera², B. Casals², F. Sanchez², G. Herranz², L. Aballe¹, J. Fontcuberta²

1. *ALBA Synchrotron Light Facility, Spain*

2. *Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Barcelona, Spain*

Th.G-P17 - Distinguishing spin-torque from electrical modification of anisotropy in voltage-induced ferromagnetic resonance

C. Gonzalez ¹, C. Garcia ¹

1. Departamento de Física, Universidad Tecnica Federico Santa Maria, Valparaiso, Chile

Th.G-P19 - Electrical writing of magnetic and resistive multistates in CoFe films deposited onto $\text{Pb}[\text{ZrxTi}_{1-x}]\text{O}_3$

V. Iurchuk ¹, B. Doudin ¹, J. Bran ¹, Bohdan Kundys ¹

1. Institut de Physique et Chimie des Matériaux de Strasbourg, France

H. Spin caloritronics

Th.H-P01 - Anomalous and planar righi-leduc effect in NiFe and YIG ferromagnets

B. Madon ¹, D. Pham ¹, D. Lacour ², A. Anane ³, B. Rozenn ³, V. Cros ³, M. Hehn ², J. Wegrowe ¹

1. Ecole Polytechnique, LSI, France

2. Institut Jean Lamour, France

3. UMR CNRS Thales, France

Th.H-P02 - Spin-dependent Peltier effect in a lateral spin-valve device with epitaxial Heusler-compound electrodes

K. Yamasaki ¹, S. Oki ¹, S. Yamada ¹, T. Kanashima ¹, K. Hamaya ^{1,2}

1. Osaka University, Japan

2. Osaka University and JST-CREST, Japan

Th.H-P03 - Observation of spin-dependent peltier effect using anomalous nernst effect

T. Nomura ¹, G. Uematsu ¹, S. Hu ², T. Kimura ^{1,2}

1. Department of Physics, Kyushu University, Japan

2. Research Center for Quantum Nano-Spin Science, Kyushu University, Japan

Th.H-P04 - Spin-thermoelectric voltage in the ste element using LPE YIG films grown on GGG substrates

Y. Li¹, Y. Kono², K. Mizunuma², Y. Saiga², M. Imamura¹

1. *Fukuoka Institute of Technology, Japan*

2. *DENSO CORPORATION Research Laboratories, Japan*

Th.H-P05 - Thermal spin current generation in Fe₃O₄/Pt thin films

R. Ramos¹, T. Kikkawa^{2,3}, A. Anadón^{1,4}, I. Lucas^{1,5}, M. H. Aguirre^{1,4,6}, K. Uchida^{2,3,7}, H. Adachi^{3,8,9}, P. A. Algarabel^{4,10}, L. Morellón^{1,4}, S. Maekawa^{3,8,9}, E. Saitoh^{2,3,8}, M.R. Ibarra^{1,4,6}

1. *Instituto De Nanociencia De Aragón, Universidad De Zaragoza, Zaragoza, Spain*

2. *Institute for Materials Research, Tohoku University, Sendai, Japan*

3. *ERATO, Japan Science and Technology Agency, Tokyo, Japan*

4. *Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain*

5. *Fundación ARAID, Zaragoza, Spain*

6. *Laboratorio de Microscopías Avanzadas, Universidad de Zaragoza, Zaragoza, Spain*

7. *PRESTO, Japan Science and Technology Agency, Kawaguchi, Saitama, Japan*

8. *Advanced Science Research Center, Japan Atomic Energy Agency, Tokai, Japan*

9. *CREST, Japan Science and Technology Agency, Sanbancho, Tokyo, Japan*

10. *Instituto de Ciencia de Materiales de Aragón, Universidad de Zaragoza and Consejo Superior de Investigaciones Científicas, Zaragoza, Spain*

Th.H-P06 - Magnetic field induced spin wave energy focusing

N. Perez¹, L. Lopez-Diaz¹

1. *University of Salamanca, Salamanca, Spain*

Th.H-P07 - Longitudinal spin seebeck effect in Bi-substituted neodymium iron garnet on GGG substrate prepared by MOD method

H. Asada¹, A. Kuwahara¹, K. Sueyasu¹, T. Ishibashi², Q. Liu², G. Lou², K. Kishimoto¹, T. Koyanagi¹

1. *Yamaguchi University, Japan*

2. *Nagaoka University of Technology, Japan*

Th.H-P08 - Study of the magnon difusion length in Fe₃O₄ thin films

A. Anadón^{1,2}, R. Ramos¹, I. Lucas^{1,3}, P. Algarabel^{2,5}, L. Morellón^{1,2}, M. Ibarra⁰, M. Aguirre⁰

1. *Instituto De Nanociencia De Aragón, Zaragoza, Spain*

2. *Departamento de Física de la Materia Condensada, Zaragoza, Spain*

3. *Fundación ARAID, Zaragoza, Spain*

4. *Laboratorio de Microscopías avanzadas, Zaragoza, Spain*

5. *Instituto de Ciencia de Materiales de Aragón, Zaragoza, Spain*

Th.H-P09 - Optically-reconfigurable magnetic materials for the control of spin waves

M. Vogel¹, A.V. Chumak¹, E. H. Waller¹, T. Langner¹, V. I. Vasyuchka¹, B. Hillebrands¹, G. von Freymann^{1,2}

1. *Department of Physics and State Research Center OPTIMAS, University of Kaiserslautern, Kaiserslautern, Germany*

2. *Fraunhofer-Institute for Physical Measurement Techniques IPM, Kaiserslautern, Germany*

Th.H-P10 - Two sign changes of spin seebeck effect in compensated ferromagnets

Y. Ohnuma^{1,2}, H. Adachi^{2,3}, E. Saitoh^{1,2,3,4}, S. Maekawa^{2,3}

1. *IMR Tohoku University, Japan*

2. *Japan Atomic Energy Agency, Japan*

3. *JST-ERATO, Japan*

4. *WPI Tohoku University, Japan*

Th.H-P11 - Comprehensive study of nickel - zinc ferrites as an opportunity for spincaloritronic applications

J. Arboleda¹, O. Arnache¹, C. Ostos²

1. *Grupo de Estado Sólido, Universidad de Antioquia, A. A. 1226, Medellín, Colombia*

2. *Grupo de Materiales Absorbentes y Catalisis, Universidad de Antioquia, A. A. 1226, Medellín, Colombia*

Th.H-P12 - Enhancement of spin-injection-induced electrical voltage using thermally excited CoFeAl film

G. Uematsu¹, T. Nomura¹, M. Kawakita¹, K. Okabe¹, S. Hu², T. Kimura^{1,2}

1. *Department of Physics, Kyushu University, Japan*

2. *Research Center for Quantum Nano-Spin Science, Kyushu University, Japan*

Th.H-P13 - Utilization of antiferromagnetic electrodes in magneto-thermo-electric device for large area application

D. Kim¹, K. Lee¹, B. Park¹

1. *Department of Materials Science and Engineering, KAIST Institute for the Nano-century, KAIST, Daejeon, Republic of Korea*

Th.H-P14 - Longitudinal spin-seebeck effect in cobalt-ferrite epitaxial thin films with different preferential axes

T. Niizeki¹, T. Kikkawa¹, K. Uchida¹, M. Oka¹, K. Z. Suzuki¹, H. Yanagihara¹, E. Kita¹, E. Saitoh¹

1. *WPI-AIMR, Tohoku Univ., ERATO, IMR, Tohoku Univ., PRESTO, Inst. of Appl. Phys., Univ. of Tsukuba, CREST, JAEA*

Th.H-P15 - Spin-thermoelectric transport in quantum spin hall systems beyond linear response

S. Hwang¹, R. Lopez¹, M. Lee², D. Sanchez¹

1. *Institut De Fisica Interdisciplinaria I Sistemes Complexos IFISC (CSIC-UIB), Palma de Mallorca, Spain*

2. *Department of Applied Physics, College of Applied Science, Kyung Hee University, Yongin, Republic of Korea*

Th.H-P16 - Thermal and thermal gradient effects on microwave power spectral density of MgO based MTJ nanopillars

T. Böhner¹, S. Serrano-Guisan¹, M. Tarequzzaman¹, J. D. Costa¹, E. Paz¹, R. Ferreira¹, P. P. Freitas¹

1. *INL - International Iberian Nanotechnology Laboratory, Braga, Portugal*

Th.H-P17 - Non-equilibrium thermodynamics of the longitudinal spin seebeck effect

V. Basso ¹, E. Ferraro ¹, A. Sola ¹, A. Magni ¹, M. Kuepferling ¹, M. Pasquale ¹
1. *Istituto Nazionale di Ricerca Metrologica, Torino, Italy*

Th.H-P18 - Microwave-induced spin currents in ferromagnetic-insulator|normal-metal bilayer system

V. Vasyuchka ¹, M. Agrawal ¹, A. Serga ¹, V. Lauer ¹, E. Papaioannou ¹, B. Hillebrands ¹
1. *Department of Physics and State Research Center OPTIMAS, University of Kaiserslautern, Kaiserslautern, Germany*

Th.H-P20 - Spin-dependent thermoelectric transport in T-shaped double-quantum-dot systems

Ionel Tifrea ¹, Y. Alexander Gauf ¹ N, Mircea Crisan ²
1. *California State University Fullerton, United States*
2. *'Babes-Bolyai' University, Cluj-Napoca, Romania*

1. Fast and ultrafast magnetization dynamics

Th.I-P01 - Transient exchange Interaction in a helical antiferromagnet

K. Dumesnil ¹, M.C. Langner ², S. Roy ³, A.F. Kemper ⁴, Y.D. Chuang ³, S.K. Mishra ³, R.B. Versteeg ³, Y. Zhu ², M.P. Hertlein ³, T.E. Glover ³, R.W. Schoenlein ²

1. *Institut Jean Lamour, Université de Lorraine, France*
2. *Materials Science Division, Lawrence Berkeley National Laboratory, United States*
3. *Advanced Light Source, Lawrence Berkeley National Laboratory, United States*
4. *Computational Science Division, Lawrence Berkeley National Laboratory, United States*

Th.I-P02 - Antiferromagnetic writing and reading of an optical polarization state

T. Satoh ^{1,2,3}, R. Lida ², T. Higuchi ⁴, M. Fiebig ⁵, T. Shimura ²

1. *Department of Physics, Kyushu University, Japan*
2. *Institute of Industrial Science, The University of Tokyo, Japan*
3. *PRESTO, Japan Science and Technology Agency, Japan*
4. *Lehrstuhl für Laserphysik, Friedrich-Alexander-Universität Erlangen-Nürnberg, Germany*
5. *Department of Materials, ETH Zurich, Switzerland*

Th.I-P03 - Ho on Pt(111) as a single-atom memory bit: a quantum master equation analysis

C. Karlewski ^{1,2}, M. Marthaler ¹, T. Märkl ³, T. Balashov ³, W. Wulfhekel ^{2,3}, G. Schön ^{1,2}

1. *Karlsruher Institute of Technology, TFP, Germany*
2. *Karlsruher Institute of Technology, INT, Germany*
3. *Karlsruher Institute of Technology, PI, Germany*

Th.I-P04 - Power dependence of the inverse spin-Hall effect in Py/Pt microstructures

L. Feiler¹, K. Sentker¹, N. Kuhlmann¹, G. Meier^{1,2,3}

1. *Institut für Nanostruktur- und Festkörperphysik, ehem. Institut für Angewandte Physik und Zentrum für Mikrostrukturforschung, Universität Hamburg, Hamburg, Germany*

2. *The Hamburg Centre for Ultrafast Imaging, Hamburg, Germany*

3. *Max-Planck Institute for the Structure and Dynamics of Matter, Hamburg, Germany*

Th.I-P05 - Surface acoustic wave assisted magnetization switching

L. Thevenard¹, C. Gourdon¹, P. Rovillain¹, J. Duquesne¹, M. Bernard¹, A. Lemaître², J. Prieur¹, I. Camara¹

1. *Institut Des Nanosciences De Paris (CNRS/Université Pierre Marie Curie), France*

2. *Laboratoire de Photonique et Nanostructures, CNRS, Route de Nozay, Marcoussis, France*

Th.I-P06 - Enhanced magnetocrystalline anisotropy in an epitaxial array of cobalt nanowires: a ferromagnetic resonance study

I. Camara¹, V. Pierron-Bohnes¹, Y. Henry¹, C. Achkar², N. Liakakos², T. Blon², K. Soulantica², M. Respaud², M. Bailleul¹

1. *Institut de Physique et Chimie des Matériaux de Strasbourg, UMR7504 CNRS-Université de Strasbourg, Strasbourg, France*

2. *Laboratory of Physics and Chemistry of Nano-Objects, UMR 5215, INSA-UPS-CNRS, Toulouse, France*

Th.I-P08 - Laser-induced ultrafast magnetization dynamic in RE-TM garnets

S. Parchenko¹, I. Yoshimine², T. Satoh^{2,3}, A. Maziewski¹, A. Stupakiewicz¹

1. *Laboratory of Magnetism, Faculty of Physics, University of Białystok, Białystok, Poland*

2. *Institute of Industrial Science, The University of Tokyo, Tokyo, Japan*

3. *PRESTO, Japan Science and Technology Agency, Tokyo, Japan*

Th.I-P09 - Stroboscopic ferromagnetic resonance detection depending on laser power

S. Yoon^{1,2}, R. D. McMichael¹

1. *Center for Nanoscale Science and Technology, National Institute of Standards and Technology, Gaithersburg, United States*

2. *Maryland Nanocenter, University of Maryland, College Park, United States*

Th.I-P10 - Spin wave mode identification in magnetic semiconductors

C. Gourdon¹, S. Shihab¹, H. Riahi², L. Thevenard¹, H. von Bardeleben¹, A. Lemaître³

1. *Institut Des Nanosciences De Paris-UPMC Paris06 -CNRS, UMR7588, 4 Place Jussieu, Paris, France*

2. *Laboratoire Matériaux Molécules et Applications, IPEST, Université de Carthage, La Marsa, Tunisie*

3. *Laboratoire de Photonique et Nanostructures, CNRS, UPR 20, Marcoussis, France*

Th.I-P11 - Ultrafast laser-induced demagnetization in multisublattice metallic magnets

T. J. Huisman¹, R. V. Mikhaylovskiy¹, A. Tsukamoto², Th. Rasing¹, A. V. Kimel¹

1. *Radboud University Nijmegen, Institute For Molecules And Materials, The Netherlands*

2. *College of Science and Technology, Nihon University, Japan*

Th.I-P12 - Simulation of ultrafast spin dynamics in DyCo5

A. Donges¹, S. Khmelevskiy², D. Hinzke¹, L. Szunyogh², U. Nowak¹

1. *University of Konstanz, Germany*

2. *Budapest University of Technology and Economics, Budapest, Hungary*

Th.I-P13 - Generation of ultrashort shear acoustic pulses by femtosecond laser demagnetization of magnetostrictive material terfenol

V.S. Vlasov¹, T. Parpiiev¹, V.V. Temnov¹, K. Dumensil², S. Andrieu², A. Anane³, V. Gusev¹, T. Pezeril¹

1. *Institut Molécules et Matériaux du Mans, UMR CNRS 6283, Université du Maine, Le Mans, France*

2. *Institut Jean Lamour, UMR CNRS 7198, Université de Lorraine, Vandoeuvre, France*

3. *Unité Mixte de Physique CNRS/Thales, UMR CNRS 137, Palaiseau, France*

Th.I-P14 - Temperature study of ultrafast photomagnetic effect in YIG:Co garnet films

K. Szerenos¹, A. Maziewski¹, A. Stupakiewicz¹

1. *Laboratory of Magnetism, Faculty of Physics, University of Białystok, Poland*

Th.I-P15 - Magnetization dynamics of a dipolar chain at finite temperature

D. Laroze^{1,2}, O. Suarez¹, R. Stamps²

1. *University of Glasgow, United Kingdom*

2. *Universidad de Tarapaca, Chile*

Th.I-P16 - Time-resolved ferromagnetic resonance in ultrathin perpendicularly magnetized films: efficient nonlinear high order harmonics generation

A. Capua¹, S. Yang¹, T. Phung¹, A. Fantini¹, N. Kaminski¹, J. Woo Joeng¹, C. Rettner¹, W. Kim², S. Park², S. Parkin¹, Y. Ferrante¹

1. *IBM Almaden Research Center, San Jose, United States*

2. *Samsung Electronics Co., Ltd, Suwon, Republic of Korea*

TH.I-P17 - High-field high-repetition-rate THz sources for studying ultra-fast magnetization dynamics

S. Kovalev¹, B. Green¹, T. Golz², A. Fisher³, I. Radu⁴, J. Seok Lee⁵, A. Deac¹, T. Kampfrath⁶, N. Stojanovic², M. Gensch¹

1. *Hzdr, Dresden, Germany*

2. *DESY, Hamburg, Germany*

3. *SLAC National Accelerator Laboratory, Menlo Park, California, United States*

4. *Institute for Optics and Atomic Physics, Technical University Berlin and Helmholtz-Zentrum Berlin, BESSY II, Berlin, Germany*

5. *Gwangju Institute of Science and Technology (GIST), Gwangju, Republic of Korea*

6. *Fritz Haber Institute, Berlin, Germany*

Th.I-P18 - Nonequilibrium fluctuations in nanomagnets

G. Bertotti ¹, E. Ferraro ¹, C. Serpico ²

1. *Istituto Nazionale Di Ricerca Metrologica, Torino, Italy*

2. *Università Federico II, Napoli, Italy*

Th.I-P19 - Magnetization dynamics in low-symmetry iron garnet film induced by femtosecond laser pulses

A. Kalashnikova ¹, L. Shelukhin ¹, V. Pavlov ¹, P. Usachev ¹, R. Pisarev ¹

1. *Ioffe Physical-Technical Institute, St Petersburg, Russian Federation*

Th.I-P22 - Magnetic structure and ultrafast spin dynamics in GdFeCo at high magnetic fields

J. Becker ^{1,2}, A. Tsukamoto ³, A. Kirilyuk ², T. Rasing ¹, J. Kees Maan ¹, P. Christianen¹,

A. Kimel ¹

1. *Radboud University Nijmegen, Institute for Molecules and Materials, Nijmegen, The Netherlands*

2. *High Field Magnet Laboratory, Institute for Molecules and Materials, Radboud University Nijmegen, Nijmegen, The Netherlands*

3. *College of Science and Technology, Nihon University, Chiba, Japan*

Th.I-P24 - Laser-induced spin precessional dynamics in FeCo/MnGa bilayers with different interfacial exchange couplings

Q. Ma ¹, S. Iihama ², X. Zhang ¹, T. Miyazaki ¹, S. Mizukami ¹

1. *WPI-AIMR, Tohoku University, Japan*

2. *Department of Applied Physics, Tohoku University, Japan*

Th.I-P25 - Microwave assisted magnetization reversal under circularly polarized field in thin exchange-coupled multilayer media

M. LoBue ¹, A. Pasko ¹, C. Serpico ², F. Mazaleyrat ¹, R. Tayade

1. *SATIE - CNRS - ENS de Cachan, France*

2. *Dipartimento di Ingegneria Elettrica, Università di Napoli Federico II, Napoli, Italy*

Th.I-P27 - Microwave linewidth broadening of FeCuNbSiB ferromagnetic films: effect of annealing

M. J. P. Alves ¹, D. E. Gonzalez-Chavez ¹, F. Bohn ², R. L. Sommer ¹

1. *Centro Brasileiro De Pesquisas Fisicas - CBPF/MCTI, Brazil*

2. *DFTE, Universidade Federal do Rio Grande do Norte - UFRN, Brazil*

Th.I-P28 - Emergence of coherent magnetization reversal at dynamic regime: a detailed vectorial-resolved angular-dependent study.

J. Camarero ^{1,2}, T. Pérez ¹, J. F. Cuñado ^{1,2}, A. Maldonado ¹, P. Perna ², F. Ajejas ¹, S.

L. de las Heras ², M. Niño ², D. Cabrera ², R. Guerrero ²

1. *Universidad Autonoma de Madrid, Madrid, Spain*

2. *IMDEA Nanoscience, Madrid, Spain*

Th.I-P29 - Frequency and field linewidth conversion of FMR spectra only valid for samples with negligible extrinsic linewidth contribution

Y. Wei ¹, P. Svedlindh ¹

1. *Uppsala University, Uppsala, Sweden*

J. Vortex and skyrmion dynamics

TH.J-P02 - Switching of the magnetic vortex core in a pac-man disk

T. Sato ¹, K. Yamada ¹, Y. Nakatani ¹

1. *University of Electro-Communications, Tokyo, Japan*

TH.J-P03 - Vortex core reversal in patterned magnetic hybrid systems

P. Wohlfühler ^{1,2}, M. Bryan ^{3,4}, P. Warnicke ², S. Gliga ^{1,2}, S. Stevenson ², G. Heldt ⁵, L. Saharan ⁴, A. Suszka ^{1,2}, C. Moutafis ², R. Chopdekar ²

1. *Laboratory For Mesoscopic Systems, Department of Materials, ETH Zurich, Switzerland*

2. *Paul Scherrer Institute, Switzerland*

3. *Department of Materials Science and Engineering, University of Sheffield, United Kingdom*

4. *College of Engineering, Mathematics and Physical Sciences, University of Exeter, United Kingdom*

5. *School of Computer Science, University of Manchester, United Kingdom*

TH.J-P04 - Engineering 1D potential barrier for fast guided skyrmion motion

W. Gan ¹, I. Purnama ¹, H. Tung Fook ¹, M. Ramu ¹, W. Siang Lew ¹

1. *Nanyang Technological University, Singapore*

TH.J-P05 - Skyrmion pinning dynamics in nanostructures for diode and symmetric operations

H. Tung Fook ¹, W. Liang Gan ¹, I. Purnama ¹, M. Ramu ¹, W. Siang Lew ¹

1. *Nanyang Technological University, Singapore*

TH.J-P06 - Skyrmion stability on curved surfaces

V. L. Carvalho-Santos ¹, R. G. Elias ², D. Altbir ²

1. *Universidad De Santiago de Chile / Instituto Federal Baiano, Chile*

2. *Universidad de Santiago de Chile, Chile*

TH.J-P07 - Spin-current induced magnetization patterns in nanomagnets

O. Volkov ¹, D. Sheka ², Y. Gaididei ³, V. Kravchuk ⁴, F. Mertens ⁵

1. *Taras Shevchenko National University of Kyiv, Ukraine*

2. *Taras Shevchenko National University of Kyiv, Ukraine*

3. *Bogolyubov Institute for Theoretical Physics of the National Academy of Sciences of Ukraine, Ukraine*

4. *Bogolyubov Institute for Theoretical Physics of the National Academy of Sciences of Ukraine, Ukraine*

5. *University of Bayreuth, Germany*

TH.J-P08 - Relation between dynamics of magnetic bubbles and electron transport

Y. Yamane ¹, S. Hemmatiyani ², J. Ieda ^{3,4}, S. Maekawa ^{3,4}, J. Sinova ^{1,2,5}

1. *Institut Für Physik, Johannes Gutenberg Universität, Mainz, Germany*

2. *Department of Physics, Texas A&M University, United States*

3. *Advanced Science Research Center, Japan Atomic Energy Agency, Japan*

4. *ERATO, Japan Science and Technology Agency, Japan*

5. *SPICE, Johannes Gutenberg Universität, Mainz, Germany*

TH.J-P09 - Topological spin textures as emitters for multidimensional spin wave modes

V. Sluka ^{1,2}, M. Weigand ³, A. Kakay ¹, A. Erbe ¹, V. Tyberkevych ⁴, A. Slavin ⁴, A. Deac¹, J. Lindner¹, J. Fassbender ¹, J. Raabe ⁵, S. Wintz ^{1,5}

1. Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany
2. New York University, New York, United States
3. Max-Planck Institut für Intelligente Systeme, Stuttgart, Germany
4. Oakland University, Rochester, United States
5. Technische Universität Dresden, Dresden, Germany
6. Paul Scherrer Institut, Villigen Switzerland

TH.J-P10 - Nonlinear behavior and mode coupling in spin transfer nano-oscillators

R. Lebrun ¹, N. Locatelli ¹, F. Abreu Araujo ², S. Tsunegi ¹, A. Jenkins ¹, J. Grollier ¹, H. Kubota ³, K. Yakushiji ³, A. Fukushima ³, S. Yuasa ³

1. UMR CNRS/Thales & Université Paris Sud, Paris, France
2. Université Catholique de Louvain, Belgium
3. Spintronic Research Center, AIST, Ibaraki, Japan

TH.J-P11 - Advanced dzyaloshinskii-moriya interaction meter based on angular dependence of asymmetric magnetic domain-wall motion

D. Kim ¹, S. Yoo ^{1,2}, D. Kim ¹, B. Min ², S. Choe ¹

1. Department of Physics And Astronomy, Seoul National University, Republic of Korea
2. Spin Convergence Research Center, Korea Institute of Science and Technology, Republic of Korea

TH.J-P12 - Vortex core reversal by excitation of a higher vortex gyromode (flexure mode)

G. Dieterle ¹, A. Gangwar ^{1,2}, M. Noske ¹, J. Förster ¹, M. Weigand ¹, I. Bykova ¹, H. Stoll ¹, C. H. Back ², G. Schütz ¹

1. Max Planck Institute for Intelligent Systems, Stuttgart, Germany
2. University of Regensburg, Department of Physics, Regensburg, Germany

TH.J-P13 - Spin polarised current induced vortex core expulsion in magnetic tunnel junctions

A. Jenkins ¹, R. LeBrun ¹, E. Grimaldi ¹, P. Bortolotti ¹, S. Tsunegi ¹, H. Kubota ², K. Yakushiji ², A. Fukushima ², S. Yuasa ², V. Cros ¹

1. Unité Mixte de Physique CNRS/Thales and Université Paris Sud, Palaiseau, France
2. Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Ibaraki, Japan

TH.J-P14 - Real time measurements of vortex core expulsion in magnetic tunnel junctions

A. Jenkins ¹, R. LeBrun ¹, E. Grimaldi ¹, P. Bortolotti ¹, S. Tsunegi ¹, H. Kubota ², K. Yakushiji ², A. Fukushima ², S. Yuasa ², V. Cros ¹

1. Unité Mixte de Physique CNRS/Thales and Université Paris Sud, Palaiseau, France
2. Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Ibaraki, Japan

TH.J-P15 - Time-resolved holographic imaging of magnetic vortex dynamics

N. Bukin¹, F. Ogrin¹, C. McKeever¹, E. Burgos-Parra¹, G. Beutier², M. Dupraz², G. van der Laan³

1. *University of Exeter, United Kingdom*
2. *SIMAP, INP Grenoble, France*
3. *Diamond Light Source Ltd, United Kingdom*

TH.J-P18 - Effect of the dzyaloshinskii-moriya interaction on the in-plane magnetization of submicron structures

M. Cubukcu¹, J. Sampaio¹, A. Khvalkovskiy², M. Kuteifan³, D. Apalkov², V. Loma-kin³, V. Cros¹, N. Reyren¹

1. *Unité Mixte De Physique CNRS/Thales, France*
2. *Samsung Electronics, Semiconductor R&D Center (Grandis), San Jose, United States*
3. *Department of Electrical and Computer Engineering, University of California at San Diego, La Jolla, United States*

TH.J-P22 - Theoretical study on spin torque diode effect of a high-magneto-resistance tunnel junction having a vortex free-layer and an in-plane polarized reference layer

H. Tsukahara¹, H. Imamura²

1. *High Energy Accelerator Research Organization, Tsukuba, Japan*
2. *National Institute of advanced industrial science and technology, Japan*

TH.J-P23 - B20 FeGe thin films elaboration for skyrmions observation

C. Bouard^{1,2}, P. Warin^{1,2}, M. Jamet^{1,2}, A. Marty^{1,2}

1. *CEA, INAC-SP2M, Grenoble, France*
2. *Univ. Grenoble Alpes, INAC-SP2M, Grenoble, France*

TH.J-P24 - Temperature dependence of the ferromagnetic resonance at the spin reorientation transition of Mn₂RhSn thin films

C. Bennati^{1,2}, A. Caprile², O. Meshcheriakova³, C. Felser³, G. Ghigo¹, M. Coisson², M. Pasquale²

1. *Department of Applied Science and Technology, Politecnico di Torino, Turin, Italy*
2. *Istituto Nazionale di Ricerca Metrologica (INRIM), Turin, Italy*
3. *Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany*

TH.J-P25 - Observation of spin transfer torques in the transverse magnetic susceptibility of the Skyrmion lattice phase of MnSi

F. Rucker¹, A. Bauer¹, C. Schnarr¹, A. Chacón¹, P. Köhler¹, C. Pfleiderer¹

1. *Lehrstuhl für Topologie korrelierter Systeme, Technische Universität München, Garching, Germany*

TH.J-P27 - Movement of non-collinear magnetic textures driven by temperature gradients

R. Yanes Diaz¹, D. Hinzke¹, U. Nowak¹

1. *Universität Konstanz, Konstanz, Germany*

TH.J-P28 - Emergent electrodynamics in $Mn_{1-x}Fe_xSi$

C. Schnarr¹, F. Rucker¹, C. Franz¹, R. Ritz¹, A. Bauer¹, C. Pfleiderer¹

1. Technische Universität München - Lehrstuhl Für Topologie Korrelierter Systeme, Germany

TH.J-P29 - Resonant perpendicular magnetic field induced interlayer-coupled vortex and other metastable state excitations

C. Teng¹, L. Chang², S. Lee²

1. Academia Sinica, Taiwan

2. National Chengchi University, Taipei, Taiwan

TH.J-P30 - Antiferromagnetic Skyrmions

O. Tretiakov¹, J. Barker¹

1. Institute For Materials Research, Tohoku University, Japan

TH.J-P31 - Skyrmion interactions with domain walls in perpendicular magnetized materials

F. Garcia-Sanchez¹, J. Kim¹, A. Vansteenkiste², B. Van Waeyenberge²

1. Institut d'Electronique Fondamentale, Univ. Paris-Sud, Orsay, France and UMR 8622, CNRS, Orsay, France

2. Department of Solid State Sciences, Ghent University, Ghent, Belgium

TH.J-P32 - Time-dependence of the topological unwinding of skyrmions in chiral magnets

A. Chacon¹, A. Bauer¹, M. Halder¹, J. Kindervater¹, F. Rucker¹, S. Mühlbauer², C. Pfleiderer¹

1. Technische Universität München, Germany

2. Heinz Meier-Leibnitz Zentrum (MLZ), Germany

TH.J-P33 - Spin-mechanical torque spectroscopy of artificial pinning sites in thin magnetic disks

F. Sani^{1,2}, J. Losby^{1,2}, D. Grandmont¹, Z. Diao^{1,2}, D. Vick², K. Mohammad³, E. Salimi³, G. Bridges³, D. Thomson³, W. Hiebert²

1. Department of Physics, University of Alberta, Canada

2. National Institute for Nanotechnology (NINT), Edmonton, Canada

3. Electrical and Computer Engineering, University of Manitoba, Canada

TH.J-P34 - Dynamics of magnetic vortex in disk-on-disk nanostructures

A. Ognev¹, M. Steblyi¹, A. Kolesnikov¹, A. Samardak¹, L. Chebotkevich¹, V. Novosad²

1. Far Eastern Federal University, Vladivostok, Russian Federation

2. Materials Science Division and Center for Nanoscale Materials, Argonne National Laboratory, Argonne, United States

TH.J-P35 - A Polarized neutron approach to chiral magnetism: the case of fege

F. Qian¹, H. Wilhelm², E. Lelièvre-Berna³, F. Falus³, M. Baenitz⁴, M. Schmidt⁴, J. Plomp¹, C. Pappas¹

1. Delft University of Technology, Delft, The Netherlands

2. Diamond Light Source Ltd., Chilton, United Kingdom

3. Institut Laue-Langevin, Grenoble, France

4. Max Planck Institute For Chemical Physics of Solids, Dresden, Germany

Th.J-P37 - Spin motive force driven by the skyrmion lattice in the presence of the Rashba spin-orbit interaction

J. Ohe¹, Y. Shimada¹

1. Toho University, Japan

K. Thin film nanostructures

TH.K-P01 - Magnetic behavior of MnAs nano-ribbons

F. Fernandez Baldis^{1,2,3}, L. B. Steren^{2,3,4}, M. Tortarolo^{3,5}, M. Sirena^{1,2,3}, M. Sacchi^{3,6}, V. H. Etgens^{3,6,7}, M. Eddrief^{3,6}, M. Marangolo^{3,6}, O. Mentès⁸, B. Santos⁸, A. Locatelli⁸

1. Centro Atómico Bariloche CNEA, 8400 S. C. de Bariloche, Argentina

2. Consejo Nacional de Investigaciones Científicas y Técnicas, C1033AAJ Buenos Aires, Argentina

3. Laboratorio Internacional Franco-Argentino en Nanociencias, LIFAN

4. Centro Atómico Constituyentes CNEA, 1650 San Martín, Argentina

5. SPINTEC - CEA, France.

6. Sorbonne Universités, UPMC Univ Paris 06, UMR 7588, INSP, 4 place Jussieu, F-75005, Paris, France

7. Fédération Lavoisier Franklin, UVSQ, 78035 Versailles Cedex, France

8. Elettra Sincrotrone Trieste, Italy.

TH.K-P02 - Ferromagnetism in Pd(100) ultrathin films enhanced by distortion

S. Sakuragi¹, H. Tajiri², T. Sato¹

1. Department of Applied Physics and Physico-Informatics, Keio University, Japan

2. JASRI/SPring-8, Japan

TH.K-P03 - MgO based tunnel junctions

L. Avilés Félix^{1,2}, J. González^{1,2}, M. Sirena^{1,2}

1. Consejo Nacional de Investigaciones Científicas y Técnicas, C1033AAJ Buenos Aires, Argentina

2. Centro Atómico Bariloche & Instituto Balseiro, Comisión Nacional de Energía Atómica-Universidad Nacional de Cuyo, San Carlos de Bariloche, Argentina

TH.K-P04 - Submicrometric 2d Magnetic Domain Wall Ratchets

C. Castán-Guerrero^{1,2}, F. Valdés-Bango³, J. Herrero-Albillos^{4,1}, J. Bartolomé^{1,2}, F. Bartolomé^{1,2}, A. Hierro-Rodríguez^{5,6}, J. Martín³, M. Vélez³, JM. Alameda³, J. Sesé^{7,2}

1. Instituto de Ciencia de Materiales de Aragón, CSIC - Universidad de Zaragoza, Zaragoza, Spain

2. Dpto. de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain

3. Departamento de Física, Universidad de Oviedo - CINN, Oviedo, Spain

4. Centro Universitario de la Defensa, Zaragoza, Spain

5. IN-IFIMUP, Departamento de Física e Astronomía, Faculdade de Ciências, Universidade do Porto, Porto, Portugal

6. INESC-TEC (Coordinated by INESC-Porto), Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Porto, Portugal

7. Instituto de Nanociencia de Aragón and Laboratorio de Microscopías Avanzadas, Universidad de Zaragoza, Zaragoza, Spain

TH.K-P05 - Direct observation of deterministic domain wall trajectory in magnetic network structures

P. Sethi¹, C. Murapaka¹, S. Goolaup¹, W. Siang Lew¹, R. Maddu¹

1. *Nanyang Technological University, Taiwan*

TH.K-P07 - 2D Fe-pnictide nanostructure grown on MnAs: Arsenic-bridged magnetic interactions

C. Helman^{1,2}, V. Ferrari^{2,4}, A. Llois^{2,3,4}

1. *Universidad Nacional de San Martín - Argentina*

2. *Centro Atómico Constituyentes - CNEA - Argentina*

3. *Departamento de Física - FCEN - Universidad de Buenos Aires - Argentina*

4. *Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET) - Argentina*

TH.K-P08 - Resistance behavior in nanostructured La₂/3Sr₁/3MnO₃ thin film

I. Arango¹, M. Gomez², A. Avila³, P. Prieto^{2,4}

1. *School of Materials Engineering, Universidad del Valle, Cali, Colombia*

2. *Thin Film Group, Department of Physics, Universidad del Valle, Cali, Colombia*

3. *Department of Electrical and Electronic Engineering, Universidad de Los Andes, Bogotá, Colombia*

4. *Center of Excellence for Novel Materials - CENM, Universidad del Valle, Cali, Colombia*

TH.K-P09 - Domain Structure and magnetoresistance in Co₂MnGe zigzag structures

K. Gross¹, K. Westerholt², M. Gomez³, H. Zabel²

1. *CENM, Universidad del Valle, Cali, Colombia*

2. *Festkörperphysik, Ruhr Universität-Bochum, Bochum, Germany*

3. *Grupo de Películas Delgadas, Universidad del Valle, Cali, Colombia*

TH.K-P10 - Surface nanostructure and magnetism of ultrathin Pd(001) films on Au(001)

T. Kawagoe¹, N. Kutsuzawa¹, K. Kondoh¹

1. *Osaka Kyoiku University, Japan*

TH.K-P11 - Controlling the size and relaxation dynamics of superferromagnetic domains

S. Bedanta¹, N. Chowdhury¹, W. Kleemann²

1. *National Institute of Science Education And Research, Bhubaneswar, India*

2. *Physics Department, Universität Duisburg-Essen, D-47057 Duisburg, Germany*

TH.K-P12 - Soft magnetic multilayered thin films for HF applications

C. Serletis¹, G. Loizos¹, G. Giannopoulos¹, T. Maity², S. Roy², N. Lupu³, G. Ababei³, H. Kijima⁴, M. Yamaguchi⁵, D. Niarchos¹

1. *Institute of Nanoscience and Nanotechnology, NCSR 'Demokritos', Athens, Greece*

2. *Micropower-Nanomagnetics Group, Tyndall National Institute, University College Cork, Cork, Ireland*

3. *National Institute of R&D for Technical Physics, Iasi, Romania*

4. *Frontier Research Institute for Interdisciplinary Sciences (FRIS), Tohoku University, Sendai, Japan*

5. *Dept. of Electrical Engineering, Graduate School of Engineering, Tohoku University, Sendai, Japan*

Th.K-P13 - Effect of planar magnetocrystalline anisotropy in vortex configuration of micro-scale disks

M. Martins¹, S. Parreiras^{1,2}

1. *CDTN/CNEN, Belo Horizonte, Brazil*
2. *UFMG, Belo Horizonte, Brazil*

Th.K-P14 - Structural and magnetic properties of zinc ferrite thin films irradiated by slow highly charged ions

E. Gafton¹, G. Bulai¹, I. Dumitru¹, O. Caltun¹, M. Trassinelli², D. Vernhet¹

1. *Alexandru Ioan Cuza University, Faculty of Physics, Iasi, Romania*
2. *CNRS and Université Pierre et Marie Curie, INSP, UMR7588, Paris, France*

Th.K-P15 - Effect of lattice mismatch on the morphology and magnetic properties for L1₀-ordered FePt thin films

H. Iwama¹, M. Doi², T. Shima³

1. *Tohoku Gakuin University, Japan*

Th.K-P16 - Confinement effects in lattices of nanoskymions

J. Hagemester¹, A. Kubetzka¹, E. Vedmedenko¹, R. Wiesendanger¹

1. *University of Hamburg, Germany*

Th.K-P17 - Splitting of spin-wave modes in periodically perturbed thin films: theory and experiment

R. A. Gallardo¹, A. Banholzer^{2,3}, K. Wagner⁴, M. Körner^{2,3}, K. Lenz², M. Farle⁴, J. Lindner², J. Fassbender^{2,3}, P. Landeros¹

1. *Departamento De Física, Universidad Técnica Federico Santa María, Valparaiso, Chile*
2. *Helmholtz-Zentrum Dresden-Rossendorf, Institute of Ion Beam Physics and Materials Research, Dresden, Germany*
3. *Technische Universität Dresden, Dresden, Germany*
4. *Fakultät für Physik and Center for Nanointegration Duisburg-Essen (CeNIDE), Universität Duisburg-Essen, Duisburg, Germany*

Th.K-P18 - Electronic and spin states of SrRuO₃ thin films: an X-ray magnetic circular dichroism study

S. Agrestini¹, Z. Hu¹, C. Kuo¹, M. Haverkort¹, K. Ko¹, E. Pellegrin², M. Valdivareso², J. Herrero-Martin², P. Gargiani², P. Gegenwart³

1. *Max Planck Institute For Chemical Physics of Solids, Germany*
2. *ALBA Synchrotron Light Source, Cerdanyola del Vallès, Spain*
3. *Experimental Physics VI, Center for Electronic Correlations and Magnetism, University of Augsburg, Augsburg, Germany*
4. *Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany*
5. *Department of Quantum Matter, ADSM, Hiroshima University, Higashi-Hiroshima, Japan*

Th.K-P19 - Characterisation of polycrystalline heusler alloys

T. Huminiuc¹, J. Sinclair¹, H. Wu¹, G. Vallejo-Fernandez¹, A. Hirohata¹

1. *University of York, United Kingdom*

TH.K-P20 - Spatiotemporal Chaos induced by spin-transfer torque in Nanopillars

A. Cabanas Plana¹, A. O. Leon², D. Laroze^{1,3}, M. Clerc²

1. Instituto De Alta Investigación De La Universidad De Tarapacá, Arica, Chile

2. Depto. de Física, Facultad de Ciencias Físicas y Matemáticas, Universidad de Chile, Santiago, Chile

3. SUPA School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

TH.K-P21 - Unusual reversal process in ferromagnetic nanostructures

B. Mora¹, N. Soriano¹, C. Redondo¹, A. Arteché¹, D. Navas², R. Morales^{3,4}

1. Dpto. de Química-Física, Universidad del País Vasco UPV/EHU, Leioa, Spain

2. IFIMUP-IN and Dept. Física e Astronomia, Universidade do Porto, Porto, Portugal

3. Dpto. de Química-Física & BCMaterials, Universidad del País Vasco UPV/EHU, Leioa, Spain

4. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

TH.K-P22 - Anisotropic magnetoresistance in nickel nanostripe fabricated by atomic force microscopy lithography

A. Pavlova¹, A. Temiryazev², M. Temiryazeva², Y. Khivintsev^{3,4}, Y. Nikulin^{3,4}, A. Dzhumaliev^{3,4}, A. Zakharov¹, Y. Filimonov^{1,3,4}

1. Gagarin Saratov State Technical University, Saratov, Russian Federation

2. Fryazino Branch of Kotelnikov Institute of Radio-engineering and Electronics of Russian Academy of Sciences, Fryazino, Russian Federation

3. Saratov Branch of Kotelnikov Institute of Radio-engineering and Electronics of Russian Academy of Sciences, Saratov, Russian Federation

4. Chernyshevsky Saratov State University, Saratov, Russian Federation

TH.K-P23 - Magnetic domain structure and spin reorientation transition in atomically flat cobalt ferrite islands

A. Quesada¹, L. Martín-García², C. Munuera³, M. Foerster⁴, L. Aballe⁴, M. García-Hernández³, J. Fernández¹, J. de la Figuera²

1. Instituto de Cerámica y Vidrio, CSIC, Madrid, Spain

2. Instituto de Química Física Rocasolano, CSIC, Madrid, Spain

3. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain

4. Alba Synchrotron Light Facility, CELLS, Spain

Th.K-P24 - Superexchange interaction in Fe doped manganites probed by x-ray magnetic circular dichroism

A.I. Figueroa¹, G.E. Campillo², A.A. Baker^{1,3}, J.A. Osorio⁴, O.L. Arnache⁴, G. van der Laan¹

1. Magnetic Spectroscopy Group, Diamond Light Source, Didcot, United Kingdom

2. Departamento de Ciencias Básicas, Universidad de Medellín, Medellín, Colombia

3. Department of Physics, Clarendon Laboratory, University of Oxford, Oxford, United Kingdom

4. Grupo de Estado Sólido, Universidad de Antioquia, Medellín, Colombia

Th.K-P25 - 360 degree magnetic domain wall injection via moving magnetic charge

J. Carter¹, D.M. Burn¹, W.R. Branford¹, L.F. Cohen¹

1. *Imperial College London*

Th.K-P26 - Crystallographical texture and coercivity in nanocrystalline thin films for magnetic recording

M. De Campos¹, J. de Castro¹, F. Sampaio da Silva¹

1. *Federal Fluminense University, Niteroi, Brazil*

Th.K-P27 - Nanostructured supermalloy film on ordered metallic nanohills

J.L. Palma^{1,2}, J. Denardin^{1,2}, J. Escrig^{1,2}

1. *Departamento de Física, Universidad de Santiago de Chile, Santiago, Chile*

2. *Center for the Development of Nanoscience and Nanotechnology, CEDENNA, Santiago, Chile*

Th.K-P28 - Interplay between of "ice-rule" and external magnetic field in inverse opal-like structures

A. Mistonov^{1,2}, I. Shishkin^{1,2}, I. Dubitskiy^{1,2}, N. Grigoryeva¹, A. Heinemann³, N. Sapoletova⁴, K. Napolskii⁴, A. Eliseev⁴, S. Grigoriev^{1,2}

1. *Saint Petersburg State University, Saint Petersburg, Russia*

2. *Petersburg Nuclear Physics Institute, Saint Petersburg, Russia*

3. *Helmholz Zentrum Geesthaht, Geesthacht, Alemania*

4. *Moscow State University, Moscow, Russia*

Th.K-P29 - Effect of disorder on the magnetic and electron-transport properties of a prospective spin gapless semiconductor CoFeCrAl

P. Kharel^{1,2}, W. Zhang^{2,3}, R. Skomski^{2,3}, S. Valloppilly², Y. Huh¹, R. Fulglsby¹, S. Gilbert¹, D.J. Sellmyer^{2,3}

1. *South Dakota State University, Brookings, United States*

2. *University of Nebraska, Lincoln, United States*

3. *Department of Physics and Astronomy, University of Nebraska, Lincoln, United States*

Th.K-P30 - Control of PEDOT orientation in conductive polymer PEDOT:PSS Film through the magnetic effects on oxygen and nitrogen gas

M.A. Guziak¹, K. Hashimoto², T. Nishizaki³, Y. Honma², K. Watanabe², T. Sasaki²

1. *Faculty of Science, Kagoshima University, Kagoshima, Japan*

2. *Institute for Materials Research, Tohoku University, Sendai, Japan*

3. *Faculty of Engineering, Kyushu Sangyo University, Fukuoka, Japan*

Th.K-P31 - Magnetic properties of Co/Pd multilayers deposited on alumina membranes.

J. Denardin¹, D. da Rosa², L. Dorneles², L. Schelp²

1. *Universidad de Santiago, Santiago, Chile*

2. *Universidade Federal de Santa Maria, Santa Maria, Brazil*

Th.K-P32 - Micromagnetic investigation of planar hall effect sensors for magnetic nanobeads detection

I. Firastrau¹, E. Helerea¹, M. Avram², M. Volmer¹

1. *Transilvania University of Brasov, Department of Electrical Engineering and Applied Physics, Brasov, Romania*
2. *National Institute for Research and Development in Microtechnologies, Bucharest, Romania*

Th.K-P34 - Alternating target laser ablation deposition of Cu doped cobalt ferrite thin films

G. Bulai¹, S. Gurlui¹, P. Rao², O. Florin Caltun¹

1. *Faculty of Physics, Alexandru Ioan Cuza University, Iasi, Romania*
2. *Andhra University, Department of Physics, Visakhapatnam, India*

Th.K-P35 - Tailoring magnetism, magnetoresistance and interactions of nanostructured ZnO-Co films

X. Li¹, Y. Gao¹, J. Li¹, J. Jia¹, Y. Li¹, G.A. Gehring², X. Xu¹

1. *Key Laboratory of Magnetic Molecules and Magnetic Information Materials of Ministry of Education and School of Chemistry and Materials Science, Shanxi Normal University, P. R. China*
2. *Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*

Th.K-P36 - Role of substrate morphology on magnetic properties of FePd thin alloy film

A. Zarzycki¹, A. Maximenko¹, M. Perzanowski¹, M. Krupinski¹, M. Marszalek¹, B. Jany², F. Krok²

1. *The Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
2. *Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*

Th.K-P37 - Hard/soft bilayer thin films and antidots

F. Béron¹, A. Kaidatzis², R.P. del Real³, D. Niarchos², K.R. Pirota¹, J.M. García-Martín⁴

1. *Universidade Estadual de Campinas, Campinas, Brazil*
2. *National Center for Scientific Research (NCSR) – Demokritos, Attiki, Greece*
3. *Instituto de Ciencia de Materiales (CNM-CSIC), Madrid, Spain*
4. *Instituto de Microelectrónica de Madrid (CNM-CSIC), Madrid, Spain*

Th.K-P38 - Synthesis and characterization of PLD CoFe thin films as a function of composition and deposition conditions

D. Peddis¹, G. Barucca², G. Varvaro¹, A.M. Testa¹, P. Mengucci², E. Agostinelli¹, S. Laureti¹

1. *ISM-CNR, Area della Ricerca RM1, Monterotondo Scalo, Roma, Italy*
2. *SIMAU, Università Politecnica delle Marche, Ancona, Italy*

Th.K-P41 - Soft X-Ray magnetic circular dichroism studies on magnetic transition metal oxide nanostructures

E. Pellegrin¹, C. Ge^{2,3}, Z. Hu⁴, S. Agrestini⁴, S.M. Valvidares¹, J. Herrero Martin¹, P. Gargiani¹, A. Barla⁵, X. Wan², W. Liang⁶

1. *Cells-Alba, Cerdanyola del Valles, Spain*
2. *Nanjing University, Nanjing, China*
3. *Jiangsu Institute of Education, Nanjing, China*
4. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*
5. *Istituto di Struttura della Materia, ISM CNR, Trieste, Italy*
6. *National Chiao Tung University, Hsinchu, Taiwan*
7. *National Taiwan University, Taipei, Taiwan*

Th.K-P43 - Lattice effects on the magnetic and magnetoresistance properties of nanometer-thick La_{0.9}Ba_{0.1}MnO₃ (LBMO) Films and LBMO/BaTiO₃/LBMO Heterostructures

S. Pegah Mirzadeh Vaghefi¹, M. Georg Willinger², A.A. Cardoso dos Santos Lourenço¹, V. Brás de Sequeira Amaral¹

1. *Department of Physics & CICECO, University of Aveiro, Aveiro, Portugal*
2. *Fritz Haber Institute, the Max Planck Society, Department of Inorganic Chemistry, Berlin, Germany*

Th.K-P44 - Thermal dependencies of the magnetic symmetries of low dimensionality systems, studied with novel variable temperature/full angular range vectorial MOKE technique

J.L.F. Cuñado^{1,2}, J. Pedrosa², F. Ajejas¹, A. Bollero², P. Perna², F.J. Terán², R. Miranda^{1,2}, J. Camarero^{1,2}

1. *Departamento de Física de la Materia Condensada and Instituto Nicolás Cabrera, Madrid, Spain*
2. *Instituto Madrileño de Estudios Avanzados IMDEA nanociencia, Madrid, Spain*

Th.K-P46 - Sub-50 nm magnetic tunnel junctions fabrication by reactive ion etch on 150 mm wafers

A. Moskaltsova^{1,2}, S. Knudde^{1,2}, A.V. Silva^{1,2}, D.C. Leitao^{1,2}, P.P. Freitas^{1,3}, S. Cardoso^{1,2}

1. *Instituto de Engenharia de Sistemas E Computadores-Microsistemas E Nanotecnologias, Lisbon, Portugal*
2. *Department of Physics, Instituto Superior Técnico, Universidade de Lisboa, Lisbon, Portugal*
3. *INL - International Iberian Laboratory, Av. Mestre Jose Veiga, Braga, Portugal*

Th.K-P47 - Enhancement of order degree and perpendicular magnetic anisotropy of L10 ordered Fe(Pt,Pd) alloy film by introducing a thin MgO cap layer

Y. Noguchi¹, M. Ohtake¹, M. Futamoto¹, F. Kirino², N. Inaba³

1. *Chuo University, Japan*
2. *Tokyo University of the Arts, Taito, Japan*
3. *Yamagata University, Yamagata, Japan*

Th.K-P48 - Magnetisation reversal in Co nanoparticle arrays on corrugated MnF₂(110) surface

S. Gastev¹, B. Krichevtsov¹, D. Baranov¹, V. Fedorov¹, S. Suturin¹, N. Sokolov¹, J.L.F. Cuñado^{2,3}, A. Bollero², J. Camarero^{2,3}

1. Ioffe Institute, St.Petersburg, Russia

2. IMDEA-Nanociencia, Campus deCantoblanco, Madrid, Spain

3. Dpto.Física Materia Condensada & Ins. Nicolás Cabrera, UAM, Madrid, Spain

Th.K-P49 - Morphology and magnetic properties of exchange biased natively oxidized py antidot arrays fabricated on anodized porous silicon

A. Maximenko^{1,3}, C. Cirillo², A. Zarzycki¹, M. Marszalek¹, J. Fedotova³, S. Prischepa⁴

1. The Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

2. CNR-SPIN Salerno and Dipartimento di Fisica 'ER Caianiello', Università degli Studi di Salerno, Fisciano, Italy

3. Research Institute for Nuclear Problems of Belarusian State University, Minsk, Belarus

4. Belarusian State University of Informatics and Radioelectronics, Minsk, Belarus

Th.K-P55 - Selective suppression of domain wall in artificial spin ice network lattice

S. Goolaup¹, C. Sekhar Murapaka¹, W. Siang Lew¹

1. Nanyang Technological University, Singapur

L. Hybrid nanostructures

Th.L-P01 - Magnetic properties of FePt-Fe nano-composites with core/shell structure

R. Kurosu¹, H. Iwama¹, M. Doi^{1,2}, T. Shima^{1,2}, A. Kato^{3,4}, N. Sakuma^{3,4}, H. Kishimoto^{3,4}, K. Washio^{3,4}, M. Yano^{3,4}

1. Faculty of Engineering, Tohoku Gakuin University, Miyagi, Japan

2. Technology Research Association of Magnetic Materials for High-Efficiency Motors (MagHEM), Tokyo, Japan

3. Toyota Motor Corp., Aichi, Japan

4. Higashi Fuji Branch, MagHEM, Aichi, Japan

Th.L-P02 - Nickel nanorod/gelatin hydrogels - tracking the genesis of a hybrid material

A. Tschöpe¹, C. Schopphoven¹, K. Birster¹, R. Birringer¹

1. Saarland University, Saarbrücken, Germany

Th.L-P03 - Domain wall pinning driven by nanoscale phase coexistence in Ni/V₂O₃ bilayers

A.F. Rodríguez¹, I. Valmianski², M. García del Muro¹, J.G. Ramírez², F. Kronast³, I.K. Schuller², A. Labarta¹, X. Batlle¹

1. Dpt. Física Fonamental and Institut deNanociencia i Nanotecnologia (IN2UB), Universitat deBarcelona, Barcelona, Spain

2. Department of Physics and Center for Advanced Nanoscience, University of California San Diego, La Jolla, United States

3. Helmholtz-Zentrum Berlin für Materialien und Energie, Berlin, Germany

Th.L-P04 - Magnetic and microstructural investigation of $\text{Fe}_{79.7-x}\text{TixB}_{20}\text{Nb}_{0.3}$ glassy alloys for hyperthermia application

N. Lupu¹, L.C. Whitmore¹, G. Ababei¹, M. Grigoras¹, H. Chiriac¹

1. National Institute of Research and Development for Technical Physics, Iasi, Romania

Th.L-P05 - Magnetic and structural characterization of hybrid CFO-YBCO nanocomposites prepared by chemical solution deposition

E. Bartolomé¹, P. Cayado², S. Ricart², E. Solano³, M. Coll², J. Ros⁴, B. Mundet², J. Gázquez², A. Medelin⁵, G. van Tedeloo⁵

1. Escola Universitaria Salesiana de Sarriá (EUSS), Barcelona, Spain

2. Institut de Ciència de Materials de Barcelona (ICMAB), Bellaterra, Spain

3. Department of Solid State Sciences, Faculty of Sciences, Ghent University, Krijgslaan, Gent, Belgium

4. University Autònoma Barcelona, Dept Quim, Fac. Ciències, Barcelona, Spain

5. EMAT, University of Antwerp, Antwerp, Belgium

6. ALBA Synchrotron Light Source, Barcelona, Spain

Th.L-P06 - Magnetotransport properties of $\text{SrTiO}_{3-\delta}$ thin films grown by Molecular Beam Epitaxy on p-Si(001) substrates

N. Theodoropoulou¹, R. Cottier, D. Currie, B. Koehne, P. Jalili

1. Texas State University

M. Arrays of magnetic nanostructures

Th.M-P01 - Magnetic and magnetotransport study of the crossover from antidot to dot arrays

C. Castán-Guerrero^{1,2}, J. Herrero-Albillos^{1,3}, J. Bartolomé^{1,2}, F. Bartolomé^{1,2}, P. Strichovanec¹, J. Sesé^{4,2}, L.M. García^{1,2}

1. ICMA (Universidad de Zaragoza - CSIC), Zaragoza, Spain

2. Dpto. de Física de la Materia Condensada (Universidad de Zaragoza), Zaragoza, Spain

3. Centro Universitario de la Defensa, Zaragoza, Spain

4. INA-LMA (Universidad de Zaragoza), Zaragoza, Spain

Th.M-P02 - The effects of interlayer coupling on the static and dynamic behavior of $\text{Ni}_{80}\text{Fe}_{20}/\text{Ru}/\text{Ni}_{80}\text{Fe}_{20}$ Nanostripes

P. Lupo¹, Z. Haghshenasfard², L. Xiong¹, X. Ming Liu¹, M. Cottam², A. Adeyeye¹

1. Information Storage Materials Laboratory, Department of Electrical and Computer Engineering, National University of Singapore, Singapore

2. Department of Physics and Astronomy, University of Western Ontario, London, Canada

Th.M-P03 - Monte Carlo simulation of magnetic properties in Bit Patterned Media

O.D. Arbeláez Echeverri¹, E. Restrepo Parra¹, J.D. Agudelo Giraldo^{1,2}

1. PCM Computational Applications, Universidad Nacional de Colombia, Manizales, Caldas, Colombia

2. Escuela de Materiales, Facultad de Minas, Universidad Nacional de Colombia,

Medellín, Colombia

Th.M-P04 - Spin-wave modes and magnetization reversal in ferromagnetic nanostructures subjected to asymmetric magnetostatic interactions

M. Pancaldi¹, J.M. Porro², S. Gliga^{3,4}, P. Landeros⁵, V. Metlushko⁶, A. Berger¹, P. Vavassori^{1,7}

1. CIC NanoGUNE, Donostia-San Sebastian, Spain
2. ISIS, Rutherford Appleton Lab, Harwell-Oxford, United Kingdom
3. Laboratory for Mesoscopic Systems, Department of Materials, ETH Zurich, Zurich, Switzerland
4. Laboratory for Micro- and Nanotechnology, Paul Scherrer Institute, Villigen PSI, Switzerland
5. Departamento de Física, Universidad Tecnica Federico Santa Maria, Valparaiso, Chile
6. Nanotechnology Core Facility, University of Illinois at Chicago, Chicago IL, United States
7. IKERBASQUE, Basque Science Foundation, Bilbao, Spain

Th.M-P05 - Magnetic vortex states in highly anisotropic nanoislands

J.M. Porro^{1,2}, M. Pancaldi², V. Metlushko³, A. Berger², P. Vavassori^{2,4}

1. ISIS, Rutherford Appleton Laboratory, STFC, United Kingdom
2. CIC nanoGUNE, San Sebastián, Spain
3. Nanotechnology Core Facility, University of Illinois at Chicago, Chicago, United States
4. IKERBASQUE, Basque Science Foundation, Bilbao, Spain

Th.M-P06 - Quantized energy states in spin ice due to magnetic coupling

C. Sheng Soh¹, I. Purnama¹, S. Krishnia¹, W. Siang Lew¹, R. Maddu¹

1. School of Physical and Mathematical Sciences, Nanyang Technological University, Singapore

Th.M-P07 - Spin wave bound modes in a circular array of magnetic inclusions embedded into a ferromagnetic matrix

S. Nikitov^{1,2}, Y. Barabanenkov¹, S. Osokin^{1,2}, Dmitry Kalyabin^{1,2}

1. Kotelnikov Institute of Radio Engineering and Electronics of RAS, Moscow, Russia
2. Moscow Institute of Physics and Technology (State University), Moscow, Russia

Th.M-P08 - Iron oxide nano needles for single cell analysis

M. Kavaldzhiev¹, E. Perez¹, E. Villanova Vidal¹, J. Kosel¹

1. King Abdullah University of Science and Technology (KAUST), Thuwal, Kingdom of Arabia Saudi

Th.M-P09 - Magnetization reversal in finite size dot arrays: global configurational anisotropy

D. Bisero^{1,5}, S. Fin¹, A. Sarella³, P. Vavassori^{3,4}, B. Van de Wiele²

1. Dipartimento di Fisica e Scienze della Terra, Università degli Studi di Ferrara, Ferrara, Italy
2. Department of Electrical Energy, Systems and Automation, Ghent University, Ghent, Belgium
3. CIC nanoGUNE Consolider, Donostia-San Sebastian, Spain
4. IKERBASQUE, Basque Foundation for Science, Bilbao, Spain

5. CNISM, Unità di Ferrara, Ferrara, Italy

Th.M-P10 - Magnetic properties of FeCoCu/Cu multilayer nanowire arrays

E.M. Palmero¹, C. Bran¹, C. Magen², R.P. del Real¹, F. Beron³, M. Vazquez¹

1. ICMM-CSIC, Madrid, Spain

2. INA-ARAID and University of Zaragoza, Zaragoza, Spain

3. Instituto de Física Gleb Wataghin, Universidade Estadual de Campinas, Campinas, Brazil

Th.M-P11 - Collective magnetic properties in nanoparticle assemblies highlighted by shape anisotropy and interparticle distances

B. Pichon¹, D. Toulemon¹, M. Pauly¹, S. Fleutot¹, S. Bégin-Colin¹

1. Institut de Physique et Chimie des Matériaux de Strasbourg, Strasbourg, Switzerland

Th.M-P12 - Challenges to realising topological control of domain wall transit in artificial spin ice

W. Branford¹, S. Walton¹, K. Zeissler¹, D. Burn¹, M. Chadha¹, L. Cohen¹

1. Imperial College London, London, United Kingdom

Th.M-P13 - Dipolar interactions in finite arrays of elliptical Fe(001) particles

M. Hanson¹, T. Antosiewicz^{1,2}

1. Chalmers University of Technology, Göteborg, Sweden

2. Centre of New Technologies, University of Warsaw, Warsaw, Poland

Th.M-P14 - Magnetic interactions in 3d metal chains on Cu₂X/Cu(001) (X = N, O): comparison with corresponding unsupported chains

M.C. Urdaniz¹, M.A. Barral^{1,2}, A.M. Llois^{1,2}, A. Saúl^{3,4,5}

Th.M-P15 - Controlling magnetization reversal in planar nanostructures with wire-ring morphology

R. Corona¹, A. Aranda¹, J.L. Palma^{1,2}, C. López^{1,2}, J. Escrig^{1,2}

1. Departamento de Física, Universidad de Santiago de Chile, Santiago, Chile

2. Center for the Development of Nanoscience and Nanotechnology, CEDENNA, Santiago, Chile

Th.M-P16 - Magnetostatic interactions between wire-tube nanostructures

D. Salazar-Aravena¹, J.L. Palma^{1,2}, J. Escrig^{1,2}

1. Departamento de Física, Universidad de Santiago de Chile, Santiago, Chile

2. Center for the Development of Nanoscience and Nanotechnology, CEDENNA, Santiago, Chile

Th.M-P17 - Spectroscopic and spatially resolved magneto-optical characterizations of 1D magnetic gratings

V. Kletecka¹, L. Beran¹, R. Antos¹, M. Veis¹

1. Charles University, Prague, Czech Republic

Th.M-P18 - Thermal ordering and correlations in an artificial two-dimensional Ising system

U. Arnalds¹, J. Chico², H. Stopfel², V. Kapaklis², O. Börenbold², M. Verschuuren³,

U. Wolff⁴, V. Neu⁴, A. Bergman², B. Hjörvarsson²

1. Science Institute, University of Iceland, Reikiavik, Iceland

2. Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden

3. Philips Research Laboratories, Eindhoven, The Netherlands

4. IFW Dresden, Institute of Metallic Materials, Dresden, Germany

Th.M-P20 - Highly anisotropic dynamical magnetic properties of needle-shaped arrays of iron oxide nanocubes

E. Wetterskog¹, R. Stjernberg Bejhed¹, P. Svedlindh¹

1. Solid state physics, Department of Engineering Sciences, Uppsala University, Uppsala, Sweden

Th.M-P21 - Magnetostatic coupling in arrays of FeCo monolayer and bilayer long aspect ratio nanoribbons

M. Abuin¹, M.A. García², M. Maicas³, L. Pérez¹, A. Mascaraque¹

1. Universidad Complutense de Madrid, Madrid, Spain

2. Consejo Superior de Investigaciones Científicas, Madrid, Spain

3. Universidad Politécnica de Madrid, Madrid, Spain

Th.M-P22 - Template morphology dependent control of magnetic interactions between magnetic nanostructures

K. Rumpf¹, P. Granitzer¹, P. Poelt², H. Michor³

1. Karl-Franzens-University Graz, Institute of Physics, Graz, Austria

2. University of technology Graz, Institute for Electron Microscopy, Graz, Austria

3. Vienna University of Technology, Institute of Solid State Physics, Vienna, Austria

N. Magnetophotonics and magnetoplasmonics

Th.N-P01 - Superparamagnetic gold nanotriangles by microwave polyol synthesis

S. Yu¹, A. Laromaine¹ N, A. Roig¹

1. Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Campus de la UAB, Bellaterra, Spain

Th.N-P02 - Optimization of MTJ nano-contact on pn-GaAs photodetector for a high-speed non-volatile optical memory

V. Zayets¹, H. Saito², K. Ando³, S. Yuasa⁴

1. Spintronics Research Center, AIST, Ibaraki, Japan

Th.N-P03 - Experimental demonstration of long-distance propagation of a surface plasmon on the surface of a ferromagnetic metal

V. Zayets¹, H. Saito², K. Ando³, S. Yuasa⁴

1. Spintronics Research Center, AIST, Ibaraki, Japan

Th.N-P04 - Using antiferromagnets as a route to tunable negative refraction

R. Macedo¹, R. Stamps¹, T. Dumelow²

1. SUPA, School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

2. Departamento de Física, Universidade do Estado do Rio Grande do Norte, Costa

Th.N-P05 - Plasmonic hollow cylindrical nanostructures fabricated by nano-imprint lithography and non-directional metallization

A. Conde-Rubio ¹, M. Kovylyna ^{1,2}, N. Alayo ³, X. Borrísé ³, F. Pérez-Murano ³, G.D. Hibbard ², A. Labarta ¹, X. Batlle ¹ N

1. Dept. Física Fonamental, Universitat de Barcelona and Institut de Nanociència i Nanotecnologia, Barcelona, Spain

2. Dept. Materials Science and Engineering, University of Toronto, Toronto, Canada

3. Instituto de Microelectrónica de Barcelona (IMB-CNM, CSIC) UAB, Barcelona, Spain

Th.N-P06 - Enhancement of transverse magneto-optical intensity effect in active magneto-plasmonic structures

O. Borovkova ¹, N. Khokhlov ^{1,2}, A. Kalish ^{1,2}, V. Belotelov ^{1,2}, P. Vetoshko ¹

1. Russian Quantum Center, Moscow, Russia

2. Lomonosov Moscow State University, Faculty of Physics, Moscow, Russia

Th.N-P07 - Faraday Rotation in (Bi, Gd, Al):YIG Films and Microcavity 1D-MPCs on their base in temperature range 300 - 20K

V.N. Berzhansky ¹, A.V. Karavainikov ¹, T.V. Mikhailova ¹, A.R. Prokopov ¹, A.N. Shaposhnikov ¹, M.A. Kozhaev ^{2,3} Y, M.F. Kharchenko ⁴, I.M. Lukienko ⁴, O.V. Miloslavskaya ⁴, Y.M. Kharchenko ⁴

1. V.I. Vernadsky Crimean Federal University, Simferopol, Russia

2. Russian Quantum Center, Skolkovo, Moscow, Russia

3. Prokhorov General Physics Institute of The RAS, Moscow, Russia

4. Institute for Low Temperature Physics and Engineering of the NAS of Ukraine, Kharkov, Ukraine

Th.N-P08 - One-dimensional photonic crystals with double-layered magneto-active defects

V.N. Berzhansky ¹, A.V. Karavainikov ¹, T.V. Mikhailova ¹, A.R. Prokopov ¹, A.N. Shaposhnikov ¹, M.A. Kozhaev ^{2,3}, M.F. Kharchenko ⁴, I.M. Lukienko ⁴, O.V. Miloslavskaya ⁴, Y.M. Kharchenko ⁴

1. V.I. Vernadsky Crimean Federal University, Simferopol, Russia

2. Russian Quantum Center, Skolkovo, Moscow, Russia

3. Prokhorov General Physics Institute of The RAS, Moscow, Russia

4. Institute for Low Temperature Physics and Engineering of the NAS of Ukraine, Kharkov, Ukraine

Th.N-P09 - Magnetic behavior of SiO₂ opals with embedded Fe nanoparticles

C.E. Ávila Crisóstomo ¹, E. Sánchez Mora ¹, V. Cerdán Ramírez ¹, F. Pérez Rodríguez ¹

1. Instituto de Física, Benemérita Universidad Autónoma de Puebla, Heroica Puebla de Zaragoza, Mexico

Th.N-P10 - Light localization and magneto-optic enhancement in Ni and Co anti-dot arrays

E. Papaioannou ¹, M. Rollinger ¹, E. Melander ², P. Thielen ¹, E. Ístman ², V. Kapaklis ², M. Cinchetti ¹, A. Carcia-Martin ³, M. Aeschlimann ¹

1. Department of Physics and Research center OPTIMAS, Kaiserslautern, Germany

2. Department of Physics and Astronomy, Uppsala University, Sweden
3. IMM-Instituto de Microelectronica de Madrid (CNM-CSIC), Madrid, Spain

Th.N-P11 - Optical, magneto-optical and structural properties of Mn(2)Rh(1-x)Co(x)Sn Heusler compounds

J. Hamrle¹, K. Postava¹, J. Pistora¹, R. Silber¹, J. Enders², P. Cejpek², J. Macek², M. Veis², V. Hol^{2,2}, O. Meshcheriakova³

1. VSB - Technical University of Ostrava, Ostrava, Czech Republic
2. MFF, Charles University in Prague, Prague, Czech Republic
3. Max-Planck-Institut für Chemische Physik fester Stoffe, Dresden, Germany

Th.N-P12 - Magnetic switching of magnetoelectric plasmonic materials: from axion to toroidal electrodynamics

D. Ignatyeva^{1,2}, A. Kalish^{1,2}, O. Borovkova², V. Belotelov^{1,2}, A. Zvezdin^{2,3,4}

1. Lomonosov Moscow State University, Faculty of Physics, Moscow, Russia
2. Russian Quantum Center, Moscow, Russia
3. Prokhorov General Physics Institute RAS, Moscow, Russia
4. Moscow Institute of Physics and Technology, Dolgoprudny, Russia

Th.N-P13 - Spin dynamics in magneto-plasmonic hybrid nanostructures

A. Capozzi¹, T. Orlando², M. Mariani³, F. Pineider⁴, M. Basini⁵, M. Corti², E. Umot⁶, C. Sangregorio⁴, A. Lascialfari⁵, P. Ghigna⁷

1. Institute of Physics of Biological Systems, EPFL, Lausanne, Switzerland
2. Department of Physics and INSTM, University of Pavia, Pavia, Italy
3. Department of Physics and Astronomy, University of Bologna, Bologna, Italy
4. Department of Chemistry 'U. Schiff' and INSTM, University of Florence, Florence, Italy
5. Department of Physics and INSTM, Università degli Studi di Milano, Milano, Italy
6. Department of Medical Imaging Techniques, Dokuz Eylül University, Izmir, Turkey
7. Department of Chemistry and INSTM, University of Pavia, Pavia, Italy

Th.N-P14 - Magnetoplasmonic modes in noble metal and hybrid nanoparticles

C. de Julian Fernandez^{1,2}, F. Pineider^{2,3}, V. Bonanni^{2,3}, G. Campo^{2,4}, G. Mattei⁵, A. Caneschi², C. Sangregorio^{6,2}

1. IMEM-CNR, Parma, Italy
2. Department of Chemistry, University of Florence & INSTM, Florence, Italy
3. ISTM - CNR, Milan, Italy
4. Department of Physics, University of Florence, Florence, Italy
5. Department of Physics, University of Padua, Padua, Italy
6. ICCOM - CNR, Florence, Italy

Th.N-P15 - Nanostructural and magnetic properties in Au- Fe oxide magnetoplasmonics nanostructures

C. de Julian Fernandez^{1,2}, F. Pineider^{2,3}, G. Campo², V. Bonanni^{2,3}, P. Massala⁴, V. Videtta⁵, D. Pantaleone Cozzoli⁵, M. Scavini⁴, A. Caneschi², P. Ghigna⁶

1. IMEM-CNR, Milan, Italy
2. INSTM & University of Florence
3. ISTM- CNR, Milan, Italy
4. INSTM & University of Milan, Milan, Italy
5. INSTM & University of Salento, Lecce, Italy

6. *INSTM & University of Pavia, Pavia, Italy*

7. *ICCOM – CNR, Florence, Italy*

Th.N-P16 - Novel type of highly sensitive alternating magnetic field detector based on the magnetoplasmonic crystal

V. Belyaev¹, A. Grunin², A. Fedyanin², V. Rodionova¹

1. *Immanuel Kant Baltic Federal University, Kaliningrad, Russia*

2. *Lomonosov Moscow State University, Moscow, Russia*

O. Magnetic Devices and Novel materials

Th.O-P02 - Temperature dependent magnetostrains in Mn and Ga-doped Fe-Pd ferromagnetic shape memory ribbons

M. Sofronie¹, F. Tolea¹, A. Crisan¹, M. Enculescu¹, M. Valeanu¹

1. *National Institute of Materials Physics, Magurele, Romania*

Th.O-P03 - Liquid pressure wireless stress sensor based on magnetostrictive microwires for applications in cardiovascular localized diagnostic

P. Marin¹, A. Hernando¹, A.M. Aragón¹, M. Hernando-Rydings²

1. *Instituto de Magnetismo Aplicado, Las Rozas, Spain*

2. *Hospital de Basurto, Vizcaya, Spain*

Th.O-P05 - Electrical control of magnetostatic and magnetoelastic waves in ferrite-piezoelectric structure

Y. Khivintsev^{1,2}, Y. Filimonov^{1,2}, S. Vysotsky^{1,2}

1. *SB Kotel'nikov IRE RAS, Saratov, Russia*

2. *Saratov State University, Saratov, Russia*

Th.O-P06 - Preparation and characterization of porous magnetoelastic composites for magnetic field controlled flow applications

M. Krautz¹, D. Werner¹, M. Schrödner², J. Popp², A. Waske¹, J. Eckert¹

1. *Leibniz Institute for Solid State and Materials Research, Dresden, Germany*

2. *Thuringian Institute of Textile and Plastics Research e.V., Rudolstadt, Germany*

Th.O-P07 - Oscillation of standing spin wave in nanostructured ring resonator with spin transfer torque

B. Peng¹, X. Ya², K. Imamura³, T. Tanaka⁴, K. Matsuyama⁵

1. *ISEE Kyushu University Japan, Nishi, Japan*

Th.O-P08 - Enhancement of the magnetic field sensor sensitivity through tailoring of the magnetic disk profile

P. Vetoshko^{1,4}, M. Kozhaev^{1,3}, N. Gusev^{1,3}, A. Zvezdin^{1,3}, I. Syvorotka⁵, I. Syvorotka⁵, V. Belotelov^{1,2}

1. *Russian Quantum Center, Moscow, Russia*

2. *Lomonosov Moscow State University, Faculty of Physics, Moscow, Russia*

3. *Prokhorov General Physics Institute, Russian Academy of Sciences, Moscow, Russia*

4. *Kotel'nikov Institute of Radio Engineering and Electronics, Russian Academy of Sciences, Moscow, Russia*

5. *CARAT Scientific Research Company, Lviv, Ukraine*

Th.O-P09 - Magnetic properties and domain structure in stress-annealed METGLAS 2714AZ

P. Sarkar¹, K. Zaveta², K. Jurek², J. Vcelak¹, P. Ripka¹,

1. *University Centre for Energy Efficient Buildings, Technical University In Prague, Czech Republic*

2. *Institute of Physics, AS CR, v. v. i., Prague, Czech Republic*

Th.O-P10 - GMI sensor for component integrity evaluation

P. Sarkar¹, R.K. Roy², A.K. Panda², A. Mitra², J. Vcelak¹, P. Ripka¹

1. *University Centre for Energy Efficient Buildings, Technical University, Prague, Czech Republic*

2. *CSIR-National Metallurgical Laboratory, Jamshedpur, India*

Th.O-P11 - Composite Fe_xO_y/TiO₂ powders - microstructure and magnetic properties

O. Zivotsky¹, J. Seidlerova², I. Safarik³, J. Lunacek¹, M. Safarikova³, K. Mamulova Kutlakova²

1. *Institute of Physics, VSB-Technical University of Ostrava, Ostrava, Czech Republic*

2. *Nanotechnology Centre, VSB-Technical University of Ostrava, Ostrava, Czech Republic*

3. *Institute of Nanobiology and Structural Biology of GCRC, Academy of Sciences of the Czech Republic, Prague, Czech Republic*

Th.O-P13 - Improved Microtransformer design utilizing Fe-Co magnetic core

D. Dinulovic¹, M. Haug¹, A. Gerfer¹, M. Kaiser², M. Wurz², L. Rissing²

1. *Wurth Elektronik EiSos, Niedernhall, Germany*

2. *IMPT, Leibnitz Universität Hannover, Hannover, Germany*

Th.O-P14 - Anomalous thermal expansion in (Pr,Ca)MnO₃ due to orbital ordering

J. Tikkanen¹, H. Huhtinen¹, P. Paturi¹,

1. *Wihuri Physical Laboratory, Department of Physics and Astronomy, University of Turku, Finland*

Th.O-P17 - Electromagnetic properties of Fe granular composite materials

T. Kasagi¹, T. Tsutaoka², S. Yamamoto³, K. Hatakeyama³

1. *National Institute of Technology, Tokuyama College, Yamaguchi, Japan*

2. *Graduate School of Education, Hiroshima University, Hiroshima-shi, Japan*

3. *Graduate School of Engineering, University of Hyogo, Hyogo, Japan*

Th.O-P19 - Magneto-optical and magnetic properties of doped aluminophosphate glasses

C. Iordanescu², M. Sofronie¹, A. Catalin Galca¹, F. Tolea¹, V. Kuncser¹, M. Valeanu¹, M. Elisa², I.D. Feraru², B.A. Sava³, L. Boroica³

1. *Magnetism and Superconductivity Department, National Institute of Materials Physics, POB MG-7, Bucharest-Magurele, Romania*

2. *Optospintronics Department, National Institute for Optoelectronics INOE 2000, Bucharest-Magurele, Romania*

3. *Laser Department, National Institute for Laser, Plasma and Radiation Physics,*

Th.O-P20 - Magnetic properties of the reactive sorbents based on the CeO₂/Fe₂O₃ composite powders

J. Lunacek¹, O. Zivotsky¹, P. Janos², J. Henych^{2,3}, V. Stengl^{2,3}

1. VSB - Technical University of Ostrava, Department of Physics, Ostrava, Czech Republic
2. University of Jan Evangelista Purkyně, Faculty of the Environment, Ústí nad Labem, Czech Republic
3. AS CR v.v.i., Institute of Inorganic Chemistry, Prague, Czech Republic

Th.O-P21 - Crystal structure and magnetic properties of the new R₃Pd₅ compounds (R = rare earth)

A. Provino¹, S.K. Dhar², N.S. Sangeetha², P. Manfrinetti¹, L. Petit³, K.A. Gschneidner Jr⁴

1. Department of Chemistry, University of Genova, Genova, Italy
2. Condensed Matter Physics & Material Science, Tata Institute of Fundamental Research, Mumbai, India
3. Daresbury Laboratory, Daresbury Warrington, United Kingdom
4. Ames Laboratory, & Department of Materials Science and Engineering, Iowa State University, Ames, United States

Th.O-P22 - Controlling of demagnetizing field distribution on thin-film magnetoimpedance element for miniaturization and improvement of sensitivity

H. Kikuchi¹, S. Oe¹, H. Uetake², S. Yabukami², T. Nakai³, S. Hashi⁴, K. Ishiyama⁴

1. Iwate University, Morioka, Japan
2. Tohoku Gakuin University, Miyagi, Japan
3. Industrial Technology Institute, Miyagi Prefectural Government, Japan
4. Tohoku University, Miyagi, Japan

Th.O-P23 - Optimizing the sensing performance of fluxgate magnetometer using amorphous metallic wire cores

U. Topal¹, C. Birlikseven¹, H. Sözeri¹, H. Can¹, S. Tanrıseven¹, P. Svec Jr.², P. Svec Sr.², J. Bydzovsky³

1. Tübyttak Ume P.K: 54, Gebze-Kocaeli, Turkey
2. Institute of Physics, Slovak Academy of Science, Bratislava, Slovakia
3. Institute of Electrical Engineering, Slovak University of Technology in Bratislava, Bratislava, Slovak Republic

Th.O-P24 - Microwave detectors based on giant and tunneling magnetoresistive devices

W. Skowroński¹, S. Ziętek¹, P. Ogrodnik^{1,2}, J. Wrona^{1,3}, P. Wiśniowski¹, A. Żywczak⁴, M. Frankowski¹, J. Chęciński¹, J. Barnaś⁵, T. Stobiecki¹

1. AGH University of Science and Technology, Department of Electronics, Krakow, Poland
2. Faculty of Physics, Warsaw University of Technology, Warsaw, Poland
3. Singulus Technologies AG, Kahl am Main, Germany
4. AGH University of Science and Technology, Academic Centre of Materials and Nanotechnology, Krakow, Poland
5. Faculty of Physics, Adam Mickiewicz University, Poznan, Poland

Th.O-P26 - Low temperature sintering of Sc-substituted M-type ferrite multilayers for microwave applications

J. Töpfer¹, S. Bierlich¹, F. Gellersen², A. Jacob², R. Valencuela³

1. *Univ. Appl. Sciences Jena, Jena, Germany*

2. *Techn. Univ. Hamburg, Harburg, Germany*

3. *Natl. Autonomous Univ. Mexico, Ciudad de Mexico, Mexico*

Th.O-P27 - Effect of planar microantenna geometry on microwave properties of integral YIG-antenna structures

Y. Khivintsev^{1,2}, V. Sakharov¹, M. Heath³, V. Kruglyak³, Y. Filimonov^{1,2}, S. Nikitov^{2,4}

1. *Saratov Branch of Kotelnikov Institute of Radio-Engineering and Electronics of Russian Academy of Sciences, Moscow, Russia*

2. *Chernyshevsky Saratov State University, Saratov, Russia*

3. *University of Exeter, Devon, United Kingdom*

4. *Kotelnikov Institute of Radio-engineering and Electronics of Russian Academy of Sciences, Moscow, Russia*

Th.O-P28 - Towards integrated magnetoresistance sensors for electrical read-out in perpendicular nanomagnetic logic systems

I. Eichwald¹, S. Breitkreutz-v. Gamm¹, G. Ziemys¹, M. Becherer¹, D. Schmitt-Landsiedel¹,

1. *Technische Universität München, Munich, Germany*

Th.O-P29 - Optimum laser exposure for setting exchange bias in spin valve sensors

M. Almeida¹, O. Ueberschör¹, M. Müller², R. Ecke¹, H. Exner², S. Schulz¹,

1. *Fraunhofer ENAS, Chemnitz, Germany*

2. *Hochschule Mittweida, Laserinstitut, Mittweida, Germany*

Th.O-P30 - Phase stability and magnetic properties of $\text{D}_{0.22\text{-type}}\text{Mn}_3\text{Ga}_x\text{Ge}_{1-x}$

H. Okada¹, T. Sasaki¹, R. Umetsu²

1. *Tohoku Gakuin University, Miyagi, Japan*

2. *Tohoku University, Miyagi, Japan*

Th.O-P31 - Excitation of a uniform rotational magnetization mode in easy-plane iron-garnet films for flux-gate sensors

P.M. Vetoshko¹, D.V. Dodonov^{1,2}, M.A. Kozhaev^{1,3}, I.I. Syvorotka⁴, I.M. Syvorotka⁴, A.K. Zvezdin^{1,2,3}, V.I. Belotelov^{1,5},

1. *Russian Quantum Center, Skolkovo, Moscow, Russia*

2. *Moscow Institute of Physics and Technology, Dolgoprudniy, Russia*

3. *Prokhorov General Physics Institute of The Russian Academy of Sciences, Moscow, Russia*

4. *Department of Crystal Physics and Technology, Scientific Research Company "Carat", Lviv, Ukraine*

5. *Lomonosov Moscow State University, Moscow, Russia*

Th.O-P32 - Magnetoimpedance and field sensitivity in arrangement of CoFeSiB amorphous microwires

J.M. Gomez Cruz¹, H. Montiel Sánchez¹, G. Alvarez Lucio²,

1. *Centro de Ciencias Aplicadas y Desarrollo Tecnológico, Universidad Nacional Autónoma de México, Delegación Coyoacán, México*

2. *Escuela Superior de Física y Matemáticas IPN, San Pedro Zacatenco, México D.F., México*

Th.O-P33 - Paramagnetic anisotropy of amorphous silica measured by ESR and by field-induced rotational oscillation in microgravity

C. Uyeda¹, M. Yokoi¹, K. Hisayoshi¹

1. *Osaka University, Osaka, Japan*

Th.O-P34 - Identification of weak magnetic & ferro/ferri-magnetic particles included in grain ensemble using magnetic volume force

C. Uyeda¹, K. Hisayoshi¹, K. Kuwada¹, R. Ynagihara¹,

1. *Graduate School of Science, Osaka University, Osaka, Japan*

Th.O-P36 - Temperature robustness of a fluxgate current sensor with electroplated Fe-Ni-Co cores

Y. Watanabe^{1,2}, M. Otsubo², T. Yanai², M. Nakano², H. Fukunaga²

1. *Mitsubishi Electric Corp., Amagasaki, Japan*

2. *Nagasaki Univ., Nagasaki, Japan*

Th.O-P37 - Influence of the non-magnetic material on the magnetization dynamics and spin pumping in NiFe and CoFeB multilayer systems

A. Ruiz Calaforra¹, T. Braecher¹, V. Lauer¹, P. Pirro¹, B. Heinz¹, M. Geilen¹, A.V. Chumak¹, A. Conca¹, B. Leven¹, B. Hillebrands¹

1. *TU Kaiserslautern, FB Physik and Landesforschungszentrum OPTIMAS, Kaiserslautern, Germany*

Th.O-P38 - Optimal design for performance improvement of permanent magnet assisted synchronous reluctance motor by enhancing saliency ratio

S. Seo¹, S. Jung¹

1. *Sungkyunkwan University, Seoul, South Korea*

Th.O-P39 - A Study on 3D design and characteristic of outer-rotor type brush-less dc motor considering upper end cover of housing

M. Seo¹, T. Lee¹, Y. Kim², S. Jung¹

1. *Sungkyunkwan University, Seoul, South Korea*

2. *Chosun University, Gwangju, South Korea*

Th.O-P40 - Spin lifetime in nano-particles

J. Rousseau^{1,2}, R. Morel^{1,2}, A. Brenac^{1,2}, I. Berbezier³, L. Favre³, L. Vila^{1,2}, C. Beigné^{1,2}, A. Marty^{1,2}, L. Notin^{1,2}

1. *CEA Grenoble \ INAC \ SP2M \ NM, Grenoble, France*

2. *Univ. Grenoble Alpes, Grenoble, France*

3. *IM2NP, CNRS, AMU, Marseille, France*

Th.O-P41 - Biosensing with magnetophotonic plasmonic heterostructures

D. Ignatyeva ^{1,2}, S. Sekatskii ³, M. Kozhaev ^{2,4}, M. Nur-e-Alam ⁵, M. Vasiliev ⁵, A. Fraerman ⁶, K. Alameh ⁵, V. Belotelov ^{1,2}

1. Lomonosov Moscow State University, Faculty of Physics, Moscow, Russia

2. Russian Quantum Center, Moscow, Russia

3. Institute of the Physics of Biological Systems, École Polytechnique Fédérale de Lausanne, Lausanne, Switzerland

4. Prokhorov General Physics Institute RAS, Moscow, Russia

5. Electron Science Research Institute, Edith Cowan University, Joondalup, Australia

6. Institute for Physics of Microstructures RAS, N.Novgorod, Russia

Th.O-P42 - Transfer torque characteristic analysis of dual-stage magnetic gear with rare-earth magnets and non rare-earth magnets

C. Kim ¹, M. Kim ¹, S. Jung ², Y. Kim ¹

1. Department of Electrical Engineering, Chosun University, Gwangju, Republic of Korea

2. School of Information and Communication Engineering, Sungkyunkwan University, Suwon, Republic of Korea

Th.O-P43 - Design of IPMSM interior permanent magnet synchronous motor for minimizing axial force by adapting novel skew method

G. Park ¹, B. Son ¹, Y. Kim ², S. Jung ¹

1. School of Electronic and Electrical Engineering, Sungkyunkwan University, Seoul, South Korea

2. Department of Electrical Engineering, Chosun University, Gwangju, Republic of Korea

Th.O-P44 - High sensitivity disk shaped planar Hall effect sensor for capture and detection of superparamagnetic nanoparticles

M. Volmer ¹, M. Avram ², A. Avram ², I. Firastrau ¹

1. Transilvania University of Brasov, Brasov, Romania

2. National Institute for Research and Development in Microtechnologies, Bucharest, Romania

Th.O-P45 - Investigation of the variation in magnetic nature of Ba - Fe magnetoplumbite with Li - Ti substitution

R.R. Deshmukh ¹, P. Bhatia ², R. Srinivasan ³

1. Institute of Chemical Technology, Prague, Czech Republic

2. Guru Nanak College of Arts, Science and Commerce, Maharashtra, India

3. University of Mumbai, Department of Physics, Mumbai, India

Th.O-P46 - Multicore off-diagonal magnetoimpedance sensors utilising amorphous wires

N. Yudanov ¹, A. Rudyonok ¹, L. Panina ^{1,2}, A. Morchenko ¹, A. Zhukov ³

1. National University of Science and Technology (MISIS), Moscow, Russia

2. Institute for Design Problems in Microelectronics RAS, Moscow, Russia

3. Dept. Material Physics, Chemistry Faculty, University of San Sebastián, San Sebastián, Spain

Th.O-P47 - Magnetization and magnetic losses of powders from metallized particles at microwaves

A. Anzulevich¹, L. Butko¹, V. Buchelnikov¹, I. Bychkov¹, D. Kalganov¹

1. Chelyabinsk State University, Chelyabinsk Oblast, Russia

Th.O-P48 - Magnetic micro-mechanical systems for magnetic field mapping by optical effect

G. Ortiz^{1,2,3}, M. Morcrette^{1,2,3}, T. Dietsch^{1,2,3}, P. Sabon^{1,2,3}, I. Joumard^{1,2,3}, H. Joisten^{1,2,4}, B. Dieny^{1,2,3}

1. Univ Grenoble Alpes, INAC-SPINTEC, Grenoble, France

2. CEA, INAC-SPINTEC, Grenoble, France

3. CNRS, SPINTEC, Grenoble, France

4. CEA, LETI, MINATEC Campus, Grenoble, France

Th.O-P49 - Spin polarized transport in graphene spin valves with amorphous carbon interfacial layers

J.F. Sierra¹, B. Raes¹, I. Neumann¹, M.V. Costache¹, S.O. Valenzuela¹

1. Institut Catala de Nanociencia i Nanotecnologia (ICN2), Barcelona, Spain

Th.O-P50 - Local magnetic resonance spectroscopy with spin electronics based magnetic sensors

P.A. Guitard¹, R. Ayde¹, E. Paul¹, G. Jasmin-Lebras¹, M. Pannetier-Lecoer¹, C. Fermon¹

1. Service de Physique de l'Etat Condensé, CEA Saclay, UMR CNRS 3680, Gif sur Yvette, France

Th.O-P51 - Grain orientation and magnetostrictive properties of Tb-Dy-Fe alloys

X. Mu¹, C. Wang¹, X. Gao¹

1. State Key Laboratory for Advanced Metals and Materials, University of Science & Technology, Beijing, China

Th.O-P52 - Ultra-high frequency tunability in low-current and low-field spin torque oscillators based on perpendicular magnetic tunnel junctions

T. Le¹, A. Eklund², S. Chung^{1,3}, H. Mazraati¹, A. Nguyen^{1,4}, M. Yamanouchi^{5,6}, E. Enobio⁶, S. Ikeda^{5,6}, H. Ohno^{5,6}, J. Akerman^{1,3}

1. Department of Materials and Nano Physics, School of Information and Communication Technology, KTH Royal Institute of Technology, Stockholm, Sweden

2. Department of Integrated Devices and Circuits, School of Information and Communication Technology, KTH Royal Institute of Technology, Stockholm, Sweden

3. Department of Physics, University of Gothenburg

4. Spintronics Research Group, Laboratory for Nanotechnology, Vietnam National University-Ho Chi Minh City, Vietnam

5. Laboratory for Nanoelectronics and Spintronics, RIEC, Tohoku University, Miyagi,

Japan

6. Center for Spintronics Integrated Systems, Tohoku University, Miyagi, Japan

Th.O-P53 - Effect of Boron substitution on magnetostrictive properties of SmFe_2 and $(\text{Tb,Dy})\text{Fe}_2$ intermetallic alloys

S. Dange^{1,5}, J. Pendharkar², S. Venkatraman³, M.N. Nyayate³, S.S. Vansutre^{4,5}, S. Radha⁵

1. Physics Department, Jaihind College, Churchgate, India

2. Physics Department, K. J. Somaiya College, Vidyavihar, India

3. Physics Department, B. N. Bandodkar College, Thane, India

4. Physics Department, SIWS College, Wadala, India

5. Department of Physics, University of Mumbai, Kalina, India

Th.O-P54 - AlOx and MgAlOx barrier based magnetic tunnel junction sensing devices for industrial application

S. Knudde^{1,2}, J. Valadeiro¹, A. Moskaltsova^{1,2}, A.V. Silva^{1,2}, D.C. Leitao^{1,2}, S. Cardoso^{1,2}

1. Inesc-Mn, Lisbon, Portugal

2. Instituto Superior Tecnico, Lisbon, Portugal

Th.O-P55 - Effect of the molybdenum content on magnetic characteristics of amorphous magnetic glass coated temperature sensing microwires in biomedical applications

R. Hudak¹, R. Varga², I. Polacek¹, P. Klein², R.P. del Real³, M. Vazquez³

1. Department of Biomedical Engineering and Measurement, Faculty of Mechanical Engineering, Technical University of Kosice, Kosice, Slovakia

2. Department of Condensed Matters Physics, Institute of Physics, Faculty of Science, P. J. Safarik University, Kosice, Slovakia

3. The Instituto de Ciencia de Materiales de Madrid, institute of the Consejo Superior de Investigaciones Cientificas, Madrid, Spain

Th.O-P56 - Study on the DC linear stepper motor to industrial applications

N.F. Baggio Filho¹, R. Belusso¹, F. Hoefling Santos¹, T. Francisca Baggio²

1. Federal Institute of Rio Grande do Sul, Rio grande do Sul, Brazil

2. Federal University of Rio Grande do Sul, Rio grande do Sul, Brazil

Th.O-P57 - The development of the physical foundations of the actuator based on the magnetically bi-phase partially covered microwire

K. Chichay¹, I. Machay¹, I. Iglesias¹, J. Jimenez², M. Vazquez², N. Perov^{1,3}, V. Rodionova¹

1. Immanuel Kant Baltic Federal University, Kaliningrad, Russia

2. Instituto de Ciencia de Materiales de Madrid, CSIC, Madrid, Spain

3. Faculty of physics, Lomonosov Moscow State University, Moscow, Russia

P. Applied magnetism of organic compounds and Biomedical applications

Th.P-P01 - The role of the coating on the degradation and hematotoxicity of magnetic nanoparticles evaluated in a rat model

L. Gutiérrez¹, A. Ruiz^{1,2}, P.R. Caceres³, D. Santos³, S.B. Chaves³, M.L. Fascineli³, M. García³, R.B. Azevedo³, M. Puerto Morales¹

1. Instituto de Ciencia de Materiales de Madrid (ICMM/CSIC), Madrid, Spain

2. Centro de Estudios Avanzados de Cuba (CITMA), La Habana, Cuba

3. Universidad de Brasilia, Brasilia, Brasil

Th.P-P02 - Field and frequency dependence of the SAR/ILP value in magnetic hyperthermia using magnetic multi- and single core particles

P. Southern¹, L. Bogart¹, Q. Pankhurst¹, F. Ahrentorp¹, A. Sarwe², J. Blomgren², C. Jonasson², F. Westphal³, C. Grüttner³, R. Costo⁴

1. University College London, London, United Kingdom

2. Acreo Swedish ICT AB, Kista, Sweden

3. Micromod Partikeltechnologie GmbH, Rostock, Germany

4. Instituto de Ciencia de Materiales de Madrid, Madrid, Spain

5. Department of Applied Physics, Chalmers University of Technology, Göteborg, Sweden

6. Chalmers Industriteknik, Göteborg, Sweden

Th.P-P03 - Perpendicularly magnetized particles for cancer therapies

R. Mansell¹, T. Vemulkar¹, D. Petit¹, Y. Cheng², J. Murphy³, M. Lesniak³, R. Cowburn¹

1. Cavendish Laboratory, University of Cambridge, United Kingdom

2. Tongji University School of Medicine, Shanghai, China

3. The Brain Tumor Center, University of Chicago, Chicago, United States

Th.P-P04 - Encapsulation of VEGF165 in magnetic PLGA nanocapsules for potential local delivery and bioactivity into human brain endothelial cells

E. Carezza¹, O. Jordan², P. Martínez-San Segundo³, R. Jirik⁴, Z. Starcuk jr⁴, G. Borchart², A. Rosell³, A. Roig¹

1. Nanoparticles and Nanocomposites Group, Institut de Ciència de Materials de Barcelona, Consejo Superior de Investigaciones Científicas (ICMAB-CSIC), Campus de la UAB, Bellaterra, Spain.

2. School of Pharmaceutical Sciences, University of Geneva, University of Lausanne, Quai Ernest Ansermet 30, Geneva, Switzerland

3. Neurovascular Research Laboratory and Neurovascular Unit, Vall d'Hebron Institut de Recerca, Universitat Autònoma de Barcelona; Passeig Vall d'Hebron, Barcelona, Spain

4. Institute of Scientific Instruments, Academy of Sciences of the Czech Republic, Prague, Czech Republic

Th.P-P05 - A composite element bit design for magnetically encoded microcarriers

D. Love¹, A. Fernandez-Pacheco¹, J. Llandro¹, K. Vyas¹, J. Palfreyman¹, T. Mitrelias¹, C. Barnes¹

1. University of Cambridge, Department of Physics, Cambridge, United Kingdom

Th.P-P06 - Dynamically varying magnetic microstructures as NMR transducers of physiological conditions.

G. Zabow^{1,2}, S. Dodd², A. Koretsky²

1. National Institute of Standards and Technology (NIST), Boulder, United States

2. National Institutes of Health (NIH), Maryland, United States

Th.P-P07 - Influence of core-to-aggregate dipole interactions in the heating capacity of magnetic hyperthermia agents

C. Blanco-Andujar^{1,2}, P. Southern³, L.K. Bogart³, Q.A. Pankhurst³, C. Grüttner⁴, M. del Puerto Morales⁵, D. Ortega^{2,6,7}

1. *Institut de Physique et Chimie des Matériaux de Strasbourg (IPCMS), UMR-7504 CNRS-Université de Strasbourg, Strasbourg, France*

2. *Institute of Biomedical Engineering, University College London, London, United Kingdom*

3. *UCL Healthcare Biomagnetics Laboratory, London, United Kingdom*

4. *Micromod Partikeltechnologie GmbH, Rostock, Germany*

5. *Instituto de Ciencia de Materiales de Madrid, ICMM-CSIC, Cantoblanco, Madrid, Spain*

6. *Instituto Madrileño de Estudios Avanzados en Nanociencia (IMDEA-Nanociencia), Cantoblanco, Madrid, Spain*

7. *Unidad Asociada de Nanobiotecnología, CNB-CSIC&IMDEA Nanociencia, Ciudad Universitaria de Cantoblanco, Madrid, Spain*

Th.P-P08 - Synergy on magneto-plasmonic nanoprobe: Combined magneto-photonic hyperthermia

J.G. Ovejero¹, E. Mazario², U. Silva³, A. Hernando¹, P. Herrasti², P. Crespo¹

1. *Instituto de Magnetismo Aplicado: SalvadorVelayos (UCM), Madrid, Spain*

2. *Department of Physical Chemistry, Universidad Autónoma de Madrid, Cantoblanco, Madrid, Spain*

3. *Department of Physics of Materials, Universidad Autonoma de Madrid, Cantoblanco, Madrid, Spain*

Th.P-P09 - Stability and cellular uptake of anionic iron oxide nanoparticles for hyperthermia

D. Soukup¹, S. Moise¹, E. Cespedes², J. Dobson³, N. Telling¹

1. *Institute for Science and Technology in Medicine, Keele University, Staffordshire, United Kingdom*

2. *IMDEA NANOCIENCIA, Ciudad Universitaria de Cantoblanco*

3. *J.Crayton Pruitt Family Department of Biomedical Engineering & Department of Materials Science and Engineering, University of Florida, Gainesville, United States*

Th.P-P10 - NMR as evaluation strategy for cellular uptake of nanoparticles

T. Orlando¹, A. Paolini², F. Pineider³, E. Clementi², F. Pasi², Y. Guari⁴, J. Larionova⁴, L. Sacchi², R. Nano², M. Corti¹

1. *Department of Physics and INSTM, University of Pavia, Pavia, Italy*

2. *Department of Biology and Biotechnology, University of Pavia, Pavia, Italy*

3. *Department of Chemistry and INSTM, University of Florence, Florence, Italy*

4. *Chimie Moléculaire et Organisation du Solide, Université Montpellier II, Montpellier, France*

5. *Department of Physics, Università degli Studi di Milano, Milan, Italy*

Th.P-P11 - On the double role of the magnetic anisotropy for magnetic-fluid hyperthermia

D. Serantes¹, K. Simeonidis³, M. Marciello¹, M. Angelakeris⁴, O. Chubykalo-Fesenko

¹, M. del Puerto Morales ¹

1. Instituto de Ciencia de Materiales de Madrid CSIC, Madrid, Spain

2. UCCS Biofrontiers Center, University of Colorado, Colorado Springs, United States

3. Dept. of Mechanical Engineering, School of Engineering, University of Thessaly, Volos, Greece

4. Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

Th.P-P12 - Synthesis and characterization of magnetic nanogranular Fe₃O₄/ biomimetic hydroxyapatite for potential applications in nanomedicine

L. Del Bianco¹, I. Giorgio Lesci², G. Fracasso², G. Barucca³, F. Spizzo⁴, R. Scotti⁵, L. Ciocca⁵

1. Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

2. Dipartimento di Chimica 'G. Ciamician', Università di Bologna, Bologna, Italy

3. Dipartimento SIMAU, Università Politecnica delle Marche, Ancona, Italy

4. Dipartimento di Fisica e Scienze della Terra and CNISM, Università di Ferrara, Ferrara, Italy

5. Dipartimento di Scienze Biomediche e Neuromotorie, Università di Bologna, Bologna, Italy

Th.P-P13 - Dynamics of CoFe₂O₄ single-core nanoparticles in viscoelastic media

H. Remmer¹, J. Dieckhoff¹, A. Tschöpe², E. Roeben³, A.M. Schmidt³, F. Ludwig¹

1. Technische Universität Braunschweig, Institut für Elektrische Messtechnik, Linz, Austria

2. Universität des Saarlandes, Experimentalphysik, Graz, Austria

3. Universität zu Köln, Institut für Physikalische Chemie, Tübingen, Germany

Th.P-P14 - Investigation of PEI-coated magnetic nanoparticles and their potential in nanomagnetic transfection using dynamic magnetic systems

K.K. Narayanasamy^{1,2}, M. Cruz-Acuña², L. Maldonado², C. Rinaldi², J. Dobson^{2,3,4}, N.D. Telling¹

1. Institute of Science and Technology In Medicine, Keele University - Staffordshire, United Kingdom

2. J Crayton Pruitt Family Department of Biomedical Engineering, University of Florida - Florida, United States

3. 3Department of Materials Science and Engineering, University of Florida - Florida, United States

4. Institute for Cell Engineering and Regenerative Medicine (ICERM), University of Florida - Florida, United States

Th.P-P16 - Synthesis and characterization of surfactant coated supermagnetic iron oxide nanoparticles for various biomedical applications

R. Srinivasan¹, N. Momin¹, A. Deshmukh²

1. Department of Physics, University of Mumbai, Mumbai, India

2. Department of Biotechnology, Thakur College, Mumbai, India

Th.P-P17 - Magnetic nanowires and hyperthermia: the influence of geometry and material on heat production efficiency

M.F. Contreras Gerenas¹, A. Zaher², J.E. Perez¹, A. Alfahdel¹, L.A.S. de Oliveira³, K.R. Pirota⁴, T. Ravasi¹, J. Kosel¹

1. King Abdullah University of Science and Technology, Thuwal, Saudi Arabia

2. University of British Columbia, Kelowna, Canada

3. *Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil*

4. *Univerdad Estadual de Campinas, Campinas, Brazil*

Th.P-P18 - The human mononuclear cells vital activity in magnetic field

N. Perov ¹, L. Litvinova ², V. Rodionova ², I. Iglesias ², V. Rodionov ², V. Shupletsova ², N. Sokhonevich ², O. Khaziakhmatova ², A. Granovsky ¹

1. *Faculty of Physics, Lomonosov MSU, Moscow, Russia*

2. *Baltic Federal University, Kaliningrad, Russia*

Th.P-P19 - A Monte Carlo study of the Susceptibility losses in heating of magnetic core/shell nanoparticles for hyperthermia

M. Vasilakaki ¹, K. Trohidou ¹, C. Binns ²

1. *Institute of Nanoscience and Nanotechnology, NCSR "Demokritos", Aghia Paraskevi, Attiki, Greece*

2. *Department of Physics and Astronomy, University of Leicester, United Kingdom*

Th.P-P20 - Maghemite nanocrystal clusters for MRI diagnosis and hyperthermia medical treatment

A. Lappas ¹, K. Brintakis ^{1,2}, A. Kostopoulou ¹, M. Vasilakaki ³, K. Trohidou ³, A. Ranella ¹, I. Athanassakis ⁴, M. Angelakeris ², A. Lascialfari ⁵, A. Douvalis ⁶

1. *Institute of Electronic Structure and Laser, Foundation for Research and Technology - Hellas, Vassilika Vouton, Heraklion, Greece*

2. *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*

3. *IAMPPNM, Department of Materials Science, NCSR "Demokritos", Aghia Paraskevi, Athens, Greece*

4. *Department of Biology, University of Crete, Vassilika Vouton, Heraklion, Greece*

5. *Dipartimento di Fisica, Universita degli studi di Milano and INSTM, Milano, Italy*

6. *Department of Physics, University of Ioannina, Ioannina, Greece*

Th.P-P21 - Effect of pulsed magnetic field stimulation on circulatory diagnosis of acupuncture meridian system

H. Sook Lee ¹, Y. Shin ¹, D. Guwn Hwang ¹

1. *Dept. of Oriental Biomedical Engineering, Sangji University, Wonju-si, South Korea*

Th.P-P22 - Influence of magnetic nanoparticle surface modification on circulation time

V. Zavisova ¹, M. Koneracka ¹, M. Muckova ², N. Tomasovicova ¹, J. Kovac ¹, M. Kubovcikova ¹, I. Antal ¹, P. Kopcansky ¹

1. *Institute of Experimental Physics, Slovak Academy of Sciences, Kosice, Slovakia*

2. *Hameln, rds a.s., Modra, Slovakia*

Th.P-P23 - Resonance absorption of microwaves by tissue with ferromagnetic particles

D. Kalganov ¹, L. Butko ¹, A. Anzulevich ¹, D. Pavlov ¹

1. *Chelyabinsk State University, Chelyabinsk, Russia*

Th.P-P25 - Magnetic nanoparticle cryogels as hyperthermia cancer therapeutics

R. Jackson¹, P. Southern¹, J. Sullivan¹, Q. Pankhurst¹

1. *UCL Healthcare Biomagnetics Laboratory, London, United Kingdom*

Th.P-P26 - Preparation and in vitro experiments of carboxymethyl chitosan-coated Fe-Ti-Nb-B micro/nanoparticles for self-controlled magnetic hyperthermia

C. Danceanu^{1,2}, D.D. Herea¹, K. Palanisamy¹, E. Radu¹, N. Lupu¹, H. Chiriac¹

1. *National Institute of Research and Development for Technical Physics, Iasi, Romania*

2. *Department of Physics, "Alexandru Ioan Cuza" University, Iasi, Romania*

Th.P-P27 - Study of the optimal thermal dose in the magnetic hyperthermia with low Curie temperature particles

I. Astefanoaei¹, I. Dumitru¹, H. Chiriac², A. Stancu¹

1. *Alexandru Ioan Cuza University, Iasi, Romania*

2. *Institute of Research & Development for Technical Physics, Iasi, Romania*

Th.P-P28 - Bendable probes integrating ultrasensitive magnetoresistive sensors for local field detection in neurosciences

J. Valadeiro¹, J. Amaral¹, J. Gaspar², R. Ferreira², S. Cardoso^{1,3}, P. Freitas^{1,2}

1. *INESC - Microsistemas E Nanotecnologias, Lisbon, Portugal*

2. *International Iberian Nanotechnology Laboratory, Braga, Portugal*

3. *Instituto Superior Tecnico, Universidade de Lisboa, Lisbon, Portugal*

Th.P-P29 - Magnetic properties and microstructures of polymer functionalized Fe₃O₄ nanoparticles-enhanced surface plasmon resonance (SPR) biosensor

E. Suharyadi¹, S. Nuzully¹, T. Kato², S. Iwata², K. Abraha¹

1. *Department of Physics, Gadjah Mada University, Yogyakarta, Indonesia*

2. *EcoTopia Science Institute, Nagoya University, Nagoya, Japan*

Th.P-P30 - Protein influence on MRI contrast properties of magnetite nanoparticles

O. Strbak¹, D. Gogola¹, L. Baciak², A. Krafcik¹, M. Masarova¹, I. Antal³, M. Kubovcikova³, M. Koneracka³, V. Zavisova³, P. Kopcansky³

1. *Institute of Measurement Science SAS, Bratislava, Slovakia*

2. *Faculty of Chemical and Food Technology STU, Bratislava, Slovakia*

3. *Institute of Experimental Physics SAS, Kosice, Slovakia*

Th.P-P31 - Magneto-plasmonic nanoparticles as theranostic platforms for magnetic resonance imaging, drug delivery and NIR hyperthermia applications

I. Urriés^{1,2}, C. Muñoz^{1,2}, L. Gómez^{1,2}, C. Marquina^{3,4}, V. Sebastián^{1,2,4}, M. Arruebo^{1,2,5}, J. Santamaría^{1,2,5}

1. *Departamento de Ingeniería Química, Universidad de Zaragoza, Zaragoza, Spain*

2. *Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain*

3. *Instituto de Ciencia de Materiales de Aragón (ICMA); CSIC-UZ, Zaragoza, Spain*

4. *Departamento de Física de la Materia Condensada; Universidad de Zaragoza, Zaragoza, Spain*

5. *CIBER de Bioingeniería, Biomateriales y Nanomedicina (CIBER-BBN), Spain*

Th.P-P32 - Ferrofluids based on $Zn_xMn(1-x)Fe_2O_4$ - Fe_2O_3 nanoparticles for heat-exchange applications

V. Pilati¹, R. Cabreira Gomes^{1,2}, G. Gomide¹, F.L. de Oliveira Paula¹, R. Aquino³, F. Augusto Tourinho⁴, G. Fabián Goya⁵, E. Dubois², R. Perzynski², J. Depeyrot¹

1. Grupo de Fluidos Complexos, Instituto de Física, Universidade de Brasília, Brasília, Brazil

2. PHENIX, Université Pierre et Marie Curie, Paris, France

3. Laboratório de Nanociência Ambiental e Aplicada LNAA, Faculdade UnB Planaltina, Brasília, Brazil

4. Grupo de Fluidos Complexos, Instituto de Química - Universidade de Brasília (UnB), Brasília, Brazil

5. Aragon Institute of Nanoscience - Universidad de Zaragoza, Zaragoza, Spain

Th.P-P33 - Biodegradation of PolyChlorinated Biphenyls (PCB118) by SPI-ON coated microbial cells of *Pseudomonas mendocina*

Radha S.¹, A. Kothare², A. Surti²

1. Department of Physics, University of Mumbai, Mumbai, India

2. Department of Microbiology, Sophia College, Mumbai, India

Th.P-P34 - Interaction of superparamagnetic nanoparticles and quantum dots with pathogenic fungi: internalization and toxicity profile

N. Rispaill¹, L. De Matteis², R. Santos³, A.S. Miguel³, L. Custardoy^{2,4}, P.S. Testillano⁵, M. del Carmen Risueño⁵, A. Pérez de Luque⁶, C. Maycock^{3,7}, P. Fevereiro^{3,7}, A. Oliva³, R. Fernández-Pacheco^{2,4}, M.R. Ibarra^{2,4,8}, J.M. de la Fuente^{9,10}, C. Marquina^{8,9}, D. Rubiales¹, E. Prats¹

1. Instituto de Agricultura Sostenible; CSIC, Córdoba, Spain

2. Instituto de Nanociencia de Aragón; Universidad de Zaragoza, Zaragoza, Spain

3. Instituto de Tecnologia Química e Biológica; Universidade Nova de Lisboa, Oeiras, Portugal

4. Laboratorio de Microscopías Avanzadas (LMA), Universidad de Zaragoza, Zaragoza, Spain

5. Centro de Investigaciones Biológicas, CSIC, Madrid, Spain

6. IFAPA, Centro Alameda del Obispo, Junta de Andalucía, Córdoba, Spain

7. Faculdade de Ciências, Universidade de Lisboa, Lisbon, Portugal

8. Departamento de Física de la Materia Condensada, Universidad de Zaragoza, Zaragoza, Spain

9. Instituto de Nanociencia de Aragón (INA), Universidad de Zaragoza, Zaragoza, Spain

10. Fundación ARAID, Gobierno de Aragón, Zaragoza, Spain

Th.P-P35 - Resonance frequency of alternating magnetic field stimulus on proliferation suppression of rat basophilic leukemia cancer cells

H. Park¹, J.Y. Lee¹, S. Kim¹, E. Cheong², H.S. Lee¹, D.G. Hwang¹

1. Department of Oriental Biomedical Engineering, Sangji University, Wonju, South Korea

2. Department of Biotechnology, Yonsei University, Seoul, South Korea

Th.P-P37 - MRI tracking of the magnetite nanoparticles encapsulation in PLA spheres

M. Koneracka¹, I. Antal¹, M. Kubovcikova¹, V. Zavisova¹, O. Strbak², D. Gogola², L. Baciak³, A. Krafcik², M. Masarova², P. Kopcansky²

1. Institute of Experimental Physics, Slovak Academy of Sciences, Kosice, Slovakia

2. Institute of Measurement Science, Slovak Academy of Sciences, Bratislava, Slovakia
3. Faculty of Chemical and Food Technology, Slovak Technical University, Bratislava, Slovakia

Th.P-P39 - Magnetodes: Exploring the neuromagnetic field at the cellular level

L. Caruso ¹, V. Trauchessec ¹, J. Tréjo Rosillo ¹, E. Paul ¹, C. Fermon ¹, G. Ouanounou ², A. Mikroulis ², F. Barbieri ², T. Bal ², A. Destexhe ²

1. SPEC - CEA Saclay, Gif-sur-Yvette, France
2. UNIC-CNRS Gif-sur-Yvette, France

Friday, 10 July

A. Topological Insulators and metal-insulators transitions

FR.A-P01 - Topological insulators in random magnetic fields

H. Fehske¹, A. Pieper ¹, I. Orue ²

1. Intitute of Physics, University Greifswald, Greifswald, Germany
2. University of The Basque Country, Leioa, Spain

FR.A-P02 - Controlling the 2DEG states evolution at a metal/Bi₂Se₃ interface

H.J. Noh¹, J. Cheong ¹, E.J. Cho ¹, J. Park ², J.S. Kim ², I. Kim ³, B.G. Park ³, H.D. Kim ⁴

1. Department of Physics, Chonnam National University, Gwangju, South Korea
2. Department of Physics, Pohang University of Science and Technology, Gyeongsangbuk-do, South Korea
3. Pohang Accelerator Laboratory, Pohang University of Science and Technology, Gyeongsangbuk-do, South Korea
4. Department of Physics and Astronomy, Seoul National University, Seoul, South Korea

FR.A-P03 - Topological surface states in SrIrO₃ based interfaces

W. Fan¹, Y. Sun ², S. Yunoki ^{1,3,4}

1. Computational Condensed Matter Physics, RIKEN, Wako, Saitama, Japan
2. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany
3. Computational Quantum Matter Research Team, RIKEN Center for Emergent Matter Science (CEMS), Wako, Saitama, Japan
4. Computational Materials Science Research Team, RIKEN Advanced Institute for Computational Science (AICS), Kobe, Hyogo, Japan

FR.A-P04 - Metal-insulator transition in NdNiO₃ by hydrogen doping

C. Oh ¹, S.Y. Heo ¹, H.M. Jang ¹, J. Son¹

1. Postech, Gyeongsangbuk-do, South Korea

FR.A-P05 - Majorana fermions in the superconducting island

R. Akzhanov^{1,2,3}, A. Rakhmanov ^{1,2,3}, A. Rozhkov ^{2,3}

1. All-Russian Research Institute of Automatics, Moscow, Russia
2. Moscow Institute of Physics and Technology, Moscow, Russia
3. Institute for Theoretical and Applied Electrodynamics, Moscow, Russia

FR.A-P06 - Local magnetoresistance at an interface between a ferromagnetic metal and a three dimensional topological insulator due to the

spin-momentum locking

Y. Ando¹, T. Hamasaki¹, F. Yang², M. Novak², S. Sasaki², K. Segawa², Y. Ando², M. Shiraishi¹

1. *Kyoto University, Kyoto, Japan*

2. *Osaka University, Osaka, Japan*

FR.A-P07 - Structure and induced stress of Fe on Bi₂Se₃(0001)

K. Novakoski Fischer¹, S. Ouazi¹, A. Cavallin¹, V. Sevriuk¹, D. Sander¹, J. Kirschner¹

1. *Max Planck Institute of Microstructure Physics, Halle, Germany*

FR.A-P08 - Low-energy muSR study on the tetradymite topological insulator Bi_{1.5}Sb_{0.5}TeSe₂

A. Shick¹, L. Havela², A. Lichtenstein³, M. Katsnelson⁴

1. *Institute of Physics, Academy of Sciences, Prague, Czech Republic*

2. *Charles University, Prague, Czech Republic*

3. *University of Hamburg, Hamburg, Germany*

4. *Radboud University, Nijmegen, The Netherlands*

FR.A-P09 - Low-energy muSR study on the tetradymite topological insulator Bi_{1.5}Sb_{0.5}TeSe₂

K. Matsui¹, T. Goto¹, T. Adachi¹, T. Ohtsuki¹, H. Tu², Y. Tanabe², I. Watanabe³, Z. Salman⁴, A. Suter⁴, T. Prokscha⁴

1. *Sophia University, Chiyoda, Japan*

2. *Tohoku University, Miyagi, Japan*

3. *Nishina Center, RIKEN, Saitama, Japan*

4. *Paul Scherrer Institute (PSI), Villigen, Switzerland*

FR.A-P11 - Rotation effect of RuO₆ octahedron at the Sr₂RuO₄ surface on thermal transport properties

Y. Imai¹, K. Wakabayashi², M. Sigrist³

1. *Saitama University, Saitama, Japan*

2. *National Institute for Materials Science, Ibaraki, Japan*

3. *ETH Zurich, Zurich, Switzerland*

FR.A-P13 - Topological phase transitions in extended Hubbard-type models at half filling

S. Ejima¹, F. Lange¹, H. Fehske¹

1. *Institute of Physics, University Greifswald, Greifswald, Germany*

FR.A-P14 - Tunable two-dimensional Dirac fermion gases at the surface of topological insulators

H. Aramberri¹, J.I. Cerdá¹, C. Muñoz¹

1. *Instituto de Ciencia de Materiales de Madrid (ICMM) Consejo Superior de Investigaciones Científicas (CSIC), Madrid, Spain*

FR.A-P15 - Electrical conductivity and weak ferromagnetism at the magnetic domain walls of the all-in/all-out order in Cd₂Os₂O₇

T. Hirose¹, J. Yamaura², Z. Hiroi¹

1. *ISSP, The University of Tokyo, Tokyo, Japan*

2. *MCES, Tokyo Institute of Technology, Tokyo, Japan*

FR.A-P16 - The changes in surface states of La, Ce, Eu doped SmB₆

B. Kang¹, C.H. Min², M. Song¹, B. Cho¹

1. School of Materials Science and Engineering, Gwangju Institute of Science and Technology (GIST), Gwangju, Japan

2. Universitat Würzburg, Experimentelle Physik VII & Center for Complex Material Systems RCCM, Würzburg, Germany

FR.A-P21 - Electronic structure and phonon modes of SmB₆

F. Kuroda¹, T. Shishido¹, T. Oguchi²

1. AD5M, Hiroshima University, Hiroshima-shi, Japan

2. ISIR, Osaka University, Osaka, Japan

FR.A-P22 - DFT+DMFT study of composition and temperature dependent electronic structure of NiS_{2-x}Se_x

C.Y. Moon¹, J.H. Shim

1. Korea Research Institute of Standards and Science

2. Department of Chemistry, Pohang University of Science and Technology

FR.A-P23 - Elastic softening in the tetrahedrite Cu₁₂Sb₄S₁₃

T. Suzuki^{1,2,3}, H. Goto¹, Y. Noguchi¹, S. Kamikawa¹, K. Suekuni¹, H. Tanaka¹, T. Takabatake^{1,2}, I. Ishii¹

1. Department of Quantum Matter, AdSM, Hiroshima University, Hiroshima-shi, Japan

2. Institute for Advanced Materials Research, Hiroshima University, Hiroshima-shi, Japan

3. Cryogenics and Instrumental Analysis Division, Hiroshima-shi, Japan

FR.A-P24 - Phase diagram of graphite in the ultra-quantum limit

F. Arnold^{1,3}, A. Isidori¹, E. Kampert², B. Yager¹, M. Eschrig¹, J. Saunders¹

1. Royal Holloway, University of London, London, United Kingdom

2. Dresden High Magnetic Field Laboratory, Dresden, Germany

3. Max Planck Institute for Chemical Physics of Solids, Dresden, Germany

FR.A-P25 - Mirror-symmetric magneto optical kerr rotation of [(GeTe)2(Sb2Te3)1]n Superlattices

B. Do^{1,4,5}, H. Awano^{1,4}, Y. Saito^{2,4}, J. Tominaga^{2,4}, S. Murakami^{3,4}

1. Toyota Technological Institute, 2-12-1 Hisakata, Tempaku, Nagoya, Japan

2. Nanoelectronics Research Institute, National Institute of Advanced Industrial Science & Technology (AIST), Tsukuba, Japan

3. Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

4. JST-CREST, Japan Science and Technology, 4-1-8 Honcho, Kawaguchi, Saitama, Japan

5. Institute of Materials Science, Vietnam Academy of Science and Technology, 18 Hoang Quoc Viet, Cau Giay, Ha Noi, Vietnam

FR.A-P26 - Strain mediated voltage control of metal-insulator transition in VO₂ / PMN-PT heterostructures

A. Petraru¹, R. Soni¹, H. Kohlstedt¹

1. Nanoelektronik, Technische Fakultät Der Christian-Albrechts-Universität, Zu Kiel, Germany

FR.A-P27 - Classification of symmetry protected topological phases by the Chern-Simons approach

T. Yoshida¹

1. RIKEN, Saitama, Japan

FR.A-P28 - Shubnikov-de Haas oscillations in the antiferromagnetic super-

conductor HoPdBi

O. Pavlosiuk¹, D. Kaczorowski¹, P. Wisniewski¹

1. *Institute of Low Temperature and Structure Research Polish Academy of Sciences, Warsaw, Poland*

FR.A-P29 - Orbital polarization, spin-spin correlations and metal-insulator transitions in the $\text{Ca}_{2-x}\text{SrxRuO}_4$ system

Y. Utsumi¹, D. Kasinathan¹, S. Agrestini¹, Z. Hu¹, K.T. Ko¹, M. Haverkort¹, K.D. Tsuei², Y.H. Wu², Y.F. Liao², A.C. Komarek¹

1. *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*

2. *National Synchrotron Radiation Research Center, Hsinchu, Taiwan*

FR.A-P30 - Complex magnetic ordering process at the metal insulator transition in half-frustrated $\text{Ca}_2\text{Os}_2\text{O}_7$

M. Rahn¹, R. Johnson¹, J. Vale², C. Donnerer², P. Manuel³, D. Khalyavin³, G. Nisbet⁴, Y. Guo¹, Y. Shi⁵, D. McMorrow²

1. *University of Oxford, Oxford, United Kingdom*

2. *University College London, London, United Kingdom*

3. *ISIS Facility, Rutherford Appleton Laboratory, Oxford, United Kingdom*

4. *Diamond Light Source Ltd., Oxford, United Kingdom*

5. *Institute of Physics, Beijing, China*

FR.A-P31 - Doping-induced single-particle states due to magnetic excitation of a Mott insulator

M. Kohno¹

1. *National Institute for Materials Science, Ibaraki, Japan*

FR.A-P32 - Magnon waveguides from topological magnon insulators

A. Mook¹, J. Henk², I. Mertig^{1,2}

1. *Max Planck Institute for Microstructure Physics, Halle, Germany*

2. *Institute of Physics, Martin Luther University Halle-Wittenberg, Halle, Germany*

FR.A-P33 - Magnon hall effect of topological magnon insulators

A. Mook¹, J. Henk², I. Mertig^{1,2}

1. *Max Planck Institute for Microstructure Physics, Halle, Germany*

2. *Institute of Physics, Martin Luther University Halle-Wittenberg, Halle, Germany*

FR.A-P34 - Absence of magnetic fluctuation in the topological Kondo insulator Sb_2Te_3 revealed by polarized low energy muons

P. Kumar Biswas¹, Z. Salman¹, G. Balakrishnan², M. Ciomaga Hatnean², M.R. Lees², D. McK. Paul², E. Morenzoni¹, A. Amato¹

1. *Paul Scherrer Institut, Villigen, Switzerland*

2. *University of Warwick, Coventry, United Kingdom*

FR.A-P35 - Preparation and characterization of the topologically non-trivial half Heusler compound YPtBi

A. Kronenberg¹, H.J. Elmers¹, G. Schönhense¹, M. Jourdan¹

1. *University of Mainz, Mainz, Germany*

FR.A-P37 - Nd-ion substitution effect on f-electron multipole order of PrRu₄P₁₂

K. Iwasa¹, A. Yonemoto¹, S. Takagi¹, S. Itoh², T. Yokoo², S. Ibuka², C. Sekine³, H. Sugawara⁴

1. Department of Physics, Tohoku University, Miyagi, Japan

2. Institute of Materials Structure Science, High Energy Accelerator Research Organization, Ibaraki, Japan

3. Graduate School of Engineering, Muroran Institute of Technology, Hokkaido, Japan

4. Department of Physics, Kobe University, Kobe, Japan

FR.A-P40 - Magnetic properties of gadolinium substituted Bi₂Te₃ single crystals

S.W. Kim¹, K. Lee¹, M.H. Jung¹

1. Sogang University, Seoul, South Korea

FR.A-P41 - Antiferromagnetic order competing with topological state in CexBi_{2-x}Te₃

H.S. Lee¹, K. Lee¹, S.W. Kim¹, J. Kim¹, M.H. Jung¹, A. Jelen², S. Vrtnik², Z. Jaglicic², J. Dolinsek²

1. Department of physics, Sogang University, Seoul, South Korea

2. J. Stefan Institute and University of Ljubljana, Ljubljana, Slovenia

FR.A-P42 - High pressure X-ray Diffraction studies on pyrochlore iridates near Metal-insulation transition

Z. Feng¹, C. Donnerer^{1,2}, J. Vale^{1,2,3}, D. Prabhakaran⁴, A. Boothroyd⁴, D. Mcmorrow^{1,2}

1. London Centre for Nanotechnology, University College London, London, United Kingdom

2. Department of Physics and Astronomy, University College London, London, United Kingdom

3. Laboratory for Quantum Magnetism, Ecole Polytechnique Federale de Lausanne (EPFL), Lausanne, Switzerland

4. Clarendon Laboratory, Department of Physics, University of Oxford, Oxford, United Kingdom

FR.A-P43 - Pressure-induced semimetal-to-semiconductor transition in bismuth

P. Brown¹, K. Semeniuk¹, A. Vasiljkovic¹, F. Malte Grosche¹

1. Cavendish Laboratory, Cambridge, United Kingdom

FR.A-P44 - Topological phases of periodically-driven system on a hexagonal lattice

M. Maksymenko¹, I. Cosma Fulga¹

1. Department of Condensed Matter Physics, Weizmann Institute of Science, Rehovot, Israel

FR.A-P46 - Weak antilocalization and magnetic field driven metal insulator transition in Bi₂Te_{2.1}Se_{0.9} single crystals

B. Irfan¹, R. Chatterjee¹

1. Indian Institute of Technology Delhi (IITD), New Delhi, India

FR.A-P47 - Laser-induced phase transitions of topological Kondo insulators

K. Takasan¹, M. Nakagawa¹, N. Kawakami¹

1. Department of Physics and Astronomy, Faculty of Science, Kyoto University, Kyoto, Japan

FR.A-P49 - Spin susceptibility of mercury telluride - cadmium telluride quantum wells

M. Governale¹, T. Kernreiter¹, E. Hankiewicz², U. Zülicke¹

1. Victoria University of Wellington, Wellington, New Zealand

2. Universität Würzburg, Würzburg, Germany

FR.A-P50 - Thermopower and Nernst effect of the Kondo insulator CeRu₄Sn₆

V. Martelli¹, J. Hönel¹, J. Larrea J.^{1,2}, H. Winkler¹, A. Prokofiev¹, S. Paschen¹

1. Institute of Solid State Physics, Vienna University of Technology, Vienna, Austria

2. Physics Department, University of Johannesburg, Auckland Park, South Africa

FR.A-P51 - Spin torque diode quantitative measurements of the damping in localised magnetic modes

S. Lequeux¹, J. Sampaio¹, R. Matsumoto^{1,3}, P. Bortolotti¹, T. Devolder², A. Fukushima³, H. Kubota³, K. Yakushiji³, S. Yuasa³, V. Cros¹

1. Unité Mixte de Physique CNRS/Thales, Palaiseau, France

2. Institut d'Electronique Fondamentale (IEF), Bures-sur-Yvette, France

3. AIST, Warrendale, United States

FR.A-P52 - anomalous quasiparticles on the domain wall between topological insulators and spin ice compounds

I. Kanazawa¹, T. Sasaki¹

1. Department of Physics, Tokyo Gakugei University, Tokyo, Japan

FR.A-P54 - Metal-Insulator transition in LaNiO_{3-d} thin and ultrathin films: how to disentangle disorder and doping effects

A. Senegas¹, J. Scola¹, B. Berini¹, G. Agnus², C. Vilar¹, V. Pillard², P. Lecoeur², Y. Dumont¹

1. Lab. GEMaC; Université de Versailles – CNRS, Versailles, France

2. Institut d'Electronique Fondamentale; Université Paris-Sud – CNRS, Orsay, France

FR.A-P56 - Fermi surface on the border of Mott transition in NiS₂

H. Chang¹, S. Friedemann², M. Gamza³, W. Coniglio⁴, D. Graf⁴, S. Tozer⁴, M. Grosche¹

1. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

2. HH Wills Laboratory, University of Bristol, Bristol, United Kingdom

3. Department of Physics, Royal Holloway, University of London, Egham, United Kingdom

4. National High Magnetic Field Laboratory, Tallahassee, Florida, United States

FR.A-P57 - Magnetic ion doping on the surface of Bi₂Se₃ topological insulators

R. Chatterjee¹, Bushra Irfan¹

1. Indian Institute of Technology Delhi, New Delhi, India

FR.A-P58 - Magnetotransport and magnetic properties of single crystals of BaNiS₂: a two-dimensional semimetal with highly mobile carriers

Y. Klein¹, D. Santos-Cottin¹, M. Verseils¹, A. Gauzzi¹

1. IMPMC, University Pierre and Marie Curie, Paris, France

Fr.A-P59 - Quantum oscillations study of the Fermi surface of BaNiS₂ with enhanced spin-orbit interactions

Y. Klein¹, A. Audouard², D. Santos-Cottin¹, G. Feve³, V. Frelon³, D. Vignolles², B. Placais³, M. Verseils¹, A. Gauzzi¹

1. IMPMC - University Pierre and Marie Curie - Paris, France

2. LNCMI - INSA, UFJ, UPS - Toulouse, France

3. Laboratoire Pierre Aigrain, Ecole Normale Supérieure - University Pierre and Marie Curie - Paris, France

FR.A-P60 - Magnetic and structural stability of topological-insulator/ferromagnet hybrid structures during thermal annealing procedures

M. Valiska¹, M. Vondráček², H. Steiner³, G. Springholz³, R. Tarasenko¹, V. Sechovsky¹, J. Honolka²

1. Department of Condensed Matter Physics, Charles University, Prague, Czech Republic

2. Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic

3. Institut für Halbleiter und Festkörperphysik, Johannes Kepler Universität, Linz, Austria

FR.A-P63 - Metal-insulator transitions in elemental Yb and SrTiO₃

C. Enderlein^{1,2}, S. Rowley^{1,2}, J. Olivera¹, M. Fontes¹, S. Saxena², G. Lonzarich², E. Saitovitch¹

1. CBPF, Urca, Rio de Janeiro, Brasil

Fr.A-P64 - Semi-epitaxial SmB₆ thin films prepared by the molecular beam epitaxy

H. Shishido^{1,2}, Y. Yoneda¹, T. Yoshida¹, S. Noguchi^{1,2,3}, T. Ishida^{1,2}

1. Department of Physics and Electronics, Graduate School of Engineering, Osaka Prefecture University, Osaka, Japan

2. Institute of Nanofabrication Research, Osaka Prefecture University, Osaka, Japan

3. Nanoscience and Nanotechnology Research Center, Osaka Prefecture University, Osaka, Japan

B. Theory of Strongly Correlated Matter

FR.B-P01 - The influence of Coulomb correlations on the tunneling transport through multi-electrons states in strongly coupled quantum dots

V. Mantsevich^{1,2}, N. Maslova^{1,2}, P. Arseyev^{1,2}

1. Moscow State University, Moscow, Russia

2. P.N. Lebedev Physical Institute, Moscow, Russia

FR.B-P02 - New state of matter

V. Shaginyan^{1,2,3}, M. Amusia^{1,2,3}, V. Stephanowich^{1,2,3}

1. Petersburg Nuclear Physics Institute, National Research Center 'Kurchatov Institute', Moscow, Russia

2. *Racah Institute of Physics, Hebrew University, Jerusalem, Israel*

3. *Institute of Physics, Opole University, Opole, Poland*

FR.B-P03 - Orbital-selective behavior and suppression of double exchange in dimerized systems

S. Streltsov^{1,2}, D. Khomskii³

1. *Institute of Metal Physics, Kiev, Ukraine*

2. *Ural Federal University, Sverdlovsk Oblast, Russia*

3. *University of Cologne, Köln, Germany*

FR.B-P04 - Strong coupling theory for the hubbard model

A. Sherman¹

1. *Institute of Physics, University of Tartu, Tartu, Estonia*

FR.B-P05 - First-principles theory of momentum-dependent local ansatz for correlated electrons system

S. Chandra¹, Y. Kakehashi¹

1. *University of The Ryukyus*

FR.B-P06 - Thermodynamic properties of solid oxide fuel cell (SOFC) cathode material- Nd_{1-x}Sr_xCoO_{3-d}

R. Thakur¹, R.K. Thakur¹, N.K. Gaur¹

1. *Barkatullah University, Bhopal*

FR.B-P07 - Metal-Insulator Transition in 1T-TaS₂:: A real-space dynamical mean-field study

Y.Y. Zhao¹, J. Sun¹, L.J. Zou², Y. Song¹

1. *Department of Physics, Beijing Normal University*

2. *Key Laboratory of materials Physics, Institute of Solid State Physics, Chinese Academy of Science, P. O. Box 1129, Hefei 230031, China*

FR.B-P08 - NMR relaxation in the topological kondo insulator SmB₆

P. Schlottmann¹

1. *Florida State University, Tallahassee, United States*

FR.B-P09 - Magnetic hyperfine field at a Cd impurity diluted in RCo₂ at finite temperatures

A.L. de Oliveira¹, C. M. Chaves², N.A. de Oliveira³, A. Troper²

1. *Instituto Federal de Educacao, Ciencia e Tecnologia do Rio de Janeiro, Campus Nilopolis, Rio de Janeiro, Brazil*

2. *Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil*

3. *Instituto de Fisica, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*

FR.B-P10 - Magnetism in the three-dimensional layered Lieb lattice: Higher transition temperatures via flat-band and Van Hove singularities

K. Noda¹, K. Inaba¹, M. Yamashita¹

1. NTT Basic Research Laboratories, Kanagawa, Japan

FR.B-P11 - Steady state dynamics in a model system of strongly correlated electrons: effective temperatures near local quantum criticality

F. Zamani¹, P. Ribeiro², S. Kirchner³

1. Max Planck Institute for Physics of Complex Systems, Dresden, Germany

2. Russian Quantum Center, Business-center "Ural", Skolkovo village, Odintsovo district, Moscow, Russia

3. Center for Correlated Matter, Zhejiang University, Zhejiang, China

FR.B-P12 - Pinball liquid phase from Hund's coupling in frustrated triangular geometry

A. Ralko¹, J. Merino², S. Fratini¹

1. Neel Institute, Grenoble, France

2. Universidad Autónoma de Madrid, Madrid, Spain

FR.B-P13 - A phenomenological approach to the metamagnetism in heavy fermion compounds

K. Matsumoto¹, S. Kosaka¹, S. Murayama¹

1. Muroran Institute of Technology, Hokkaido, Japan

FR.B-P14 - Novel spin and orbital orderings in the layered perovskite Sr₂CrO₄

T. Ishikawa¹, T. Toriyama¹, T. Konishi¹, H. Sakurai², Y. Ohta¹

1. Chiba University, Chiba, Japan

2. National Institute for Materials Science, Ibaraki, Japan

FR.B-P15 - Quantum disordered phase in the frustrated honeycomb Hubbard model

H. Nishida¹, K. Misumi¹, T. Kaneko¹, Y. Ohta¹

1. Chiba University, Chiba, Japan

FR.B-P16 - Charge-density wave and exciton condensation induced by Coulomb interaction and electron-phonon interaction in 1T-TiSe₂

H. Watanabe¹, K. Seki², S. Yunoki^{1,2}

1. RIKEN CEMS, Saitama, Japan

2. RIKEN, Saitama, Japan

FR.B-P17 - Anomalous influence of an external magnetic field on the electron energy spectrum of ferromagnetic semiconductors with strong p,d-hybridization

A. Povzner¹, A. Volkov¹, K. Shumikhina¹

1. Ural Federal University, Sverdlovsk Oblast, Russia

FR.B-P18 - Quantum disordered phase in the triangular-lattice Hubbard model with next-nearest-neighbor hopping

K. Misumi¹, T. Kaneko¹, Y. Ohta¹

1. Chiba University, Chiba, Japan

FR.B-P19 - The Hubbard model beyond the two-pole approximation: a com-

posite operator method study

A. Avella¹

1. *Università Degli Studi Di Salerno - Dipartimento Di Fisica, Milan, Italy*

FR.B-P21 - The influence of the interband Coulomb interaction and the $f\bar{f}$ -electron hopping on excitonic correlations in the extended Falicov Kimball model

P. Farkasovsky¹

1. *Institute of Experimental Physics, Slovak Academy of Sciences, Bratislava, Slovakia*

FR.B-P22 - Microscopic model of full magnetic phase-diagram of itinerant ferromagnet UGe_2

M. Abram¹, M. Wysokiński¹, J. Spátek^{1,2}

1. *Marian Smoluchowski Institute of Physics, Jagiellonian University, ulica Łojasiewicza 11, PL-30-348 Kraków, Poland*

2. *Academic Centre for Materials and Nanotechnology, AGH University of Science and Technology, Aleja Mickiewicza 30, PL-30-059 Kraków, Poland*

FR.B-P23 - Theoretical study of charge-spin-orbital fluctuations in mixed valence spinels: AlV_2O_4 and LiV_2O_4

A. Uehara¹, H. Shinaoka², Y. Motome¹

1. *The University of Tokyo, Tokyo, Japan*

2. *ETH Zürich, Zürich, Switzerland*

FR.B-P24 - Dynamical characteristics of the Mott transition: examination of doublon dynamics in a triangular-lattice Hubbard model

T. Sato¹, H. Tsunetsugu²

1. *RIKEN, Tokyo, Japan*

2. *The Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan*

FR.B-P26 - Theoretical study of non-fermi liquid behavior in Pr 1-2-20 compounds

A. Tsuruta¹, K. Miyake²

1. *Osaka University, Osaka, Japan*

2. *Toyota Physical and Chemical Research Institute, Aichi, Japan*

FR.B-P27 - Theory of dilution effect in orbital kondo systems

T. Mutou¹, Y. Miyamoto¹, H. Kusunose²

1. *Shimane University, Shimane, Japan*

2. *Ehime University, Ehime, Japan*

FR.B-P28 - Excitonic phases in the two-band Hubbard model with electron-phonon coupling

T. Kaneko¹, Y. Ohta¹

1. *Department of Physics, Chiba University, Chiba, Japan*

FR.B-P29 - Nonequilibrium dynamics of a periodically-driven impurity spin coupled to the bath of ultracold fermions by Kondo coupling

K. Iwahori¹, N. Kawakami¹

1. *Department of Physics, Kyoto University, Kyoto, Japan*

FR.B-P30 - Asymmetric thermal lineshape broadening in the dimerised antiferromagnet $\text{BaCu}_2\text{V}_2\text{O}_8$

E. Klyushina^{1,2}, B. Lake^{1,2}, N. Islam¹, E. Wheeler³, J. Park⁴, B. Klemke¹

1. *Helmholtz-Zentrum Berlin, Berlin, Germany*

2. *Technischen Universität Berlin, Berlin, Germany*

3. *Institut Laue-Langevin, Grenoble, France*

4. *Forschungs-Neutronenquelle Heinz Maier-Leibnitz, Munich, Germany*

FR.B-P32 - Metal-insulator transition in the two-dimensional Hubbard model studied by the dual-fermion method

A. Tanaka¹,

1. *Hiroshima University, Hiroshima, Japan*

FR.B-P33 - Phase diagrams and phase transformations in $S=1$ spin- and pseudospin systems

A. Moskvin¹, Y. Panov¹, F. Rybakov², V. Konev¹, E. Vasinovich¹, V. Ulitko¹, A. Borisov²

1. *Ural Federal University, Ekaterinburg, Russia*

2. *Institute of Metal Physics UD RAS, Ekaterinburg, Russia*

C. **New Developments**

FR.C-P01 - Imaging of condensed quantum states in the quantum hall effect regime

J. Oswald¹, R. Römer²

1. *Institute of Physics, Montanuniversity Leoben, Leoben, Austria*

2. *Department of Physics, University of Warwick, Coventry, United Kingdom*

FR.C-P05 - Electronic structures and the spin-splittings in ullmannite-type structure compounds

H. Harima¹

1. *Kobe University, Kobe, Japan*

FR.C-P07 - Correlation-induced structural transition in one-dimensional molecular hydrogen crystal

A.P. Kądziaława¹, Andrzej Biborski², J. Spałek^{1,2}

1. *Marian Smoluchowski Institute of Physics, Jagiellonian University, Kraków, Poland*

2. *Academic Centre for Materials and Nanotechnology, AGH University of Science and Technology, Kraków, Poland*

FR.C-P08 - Chemical pressure effect in SmNiC_2

T. Klimczuk¹, G. Prathiba², J. Strychalska¹, T. Park²

1. *Gdansk University of Technology, Gdańsk, Polonia*

2. *Sungkyunkwan University(SKKU), Seoul, South Korea*

D. Highly frustrated magnetism

FR.D-P05 - Magnetic properties of the Ruddlesden-Popper phases $\text{Sr}_{3-x}\text{Y}_x\text{Fe}_{1.25}\text{Ni}_{0.75}\text{O}_{7-\delta}$

S. Kontos¹, K. Gunnarsson¹, J. Grins², D. Wardecki², G. Svensson², P. Svedlindh¹
1. Uppsala University, Uppsala, Sweden
2. Stockholm University, Stockholm, Sweden

FR.D-P07 - Hidden magnetic order in $\text{P2-Na}_{0.5}\text{VO}_2$ found by muon-spin spectroscopy

J. Sugiyama¹, I. Umegaki¹, D. Andreica², C. Baines³, A. Amato³, M. Guignard⁴, C. Delmas⁴, M. Månsson⁵
1. Toyota Central Research & Development Laboratories, Inc., Nagakute, Japan
2. Babes-Bolyai University, Cluj-Napoca, Romania
3. Paul Scherrer Institut, Zurich, Switzerland
4. ICMCB-CNRS, Pessac, France
5. KTH Royal Institute of Technology, Stockholm, Sweden

FR.D-P08 - Magnetic ground state of a two-dimensional triangular compound, CrSe_2 , studied with muon-spin spectroscopy

J. Sugiyama¹, H. Nozaki¹, I. Umegaki¹, K. Miwa¹, S. Kobayashi², C. Michioka², H. Ueda², K. Yoshimura², J. Brewer^{3,4}
1. Toyota Central Research & Development Laboratories, Inc., Nagakute, Japan
2. Kyoto University, Kyoto, Japan
3. University of British Columbia, Vancouver, Canada
4. TRIUMF, Vancouver, Canada

FR.D-P09 - Bipartite entanglement and quantum correlations of exact ground states of a spin-1/2 Ising-Heisenberg model on the Shastry-Sutherland lattice

J. Strecka¹, T. Verkholyak², F. Mila³, K.P. Schmidt⁴
1. Institute of Physics, Faculty of Science, P. J. Safarik University, Kosice, Slovakia
2. Institute for Condensed Matter Physics, NASU, Lviv, Ukraine
3. Institute of Theoretical Physics, Ecole Polytechnique Federale de Lausanne (EPFL), Lausanne, Switzerland
4. Lehrstuhl für Theoretische Physik I, Dortmund, Germany

FR.D-P11 - Unconventional spin dynamics in the spin-1/2 triangular-lattice antiferromagnet Cs_2CuBr_4

S. Zvyagin¹, M. Ozerov¹, J. Wosnitza¹, D. Kamenskyi², M. Ikeda³, T. Fujita³, M. Hagiwara³, J. Krzystek⁴, R. Hu⁵, H. Ryu⁵
1. Dresden High Magnetic Field Laboratory (HLD-EMFL), Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany
2. Radboud University Nijmegen, High Field Magnet Laboratory, 6500 GL Nijmegen The Netherlands
3. Center for Advanced High Magnetic Field Science, Graduate School of Science, Osaka University, Toyonaka, Osaka, Japan
4. National High Magnetic Field Laboratory, Florida State University, Tallahassee, United States

5. Condensed Matter Physics and Materials Science Department, Brookhaven National Laboratory, Upton, NY, United States

6. Service de Physique Statistique, Magnétisme et Supraconductivité, UMR-E9001 CEA-INAC/UJF, 38054 Grenoble Cedex 9, France

FR.D-P12 - Amorphous ferromagnetism and re-entrant magnetic glassiness in $\text{Sm}_2\text{Mo}_2\text{O}_7$,

G. Prando ^{1,2}, P. Carretta ², A. Wolter-Giraud ¹, R. Saint-Martin ³, A. Revcolevschi ³, B. Büchner ^{1,4}

1. Leibniz-Institut für Festkörper- und Werkstofforschung (IFW), Dresden, Germany

2. Dipartimento di Fisica e Unità CNISM di Pavia, Università di Pavia, Pavia, Italy

3. Laboratoire de Physico- Chimie de l'Etat Solide, Université Paris-Sud, Orsay, France

4. Institut für Festkörperphysik, Technische Universität Dresden, Dresden, Germany

FR.D-P13 - High Frequency ESR Study of $S=1/2$ kagome lattice magnet $[\text{Cu}_3(\text{CO}_3)_2(\text{bpe})_3]2\text{ClO}_4$

H. Ohta ¹, K. Takamoto ², N. Takahashi ², W.M. Zhang ¹, S. Okubo ¹, T. Sakurai ³, T. Taniguchi ⁴, H. Nakata ⁵, H. Kikuchi ⁵, Y. Fujii ⁵

1. Molecular Photoscience Research Center, Kobe, Japan

2. Graduate School of Science, Kobe University, Kobe, Japan

3. Center for Supports to Research and Education Activities, Kobe University, Kobe, Japan

4. Graduate School of Science, Osaka University, Osaka, Japan

5. Department of Applied Physics, University of Fukui, Fukui, Japan

FR.D-P14 - New spin glass material, $\text{KV}_{14}\text{Ge}_2\text{O}_{27}$,

K. Harada ¹

1. Department of Physics, Chuo University, Hachioji, Japan

FR.D-P15 - Single-crystal growth and magnetic properties of new frustrated magnet, $\text{Rb}_2\text{Mn}_3\text{V}_2\text{O}_{10}$

D. Otsuka ¹, H. Sato ¹

1. Department of Physics, Chuo University, Hachioji, Japan

FR.D-P16 - Exact solutions on the ground states of ferro- and antiferromagnetic Ising models in magnetic fields with frustration on a diamond hierarchical lattice

Y. Hirose ¹, A. Oguchi ¹, Y. Fukumoto ¹

1. Tokyo University of Science, Tokyo, Japan

FR.D-P17 - Magnetodielectric coupling behavior of single crystalline form of the geometrically frustrated spin-chain compound, $\text{Ca}_3\text{Co}_2\text{O}_6$

T. Basu ¹, K.K. Iyer ¹, K. Singh ^{1,2}, P.L. Paulose ¹, E.V. Sampathkumaran ¹

1. Tata Institute of Fundamental Research, Mumbai, India

2. UGC-DAE Consortium for Scientific Research, Indore, India

FR.D-P18 - Magnetization process of pyrochlore-slab $\text{SrCr}_{\{9p\}}\text{Ga}_{\{12-9p\}}\text{O}_{\{19\}}$ in ultra-high magnetic fields of up to 150 T

D. Nakamura ¹, S. Lee ², J. Yang ², H. Ueda ³, K. Penc ⁴, S. Takeyama ¹

1. ISSP, the University of Tokyo, Tokyo, Japan

2. University of Virginia, Virginia, USA

3. Kyoto University, Kyoto, Japan

4. Hungarian Academy of Sciences, Budapest, Hungria

FR.D-P19 - Ultrasound velocity measurements in orbital-degenerate frustrated spinel CoV_2O_4

T. Watanabe¹, S. Yamada¹, R. Koborinai², T. Katsufuji²

1. Department of Physics, College of Science and Technology (CST), Nihon University, Tokyo, Japan

2. Department of Physics, Waseda University, Tokyo, Japan

FR.D-P21 - Exploring new magnetic phases in artificial spin ices with perpendicular spin moments

I.A. Chioar^{1,2}, N. Rougemaille^{1,2}, A. Grimm^{1,2}, O. Fruchart^{1,2}, E. Wagner^{1,2}, M. Hehn³, D. Lacour³, F. Montaigne³, B. Canals^{1,2}

1. CNRS, Institut NEEL, Grenoble, France

2. Université Grenoble Alpes, Institut NEEL, Grenoble, France

3. Institut Jean Lamour, Université de Lorraine and CNRS, Vandoeuvre lès Nancy, France

FR.D-P22 - Spin glass field theory with replica Fourier transforms

I. Pimentel¹, C. De Dominicis²

1. Departamento de Física e CFTC, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal

2. CEA Saclay Orme des Merisiers, Inst Phys Theor, Gif Sur Yvette, France

FR.D-P23 - Nematic phases in the bilinear biquadratic Heisenberg model on the honeycomb lattice.

A. Pires¹

1. Universidade Federal de Minas Gerais, Belo Horizonte, Brazil

FR.D-P24 - Magnetic field dependence of magnetoelastic interactions in $\text{Tb}_2\text{Ti}_2\text{O}_7$

M. Ruminy¹, T. Fennell¹, M. Kenzelmann²

1. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

2. Laboratory for Developments and Methods, Paul Scherrer Institut, Villigen, Switzerland

FR.D-P25 - Unstable magnetic properties of $\text{Pd}_{99}\text{Fe}_{01}$ nanofilms.

L.S. Uspenskaya¹, V. Bolginov¹, I.N. Khlustikov²

1. Institute of Solid State Physics RAS, Chernogolovka, Russia

2. P.L. Kapitza Institute for Physical Problems RAS, Moscow, Russia

FR.D-P26 - Low-energy dynamics of spin-1/2 square J1-J2 heisenberg antiferromagnet

A. Akterskiy^{1,2}, A. Syromyatnikov^{1,3}

1. PNPI, Gatchina, St. Petersburg, Russia

2. Academic University, St. Petersburg, Russia

3. Saint Petersburg State University, St. Petersburg, Russia

FR.D-P27 - Novel magnetic phase transition and spin-lattice effects in the frustrated magnet CdCr_2O_4

S. Zherlitsyn¹, V. Tsurkan^{2,3}, A.A. Zvyagin^{4,5}, S. Yasin¹, S. Erfanifam¹, R. Beyer¹, M. Naumann^{1,6}, E. Green¹, J. Wosnitza^{1,6}, A. Loidl²

1. Dresden High Magnetic Field Laboratory (HLD-EMFL), Helmholtz-Zentrum, Dresden, Germany
2. Experimental Physics 5, Center for Electronic Correlations and Magnetism, Institute of Physics, University of Augsburg, Augsburg, Germany
3. Institute for Applied Physics, Academy of Science of Moldova, Chisinau, Republic of Moldova
4. B.I. Verkin Institute for Low Temperature Physics and Engineering of the National Academy of Sciences of Ukraine, Kharkov, Ukraine
5. Max Planck Institute for the Physics of Complex Systems, Dresden, Germany
6. Institute for Solid State Physics, TU Dresden, Dresden, Germany

FR.D-P28 - Order by disorder or energetic selection of the ground state in the XY pyrochlore antiferromagnet $\text{Er}_2\text{Ti}_2\text{O}_7$, a neutron scattering study

S. Petit¹, J. Robert¹, S. Guitteny¹, I. Mirebeau¹, C. Decorse², J. Ollivier³, H. Mutka³, M. Gingras⁴

1. LLB, CEA-CNRS, Gif Sur Yvette, France
2. LPCES, Université Paris-Sud, Orsay, France
3. Institut Laue Langevin, Grenoble, France
4. Department of Physics and Astronomy, Univ of Waterloo, Waterloo, Canada.

FR.D-P29 - "Half-moon" excitations in the magneto-elastic spin liquid $\text{Tb}_2\text{Ti}_2\text{O}_7$

S. Petit¹, S. Guitteny¹, J. Robert¹, I. Mirebeau¹, J. Ollivier², H. Mutka², C. Decorse³

1. LLB, CEA-CNRS, Gif Sur Yvette, France
2. Institut Laue Langevin, Grenoble, France
3. LPCES, Université Paris-Sud, Orsay, France

FR.D-P30 - Spin-1/2 Heisenberg ferromagnet on the pyrochlore lattice

O. Menchyshyn¹, O. Derzhko¹, J. Richter²

1. Institute for Condensed Matter Physics of NAS, Lviv, Ukraine
2. Institut für theoretische Physik, Magdeburg, Germany

FR.D-P32 - Magnetic field induced phase transition in Cs_2CuBr_4

D. Kamenskyi¹, J. Bruin¹, L. Peters¹, P. Gogoi¹, G. Vasylets², V. Meviediev³

1. Radboud University, Institute for Molecules and Materials, High Field Magnet Laboratory, Nijmegen, Netherlands
2. V. Karazin Kharkiv National University, Faculty of Chemistry, Kharkiv, Ukraine
3. Division of Functional Materials Chemistry, SSI "Institute for Single Crystals" of National Academy of Science of Ukraine, Kiev, Ukraine

FR.D-P34 - Structural modulation driven spin canting in re-entrant glassy magnetic phase of $\text{Lu}_2\text{MnNiO}_6$

K. Manna¹, A.K. Bera^{3,4}, M. Jain¹, S. Elizabeth¹, S.M. Yusuf³, P.S. Anil Kumar¹

1. Leibniz-Institute for Solid State and Materials Research, (IFW), Dresden, Ger-

many

2. Department of Physics, Indian Institute of Science, Bangalore, India
3. Solid State Physics Division, Bhabha Atomic Research Centre, Mumbai, India
4. Helmholtz Zentrum Berlin für Materialien und Energie, Berlin, Germany

FR.D-P35 - High-field raman spectroscopy measurement of the geometrically frustrated chromium spinel oxide CdCr_2O_4

Y. Sawada¹, S. Kimura¹, K. Watanabe¹, H. Ueda²

1. Institute for Materials Research, Tohoku University, Sendai, Japan
2. Graduate School of Science, Kyoto University, Kyoto, Japan

FR.D-P36 - Critical properties of a triangular lattice Ising AF/FM bilayer

M. Zukovic¹, A. Bobak¹

1. Institute of Physics, Faculty of Science, P.J. Šafárik University, Košice, Slovakia

FR.D-P37 - Single crystal growth of tunable Cu-based quantum spin systems

P. Puphal¹, N. Van Well¹, F. Ritter¹, D.V. Sheptyakov², C. Rüegg^{2,3}, C. Krellner¹

1. Goethe University Frankfurt, Frankfurt, Germany
2. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institute, Villigen, Switzerland
3. Department of Quantum Matter Physics, University of Geneva, Geneva, Switzerland

FR.D-P38 - Spin-glass magnetism in RFeTi_2O_7 ($\text{R}=\text{Lu}$ and Tb) compounds

T. Drokina¹, G. Petrakovskii¹, M. Molochev¹, D.I. Velikanov¹, A. Arauzo², J. Bartolomé²

1. L.V. Kirensky Institute of Physics, SB RAS, Tomsk, Russia
2. Instituto de Ciencia de Materiales de Aragón (ICMA) and Departamento de Física Condensada, Zaragoza, Spain

FR.D-P39 - Tricritical behavior in the Ising honeycomb lattice with competing interactions

A. Bobak¹, T. Lucivjansky¹, M. Zukovic¹, M. Borovsky¹, T. Balcerzak¹

1. Institute of Physics, Faculty of Science, P.J. Šafárik University, Košice, Slovakia

FR.D-P40 - Thermodynamic properties in the Kitaev spin liquids

J. Nasu¹, M. Udagawa², Y. Motome²

1. Tokyo Institute of Technology, Tokyo, Japan
2. University of Tokyo, Tokyo, Japan

FR.D-P41 - Dimer-dimer correlations and magnetothermodynamics of $\text{S}=1/2$ spherical kagome clusters in $\text{W}_{\{72\}}\text{V}_{\{30\}}$ and $\text{Mo}_{\{72\}}\text{V}_{\{30\}}$

Y. Fukumoto¹, N. Kunisada¹

1. Tokyo University of Science, Tokyo, Japan

FR.D-P44 - Monte Carlo study of heisenberg antiferromagnets on breathing pyrochlore lattices

K. Aoyama¹, H. Kawamura¹

1. Department of Earth and Space Science, Graduate School of Science, Osaka University, Osaka, Japan

FR.D-P45 - Ice-rule violation and magnetic monopoles hopping in artificial spin ice

S. Krishnia¹, I. Purnama¹, N. C. Sheng Soh¹, W. Siang Lew¹, R. Maddu¹

1. Nanyang Technological University, Singapore, Malaysia

FR.D-P46 - Magnetic properties of the novel frustrated lattice magnet Cu₃(OH)5(NO₃)·2H₂O (likasite)

H. Kikuchi¹, K. Kunieda¹, T. Asano¹, Y. Fujii², Y. Inagaki³, A. Matsuo⁴, K. Kindo⁴

1. Department of Applied Physics, University of Fukui, Fukui, Japan

2. Research Center for Development of Far-Infrared Region, University of Fukui, Fukui, Japan

3. Department of Applied Quantum Physics, Kyushu University, Fukuoka, Japan

4. Institute for Solid State Physics, University of Tokyo, Tokyo, Japan

FR.D-P49 - Critical phenomena in two-dimensional frustrated Heisenberg models

S. Tanaka¹, R. Tamura², N. Kawashima³

1. Waseda Institute for Advanced Study, Waseda University, Tokyo, Japan

2. International Center for Young Scientists, National Institute for Materials Science, Tsukuba, Japan

3. Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan

FR.D-P50 - Magnetic and thermal properties of an s=1/2 triangular lattice antiferromagnet Ba₂CoTeO₆

P. Chanler¹, N. Kurita¹, H. Tanaka¹

1. Tokyo Institute of Technology, Tokyo, Japan

FR.D-P51 - Magnetic ordering of triangular lattice antiferromagnets Ba₃NiTa₂O₉ and Ba₂NiTeO₆

S. Asai¹, M. Soda¹, K. Kasatani², T. Ono², M. Avdeev², T. Masuda¹

1. The Institute for Solid State Physics, Tokyo University, Tokyo, Japan

2. Department of Physical Science, Osaka Prefecture University, Osaka, Japan

3. ANSTO, Lucas Heights, Australia

FR.D-P52 - Spin liquid behavior in the depleted triangular antiferromagnets Ba₃Ru_{1-x}Ir_xTi₂O₉

S. Do¹, W. Lee¹, S. Lee¹, Y. Choi¹, K. Choi¹, S. Yoon², B. Suh², Z. Jang³, M. Lee⁴, E. Choi⁴

1. Dept. of Physics, Chung-Ang Univ.

2. Dept. of Physics, The Catholic Univ. of Korea, Bucheon, Rep. of Korea

3. Dept. of Physics, Kookmin Univ., Seoul, Rep. of Korea

4. National High Magnetic Field Laboratory, Florida State Univ., Tallahassee, Florida, United States

5. Max plank Institute for chemical physics of Solids, Dresden, Germany

FR.D-P53 - Substitution effect on S=1/2 frustrated magnetic cluster sys-

tem $\text{Li}_2\text{AMo}_3\text{O}_8$ ($\text{A}=\text{In}, \text{Sc}$)

Y. Haraguchi^{1,2}, C. Michioka¹, H. Ueda¹, K. Yoshimura^{1,2}

1. Department of Chemistry, Graduate School of Science, Kyoto University, Kyoto, Japan

2. Research Center for Low Temperature and Materials Sciences, Kyoto University, Kyoto, Japan

FR.D-P55 - Magnetic characterization of single crystalline barlowite - a structurally perfect spin-1/2 kagome system

M. Lang¹, E. Gati¹, N. Hieu Hoang¹, B. Wolf¹, H. Jeschke², F. Salvat-Pujol², R. Valenti², J.A. Schlueter³

1. Physics Institute, Goethe University Frankfurt, Frankfurt, Germany

2. Institute for Theoretical Physics, Goethe-University Frankfurt, Frankfurt, Germany

3. Division of Materials Research, National Science Foundation, Arlington, Virginia, United States

FR.D-P56 - Single-crystal high-temperature pyrochlore antiferromagnetic $\text{NaCaCo}_2\text{F}_7$: An NMR investigation

R. Sarkar^{1,2}, J. Krizan², F. Brückner¹, R.J. Cava², H.H. Klaus¹

1. Technical University of Dresden, Dresden, Germany

2. Department of Chemistry, Princeton University, Princeton, United States

FR.D-P58 - Magnetic properties in a frustrated spin ladder

Takanori Sugimoto¹, M. Mori², T. Tohyama¹, S. Maekawa²

1. Department of Applied Physics, Tokyo University of Science, Tokyo, Japan

2. Advanced Science Research Center, Japan Atomic Energy Agency, Ibaraki, Japan

FR.D-P59 - Atomic layer deposition and characterization of triangular lattice antiferromagnetic oxide CuCrO_2

T. S. Tripathi¹, M. Karppinen¹

1. Inorganic Chemistry Department, Aalto University, Espoo, Finland

FR.D-P60 - Specific heat of triangular spin tubes in magnetic fields

H. Manaka¹, M. Hagihala², S. Hayashida², M. Soda², T. Masuda², Y. Miura³

1. Graduate School of Science and Engineering, Kagoshima University, Kagoshima, Japan

2. Neutron Scattering Laboratory, Institute for Solid State Physics, The University of Tokyo, Tokyo, Japan

3. Suzuka National College of Technology, Suzuka, Japan

FR.D-P61 - Low temperature spin-glass behavior in nonmagnetic atom disorder compound Pr_2CuIn_3

D. X. Li^{1,2}, Y. Homma¹, F. Honda¹, T. Yamamura², D. Aoki¹

1. Institute for Materials Research, Tohoku University, Oarai, Japan

2. Institute for Materials Research, Tohoku University, Senda, Japan

FR.D-P62 - Frustrations in a mixed spin-1/2 and spin-1 Ising model with multispin exchange interactions and single-ion anisotropy on a bipartite honeycomb lattice

V. Stubna¹, M. Jascur¹

1. Department of Theoretical Physics and Astrophysics, Institute of Physics, P.J. Safarik University In Kosice, Košice, Slovakia

FR.D-P63 - Exact results of a mixed spin-1/2 and spin-3/2 Ising model with multispin exchange interactions and single-ion anisotropy on a decorated triangular lattice

V. Stubna¹, M. Jascur¹, K. Szaowski², T. Balcerzak²

1. Department of Theoretical Physics and Astrophysics, Institute of Physics, P.J. Safarik University In Kosice, Kosice, Slovakia

2. Department of Solid State Physics, Faculty of Physics and Applied Informatics, University of Lodz, Lodz, Poland

FR.D-P66 - Neutron scattering study of the quantum spin ice candidate $\text{Pr}_2\text{Zr}_2\text{O}_7$

S. Guitteny¹, J. Robert³, S. Petit¹, E. Lhotel³, A. Goukassov¹, I. Mirebeau¹, P. Bonville², C. Decorse⁴, M. Ciomaga Hatnean⁵, G. Balakrishnan⁵

1. CEA Saclay DSM/IRAMIS/Laboratoire Léon Brillouin, Gif Sur Yvette, France

2. CEA Saclay DSM/IRAMIS/SPEC, Gif Sur Yvette, France

3. Institut Néel CNRS, Grenoble, France

4. LPCES Université Paris Sud, Orsay, France

5. Department of Physics University of Warwick, Coventry, United Kingdom

6. CEA Grenoble CEA/INAC/MDN, Grenoble, France

7. Institut Laué Langevin, Grenoble, France

FR.D-P67 - Spin dynamics of a frustrated FCC - antiferromagnet

K. Siemensmeyer¹, D.J.P. Morris², D.A. Tennant³, A. Schneidewind⁴, K. Flachbart⁵, S. Gabani⁵, N. Shitsevalova⁶

1. Helmholtz Zentrum Berlin, Berlin, Germany

2. Xavier University, Cincinnati, Ohio, United States

3. Oak Ridge National Laboratory, Knoxville, Tennessee, United States

4. Forschungszentrum Jülich, Outstation MLZ, Garching, Germany

5. Inst. Exp.Phys., Slovak Acad. of Science, Kosice, Slovak Republic

6. Inst. for Problems of Mat Science, Ukraine Acad. of Science, Kiev, Ukraine

FR.D-P68 - Long-range order of classical dipoles on the kagome lattice

M. Maksymenko¹, V. Ravi Chandra², R. Moessner³

1. Department of Condensed Matter Physics, Weizmann Institute of Science, Rehovot, Israel

2. School of Physical Sciences, National Institute of Science Education and Research, Institute of Physics Campus, Bhubaneswar, India

3. Max-Planck-Institut für Physik komplexer Systeme, Dresden, Germany

FR.D-P69 - Re-investigation of low-temperature magnetic phase transitions of the geometrically frustrated isosceles triangular Ising antiferromagnet CoNb_2O_6

S. Mitsuda¹, S. Hosaka¹, H. Tamatsukuri¹, H. Koorikawa¹, S. Kobayashi², T. Nakajima³, K. Prokes⁴, K. Kiefer⁴

1. Tokyo University of Science, Tokyo, Japan

2. Iwate University, Morioka, Japan

3. RIKEN, Wako, Saitama, Japan

4. Helmholtz-Zentrum Berlin, Berlin, Germany

FR.D-P71 - Field induced phenomena in magnetically frustrated systems $\text{Co}_{1-x}\text{M}_x\text{Al}_2\text{O}_4$ (M = Mg, Zn)

T. Naka ¹, K. Sato ², S. Ishii ³, T. Nakane ¹, N. Terada ¹, M. Taguchi ⁴, M. Nakayama ¹, Y. Matsushita ¹, A. Matsushita ¹, S. Takami ²

1. National Institute for Materials Science, Ibaraki, Japan

2. Institute of Multidisciplinary Research for Advanced Materials, Tohoku University, Miyagi, Japan

3. Department of Physics, Tokyo Denki University, Tokyo, Japan

4. Department of Applied Chemistry, Faculty of Science and Engineering, Chuo University, Tokyo, Japan

FR.D-P72 - Exotic Field Induced Quantum Phase Transition of the Kagome Lattice Antiferromagnet

T. Sakai ¹, H. Nakano ²

1. JAEA, SPring-8, Hyogo, Japan

2. University of Hyogo, Hyogo, Japan

FR.D-P73 - Hidden Order in Spin-Liquid Gd₃Ga₅O₁₂

P. Deen ^{1,2}, J. Paddison ^{3,4}, H. Jacobsen ^{2,1}, O. Petrenko ⁵, M.T. Fernandez-Diaz ⁶, A. Goodwin ³

1. European Spallation Source, Lund, Sweden

2. Niels Bohr Institute, University of Copenhagen, Denmark

3. University of Oxford, Inorganic Chemistry Laboratory, U.K.

4. ISIS Facility, Rutherford Appleton Laboratory, Didcot, U.K.

5. Department of Physics, University of Warwick, U.K.

6. Institut Max von Laue-Paul Langevin, Grenoble, France

FR.D-P74 - Study of the frustrated Ising antiferromagnet on the stacked triangular lattice in the field

M. Borovsky ¹, M. Zukovic ¹

1. Institute of Physics, P.J. Safarik University, Kosice, Slovakia

FR.D-P76 - Magnetothermal properties of the local xy-antiferromagnet Er₂Ti₂O₇

B. Wolf ¹, W. Assmus ¹, R. Schindler ¹, S. Dörschug ¹, M. Lang ¹

1. Physikalisches Institut, Goethe University Frankfurt, Frankfurt, Germany

FR.D-P77 - Phase diagram within Kitaev - Heisenberg model

D. Gotfryd ¹, J. Chaloupka ², A.M. Oles ^{3,4}

1. Institute of Theoretical Physics, Warsaw University, Warsaw, Poland

2. Central European Institute of Technology, Masaryk University, Brno, Czech Republic

3. Marian Smoluchowski Institute of Physics, Jagiellonian University, Kraków, Poland

4. Max Planck Institute for Solid State Research, Stuttgart, Germany

FR.D-P79 - Spiral-spin-liquid state in spinel MnSc₂S₄

S. Gao ¹, O. Zaharko ¹, M. Ruminy ¹, T. Fennell ¹, T. Vladimír ², Y. Su ³, D. Chernyshov ⁴, C. Rüegg ¹

1. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

2. Department of Experimental Physics, University of Augsburg & Institute of Applied Science, Academy of Sciences of Moldova, Chisinau, Moldavia

3. Jülich Centre for Neutron Science (FRM II), Aachen, Germany

4. Swiss-Norwegian Beam Lines, European Synchrotron Radiation Facility, France

FR.D-P80 - Disordered quantum kagome lattice

M. Schmidt ¹, F. Zimmer ¹, S. Magalhães ²

1. *Dep. de Física, Universidade Federal de Santa Maria, Santa Maria, Brazil*

2. *Inst. de Física, Universidade Federal Fluminense, Niterói, Brazil*

FR.D-P81 - Nonfrustrated Interlayer Order and its Relevance to the Bose-Einstein Condensation of Magnons in BaCuSi₂O₆ - an NMR, x-ray and neutron scattering, and DFT study

R. Stern ¹, A. Tsirlin ¹, I. Heinmaa ¹, E. Joon ¹, S. Krömer ², M. Horvatic ², C. Berthier ², V. Mazurenko ³, M. Valentyuk ³, D. Sheptyakov ⁴

1. *NICPB/KBFI, Tallin, Estonia*

FR.D-P82 - Investigation into the magnetic properties of pyrochlore-type rare-earth hafnates

J.H. Chun ¹, R.K. Kremer ¹, C. Lin ¹

1. *MPI for Solid State Research, Suttgart, Germany*

FR.D-P83 - Magnetic order in pyrochlore hafnate Nd₂Hf₂O₇,

V. Kumar Anand ¹, A. Kumar Bera ¹, J. Xu ¹, T. Herrmannsdörfer ², C. Ritter ³, A. Nazmul Islam ¹, B. Lake ¹

1. *Helmholtz-Zentrum Berlin für Materialien und Energie, Berlin, Germany*

2. *Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany*

3. *Institut Laue-Langevin, Grenoble, France*

FR.D-P84 - Determination of critical exponents in a metallic glass: Fe-CrCuNbSiB

A. Rosales-Rivera ¹, J. Hernandez-Parra ¹, J. Lopez-Tabares ¹, J. Hincapie-Bedoya ¹, A. Velasquez-Salazar ¹, D. Gomez-Montoya ¹, F. Saccone ²

1. *Universidad Nacional de Colombia, Sede Manizales, Caldas, Colombia*

2. *Universidad de Buenos Aires, Buenos Aires, Argentina*

Fr.D-P87 - Polarised neutron scattering studies of magnetic correlations in pyrochlore iridates

E. Feng ¹, Y. Su ¹, T. Wolf ², T. Brueckel ^{3,1}

1. *Jülich Centre for Neutron Science JCNS, Forschungszentrum Jülich GmbH, Outstation at MLZ, Garching, Germany*

2. *Institut für Festkörperphysik, Karlsruhe Institute of Technology KIT, Karlsruhe, Germany*

3. *Jülich Centre for Neutron Science JCNS and Peter Grünberg Institut PGI, JARA-FIT, Forschungszentrum Jülich GmbH, Jülich, Germany*

E. Magnetism theory & simulation of quantum and classical systems

FR.E-P01 - Classical spin relaxation via spin-bath interaction: longitudinal vs. transverse spin-bath-coupling

S. Kun Oh ¹, S.C. Yu

1. *Chungbuk National University, Chungcheongbuk-do, South Korea*

FR.E-P02 - Magnetic properties of the SPIN-1 J1-J3 heisenberg model on a triangular lattice

A. Sherman ¹, P. Rubin ¹, M. Schreiber ²

1. *Institute of Physics, University of Tartu, Tartu, Estonia*

2. *Institute für Physik, Technische Universität, Chemnitz, Germany*

FR.E-P03 - Effect of doping on magnetic properties of magnetocaloric series (Fe_{1-x}Mnx)2P1-ySi_y

J. Goraus¹, Łukasz Hawełek², A. Kolano-Burian²

1. *University of Silesia, Institute of Physics, Uniwersytecka 4, Katowice*

2. *Institute of Non-Ferrous Metals, Gliwice, Poland*

FR.E-P04 - Breaking symmetry in one dimensional random chain

O. Kryvchikov¹, V. Slavin

1. *ILTPE - B.Verkin Institute for Low Temperature Physics and Engineering of The National Academy of Sciences of Ukraine, Kyev, Ukraine*

FR.E-P05 - dynamical properties of honeycomb lattice iridate Na₂IrO₃

S.I. Suga¹, T. Yamada¹, T. Suzuki¹

1. *University of Hyogo, Hyogo, Japan*

FR.E-P06 - Hybrid molecular and spin dynamics simulations of gel-based Co nanoparticle dispersions

L. Teich¹, C. Schröder¹

1. *Bielefeld Institute for Applied Materials Research, University of Applied Sciences Bielefeld, Bielefeld, Germany*

FR.E-P07 - Magnetic simulation of nano-granular thin films

J.D. Agudelo Giraldo¹, J. Restrepo², E. Restrepo Parra¹

1. *Universidad Nacional de Colombia, Bogotá, Colombia*

2. *Universidad de Antioquia, Medellín, Colombia*

FR.E-P08 - Frustrated spatially anisotropic spin-1/2 Heisenberg antiferromagnet on a square lattice

V. Ilkovic¹

1. *Joint Institute for Nuclear Reserch-JINR, Moscow, Russia*

FR.E-P09 - Spontaneous magnetization and specific heat of a coupled spin-electron model on doubly decorated planar lattices

H. Cencarikova¹, J. Strecka², M. Lyra³

1. *Institute of Experimental Physics, Slovak Academy of Sciences, Bratislava, Slovakia*

2. *Faculty of Science, P. J. Safarik University, Kosice, Slovakia*

3. *Instituto de Fisica, Universidade Federal de Alagoas, Maceió, Brazil*

FR.E-P10 - Short-range order above the Curie temperature in the dynamic spin-fluctuation theory

N. Melnikov¹, B. Reser²

1. *Lomonosov Moscow State University, Moscow, Russia*

2. *Institute of Metal Physics, Russian Academy of Sciences, Ekaterinburg, Russia*

FR.E-P11 - Magnetic phase transition in the spin-fluctuation theory

N. Melnikov¹, G. Paradezhenko¹

1. *Lomonosov Moscow State University, Moscow, Russia*

FR.E-P12 - Generalized flavor-wave expansion for softcore bose-hubbard systems

K. Masuda¹, S. Kurihara¹, D. Yamamoto²



1. Waseda University, Tokyo, Japan
2. Waseda Institute for Advanced Study, Tokyo, Japan

FR.E-P14 - Realization of the Green's function approach for calculation of inter-atomic exchange interactions in real compounds within full-potential and pseudopotential methods based on the plane-wave basis

Z. Pchelkina^{1,2}, D. Korotin¹, S. Streltsov^{1,2}, V. Anisimov¹

1. M N Miheev Institute of Metal Physics of Ural Branch of Russian Academy of Science, Ekaterinburg, Russia
2. Ural Federal University, Ekaterinburg, Russia

FR.E-P15 - Spontaneous symmetry breaking in variational wave functions: When is it possible?

R. Kaneko¹, F. Becca², R. Valenti¹, C. Gros¹

1. Institut fuer Theoretische Physik, Goethe-Universitaet Frankfurt, Frankfurt, Germany
2. CNR-IOM-Democritos National Simulation Centre and International School for Advanced Studies, Trieste, Italy

FR.E-P16 - Functional integral calculation on the temperature dependence of the magnetic hyperfine field at a Cd impurity diluted in RZn (R = Gd, Tb, and Dy)

A.L. De Oliveira¹, C.M. Chaves², N.A. De Oliveira³, A. Troper²

1. Instituto Federal do Rio de Janeiro, Campus Nilópolis, Rio de Janeiro, Brazil
2. Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil
3. Instituto de Física Armando Dias Tavares, Universidade do Estado do Rio de Janeiro, Brazil

FR.E-P17 - Hysteresis behavior of magnetic nanotubes with radial anisotropy component

V.A. Hurtado Marín¹, S. Morales Rojas¹, J.D. Agudelo Giraldo^{1,2}, E. Restrepo Parra¹

1. PCM Computational Application, Universidad Nacional de Colombia, Manizales, Colombia
2. Escuela de Materiales, Facultad de Minas, Universidad Nacional de Colombia, Medellín, Colombia

FR.E-P18 - Orbital magnetism in multi-band systems

M. Ogata¹

1. Department of Physics, University of Tokyo, Tokyo, Japan

FR.E-P20 - First principles investigation of magnetic properties of Fe-Ni-Mn-Al heusler alloys

M. Zagrebin^{1,2}, M. Klyuchnikova¹, V. Buchelnikov¹, V. Sokolovskiy¹

1. Chelyabinsk State University, Oblast, Russia
2. National Research South Ural State University, Oblast, Russia

FR.E-P21 - Low temperature properties of chiral magnets with defects

O. Utesov¹, A. Syromyatnikov^{1,2}

1. Petersburg Nuclear Physics Institute NRC "Kurchatov Institute"

2. *Department of Physics, Saint Petersburg State University, Saint Petersburg, Russia*

FR.E-P23 - Manipulation of magnetic order in antiferromagnets by strong magnetic field

L. Smejkal¹, K. Vyborny¹

1. *Institute of Physics ASCR, V. V. I., Prague, Czech Republic*

FR.E-P25 - Novel chiral metastable states in the discrete finite-size classical one-dimensional planar spin model with competing exchange interactions

M.G. Pini¹, A. Rettori², A.P. Popov³

1. *Istituto Dei Sistemi Complessi Del CNR (CNR-ISC), Unità Di Firenze, Florence, Italy*

2. *Dipartimento di Fisica ed Astronomia, Università degli Studi di Firenze, Sesto Fiorentino, Italy*

3. *Department of Molecular Physics, National Research Nuclear University MEPhI, Moscow, Russia*

FR.E-P26 - Monte Carlo investigation of magnetic properties of anisotropic transition-metal oxides

D. Ledue¹, A. Al Baalbaky¹, R. Patte¹

1. *GPM UMR 6634 CNRS-Université & INSA de Rouen, Rouen, France*

FR.E-P27 - Longitudinal Spin fluctuations studies on magnetic properties of transition metal random-alloys at finite temperatures

F. Pan¹, J. Chico², A. Bergman², L. Bergqvist¹

1. *Dept. of Nanomaterial Physics, Royal Institute of Technology (KTH), Stockholm, Sweden*

2. *Dept. of physics and astronomy, Uppsala university, Uppsala, Sweden*

FR.E-P28 - Magnetic moment properties of an arbitrary quantum ring contour in the presence of a magnetic field

P. Dahan¹, P. Malits¹

1. *School of Engineering at Ruppin Academic Center, Emek-Hefer, Israel*

FR.E-P31 - Emergence of quasi-two-dimensional ordered phase in anisotropically coupled spin ladders

S. Furuya¹, T. Giamarchi¹

1. *Department of Quantum Matter Physics, University of Geneva, Geneva, France*

FR.E-P34 - An extension of the Neel-Brown model of magnetization reversal

A. Roy¹, A.P.S. Kumar¹

1. *Indian Institute of Science, Karnataka, India*

FR.E-P35 - Resonating valence bond physics is not always controlled by the shortest tunneling loops

A. Ralko¹, I. Rousochatzakis²

1. *Neel Institute, Grenoble, France*

2. *School of Physics and Astronomy, University of Minnesota, Minneapolis, United States*

FR.E-P36 - Meron crystals with spin scalar chiral stripes

R. Ozawa¹, S. Hayami¹, M. Udagawa¹, Y. Motome¹, K. Barros², G.W. Chern², C. Batista²

1. Univ. of Tokyo, Tokyo, Japan

2. Los Alamos National Laboratory, New Mexico, United States

FR.E-P39 - Volume dependence of magnetic properties in $\text{Co}_2\text{Cr}_{1-x}\text{Y}_x\text{Ga}$ (Y = Ti, V, Mn, Fe) alloys by first-principles

J. Gonbalves¹, J. Amaral^{1,2}, N. Fortunato¹, V. Amaral¹

1. Departamento de Física and CICECO, Universidade de Aveiro, Aveiro, Portugal

2. Instituto de Física dos Materiais da Universidade do Porto, Institute of Nanoscience and Nanotechnology, Porto, Portugal

FR.E-P40 - Fast computational magnetic materials design via DFT calculations and a novel Monte-Carlo sampling method

N.M. Fortunato¹, C. de Oliveira Amorim¹, J.S. Amaral^{1,2}

1. Departamento de Física and CICECO, Universidade de Aveiro, Aveiro, Portugal

2. IFIMUP and IN-Institute of Nanoscience and Nanotechnology, Rua do Campo Alegre, Porto, Portugal

FR.E-P41 - Field and temperature dependence of spin fluctuations in ZrZn_2

P. Reiss¹, G. Lonzarich¹, F. Malte Grosche¹

1. Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

FR.E-P42 - Simulation of established linear and nonlinear hysteretic loops in coil with an iron core

D. Danailov¹

1. Todor Kableshkov University of Transport, Sofia, Bulgaria

F. Magnetic semiconductors and Diluted magnets

FR.F-P02 - Magnetism of GaSb-MnSb granular films controlled by charge carriers tunneling through the cluster-matrix Schottky barrier

A. Talantsev¹, R. Morgunov¹

1. Institute of Problems of Chemical Physics RAS, Chernogolovka, Russia

FR.F-P03 - Magnetically induced transition from hopping-type to band-type conduction in Mn-doped ZnO

A. Ruotolo¹, X. Wang², S. Qi¹, R. Lortz³, J. Wang³

1. City University of Hong Kong, Tat Chee Ave, Hong Kong

2. Chinese Academy of Science, Beijing, China

3. Hong Kong University of Science and technology, Clear Water Bay, Hong Kong

FR.F-P04 - The magnetic phase diagram of Mn-Doped GeTe crystals

M. Kriener¹, Y. Kaneko¹, X.Z. Yu¹, Y. Tokura^{1,2}, Y. Taguchi¹

1. RIKEN Center for Emergent Matter Science (CEMS), Wako, Saitama, Japan

2. Department of Applied Physics and Quantum-Phase Electronics Center (QPEC), University of Tokyo, Hongo, Tokyo, Japan

FR.F-P06 - Systematic study of AMR in (Ga,Mn)As

Z. Kaspar¹, K. Olejnik¹, K. Vyborny¹, V. Novak¹, T. Jungwirth¹

1. *Institute of Physics ASCR, V.V.I., Prague, Czech Republic*

FR.F-P07 - Magnetic properties of the CeO₂-Co system

M. Paulin ¹, A. Leyva ¹, J. Sacanell ¹

1. *Departamento de Física de la Materia Condensada, Gerencia de Investigación y Aplicaciones, Centro Atómico Constituyentes, Comisión Nacional de Energía Atómica, Río Negro, Argentina*

FR.F-P08 - Spin correlations in the lightly doped semiconductor oxide Mn:ZnO

A. Wildes ¹, D. Lançon ^{1,2}, G. Nilsen ¹, H. Rønnow ², A. Magrez ²

1. *Institut Laue-Langevin, Grenoble, France*

2. *École Polytechnique Fédérale de Lausanne, Lausanne, Switzerland*

FR.F-P09 - Magnetic band splitting of Ga_{1-x}Mn_xAs estimated by magnetic circular dichroism spectroscopy

K. Ando ¹, H. Tanaka ², V. Zayets ¹, H. Saito ¹

1. *National Institute of Advanced Industrial Science and Technology (AIST), Japan*

2. *Ohio University, Athens, United States*

FR.F-P10 - Magnetic properties of Mn doped crystalline and amorphous Ge thin film grown on Si(111)

A.C. Önel ¹, L. Çolakerol Arslan, B. Toydemir, M. Ertas

1. *Gebze Technical University, Kocaeli, Turkey*

FR.F-P11 - Femtosecond optical excitation of spin resonances in the easy-plane antiferromagnet semiconductor EuTe

R. Subkhangulov ¹, R. Mikhaylovskiy ¹, B. Ivanov ², A. Henriques ³, P. Rappl ⁴, E. Abramof ⁴, T. Rasing ¹, A. Kimel ¹

1. *Institute for Molecules and Materials, Radboud University Nijmegen, Nijmegen, Netherlands*

2. *Institute of Magnetism, Kiev, Ukraine*

3. *Instituto de Física, Universidade de Sao Paulo, Sao Paulo, Brazil*

4. *LAS-INPE, Sao Jose dos Campos, Brazil*

FR.F-P12 - The effects of different precursors in the production of target for pulsed laser deposition on the magnetism of cobalt doped ZnO films

W. Dizayee ¹, M. Ying ², S.M. Heald ³, H.J. Blythe ¹, A.M. Fox ¹, G.A. Gehring ¹

1. *Department of Physics and Astronomy, Hicks Building, University of Sheffield, Sheffield, United Kingdom*

2. *Key Laboratory of Beam Technology and Material Modification of Ministry of Education, College of Nuclear Science and Technology, Beijing Normal University, Beijing, China*

3. *Advanced Photon Source, Argonne National Laboratory, Argonne, United States*

FR.F-P13 - Direct observation of Dresselhaus effect in zinc blend structure InSb

W. Jung ¹, J. Hong ², S. Cho ¹, B. Kim ¹, M. Leandersson ³, T. Balasubramanian ³, S. Kimura ⁴, J. Shim ², C. Kim ¹

1. *Institute of Physics and Applied Physics, Yonsei University, Seoul, Korea*

2. *Department of Chemistry, Pohang University of Science and Technology, Pohang, Korea*



3. MAX IV Laboratory, Lund University, Lund, Sweden

4. UVSOR Facility, Institute for Molecular Science and The Graduate University for Advanced Studies, Okazaki, Japan

FR.F-P15 - Effect of Ge layer thickness on formation of Mn_5Ge_3 Thin Film on Si (111)

B. Toydemir¹, A. Can Önel¹, M. Ertap¹, L. Çolakerol Arslan¹

1. Gebze Technical University, Kocaeli, Turkey

FR.F-P16 - Defect-induced magnetism in graphite through neutron irradiation

Y. Wang¹, P. Pochet², C.A. Jenkins³, E. Arenholz³, G. Bukalis⁴, S. Gemming¹, M. Helm¹, S. Zhou¹

1. Helmholtz-Zentrum Dresden-Rossendorf, Institute of Ion Beam Physics and Materials Research, Dresden, Germany

2. Univ. Grenoble Alpes, INAC-SP2M, Grenoble, France

3. Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, California, United States

4. Helmholtz-Zentrum Berlin für Materialien und Energie, Lise-Meitner-Campus, Berlin, Germany

FR.F-P18 - Dilute ferromagnetic InMnP

S. Zhou¹, M. Khalid¹, E. Weschke², W. Skorupa¹, M. Helm¹

1. Helmholtz-Zentrum Dresden, Rossendorf, Germany

2. Helmholtz-Zentrum Berlin for Materials and Energy, Berlin, Germany

FR.F-P19 - Influence of manganese ions environment in octahedral sublattice on the properties of triple-substituted manganites

V. Karpasyuk¹, A. Badelin¹, D. Merkulov¹, S. Estemirova², I. Derzhavin¹

1. Astrakhan State University, Oblast, Russia

2. Institute for Metallurgy, Ural Division of RAS

FR.F-P20 - Low temperature magnetization and Electron Spin Resonance studies in $SrSn_{1-x}Fe_xO_3$ ($x=0.05$ to 0.1)

H. Kumar N.¹, Radhika K.¹

1. Department of Physics, IIT MADRAS, Tamil Nadu, India

FR.F-P21 - Complex magnetic response of $SrSn_{1-x}Fe_xO_3$ -d ($x=0, 0.05$ and 0.08) nano sticks

H. Kumar N.¹, Radhika K.¹

1. Department of Physics, IIT MADRAS, Tamil Nadu, India

FR.F-P22 - Large magnetoresistance in diluted magnetic semiconductors in quasi-two dimensional geometry

I. Kanazawa¹, T. Sasaki¹

1. Department of Physics, Tokyo Gakuji University, Tokyo, Japan

FR.F-P24 - Mössbauer and magnetic study of $Ni_xCo_{1-x}Fe_2O_4$ nanoferrites

J. Msomi¹, B. Ndlovu¹, T. Moyo¹

1. University of Kwazulu-Natal, Durban, South Africa

FR.F-P26 - Magnetic properties of V- and Ta-doped α - Fe_2O_3 films

S.J. Liu¹, L.W. Juang¹, Y.Z. Lin², J.H. Hsieh²

1. Thin Film Laboratory, National Taiwan Normal University, Taipei City, Taiwan

2. Department of Materials Engineering, Mingchi University of Technology, Taipei City, Taiwan

FR.F-P28 - Nanoscale tin oxide undoped and doped by 3-d elements: Synthesis and magnetic properties

D. Nazarov¹, P. Matveeva¹, N. Bobrysheva¹, O. Osmolowskaya¹, V. Smirnov¹, M. Osmolowsky¹

1. Saint Petersburg State University, Institute of Chemistry, Saint Petersburg, Russia

FR.F-P29 - Magnetic anisotropy energy studies in highly Co-doped ZnO by ab initio calculations

A. Lusakowski¹, W. Szuszkiewicz¹

1. Institute of Physics Polish Academy of Sciences, Warsaw, Poland

FR.F-P30 - Magnetic properties of the MOVPE and implanted GaN:Mn films

M. Marysko¹, Z. Sofer², D. Sedmidubsk^{2 2}, J. Hejtmánek¹, K. Jurek¹, V. Laguta¹, J. Stejskal², P. èimek², A. Macková³, V. Havránek³

1. Institute of Physics, ASCR, v.v.i., Prague, Czech Republic

2. Dep. of Inorganic Chemistry, Inst. of Chemical Technology, Prague, Czech Republic

3. Nuclear Physics Institute of the ASCR, v.v.i., Prague, Czech Republic

4. Forschungszentrum Julich, Institute of BioNanosystems, Julich, Germany

5. Faculty of Mathematics and Physics, Charles University, Prague, Czech Republic

6. Peter Grunberg Institute (PG1-9), Julich, Germany

FR.F-P31 - Transport properties in the ferromagnetic semiconductor gadolinium nitride

B. Ruck¹, T. Maity¹, H. Warring¹, E.M. Anton¹, C.M. Lee¹, J. Chan¹, S. Granville¹, F. Natali¹, J. Trodahl¹

1. Victoria University of Wellington, Wellington, New Zealand

H.Surface and interface effects

FR.H-P01 - Magnetoresistive memory with recording by the electric field

A. Morosov¹, A. Sigov², D. Vinokurov²

1. Moscow Institute of Physics and Technology (State University), Moscow, Russia

2. Moscow State Technical University of Radioengineering, Electronics and Automation, Moscow, Russia

FR.H-P02 - Intrinsic magnetoresistance in metal films on ferromagnetic insulators

V. Grigoryan¹, W. Guo¹, J. Xiao¹, G. Bauer^{2,3}

1. Department of Physics and State Key Laboratory of Surface Physics, Fudan University, Shanghai, China

2. Kavli Institute of NanoScience, Delft University of Technology, Delft, The Netherlands



erlands

3. Institute for Materials Research and WPI-AIMR, Tohoku University, Sendai, Japan

FR.H-P03 - Interface influence on the properties of Co₉₀Fe₁₀ films on soft magnetic underlayers - magnetostrictive and Mössbauer spectrometry studies

T. Szumiata¹, M. Gzik-Szumiata¹, K. Brzózka¹, B. Górka¹, M. Gawroński¹, A. Caruana Finkel², N. Reeves-McLaren², N.A. Morley²

1. Department of Physics, Faculty of Mechanical Engineering, University of Technology and Humanities in Radom, Radom, Poland

2. Department of Materials Science and Engineering, University of Sheffield, Sheffield, United Kingdom

FR.H-P07 - Interfacial-scattering-induced enhancement of the anomalous Hall effect in uniform Fe nanocluster-assembled films

D. Peng¹, J. Wang¹, W. Mi², L. Wang¹

1. Department of Materials Science and Engineering, College of Materials, Xiamen University, Xiamen, China

2. Department of Applied Physics, Tianjin University, Tianjin, China

FR.H-P08 - Thermal stability of an interface-stabilized skyrmion lattice

S. Krause¹, A. Sonntag¹, J. Hermenau¹, R. Wiesendanger¹

1. University of Hamburg, Hamburg, Germany

FR.H-P09 - Effect of the ion bombardment on the magnetic and transport properties of space-less manganite/metal pseudo spin valves

K.W. Lin¹, Q. Shao², W. Rong Luo¹, H.F. Wong³, C.W. Leung³, A. Ruotolo²

1. Department of Materials Science and Engineering, National Chung Hsing University, Taichung, Taiwan

2. Department of Physics and Materials Science, City University of Hong Kong, Kowloon, Hong Kong SAR, China

3. Department of Applied Physics and Materials Research Centre, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong, China

FR.H-P10 - Ferromagnetic resonance measurements in sub-nanometer Fe films

H. Mizuno¹, T. Moriyama¹, M. Kawaguchi¹, M. Nagata¹, K. Tanaka¹, T. Koyama², D. Chiba², T. Ono¹

1. Institute for Chemical Research, Kyoto University, Kyoto, Japan

2. The University of Tokyo, Tokyo, Japan

FR.H-P11 - Study on spin-orbit interaction in an MgO/Co/Pd trilayer with annealing

S. Kim^{1,2}, M. Kim¹, J. Ko¹, J. Hong¹

1. Department of Material Science and Engineering, Yonsei University, Seoul, South Korea

2. Institute for Chemical Research, Kyoto University, Tokyo, Japan

FR.H-P12 - Anomalous hall conductivity at uncompensated antiferromagnetic interfaces

K. Nakamura¹, M. Ikuta¹, T. Akiyama¹, T. Ito¹

1. Mie University, Tsu, Japan

FR.H-P13 - Influence of roughness in ultrathin Co/Ni multilayered films with perpendicular magnetic anisotropy: reduction or enhancement?

D. Gopman¹, A. Chen¹, L. Chen², G. Rowlands³, R. Shull¹

1. Materials Science and Engineering Division, NIST, Gaithersburg, United States
2. Center for Nanoscale Science and Technology, NIST, Gaithersburg, United States
3. Applied and Engineering Physics, Cornell University, Ithaca, New York, United States

FR.H-P14 - Probing Co/Pd interfaces by the extraordinary hall effect.

A. Gerber¹, A. Segal¹, G. Winer¹

1. Tel Aviv University, Tel Aviv-Yafo, Israel

FR.H-P15 - Mechanism and control of antiferromagnetic coupling in Fe/Fe₃O₄ junctions

J. Inoue¹, S. Honda¹, H. Yanagihara¹, E. Kita¹, H. Itoh², K. Mibu³

1. Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
2. Department of Pure and Applied Physics, Kansai University, Osaka, Japan
3. Graduate School of Engineering, Nagoya Institute of Technology, Aichi, Japan

FR.H-P16 - Reversed behavior studies of angle-dependent magneto-optical Kerr rotation in magnetic/optical birefringent system

C. Su¹, C. Lin¹, G. Chern¹

1. National Chiayi University, Chiayi City, Taiwan

FR.H-P17 - Reduction of the mean magnetic moment of Ni clusters embedded in Ag

A. García-Prieto^{1,2}, A. Arteché³, F. Aguilera-Granja^{4,5}, M. B. Torres⁶, I. Orue⁷, J. Alonso², L. Fernández Barquín⁸, M. L. Fdez-Gubieda^{2,3}

1. Dpto. Física Aplicada I, Universidad Del País Vasco UPV/EHU, Bilbao, Spain
2. BCMaterials, Derio, Spain
3. Dpto. Electricidad y Electrónica, Universidad del País Vasco UPV/EHU, Leioa, Spain
4. Instituto de Física, Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico
5. DIPIC Donostia International Physics Center, San Sebastián, Spain
6. Dpto. de Matemáticas y Computación, Universidad de Burgos, Burgos, Spain
7. SGIker, Universidad del País Vasco UPV/EHU, Leioa, Spain
8. CITIMAC, Universidad de Cantabria, Santander, Spain

FR.H-P18 - First-principles study on the vertical spin texture of anomalous rashba effect in Ti/Si(111) and Ti/Si(110)

H. Nakano¹, H. Kato¹, M. Obata¹, D. Yoshikawa¹, N. Kitagawa¹, K. Sakamoto², T. Oda^{1,3}

1. Graduate School of Natural Science and Technology, Kanazawa University, Kanazawa, Japan
2. Department of Nanomaterials Science, Chiba University, Chiba, Japan
3. Institute of Science and Engineering, Kanazawa University, Kanazawa, Japan

FR.H-P20 - Magnetoelastic coupling between NiFe thin film and ferroelastic substrate

P. Graczyk^{1,2}, R. Schöfer^{3,4}, A. Trzaskowska¹, B. Mróz^{1,2}



1. Faculty of Physics, Adam Mickiewicz University, Umultowska 85, Poznań 60-208, Poland
2. NanoBioMedical Centre, Adam Mickiewicz University, Umultowska 85, Poznań 60-208, Poland
3. Leibniz Institute for Solid State and Materials Research Dresden, Institute for Metallic Materials, Dresden, Germany
4. Dresden University of Technology, Institute for Materials Science, Dresden, Germany

FR.H-P21 - Magnetic and electric transport properties of $\text{LaFe}_{0.5}\text{Co}_{0.5}\text{O}_3$ perovskite system: effect of annealing temperature

C. A. López ¹, J. Lohr ², M. E. Saleta ³, J. Curiale ⁴, R. D. Sánchez ⁵

1. Instituto de Investigaciones en Tecnología Química - Universidad Nacional de San Luis, Argentina
2. Centro Atómico Bariloche- Comisión Nacional Energía Atómica, Río Negro, Argentina
3. Universidade Estadual de Campinas -UNICAP, Campinas, Brazil
4. Centro Atómico Bariloche- Comisión Nacional Energía Atómica, Río Negro, Argentina
5. Centro Atómico Bariloche- Comisión Nacional Energía Atómica, Río Negro, Argentina

FR.H-P22 - First-principles studies on the electronic and magnetic properties of (001) surfaces of half-heusler $\text{X}(\text{X}=\text{Li and Na})\text{CaB}$

D. Kim ¹, B. Bialek ², J. Il Lee ²

1. Halla University, Wonju-si, South Korea
2. Inha University, Incheon, South Korea

FR.H-P24 - Optical characterization of quantum hall effect devices with a cap layer passivated by silicon monolayers

L. Zamora-Peredo ¹, I. Cortes-Meztizo ¹, L. García-González ¹, J. Hernandez-Torres ¹, I. Martínez-Velaz ¹, M. Perez-Caro ², M. Ramirez-López ², Y. Casallas-Moreno ², Z. Rivera-Álvarez ², A. Conde-gallardo ²

1. Centro de Investigación en Micro y Nanotecnología, Universidad Veracruzana, Xalapa Enriquez, Mexico
2. Departamento de Física, Centro de Investigación y de Estudios Avanzados del IPN, Ciudad de Mexico, Mexico

FR.H-P25 - Electronic reconstructions at manganite interfaces driven by chemical and structural symmetry breaking

D. Pesquera ¹, A. Barla ², F. Bondino ³, E. Magnano ³, M. Valvidares ⁴, J. Herrero ⁴, P. Gargiani ⁴, E. Pellegrin ⁴, N. Dix ¹, F. Sánchez ¹

1. Institut de Ciència de Materials de Barcelona (ICMAB-CSIC), Campus UAB, Bellaterra, Spain
2. Istituto di Struttura della Materia, ISM CNR, Area Science Park Basovizza, Italy
3. IOM-CNR, S.S. 14 km 163.5, Area Science Park Basovizza, Italy
4. ALBA Synchrotron Light Source, Cerdanyola del Valles, Barcelona, Spain

FR.H-P27 - Investigations on interface magnetism of Fe-containing heusler alloy films through mössbauer spectroscopic measurements

K. Mibu ¹, A. Okubo ¹, N. Nakatani ¹, M. Tanaka ¹

1. Nagoya Institute of Technology, Nagoya, Japan

FR.H-P28 - Magnetism of Ru monolayer - first principles calculations -

Y. Kitaoka¹, K. Nakamura², H. Imamura¹

1. National Institute of Advanced Industrial Science and Technology (AIST), Spintronics Research Center, Japan

2. Department of Physics Engineering, Mie University, Tsu, Japan

FR.H-P29 - The influence of interfacial dzyaloshinskii-moriya interaction strength on the magnetic structure of thin films under magnetic field

C. Wu¹, C. Kuo²

1. Department of Physics, Chung Yuan Christian University, Chungli, Taiwan

2. Department of Physics, National Sun Yat-Sen University, Kaohsiung, Taiwan

FR.H-P31 - Magnetic properties of ordered CoO nanostructures on Co/Fe(001)

A. Brambilla¹, A. Picone¹, G. Dario¹, R. Michele¹, G. Berti¹, A. Calloni¹, F. Boschini¹, H. Hedayat¹, E. Carpene², C. Dallera¹

1. Dipartimento Di Fisica, Politecnico di Milano, Milan, Italy

2. IFN-CNR, Dipartimento di Fisica, Politecnico di Milano, piazza Leonardo da Vinci, Milano, Italy

3. Laboratorio TASC, IOM-CNR, Basovizza, Trieste, Italy

FR.H-P33 - Magnetic properties of tetra-phenyl-porphyrins adsorbed on metal surfaces

M. Pranighel¹, G. Di Santo¹, M. Caputo¹, A. Goldoni¹

1. Elettra-Sincrotrone Trieste S.C.p.A., Trieste, Italy

2. Università degli Studi di Trieste, Trieste, Italy

3. Institut Català de Nanociència i Nanotecnologia (ICN2), Campus UAB, Bellaterra, Spain

FR.H-P34 - Magnetic coupling of MnTPP(Cl) molecules to magnetic substrates investigated by X-ray photo-emission electron microscopy

M. Baljovic¹, J. Girovsky¹, M. Buzzi², C. Wöckerlin³, D. Siewert⁴, J. Nowakowski¹, P. M. Oppeneer⁵, F. Nolting², T. A. Jung¹, N. Ballav⁶

1. Laboratory For Micro and Nanotechnology, Paul Scherrer Institute, Villigen, Switzerland

2. Swiss Light Source, Paul Scherrer Institute, Villigen, Switzerland

3. LNS, EPFL, Lausanne, Switzerland

4. University of Basel, Basel, Switzerland

5. Uppsala University, Uppsala, Sweden

6. Indian Institute of Science Education and Research (IISER), Pune, India

I. Measuring techniques and instrumentation

FR.I-P02 - Implementation of broadband magnetic susceptibility meter based on broadband lock-in amplifier techniques

J. Lu¹, C. Guo¹, X. Shao¹, B. Shen¹

1. State Key Laboratory of Magnetism, Institute of Physics, Chinese Academy of Sciences, Beijing, China

FR.I-P03 - Controllable measurements of magnetic hysteresis and Barkhausen noise

A. Stupakov¹, O. Perevertov¹, V. Zablotskii¹

1. Institute of Physics ASCR, Prague, Czech Republic



FR.I-P04 - Resonant X-ray magnetic scattering at helium-3 temperatures in high magnetic fields at beamline P09 at PETRA III at DESY

S. Francoual¹, J. Strempler¹, J. Warren², Y. Liu³, A. Skaugen¹, S. Poli², J. Blume¹, F. Wolff-Fabris⁴, P. Canfield^{5,6}, T. Lograsso^{3,5}

1. Deutsches Elektronen-Synchrotron, Hamburg, Germany

2. Cryogenic Ltd., London, United Kingdom

3. Division of Materials Sciences and Engineering, Ames Laboratory, Ames, Iowa, United States

4. Hochfeld-Magnetlabor Dresden, Helmholtz-Zentrum Dresden-Rossendorf, Dresden, Germany

5. Department of Materials Science and Engineering, Iowa State University, Ames, Iowa, United States

6. Department of Physics and Astronomy, Iowa State University, Ames, Iowa, United States

FR.I-P05 - Measurement of the DC properties of permanent magnets using a Pulsed Field Magnetometer.

M. Hall¹, N. Hillier¹, S. Harmon¹, S. Turner¹

1. National Physical Laboratory, Middlesex, United Kingdom

FR.I-P06 - A giant magneto-impedance magnetometer for magnetic nondestructive detection of corrosion activity

I. a Bardin¹, V. Bautin¹, S. Gudoshnikov¹, B. Ljubimov², N. Ussov²

1. National University of Science and Technology MISiS, Moscow, Russia

2. Pushkov Institute of Terrestrial Magnetism, Ionosphere and Radio Wave Propagation RAS, Oblast, Russia

FR.I-P07 - CAMEA - Continuous angle multiple-energy analysis a novel neutron spectrometer

F. Groitl^{1,2}, D. Graf³, J. Okkels Birk², M. Markó⁴, M. Bartkowiak³, U. Filges³, R. Müller³, C. Niedermayer², C. Rüegg², H. Ronnow¹

1. Laboratory for Quantum Magnetism, École Polytechnique Fédérale de Lausanne, 1015 Lausanne, Switzerland

2. Laboratory for Neutron Scattering and Imaging, Paul Scherrer Institut, Villigen, Switzerland

3. Laboratory for Developments and Methods, Paul Scherrer Institut, Villigen, Switzerland

4. Neutron Spectroscopy Department, Wigner Research Centre for Physics, Budapest, Hungary

FR.I-P08 - Application of electroplated magnetic gratings for high-resolution position sensing

Z. Xu¹, B. Tseng², C. Hung¹, C. Chang², S. Wang³, T. Chin², C. Sung¹

1. Department of Power Mechanical Engineering, National Tsing Hua University, Hsinchu City, Taiwan

2. Department of Materials Science & Engineering, Feng Chia University, Taichung City, Taiwan

3. Department of Mechanical Engineering, National United University, Miaoli County, Taiwan

FR.I-P09 - In-situ magnetic studies on LixCoO2 battery cathodes during



charging/discharging

S. Topolovec¹, H. Kren², G. Klinser¹, S. Koller², H. Krenn³, R. Würschum¹

1. *Institute of Materials Physics, Graz University of Technology, Graz, Austria*

2. *VARTA Micro Innovation GmbH, Graz, Austria*

3. *Institute of Physics, University of Graz, Graz, Austria*

FR.I-P11 - A new bench concept for measuring magnetic fields of big closed structures

J. Campmany¹, J. Marcos¹, V. Massana¹, C. Colldelram¹, L. Ribó¹, F. Becheri¹

1. *CELLS - ALBA Synchrotron, Barcelona, Spain*

FR.I-P12 - New improvements in magnetic measurements laboratory of the ALBA synchrotron facility

J. Campmany¹, J. Marcos¹, V. Massana¹

1. *CELLS - ALBA Synchrotron, Barcelona, Spain*

FR.I-P13 - Magnetic vector potential formulation for stress intensity factor calculation by eddy current testing

S. Harzallah¹, M. Chabaat¹, S. bensaad¹

1. *University of Sciences and Technology Houari Boumediene, Bab Ezzouar, Algeria*

FR.I-P14 - Numerical modeling of Barkhausen magnetic noise

A. Zaoui¹, L. Cherifi¹

1. *Ecole Militaire Polytechnique, Bordj El Bahri, Algeria*

FR.I-P15 - Radiation pressure excitation of low temperature atomic force & magnetic force microscope (LT-AFM/MFM) for imaging

O. Karc²¹, U. Celik¹, Y. Uysalli², H. Ozgur Ozer³, A. Oral²

1. *NanoMagnetics Instruments Ltd., Ivedik, Turkey*

2. *Orta Dogu Teknik Universitesi, Ankara, Turkey*

3. *Istanbul Technical University, Istanbul, Turkey*

FR.I-P16 - 1fm/√Hz Noise Level Low Temperature Atomic Force & Magnetic Force Microscope (LT-AFM/MFM) in 20mK-300K Temperature Range

O. Karc²¹, U. Celik¹, M. Dede¹, A. Oral²

1. *NanoMagnetics Instruments Ltd., Ivedik, Turkey*

2. *Orta Dogu Teknik Universitesi, Ankara, Turkey*

FR.I-P17 - An ultra-low temperature scanning hall probe microscope (SHPM) for magnetic imaging below 40 mK

O. Karc²¹, J. Piatek², P. Jorba², M. Dede¹, H. Ronnow², A. Oral³

1. *NanoMagnetics Instruments Ltd., Ivedik, Turkey*

2. *Laboratory for Quantum Magnetism, Ecole Polytechnique Federale de Lausanne (EPFL), Lausanne, Switzerland*

3. *Orta Dogu Teknik Universitesi, Ankara, Turkey*

FR.I-P18 - Broadband dynamic permeability measurements of a single mi-

chronic ferromagnetic flake

A. Adenot-Engelvin¹, M. Ledieu¹, J. Neige², N. Vukadinovic³

1. CEA Le Ripault, Monts, France

2. Sherbrooke OEM, Sherbrooke, Canada

3. Dassault Aviation, Saint-Claud, France

FR.I-P19 - Nuclear GISAXS superstructure peaks for characterization of antiferromagnetically ordered nanostripes

L. Dzemiantsova^{1,2}, K. Schlage², L. Bocklage^{1,2}, H. Wille², D. Erb², G. Meier^{1,3}, R. Roehlsberger^{1,2}

1. The Hamburg Centre of Ultrafast Imaging, Hamburg, Germany

2. Deutsches Elektronen Synchrotron, Hamburg, Germany

3. Max-Planck Institute for the Structure and Dynamics of Matter, Hamburg, Germany

FR.I-P20 - Investigation of vortex chirality via local hysteresis loops measured by magnetic force microscopy

M. Coisson¹, G. Barrera^{1,2}, F. Celegato¹, A. Manzin¹, F. Vinai¹, P. Tiberto¹

1. INRIM, Torino, Italy

2. University of Torino, Chemistry Department, Torino, Italy

FR.I-P21 - Transversal mapping of Gd concentration in UO₂-Gd₂O₃ nuclear fuel pellets

D. Tobia^{1,2}, E. L. Winkler¹, J. Milano¹, A. Butera¹, R. Kempf³, L. Bianchi⁴, F. Kaufmann⁴

1. Laboratorio de Resonancias Magnéticas, Centro Atómico Bariloche - CNEA and CONICET, 8400 S.C. de Bariloche, Argentina

2. Instituto de Física "Gleb Wataghin", UNICAMP, Campinas (SP), Brazil

3. División Caracterización de Combustibles Avanzados, Gerencia Ciclo Combustible Nuclear, Centro Atómico Constituyentes - CNEA, San Martín, Pcia. de Buenos Aires, Argentina

4. Departamento de Combustibles Avanzados, Gerencia Ciclo Combustible Nuclear, Centro Atómico Constituyentes - CNEA, San Martín, Pcia. de Buenos Aires, Argentina

FR.I-P22 - Diffraction-limited optical imaging of ferroelectricity and magnetism

O. Vlasin¹, B. Casals¹, N. Dix¹, F. Sánchez¹, G. Herranz¹

1. Icmab-Csic, Bellaterra, Spain

FR.I-P24 - Magnetic classification in wet-mode: proofs of concept, and applications.

P. Augusto¹, T. Castelo-Grande², A. M Estevez¹, P. M Costa¹, D. Barbosa², C. Torrente¹

1. APLICAMA - Dep. Chem Engineering - Fac Chem Sciences - Univ Salamanca

2. LEPABE, Departamento de Engenharia Química, Faculdade de Engenharia da Universidade do Porto, Rua Dr. Roberto Frias, Porto, PORTUGAL

FR.I-P26 - Elastic scattering of electron vortex beams through magnetic matter

A. Edström¹, A. Lubk², V. Grillo⁰, J. Rusz¹

1. Uppsala University, Uppsala, Sweden

2. Technische Universität Dresden, Dresden, Germany

3. CNR-Istituto Nanoscienze, Centro S3, Via G. Campi 213/a, Modena, Italy

4. CNR-IMEM Parco Area delle Scienze 37/A, Parma, Italy

FR.I-P27 - A firmware-defined digital direct-sampling NMR spectrometer for condensed-matter physics

M. Pikulski¹, T. Shiroka^{1,2}, H. Rudolf Ott¹, J. Mesot^{1,2}

1. *Laboratorium für Festkörperphysik, ETH Zürich, Zürich, Switzerland*
2. *Paul Scherrer Institut, Villigen, Switzerland*

FR.I-P28 - Quantitative analysis of shadow X-ray magnetic circular dichroism photo-emission electron microscopy

S. Jamet^{1,2}, S. Da-Col^{1,2}, N. Rougemaille^{1,2}, A. Wartelle^{1,2}, A. Locatelli³, T. Onur Mentès³, B. Santos Burgos³, S. Bochmann⁴, J. Bachmann⁴, R. Afid^{1,2}

1. *Univ. Grenoble Alpes, Institut NEEL, Grenoble, France*
2. *CNRS, Institut NEEL, Grenoble, France*
3. *Elettra - Sincrotrone Trieste S.C.p.A., Trieste, Italy*
4. *Univ Erlangen, Department of Chemistry, Germany*

FR.I-P29 - Magnetic moment measurement utilizing single magnetometer and levenberg-marquardt algorithm

M. Nowicki¹, D. Jackiewicz², R. Szewczyk¹

1. *Institute of Metrology and Biomedical Engineering, Warsaw University of Technology, Warsaw, Poland*
2. *Industrial Research Institute for Automation and Measurements, Warsaw, Poland*

FR.I-P30 - In-situ observation for reaction sintering behavior of Bi-Mn alloy in high magnetic fields

D. Miyazaki¹, Y. Mitsui¹, K. Abematsu¹, K. Takahashi², S. Uda², K. Watanabe², K. Koyama¹

1. *Faculty of Science, Kagoshima University, Kagoshima, Japan*
2. *Institute for Materials Research, Tohoku University, Miyagi, Japan*

FR.I-P31 - Development of a rapid temperature scanning system for pulsed magnetic fields and its applications

K. Mochidzuki¹, Y. Kohama¹, K. Kindo¹

1. *International MegaGauss Science Laboratory, The Institute For Solid State Physics, The University of Tokyo, Tokyo, Japan*

FR.I-P32 - Application of thermal expansion and magnetostriction measurements using PPMS

S. Tateno¹, N. Kishii¹, M. Ohashi¹

1. *Kanazawa University, Ishikawa, Japan*

FR.I-P34 - High-frequency ESR measurements of lightly phosphorous doped silicon at low temperatures and their extension to lower temperatures for high B/T ratio

Y. Fujii¹, S. Mitsudo¹, K. Morimoto², T. Mizusaki¹, M. Gwak³, S. Lee³, A. Fukuda⁴, A. Matsubara⁵, T. Ueno⁶, S. Lee⁷

1. *Research Center for Development of Far-Infrared Region, University of Fukui, Fukui, Japan*
2. *Department of Applied Physics, Faculty of Engineering, University of Fukui, Fukui, Japan*

3. *Division of Materials Science, Korea Basic Science Institute (KBSI), Daejeon, Korea*
4. *Department of Physics, Hyogo College of Medicine, Nishinomiya, Japan*
5. *Research Center for Low Temperature and Materials Sciences, Kyoto University, Kyoto, Japan*
6. *Graduate School of Medicine, Kyoto University, Kyoto, Kyoto, Japan*
7. *Department of Physics, Korea Advanced Institute of Science and Technology, Daejeon, Korea*
8. *Wihuri Physical Laboratory, Department of Physics and Astronomy, University of Turku, Turku, Finland*

FR.I-P35 - Jiles-atherton's model parameters as functions of field amplitude and temperature for minor hysteresis loop of ni-zn ferrite

R. Tanaka ¹, T. Shirane ¹

1. *National Institute of Technology, Sendai College, Miyagi, Japan*

FR.I-P36 - Functional properties of newly developed Hall-effect sensors made of graphene

M. Kachniarz ¹, O. Petruk ¹, M. Oszwa | dowski ¹, J. Salach ², T. Ciuk ³, W. Strupiński ³, R. Szweczyk ¹, W. Winiarski ¹

1. *Industrial Research Institute for Automation and Measurements PIAP*
2. *Warsaw University of Technology, Institute of Metrology and Biomedical Engineering, Warsaw, Poland*
3. *Institute of Electronic Materials Technology, Warsaw, Poland*

FR.I-P37 - M-H loop tracer for low frequency measurements: ribbons, powders and wires

J.J. Suñol ⁴, J. Bonastre ¹, I. Santandreu ², Ll. Escoda ³

1. *University of Girona, Girona, Spain*

FR.I-P38 - Hexapod Hall scanner for high-resolution magnetic imaging

G. K. Perkins ¹, M. Kustov ¹, L. F. Cohen ¹

1. *Blackett Laboratory, Imperial College London, London, United Kingdom*

FR.I-P39 - Discrete inverse transformation for eddy-current tomography based on whitney finite edge element method

P. Nowak ¹, R. Szweczyk ², M. Urbanski ², J. Ruokolainen ³, P. Raback ³

1. *Industrial Research Institute for Automation and Measurements PIAP, Al.Jerozolimskie, Warsaw, Poland*
2. *Institute of Metrology and Biomedical Engineering, Warsaw University of Technology, Warsaw, Poland,*
3. *CSC - IT Center for Science, Espoo, Finland*

FR.I-P40 - Comparison of different geometries for membrane based AC calorimeters

M. Bratko ¹, D. Caplin ¹, L.F. Cohen ¹, Y.V. Bugoslavsky ²

1. *Imperial College London, United Kingdom*
2. *Cryogenic Limited, London, United Kingdom*

FR.I-P41 - Magnetometry based on asymmetric coupled mechanical oscillators



T. Mühl¹, J. Körner¹, C. F. Reiche¹, B. Büchner⁰

1. IFW Dresden, Dresden, Germany

2. Institut für Festkörperphysik, Dresden, Germany

FR.I-P42 - Surface flaws detection in low conductivity titanium alloys using magnetoresistive devices

F. Franco¹, F. Cardoso¹, L. Rosado⁰, R. Ferreira⁴, S. Cardoso^{1,2}, P. Freitas⁰

1. INESC - Microsistemas E Nanotecnologias

2. Instituto Superior Técnico, Universidade de Lisboa

3. INESC - Investigação e Desenvolvimento

4. International Iberian Nanotechnology Laboratory

FR.I-P43 - Local magnetic measurements in multi-layered nanowires observed by electron holography

D. Reyes¹, C. Gatel^{1,2}, N. Biziere¹, T. Wade³, B. Warot-Fonrose¹

1. CEMES-CNRS, Toulouse, France

2. Université Paul Sabatier, Toulouse, France

3. LSI, \square cole Polytechnique, Palaiseau, France

FR.I-P44 - Highly sensitive very low temperature and high field faraday magnetometer

O. Florea¹, E. Lhotel¹, J. Mocellin¹, Y. Launay¹, S. Dufresnes¹

1. Institut Neel, Grenoble, France

FR.I-P45 - Sub-nanosecond time-resolved scanning magneto-optical microscope utilizing near-field optics

J. Rudge¹, H. Xu¹, J. Kolthammer¹, Y. Hong², B. Choi¹

1. Dept. of Physics and Astronomy, University of Victoria, Saanich, Canada

2. Dept. of Electrical and Computer Engineering, University of Alabama, Tuscaloosa, United States

FR.I-P46 - Oxide wizard as a new tool to probe magnetic properties at the nanoscale.

P. Torruella¹, L. Yedra¹, E. Xuriguera², M. Estrader³, A. López-Ortega⁴, M. Baró⁵,

J. Nogués⁶, M. Roldan⁷, M. Varela⁷, S. Estradé¹

1. Dept. Electrónica, Universitat de Barcelona, Barcelona, Spain

2. Dept. Ingeniería Química, Universitat de Barcelona, Barcelona, Spain

3. Dept. Química Inorgánica, Universitat de Barcelona, Barcelona, Spain

4. Dipt. di Chimica, Università degli Studi di Firenze, Florence, Italy

5. Dept. Física, Universitat Autònoma de Barcelona, Barcelona, Spain

6. Institut Català de Nanociència i Nanotecnologia

7. Dept. Física Aplicada III, Universidad Complutense de Madrid, Madrid, Spain

FR.I-P47 - Probing nano- and micro- magnetism with very small angle neutron scattering instrument KWS-3

Z. Fu¹, V. Pipich¹, K. Ono², S. Siegfried³, T. Brückel⁴

1. Forschungszentrum Jülich GmbH, Jülich, Germany

2. High Energy Accelerator Research Organization (KEK), Ibaraki, Japan

3. Helmholtz Zentrum Geesthacht, Geesthacht, Japan

4. Forschungszentrum Jülich GmbH, Jülich, Germany

FR.I-P48 - Software development for investigating magneto-optical and non-linear effects in nanofluids

R. Srinivasan¹, C. Pai¹, S. Mohan^{1,3}, N. Momin¹, Muthurajan H.², Nagarajan R.³

1. *Department of Physics, University of Mumbai, Mumbai, India*

2. *Centre for Nanoscience and Nanotechnology, University of Mumbai, Mumbai, India*

3. *UM-DAE Centre for Excellence in Basic Sciences, University of Mumbai, Mumbai, India*

FR.I-P49 - Three axis vector magnet for low temperature magnetic imaging

J. Azpeitia^{1,2,3}, R. F. Luccas^{1,2,3}, M. Rocci^{3,4}, C. León^{3,4}, J. Santamaría^{3,4}, M. García-Hernández^{1,2,3}, C. Munuera^{1,2,3}, H. Suderow^{2,5}

1. *Instituto de Ciencia de Materiales de Madrid, Consejo Superior de Investigaciones Científicas (ICMM-CSIC), Madrid, Spain*

2. *Unidad Asociada de Bajas Temperaturas y Altos Campos Magnéticos, UAM-CSIC, Cantoblanco, Madrid, Spain*

3. *Unidad Asociada de Laboratorio de Heteroestructuras con aplicación en Spintrónica, UCM-CSIC, Cantoblanco, Madrid, Spain*

4. *Departamento de Física Aplicada III, Universidad Complutense, Ciudad Universitaria, Madrid, Spain*

5. *Laboratorio de Bajas Temperaturas, Departamento de Física de la Materia Condensada, Instituto de Ciencia de Materiales Nicolás Cabrera, Condensed Matter Physics Center (IFIMAC), Facultad de Ciencias Universidad Autónoma de Madrid, Madrid, Spain*

FR.I-P50 - Using of ambient magnetic field information in diagnosis of electric motor

P. Szulim¹, S. Gontarz¹

1. *Warsaw University of Technology, Institute of Vehicles, Warsaw, Poland*

FR.I-P51 - Passive identification of magneto-mechanical phenomena in process of fatigue of steel and cast

S. Gontarz¹, J. Dybala¹, P. Szulim¹

1. *Warsaw University of Technology, Institute of Vehicles, Warsaw, Poland*



Exhibition


Booths are located in the Exhibition Area (Level 0). Attendees are encouraged to spend time visiting the booths and interacting with the exhibitors.

Commercial Exhibition Schedule:

July, 6th 09:00h - 19:30h
July, 7th 09:00h - 19:30h
July, 8th 09:00h - 18:00h
July, 9th 09:00h - 18:00h
July, 10th 09:00h - 18:00h

Exhibition Dismantling


July, 10th 18:30h - 20:00h



Stand 3: Cryogenic
Stand 4: Attocube
Stand 5: Zurich Instruments
Stand 6: Lake Shore
Stand 10 & 11: LOT
Stand 12: Cambridge University Press
Stand 13: IOP publishing

Stand 28: Oxford University Press
Stand 29: Alba
Stand 30: NanoMagnetics
Stand 31: SPECS
Stand 32: NT-MDY
Stand 33: Oxford Instruments
Stand 34: Elsevier

Venue Layout



General Information

Venue

Palau de Congressos de Catalunya
Av. Diagonal 671, Barcelona

The venue is easily accessible:

- By subway: Line 3 (Green line) - Zona Universitaria Station
- By bus: Lines 33 & H6

Registration

The registration area is located in the main hall of the Palau de Congressos de Catalunya.

Opening hours

July, 5th 13:00h - 18:00h
July, 6th 09:00h - 19:30h
July, 7th 09:00h - 19:30h
July, 8th 09:00h - 13:30h
July, 9th 09:00h - 19:30h
July, 10th 09:00h - 18:00h

Participants `registration fee includes:

- Admission to the Scientific Programme
- Admission to the Industry Exhibition
- Coffee breaks from Monday 6th to Friday 10th
- Welcome drink on Sunday 5th
- Conference bag

Conference Bags pick up

Upon presenting yourself at the registration desk, you will receive your name badge and a voucher for the conference bag. You have to pick up your conference bag at the desk in front of the registration area

Certificate of attendance

All the certificates will be sent by email after the conference

Food & Beverages

Coffee Breaks

Coffee breaks will be served at the Exhibition Area

Monday: 11:30h to 12:00h and 16:45h to 17:15h

Tuesday: 11:30h to 12:00h and 16:45h to 17:15h

Wednesday: 11:00h to 11:30h

Thursday: 11:00h to 11:30h and 16:45h to 17:15h

Friday: 10:30h to 11:00h and 16:45h to 17:15h

Lunch is not included. A Cafeteria with drinks, snacks and sandwiches available will be open every day from 09.00 to 18.00. The cafeteria is located at level -1.

Internet Access

There is free wi-fi internet access at the conference venue.
Password: ICM2015BCN

Tourist information desk

A tourist information desk will be located at the main hall, next to the registration area. The friendly staff can offer helpful advice and information to help you make the most of your trip to Barcelona. You can pick up free brochures and maps.

Cloakroom

The cloakroom will be located in the main hall so that you could keep your luggage during the conference.

APP

Download the free ICM2015 app and repare your congress experience. View the most updated scientific programme, search for sessions, create your personal programme, make your own "to do" list and take notes and receive the latest news.

Posters in my pocket

The ICM2015 propose to the attendants a free app that allows you to download scientific posters directly onto your smart phone. Download Poster in my Pocket, scan or enter a code and within seconds have a crisp clear replica of the poster on your mobile.

Author's information

Oral presentations guidelines

All meeting rooms will be equipped for PowerPoint projection only. Speakers and presenting authors are kindly requested to deliver their presentations to the technicians located in the speakers room (located at Level -1) preferably the day before their presentation or at least one hour before the scheduled session.

Poster presentations guidelines

Posters will be displayed in the Exhibition Hall. Posters should be posted by 08.30 and dismantled after 19.30 on the allotted date. The secretariat will not be held liable for any lost or damaged posters. All poster presenters are encouraged to be at their poster panels for discussion with the participants during the time. All posters will be eligible for nomination for the best poster awards in each day.

The material to fix the posters to the panels will be available in the poster area.

Social Events

Welcome drink

Date: Sunday, 5th July

Time: 17.00h - 18.00h

Location: Palau de Congressos de Catalunya's Gardens

This social event is included in the Delegate Registration and in the Accompanying Person Registration

Spanish Night

Date: Thursday, 9th July

Time: 21.00h - 23.00h

Location: Poble Espanyol

Avinguda del Marquès de Comillas, 13

08038 Barcelona, Spain

Dress code: Casual

How to get there:

Metro: Line 1 / Line 3 - (Espanya station)

Bus: Line 13, 23 & 150

Walking: From Plaça d'Espanya you can walk. It may take around 20min

Note: Please note that transport to the Spanish Night site is not provided by the organization.

Important: If you have registered for the Spanish Night, you will receive a voucher for the event when you get your name tag. Please make sure you bring the voucher to the event.

About Barcelona

Barcelona is a dynamic, welcoming city and one of the major economic and business centers of the Mediterranean Europe. The Catalan capital has a modern hotel infrastructure and boasts first rate shops and leisure, cultural and tourist attractions; all these traits have made Barcelona a first class tourist destination, and the ideal place for meetings and congresses. Barcelona enjoys a Mediterranean climate with mild, sunny winters, warm summers and relatively low rain fall. Temperatures during July are usually hot (25 to 30 degrees Celsius).

Taxis

Taxis in Barcelona may be ordered by phone, picked up at authorized taxi stands or flagged down in the street. Taxis must usually be paid in cash though some accept credit cards.

Radio Taxi: +34 933 03 30 33

Taxi for disabled people: +34 935 51 93 68

Commercial opening times

Opening times for banks: In general, banks and savings banks open from 08:30 to 14:00 from Monday to Friday. There is an extended cash-point machines all over the city. Shopping centers are open Monday – Saturday from 10:00 - 22:00.

Useful telephones

For emergencies: 112

Municipal Police: 092

Bus station: +34 934 913 183

RENFE (Spanish railway): Customer Service + 34 902 320 320

Barcelona Airport: +34 902 40 47 04

Technical Secretariat:



Pl. Europa, 17-19 1st Floor
08908 L' Hospitalet del Llobregat - Barcelona
Telf.: +34 93 882 38 78
E-mail: icm2015@barcelocongresos.com