

Editorial

Ercan E. Kuruoglu

*Istituto di Scienza e Tecnologie dell'Informazione "A. Faedo" (ISTI), Area della ricerca CNR di Pisa,
via G. Moruzzi 1, 56124 Pisa, Italy
Email: kuruoglu@isti.cnr.it*

Carlo Baccigalupi

*Scuola Internazionale Superiore di Studi Avanzati (SISSA/ISAS), via Beirut 4, 34014 Trieste, Italy
Email: bacci@sissa.it*

We live in an epoch where the frontiers of our investigation and comprehension of fundamental physics depend largely on the light coming from the sky, that is, on the study of galactic and extra-galactic radiation. Watching the sky, in principle, we have access to the highest energies conceivable, generated by the laws of nature in extreme conditions, such as nearby black holes or even close to the origin of the universe itself. For example, in the microwave band, the extra-Galactic radiation is dominated by a markedly isotropic component, obeying a black body spectrum characterized by a temperature of about 2.726 Kelvin. That is the relic of the Big Bang, originated just 300 000 years after the initial starting point of the universe. This radiation, namely the cosmic microwave background (CMB) radiation, today is the most important observable we have to access the mysterious physics of the Big Bang itself. The latter is telling us about the unknown fundamental interactions and particles, the physics of spacetime, and the nature of quantum gravity, and represents the only way to address those issues in physics today. Electronics hardware technology has reached in these very recent years the capability to study the tiniest details of the CMB, carrying the image of the primordial stage of cosmic geometry, structure, and composition. Such a fantastic challenge is ongoing in this very moment, while several CMB detectors are operating and advanced probes are being designed for the forthcoming decades.

Many breakthroughs in physics are made possible by the use of the most advanced data analysis techniques. The present datasets obtained in astrophysical and cosmological observations are huge, and cover the entire electromagnetic spectrum, dealing with very different processes, from gamma and X-rays of the high-energy astrophysics of compact stars or black holes, to the microwave and infrared emission from the whole large-scale universe. This variety of the observational techniques and signals to deal with represents a

formidable challenge for signal processing. We need state-of-the-art techniques that can analyse, summarise, and extract the necessary information from this ocean of data.

To continue with the example above, the microwave sky is dominated by the CMB radiation, but several processes contribute to the total emission, coming for instance from all the processes occurring along the line of sight, such as the emission from other galaxies or clusters of those, as well as from the diffuse gas in our own Galaxy. Each of these processes are most relevant in different contexts in astrophysics and cosmology. Recently, the astrophysics field has benefited a great deal from the rich research work going on source separation in the signal processing field. Source separation aims at the recovery of the various different components from the multi-band observations exploiting the differences between them, induced by their independent physical origins.

Despite the mutual interest, the two disciplines suffer from lack of a common publication ground, implying that the results produced in one of them are not immediately visible in the other. The aim of the present issue is to provide a unified platform that would strengthen the bridge between signal processing and astrophysics and cosmology and enable the sharing of information. We would like to provide astrophysicists and cosmologists with a spectrum of the most advanced signal processing techniques and the signal processing community an exposure to various vital real problems in analysing astrophysics data that await solution. Finally, our aim is to provide a reference for present and future literature, in the widest possible context, accounting for various applications and algorithms proposed. Indeed, as the reader may see, the topics we collected range from solar physics, thus on the scale of stars, to the reconstruction of the most ambitious signal from the Big Bang, with the reconstruction of the CMB pattern on all sky. The methods presented in the issue range from transform domain analysis of such wavelets to data mining techniques.

We start the special issue with four papers addressing the problem of separating components in astrophysical radiation maps which is a very hot problem due to the recent availability of WMAP satellite radiation maps and the future Planck satellite mission. The first paper on the problem is by Bedini et al. who consider the separation of components which are mutually dependent, therefore differing from classical ICA approaches. Therefore the paper also houses novelties from a signal processing point of view. The second paper in the sequel, by Forni and Aghanim, considers a more specific problem, namely the separation of kinetic SZ signal from primary CMB fluctuations. The next paper, by López-Cañiego et al., provides instead a technique based on Bayesian detection theory for the separation of point sources from the rest of the astrophysical radiation map. Moudden et al., in contrast to these works, consider separation in the transform domain. In particular, they propose a new separation method in the wavelet space.

A related paper, by Starck et al., again in the wavelet methodological frame follows: it analyses the spatial distribution of the galaxies by multiscale methods. Jin et al. also concentrate their efforts on the analysis of the statistical distribution of the CMB utilising wavelet transform, with the particular aim of detecting non-Gaussianity. Continuing with transform domain analysis techniques, closely related to wavelet ideas, Thiebaut and Roques present time-frequency analysis techniques applied to irregularly sampled astronomical time series.

Astrophysical images are obtained by mechanisms far from perfect and the images are corrupted with noise and are blurred by the cameras' limited resolution and may be distorted by nonlinearities in the cameras. Lantéri and Theys provide a technique for the restoration of the images in the case of Poisson data and additive Gaussian noise.

Recent satellite missions have provided us with vast amounts of data. Therefore, it is of paramount importance to build efficient indexing methods and equally design data mining methods to recover information from big databases. To this end, Frailis et al. propose a multidimensional indexing method. Again due to the vast amount of data available, it is important to be able to store them in an economic way. Lastri et al. suggest a new compression technique which is virtually lossless.

Bratsolis tackles the problem of classification of astrophysical images and his paper gives a flavour of the application of neural-network-based techniques to the problem. Flitti et al. deal with the problem of 3D segmentation and present a new technique which they apply on real data. Wilson et al. present the adaptive DFT-based interferometer tracking algorithm they have designed.

While most of the works presented here are on cosmological problems of dimensions, surely solar science, in which important developments take place, is also in the interest area of the issue. In particular, Zharkov et al. present a detailed system for the automated recognition of sunspots. They use a combination of elaborate morphological operators which make the paper interesting also from an image processing point of view.

Lastly, to add a flavour of implementation issues of digital signal processing systems for astrophysical tasks we included a work by Belbachir et al. who describe a DSP system for infrared astronomy that implements a combination of lossy and lossless compression.

We would like to thank all of the authors who contributed to this issue for their very interesting work. We are very grateful to the referees who gave their time and energy in the review process and contributed immensely to the value of this issue. Finally, we would like to thank the Editor-in-Chief Dr. Moonen and the EURASIP JASP staff for helping us at every stage of the creation of this issue. We do hope that the reader will find the issue useful, interesting, and inspirational.

*Ercan E. Kuruoglu
Carlo Baccigalupi*

Ercan E. Kuruoglu was born in Ankara, Turkey, in 1969. He obtained his B.S. and M.S. degrees both in electrical and electronics engineering from Bilkent University in 1991 and 1993, respectively. He completed his graduate studies with M.Phil. and Ph.D. degrees in information engineering at the Cambridge University, in the Signal Processing Laboratory, in 1995 and 1998, respectively. Upon graduation from Cambridge, he joined the Xerox Research Center in Cambridge as a permanent member of the Collaborative Multimedia Systems Group.

After two years in Xerox, he won an ERCIM fellowship which he spent in INRIA-Sophia Antipolis, France, and IEI CNR, Pisa, Italy. In January 2002, he joined ISTI-CNR, Pisa, as a permanent member. His research interests are in statistical signal processing and information and coding theory with applications in image processing, astronomy, telecommunications, intelligent user interfaces, and bioinformatics. He is currently on the Editorial Board of Digital Signal Processing and an Associate Editor for the IEEE Transactions on Signal Processing. He was the Guest Editor for a special issue of the Signal Processing Journal on "Signal Processing with Heavy-tailed Distributions," December 2002. He is the Special Sessions Chair for EURASIP European Signal Processing Conference, EUSIPCO 2005, and is the Technical Chair for EUSIPCO 2006. He is also a Member of the IEEE Technical Committee on Signal Processing Theory and Methods. He has more than 50 publications and holds 5 US, European, and Japanese patents.



Carlo Baccigalupi is currently an Assistant Professor at SISSA/ISAS. He is a member of the Planck and EBEx cosmic microwave background (CMB) polarization experiment. In Planck, he is leading the working group on component separation, and in EBEx he is responsible for the control of the foreground polarized contamination to the CMB radiation. He is the author of about 40 papers on refereed international scientific review, on topics ranging from the theory of gravity to CMB data analysis. He is teaching linear cosmological perturbations and CMB anisotropies courses for the Astroparticle Ph.D. course at SISSA.



He is involved in long-term international projects. The most important ones are the Long-term Space Astrophysics funded by NASA for the duration of five years, on component separation on COBE, WMAP, and future CMB experiments, and a one-year mercator professorship to be carried out in the University of Heidelberg in the academic year 2005/2006.

Special Issue on Advances in Blind Source Separation

Call for Papers

Almost every multichannel measurement includes mixtures of signals from several underlying sources. While the structure of the mixing process may be known to some degree, other unknown parameters are necessary to demix the measured sensor data. The time courses of the source signals and/or their locations in the source space are often unknown a priori and can only be estimated by statistical means. In the analysis of such measurements, it is essential to separate the mixed signals before beginning postprocessing.

Blind source separation (BSS) techniques then allow separation of the source signals from the measured mixtures. Many BSS problems may be solved using independent component analysis (ICA) or alternative approaches such as sparse component analysis (SCA) or nonnegative matrix factorization (NMF), evolving from information theoretical assumptions that the underlying sources are mutually statistically independent, sparse, smooth, and/or nonnegative.

The aim of this special issue is to focus on recent developments in this expanding research area.

The special issue will focus on one hand on theoretical approaches for single- and multichannel BSS, evolving from information theory, and especially on nonlinear blind source separation methods, and on the other hand on their currently ever-widening range of applications such as brain imaging, image coding and processing, dereverberation in noisy environments, and so forth.

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	October 1, 2005
Acceptance Notification	February 1, 2006
Final Manuscript Due	May 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Scott Makeig, Swartz Center for Computational Neuroscience, Institute for Neural Computation, University of California, San Diego, La Jolla, CA 92093-0961, USA; smakeig@ucsd.edu

Andrzej Cichocki, Laboratory for Advanced Brain Signal Processing, Brain Science Institute, The Institute of Physical and Chemical Research (RIKEN), 2-1 Hirosawa, Wako, Saitama 351-0198, Japan; cia@brain.riken.go.jp

Frank Ehlers, Federal Armed Forces Underwater Acoustics and Marine Geophysics Research Institute, Klausdorfer Weg 2-24, 24148 Kiel, Germany; frankehlers@ieee.org

Special Issue on Tracking in Video Sequences of Crowded Scenes

Call for Papers

Object tracking in live video is an enabling technology that is in strong demand by large application sectors, such as video surveillance for security and behavior analysis, traffic monitoring, sports analysis for enhanced TV broadcasting and coaching, and human body tracking for human-computer interaction and movie special effects.

Many techniques and systems have been developed and demonstrated for tracking objects in video sequences. The specific goal of this special issue is to provide a status report regarding the state of the art in object tracking in crowded scenes based on the video stream(s) of one or more cameras. The objects can be people, animals, cars, and so forth. The cameras can be fixed or moving. Moving cameras may pan, tilt, and zoom in ways that may or may not be communicated to the tracking system.

All papers submitted must address at least the following two issues:

- Processing of live video feeds

For many applications in surveillance/security and TV sports broadcasting, the results of processing have value only if they can be provided to the end user within an application-defined delay. The submitted papers should present algorithms that are plausibly applicable to such incremental (“causal”) processing of live video feeds, given suitable hardware.

- Handling of crowded scenes

Crowded-scene situations range from relatively simple (e.g., players on a planar field in a soccer match) to very difficult (e.g., crowds on stairs in an airport or a train station). The central difficulties in crowded scenes arise from the constantly changing occlusions of any number of objects by any number of other objects.

Occlusions can be resolved to some degree using a single video stream. However, many situations of occlusion are more readily resolved by the simultaneous use of several cameras separated by wide baselines. In addition to resolving ambiguities, multiple cameras also ease the exploitation of 3D structure, which can be important for trajectory estimation or event detection.

Topics of interest include principles and evaluation of relevant end-to-end systems or important components thereof, including (but not limited to):

- Handling of occlusions in the image plane in single-camera scenarios
- Handling of occlusions in a world coordinate system (3D, possibly degenerated to 2D) in single- or multi-camera scenarios
- Fusion of information from multiple cameras and construction of integrated spatiotemporal models of dynamic scenes
- 3D trajectory estimation
- Tracking of multiple rigid, articulated, or nonrigid objects
- Automatic recovery of camera pose from track data
- Detection and recognition of events involving multiple objects (e.g., offside in soccer)

Papers must present a thorough evaluation of the performance of the system or method(s) proposed in one or more application areas such as video surveillance, security, sports analysis, behavior analysis, or traffic monitoring.

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	October 1, 2005
Acceptance Notification	February 1, 2006
Final Manuscript Due	May 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Jacques G. Verly, Department of Electrical Engineering and Computer Science, University of Liège (ULg), Sart Tilman, Building B28, 4000 Liège, Belgium; jacques.verly@ulg.ac.be



John MacCormick, Microsoft Research, Silicon Valley,
1065 La Avenida Mountain View, CA 94043, USA;
jmacc@microsoft.com

Stephen McKenna, Division of Applied Computing, Uni-
versity of Dundee, Dundee DD1 4HN, Scotland, UK;
stephen@computing.dundee.ac.uk

Justus H. Piater, Department of Electrical Engineering and
Computer Science, University of Liège (ULg), Sart Tilman,
Building B28, 4000 Liège, Belgium; justus.piater@ulg.ac.be

Special Issue on

Advances in Subspace-Based Techniques for Signal Processing and Communications

Call for Papers

Subspace-based techniques have been studied extensively over the past two decades and have proven to be very powerful for estimation and detection tasks in many signal processing and communications applications. Such techniques were initially investigated in the context of super-resolution parametric spectral analysis and the related problem of direction finding. During the past decade or so, new potential applications have emerged, and subspace methods have been proposed in several diverse fields such as smart antennas, sensor arrays, system identification, time delay estimation, blind channel estimation, image segmentation, speech enhancement, learning systems, and so forth.

Subspace-based methods not only provide new insight into the problem under investigation but they also offer a good trade-off between achieved performance and computational complexity. In most cases they can be considered as low cost alternatives to computationally intensive maximum likelihood approaches.

The interest of the signal processing community in subspace-based schemes remains strong as is evident from the numerous articles and reports published in this area each year. Research efforts are currently focusing on the development of low-complexity adaptive implementations and their efficient use in applications, numerical stability, convergence analysis, and so forth.

The goal of this special issue is to present state-of-the-art subspace techniques for modern applications and to address theoretical and implementation issues concerning this useful methodology.

Topics of interest include (but are not limited to):

- Efficient and stable subspace estimation and tracking methods
- Subspace-based detection techniques
- Sensor array signal processing
- Smart antennas
- Space-time, multiuser, multicarrier communications
- System identification and blind channel estimation
- State-space model estimation and change detection
- Learning and classification

- Speech processing (enhancement, recognition)
- Biomedical signal processing
- Image processing (face recognition, compression, restoration)

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	October 1, 2005
Acceptance Notification	February 1, 2006
Final Manuscript Due	May 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Kostas Berberidis, University of Patras, 26500 Patras, Greece; berberid@ceid.upatras.gr

Benoit Champagne, McGill University, Québec, Canada H3A 2T5; champagne@ece.mcgill.ca

George V. Moustakides, University of Thessaly, 38221 Volos, Greece; moustaki@uth.gr

H. Vincent Poor, Princeton University, Princeton, NJ 08544, USA; poor@princeton.edu

Peter Stoica, Uppsala University, 75105 Uppsala, Sweden; peter.stoica@it.uu.se

Special Issue on Image Perception

Call for Papers

Perception is a complex process that involves brain activities at different levels. The availability of models for the representation and interpretation of the sensory information opens up new research avenues that cut across neuroscience, imaging, information engineering, and modern robotics.

The goal of the multidisciplinary field of perceptual signal processing is to identify the features of the stimuli that determine their “perception,” namely “a single unified awareness derived from sensory processes while a stimulus is present,” and to derive associated computational models that can be generalized.

In the case of vision, the stimuli go through a complex analysis chain along the so-called “visual pathway,” starting with the encoding by the photoreceptors in the retina (low-level processing) and ending with cognitive mechanisms (high-level processes) that depend on the task being performed.

Accordingly, low-level models are concerned with image “representation” and aim at emulating the way the visual stimulus is encoded by the early stages of the visual system as well as capturing the varying sensitivity to the features of the input stimuli; high-level models are related to image “interpretation” and allow to predict the performance of a human observer in a given predefined task.

A global model, accounting for both such bottom-up and top-down approaches, would enable the automatic interpretation of the visual stimuli based on both their low-level features and their semantic content.

Among the main image processing fields that would take advantage of such models are feature extraction, content-based image description and retrieval, model-based coding, and the emergent domain of medical image perception.

The goal of this special issue is to provide original contributions in the field of image perception and modeling.

Topics of interest include (but are not limited to):

- Perceptually plausible mathematical bases for the representation of visual information (static and dynamic)
- Modeling nonlinear processes (masking, facilitation) and their exploitation in the imaging field (compression, enhancement, and restoration)

- Beyond early vision: investigating the pertinence and potential of cognitive models (feature extraction, image quality)
- Stochastic properties of complex natural scenes (static, dynamic, colored) and their relationships with perception
- Perception-based models for natural (static and dynamic) textures. Theoretical formulation and psychophysical validation
- Applications in the field of biomedical imaging (medical image perception)

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	December 1, 2005
Acceptance Notification	April 1, 2006
Final Manuscript Due	July 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Gloria Menegaz, Department of Information Engineering, University of Siena, Siena, Italy; menegaz@dii.unisi.it

Guang-Zhong Yang, Department of Computing, Engineering Imperial College London, London, UK; gzy@doc.ic.ac.uk

Maria Concetta Morrone, Università Vita-Salute San Raffaele, Milano, Italy; concetta@in.cnr.it

Stefan Winkler, Genista Corporation, Montreux, Switzerland; stefan.winkler@genista.com

Javier Portilla, Department of Computer Science and Artificial Intelligence (DECSAI), Universidad de Granada, Granada, Spain; javier@decsai.ugr.es

Special Issue on Music Information Retrieval Based on Signal Processing

Call for Papers

The main focus of this special issue is on the application of digital signal processing techniques for music information retrieval (MIR). MIR is an emerging and exciting area of research that seeks to solve a wide variety of problems dealing with preserving, analyzing, indexing, searching, and accessing large collections of digitized music. There are also strong interests in this field of research from music libraries and the recording industry as they move towards digital music distribution. The demands from the general public for easy access to these music libraries challenge researchers to create tools and algorithms that are robust, small, and fast.

Music is represented in either encoded audio waveforms (CD audio, MP3, etc.) or symbolic forms (musical score, MIDI, etc.). Audio representations, in particular, require robust signal processing techniques for many applications of MIR since meaningful descriptions need to be extracted from audio signals in which sounds from multiple instruments and vocals are often mixed together. Researchers in MIR are therefore developing a wide range of new methods based on statistical pattern recognition, classification, and machine learning techniques such as the Hidden Markov Model (HMM), maximum likelihood estimation, and Bayes estimation as well as digital signal processing techniques such as Fourier and Wavelet transforms, adaptive filtering, and source-filter models. New music interface and query systems leveraging such methods are also important for end users to benefit from MIR research.

Although research contributions on MIR have been published at various conferences in 1990s, the members of the MIR research community meet annually at the International Conference on Music Information Retrieval (ISMIR) since 2000.

Topics of interest include (but are not limited to):

- Automatic summarization (succinct representation of music)
- Automatic transcription (audio to symbolic format conversion)
- Music annotation (semantic analysis)
- Music fingerprinting (unique identification of music)
- Music interface
- Music similarity metrics (comparison)

- Music understanding
- Musical feature extraction
- Musical styles and genres
- Optical music score recognition (image to symbolic format conversion)
- Performer/artist identification
- Query systems
- Timbre/instrument recognition

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	December 1, 2005
Acceptance Notification	April 1, 2006
Final Manuscript Due	July 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Ichiro Fujinaga, McGill University, Montreal, QC, Canada, H3A 2T5; ich@music.mcgill.ca

Masataka Goto, National Institute of Advanced Industrial Science and Technology, Japan; m.goto@aist.go.jp

George Tzanetakis, University of Victoria, Victoria, BC, Canada, V8P 5C2; gtzan@cs.uvic.ca

Special Issue on Visual Sensor Networks

Call for Papers

Research into the design, development, and deployment of networked sensing devices for high-level inference and surveillance of the physical environment has grown tremendously in the last few years.

This trend has been motivated, in part, by recent technological advances in electronics, communication networking, and signal processing.

Sensor networks are commonly comprised of lightweight distributed sensor nodes such as low-cost video cameras. There is inherent redundancy in the number of nodes deployed and corresponding networking topology. Operation of the network requires autonomous peer-based collaboration amongst the nodes and intermediate data-centric processing amongst local sensors. The intermediate processing known as in-network processing is application-specific. Often, the sensors are untethered so that they must communicate wirelessly and be battery-powered. Initial focus was placed on the design of sensor networks in which scalar phenomena such as temperature, pressure, or humidity were measured.

It is envisioned that much societal use of sensor networks will also be based on employing content-rich vision-based sensors. The volume of data collected as well as the sophistication of the necessary in-network stream content processing provide a diverse set of challenges in comparison with generic scalar sensor network research.

Applications that will be facilitated through the development of visual sensor networking technology include automatic tracking, monitoring and signaling of intruders within a physical area, assisted living for the elderly or physically disabled, environmental monitoring, and command and control of unmanned vehicles.

Many current video-based surveillance systems have centralized architectures that collect all visual data at a central location for storage or real-time interpretation by a human operator. The use of distributed processing for automated event detection would significantly alleviate mundane or time-critical activities performed by human operators, and provide better network scalability. Thus, it is expected that video surveillance solutions of the future will successfully utilize visual sensor networking technologies.

Given that the field of visual sensor networking is still in its infancy, it is critical that researchers from the diverse disciplines including signal processing, communications, and electronics address the many challenges of this emerging field. This special issue aims to bring together a diverse set of research results that are essential for the development of robust and practical visual sensor networks.

Topics of interest include (but are not limited to):

- Sensor network architectures for high-bandwidth vision applications
- Communication networking protocols specific to visual sensor networks
- Scalability, reliability, and modeling issues of visual sensor networks
- Distributed computer vision and aggregation algorithms for low-power surveillance applications
- Fusion of information from visual and other modalities of sensors
- Storage and retrieval of sensor information
- Security issues for visual sensor networks
- Visual sensor network testbed research
- Novel applications of visual sensor networks
- Design of visual sensors

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	December 1, 2005
Acceptance Notification	April 1, 2006
Final Manuscript Due	July 1, 2006
Publication Date	3rd Quarter, 2006



GUEST EDITORS:

Deepa Kundur, Department of Electrical Engineering,
Texas A&M University, College Station, Texas, USA;
deepa@ee.tamu.edu

Ching-Yung Lin, Distributed Computing Department,
IBM TJ Watson Research Center, New York, USA;
chingyung@us.ibm.com

Chun Shien Lu, Institute of Information Science, Academia
Sinica, Taipei, Taiwan; lcs@iis.sinica.edu.tw

Special Issue on Multirate Systems and Applications

Call for Papers

Filter banks for the application of subband coding of speech were introduced in the 1970s. Since then, filter banks and multirate systems have been studied extensively. There has been great success in applying multirate systems to many applications. The most notable of these applications include subband coding for audio, image, and video, signal analysis and representation using wavelets, subband denoising, and so forth. Different applications also call for different filter bank designs and the topic of designing one-dimensional and multidimensional filter banks for specific applications has been of great interest.

Recently there has been growing interest in applying multirate theories to the area of communication systems such as, transmultiplexers, filter bank transceivers, blind deconvolution, and precoded systems. There are strikingly many dualities and similarities between multirate systems and multicarrier communication systems. Many problems in multicarrier transmission can be solved by extending results from multirate systems and filter banks. This exciting research area is one that is of increasing importance.

The aim of this special issue is to bring forward recent developments on filter banks and the ever-expanding area of applications of multirate systems.

Topics of interest include (but are not limited to):

- Multirate signal processing for communications
- Filter bank transceivers
- One-dimensional and multidimensional filter bank designs for specific applications
- Denoising
- Adaptive filtering
- Subband coding
- Audio, image, and video compression
- Signal analysis and representation
- Feature extraction and classification
- Other applications

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their

complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	January 1, 2006
Acceptance Notification	May 1, 2006
Final Manuscript Due	August 1, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Yuan-Pei Lin, Department of Electrical and Control Engineering, National Chiao Tung University, Hsinchu, Taiwan; ypl@mail.nctu.edu.tw

See-May Phoong, Department of Electrical Engineering and Graduate Institute of Communication Engineering, National Taiwan University, Taipei, Taiwan; smp@cc.ee.ntu.edu.tw

Ivan Selesnick, Department of Electrical and Computer Engineering, Polytechnic University, Brooklyn, NY 11201, USA; selesi@poly.edu

Soontorn Oraintara, Department of Electrical Engineering, The University of Texas at Arlington, Arlington, TX 76010, USA; oraintar@uta.edu

Gerald Schuller, Fraunhofer Institute for Digital Media Technology (IDMT), Langewiesener Strasse 22, 98693 Ilmenau, Germany; shl@idmt.fraunhofer.de

Special Issue on Multisensor Processing for Signal Extraction and Applications

Call for Papers

Source signal extraction from heterogeneous measurements has a wide range of applications in many scientific and technological fields, for example, telecommunications, speech and acoustic signal processing, and biomedical pattern analysis. Multiple signal reception through multisensor systems has become an effective means for signal extraction due to its superior performance over the monosensor mode. Despite the rapid progress made in multisensor-based techniques in the past few decades, they continue to evolve as key technologies in modern wireless communications and biomedical signal processing. This has led to an increased focus by the signal processing community on the advanced multisensor-based techniques which can offer robust high-quality signal extraction under realistic assumptions and with minimal computational complexity. However, many challenging tasks remain unresolved and merit further rigorous studies. Major efforts in developing advanced multisensor-based techniques may include high-quality signal extraction, realistic theoretical modeling of real-world problems, algorithm complexity reduction, and efficient real-time implementation.

The purpose of this special issue aims to present state-of-the-art multisensor signal extraction techniques and applications. Contributions in theoretical study, performance analysis, complexity reduction, computational advances, and real-world applications are strongly encouraged.

Topics of interest include (but are not limited to):

- Multiantenna processing for radio signal extraction
- Multimicrophone speech recognition and enhancement
- Multisensor radar, sonar, navigation, and biomedical signal processing
- Blind techniques for multisensor signal extraction
- Computational advances in multisensor processing

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their

complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	January 1, 2006
Acceptance Notification	May 1, 2006
Final Manuscript Due	August 1, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Chong-Yung Chi, National Tsing Hua University, Taiwan; cychi@ee.nthu.edu.tw

Ta-Sung Lee, National Chiao Tung University, Taiwan; tslee@cc.nctu.edu.tw

Zhi-Quan Luo, University of Minnesota, USA; luozq@ece.umn.edu

Kung Yao, University of California, Los Angeles, USA; yao@ee.ucla.edu

Yue Wang, Virginia Polytechnic Institute and State University, USA; yuewang@vt.edu

Special Issue on

Search and Retrieval of 3D Content and Associated Knowledge Extraction and Propagation

Call for Papers

With the general availability of 3D digitizers, scanners, and the technology innovation in 3D graphics and computational equipment, large collections of 3D graphical models can be readily built up for different applications (e.g., in CAD/CAM, games design, computer animations, manufacturing and molecular biology). For such large databases, the method whereby 3D models are sought merits careful consideration. The simple and efficient query-by-content approach has, up to now, been almost universally adopted in the literature. Any such method, however, must first deal with the proper positioning of the 3D models. The two prevalent-in-the-literature methods for the solution to this problem seek either

- Pose Normalization: Models are first placed into a canonical coordinate frame (normalizing for translation, scaling, and rotation). Then, the best measure of similarity is found by comparing the extracted feature vectors, or
- Descriptor Invariance: Models are described in a transformation invariant manner, so that any transformation of a model will be described in the same way, and the best measure of similarity is obtained at any transformation.

The existing 3D retrieval systems allow the user to perform queries by example. The queried 3D model is then processed, low-level geometrical features are extracted, and similar objects are retrieved from a local database. A shortcoming of the methods that have been proposed so far regarding the 3D object retrieval, is that neither is the semantic information (high-level features) attached to the (low-level) geometric features of the 3D content, nor are the personalization options taken into account, which would significantly improve the retrieved results. Moreover, few systems exist so far to take into account *annotation* and *relevance feedback* techniques, which are very popular among the corresponding content-based image retrieval systems (CBIR).

Most existing CBIR systems using knowledge either annotate all the objects in the database (full annotation) or

annotate a subset of the database manually selected (partial annotation). As the database becomes larger, full annotation is increasingly difficult because of the manual effort needed. Partial annotation is relatively affordable and trims down the heavy manual labor. Once the database is partially annotated, traditional image analysis methods are used to derive semantics of the objects not yet annotated. However, it is not clear “how much” annotation is sufficient for a specific database and what the best subset of objects to annotate is. In other words how the knowledge *will be propagated*. Such techniques have not been presented so far regarding the 3D case.

Relevance feedback was first proposed as an interactive tool in text-based retrieval. Since then it has been proven to be a powerful tool and has become a major focus of research in the area of content-based search and retrieval. In the traditional computer centric approaches, which have been proposed so far, the “best” representations and weights are fixed and they cannot effectively model high-level concepts and user’s perception subjectivity. In order to overcome these limitations of the computer centric approach, techniques based on *relevant feedback*, in which the human and computer interact to refine high-level queries to representations based on low-level features, should be developed.

The aim of this special issue is to focus on recent developments in this expanding research area. The special issue will focus on novel approaches in 3D object retrieval, transforms and methods for efficient geometric feature extraction, annotation and relevance feedback techniques, knowledge propagation (e.g., using Bayesian networks), and their combinations so as to produce a single, powerful, and dominant solution.

Topics of interest include (but are not limited to):

- 3D content-based search and retrieval methods (volume/surface-based)
- Partial matching of 3D objects
- Rotation invariant feature extraction methods for 3D objects

- Graph-based and topology-based methods
- 3D data and knowledge representation
- Semantic and knowledge propagation over heterogeneous metadata types
- Annotation and relevance feedback techniques for 3D objects

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	February 1, 2006
Acceptance Notification	June 1, 2006
Final Manuscript Due	September 1, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Tsuan Chen, Carnegie Mellon University, Pittsburgh, PA 15213, USA; tsuhan@cmu.edu

Ming Ouhyoung, National Taiwan University, Taipei 106, Taiwan; ming@csie.ntu.edu.tw

Petros Daras, Informatics and Telematics Institute, Centre for Research and Technology Hellas, 57001 Thessaloniki, Greece; daras@iti.gr

Special Issue on Robust Speech Recognition

Call for Papers

Robustness can be defined as the ability of a system to maintain performance or degrade gracefully when exposed to conditions not well represented in the data used to develop the system. In automatic speech recognition (ASR), systems must be robust to many forms of signal degradation, including speaker characteristics (e.g., dialect and accent), ambient environment (e.g., cellular telephony), transmission channel (e.g., voice over IP), and language (e.g., new words, dialect switching). Robust ASR systems, which have been under development for the past 35 years, have made great progress over the years closing the gap between performance on pristine research tasks and noisy operational data.

However, in recent years, demand is emerging for a new class of systems that tolerate extreme and unpredictable variations in operating conditions. For example, in a cellular telephony environment, there are many nonstationary forms of noise (e.g., multiple speakers) and significant variations in microphone type, position, and placement. Harsh ambient conditions typical in automotive and mobile applications pose similar challenges. Development of systems in a language or dialect for which there is limited or no training data in a target language has become a critical issue for a new generation of voice mining applications. The existence of multiple conditions in a single stream, a situation common to broadcast news applications, and that often involves unpredictable changes in speaker, topic, dialect, or language, is another form of robustness that has gained attention in recent years.

Statistical methods have dominated the field since the early 1980s. Such systems tend to excel at learning the characteristics of large databases that represent good models of the operational conditions and do not generalize well to new environments.

This special issue will focus on recent developments in this key research area. Topics of interest include (but are not limited to):

- Channel and microphone normalization
- Stationary and nonstationary noise modeling, compensation, and/or rejection
- Localization and separation of sound sources (including speaker segregation)

- Signal processing and feature extraction for applications involving hands-free microphones
- Noise robust speech modeling
- Adaptive training techniques
- Rapid adaptation and learning
- Integration of confidence scoring, metadata, and other alternative information sources
- Audio-visual fusion
- Assessment relative to human performance
- Machine learning algorithms for robustness
- Transmission robustness
- Pronunciation modeling

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	February 1, 2006
Acceptance Notification	June 1, 2006
Final Manuscript Due	September 1, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Herve Bourlard, IDIAP Research Institute, Swiss Federal Institute of Technology at Lausanne (EPFL), 1920 Martigny, Switzerland; herve.bourlard@idiap.ch

Mark Gales, Department of Engineering, University of Cambridge, Cambridge CB2 1PZ, UK; mjfg@eng.cam.ac.uk

Maurizio Omologo, ITC-IRST, 38050 Trento, Italy; omologo@itc.it

S. Parthasarathy, AT&T Labs - Research, NJ 07748, USA; sps@research.att.com

Joe Picone, Department of Electrical and Computer Engineering, Mississippi State University, MS 39762-9571, USA; picone@cavs.msstate.edu

Special Issue on Signal Processing Technologies for Ambient Intelligence in Home-Care Applications

Call for Papers

The possibility of allowing elderly people with different kinds of disabilities to conduct a normal life at home and achieve a more effective inclusion in the society is attracting more and more interest from both industrial and governmental bodies (hospitals, healthcare institutions, and social institutions). Ambient intelligence technologies, supported by adequate networks of sensors and actuators, as well as by suitable processing and communication technologies, could enable such an ambitious objective.

Recent researches demonstrated the possibility of providing constant monitoring of environmental and biomedical parameters, and the possibility to autonomously originate alarms, provide primary healthcare services, activate emergency calls, and rescue operations through distributed assistance infrastructures. Nevertheless, several technological challenges are still connected with these applications, ranging from the development of enabling technologies (hardware and software), to the standardization of interfaces, the development of intuitive and ergonomic human-machine interfaces, and the integration of complex systems in a highly multidisciplinary environment.

The objective of this special issue is to collect the most significant contributions and visions coming from both academic and applied research bodies working in this stimulating research field. This is a highly interdisciplinary field comprising many areas, such as signal processing, image processing, computer vision, sensor fusion, machine learning, pattern recognition, biomedical signal processing, multimedia, human-computer interfaces, and networking.

The focus will be primarily on the presentation of original and unpublished works dealing with ambient intelligence and domotic technologies that can enable the provision of advanced homecare services.

This special issue will focus on recent developments in this key research area. Topics of interest include (but are not limited to):

- Video-based monitoring of domestic environments and users
- Continuous versus event-driven monitoring
- Distributed information processing

- Data fusion techniques for event association and automatic alarm generation
- Modeling, detection, and learning of user habits for automatic detection of anomalous behaviors
- Integration of biomedical and behavioral data
- Posture and gait recognition and classification
- Interactive multimedia communications for remote assistance
- Content-based encoding of medical and behavioral data
- Networking support for remote healthcare
- Intelligent/natural man-machine interaction, personalization, and user acceptance

Authors should follow the EURASIP JASP manuscript format described at <http://www.hindawi.com/journals/asp/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JASP manuscript tracking system at <http://www.mstracking.com/asp/>, according to the following timetable:

Manuscript Due	March 1, 2006
Acceptance Notification	July 1, 2006
Final Manuscript Due	October 1, 2006
Publication Date	1st Quarter, 2007

GUEST EDITORS:

Francesco G. B. De Natale, Department of Information and Communication Technology, University of Trento, Via Sommarive 14, 38050 Trento, Italy; denatale@ing.unitn.it

Aggelos K. Katsaggelos, Department of Electrical and Computer Engineering, Northwestern University, 2145 Sheridan Road, Evanston, IL 60208-3118, USA; aggk@ece.northwestern.edu

Oscar Mayora, Create-Net Association, Via Solteri 38, 38100 Trento, Italy; oscar.mayora@create-net.it

Ying Wu, Department of Electrical and Computer Engineering, Northwestern University, 2145 Sheridan Road, Evanston, IL 60208-3118, USA; yingwu@ece.northwestern.edu

Special Issue on Signal Processing with High Complexity: Prototyping and Industrial Design

Call for Papers

Some modern applications require an extraordinary large amount of complexity in signal processing algorithms. For example, the 3rd generation of wireless cellular systems is expected to require 1000 times more complexity when compared to its 2nd generation predecessors, and future 3GPP standards will aim for even more number-crunching applications. Video and multimedia applications do not only drive the complexity to new peaks in wired and wireless systems but also in personal and home devices. Also in acoustics, modern hearing aids or algorithms for de-reverberation of rooms, blind source separation, and multichannel echo cancellation are complexity hungry. At the same time, the anticipated products also put on additional constraints like size and power consumption when mobile and thus battery powered. Furthermore, due to new developments in electroacoustic transducer design, it is possible to design very small and effective loudspeakers. Unfortunately, the linearity assumption does not hold any more for this kind of loudspeakers, leading to computationally demanding nonlinear cancellation and equalization algorithms.

Since standard design techniques would either consume too much time or do not result in solutions satisfying all constraints, more efficient development techniques are required to speed up this crucial phase. In general, such developments are rather expensive due to the required extraordinary high complexity. Thus, de-risking of a future product based on rapid prototyping is often an alternative approach. However, since prototyping would delay the development, it often makes only sense when it is well embedded in the product design process. Rapid prototyping has thus evolved by applying new design techniques more suitable to support a quick time to market requirement.

This special issue focuses on new development methods for applications with high complexity in signal processing and on showing the improved design obtained by such methods. Examples of such methods are virtual prototyping, HW/SW partitioning, automatic design flows, float to fix conversions, automatic testing and verification, and power aware designs.

Authors should follow the EURASIP JES manuscript format described at <http://www.hindawi.com/journals/es/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JES's manuscript tracking system at <http://www.mstracking.com/es/>, according to the following timetable:

Manuscript Due	December 1, 2005
Acceptance Notification	March 1, 2006
Final Manuscript Due	June 1, 2006
Publication Date	3rd Quarter, 2006

GUEST EDITORS:

Markus Rupp, TU Wien, Gusshausstr. 25/389, A-1040 Wien, Austria; mrupp@nt.tuwien.ac.at

Thomas Kaiser, University of Duisburg-Essen, 47057 Duisburg, Germany; thomas.kaiser@uni-duisburg.de

Gerhard Schmidt, Harman Becker / Temic-SDS, Germany; gerhard.schmidt@temic-sds.com

Jean-Francois Nezan, IETR/Image group Lab, France; jean-francois.nezan@insa-rennes.fr

Special Issue on Field-Programmable Gate Arrays in Embedded Systems

Call for Papers

Field-Programmable Gate Arrays (FPGAs) are increasingly used in embedded systems to achieve high performance in a compact area. FPGAs are particularly well suited to processing data straight from sensors in embedded systems. More importantly, the reconfigurable aspects of FPGAs give the circuits the versatility to change their functionality based on processing requirements for different phases of an application, and for deploying new functionality.

Modern FPGAs integrate many different resources on a single chip. Embedded processors (both hard and soft cores), multipliers, RAM blocks, and DSP units are all available along with reconfigurable logic. Applications can use these heterogeneous resources to integrate several different functions on a single piece of silicon. This makes FPGAs particularly well suited to embedded applications.

This special issue focuses on applications that clearly show the benefit of using FPGAs in embedded applications, as well as on design tools that enable such applications. Specific topics of interest include the use of reconfiguration in embedded applications, hardware/software codesign targeting FPGAs, power-aware FPGA design, design environments for FPGAs, system signalling and protocols used by FPGAs in embedded environments, and system-level design targeting modern FPGA's heterogeneous resources.

Papers on other applicable topics will also be considered. All papers should address FPGA-based systems that are appropriate for embedded applications. Papers on subjects outside of this scope (i.e., not suitable for embedded applications) will not be considered.

Authors should follow the EURASIP JES manuscript format described at <http://www.hindawi.com/journals/es/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JES manuscript tracking system at <http://www.mstracking.com/es/>, according to the following timetable:

Manuscript Due	December 15, 2005
Acceptance Notification	May 1, 2006
Final Manuscript Due	August 1, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Miriam Leeser, Northeastern University, USA;
mel@coe.neu.edu

Scott Hauck, University of Washington, USA;
hauck@ee.washington.edu

Russell Tessier, University of Massachusetts, Amherst, USA;
tessier@ecs.umass.edu

Special Issue on Formal Methods for GALS Design

Call for Papers

As chips grow in speed and complexity, global control of an entire chip using a single clock is becoming increasingly challenging. In the future, multicore and large-scale systems-on-chip (SoC) designs are therefore likely to be composed of several timing domains.

Global Asynchrony and Local Synchrony (GALS) is emerging as the paradigm of choice for SoC design with multiple timing domains. In GALS systems, each timing domain is locally clocked, and asynchronous communication schemes are used to glue all of the domains together. Thus, unlike purely asynchronous design, GALS design is able to make use of the significant industrial investment in synchronous design tools.

There is an urgent need for the development of sound models and formal methods for GALS systems. In synchronous designs, formal methods and design automation have played an enabling role in the continuing quest for chips with ever greater complexity. Due to the inherent subtleties of the asynchronous circuit design, formal methods are likely to be vital to the success of the GALS paradigm.

We invite original articles for a special issue of the journal to be published in 2006. Articles may cover every aspect related to formal modeling and formal methods for GALS systems and/or target any type of embedded applications and/or architectures combining synchronous and asynchronous notions of timing:

- Formal design and synthesis techniques for GALS systems
- Design and architectural transformations and equivalences
- Formal verification of GALS systems
- Formal methods for analysis of GALS systems
- Hardware compilation of GALS system
- Latency-insensitive synchronous systems
- Mixed synchronous-asynchronous systems
- Synchronous/asynchronous interaction at different levels
- Clocking, interconnect, and interface issues in deep-submicron design

- Modeling of interfaces between multiple timing domains
- System decomposition into GALS systems
- Formal aspects of system-on-chip (SoC) and network-on-chip (NoC) designs
- Motivating case studies, comparisons, and applications

Authors should follow the EURASIP JES manuscript format described at <http://www.hindawi.com/journals/es/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JES manuscript tracking system at <http://www.mstracking.com/es/>, according to the following timetable:

Manuscript Due	December 15, 2005
Acceptance Notification	April 15, 2006
Final Manuscript Due	July 15, 2006
Publication Date	4th Quarter, 2006

GUEST EDITORS:

Alain Girault, Pop Art Project, INRIA Rhône-Alpes, 38334 Saint-Ismier Cedex, France; alain.girault@inrialpes.fr

S. Ramesh, Department of Computer Science and Engineering, Indian Institute of Technology, Bombay, Mumbai-400 076, India; ramesh@cse.iitb.ac.in

Sandeep Kumar Shukla, Electrical and Computer Engineering Department, Virginia Tech, Blacksburg, VA 24061, USA; sandeep@cs.albany.edu

Jean-Pierre Talpin, ESPRESSO, IRISA/INRIA Rennes, 35042 Rennes Cedex, France; jean-pierre.talpin@irisa.fr

Special Issue on Synchronous Paradigm in Embedded Systems

Call for Papers

Synchronous languages were introduced in the 1980s for programming reactive systems. Such systems are characterized by their continuous reaction to their environment, at a speed determined by the latter. Reactive systems include embedded control software and hardware. Synchronous languages have recently seen a tremendous interest from leading companies developing automatic control software and hardware for critical applications. Industrial success stories have been achieved by Schneider Electric, Airbus, Dassault Aviation, Snecma, MBDA, Arm, ST Microelectronics, Texas Instruments, Freescale, Intel The key advantage outlined by these companies resides in the rigorous mathematical semantics provided by the synchronous approach that allows system designers to develop critical software and hardware in a faster and safer way.

Indeed, an important feature of synchronous paradigm is that the tools and environments supporting development of synchronous programs are based upon a formal mathematical model defined by the semantics of the languages. The compilation involves the construction of these formal models, and their analysis for static properties, their optimization, the synthesis of executable sequential implementations, and the automated distribution of programs. It can also build a model of the dynamical behaviors, in the form of a transition system, upon which is based the analysis of dynamical properties, for example, through model-checking-based verification, or discrete controller synthesis. Hence, synchronous programming is at the crossroads of many approaches in compilation, formal analysis and verification techniques, and software or hardware implementations generation.

We invite original papers for a special issue of the journal to be published in the first quarter of 2007. Papers may be submitted on all aspects of the synchronous paradigm for embedded systems, including theory and applications. Some sample topics are:

- Synchronous languages design and compiling
- Novel application and implementation of synchronous languages
- Applications of synchronous design methods to embedded systems (hardware or software)

- Formal modeling, formal verification, controller synthesis, and abstract interpretation with synchronous-based tools
- Combining synchrony and asynchrony for embedded system design and, in particular, globally asynchronous and locally synchronous systems
- The role of synchronous models of computations in heterogeneous modeling
- The use of synchronous modeling techniques in model-driven design environment
- Design of distributed control systems using the synchronous paradigm

Authors should follow the EURASIP JES manuscript format described at <http://www.hindawi.com/journals/es/>. Prospective authors should submit an electronic copy of their complete manuscripts through the EURASIP JES's manuscript tracking system at <http://www.mstracking.com/es/>, according to the following timetable:

Manuscript Due	June 1, 2006
Acceptance Notification	October 1, 2006
Final Manuscript Due	December 1, 2006
Publication Date	1st Quarter, 2007

GUEST EDITORS:

Alain Girault, INRIA, France; alain.girault@inrialpes.fr

S. Ramesh, IIT Bombay, India; ramesh@cse.iitb.ac.in

Jean-Pierre Talpin, IRISA, France;

jean-pierre.talpin@irisa.fr

Special Issue on Embedded Systems for Portable and Mobile Video Platforms

Call for Papers

Video coding systems have been assuming an increasingly important role in application areas other than the traditional video broadcast and storage scenarios. Several new applications have emerged focusing on personal communications (such as video-conferencing), wireless multimedia, remote video-surveillance, and emergency systems. As a result, a number of new video compression standards have emerged addressing the requirements of these kinds of applications in terms of image quality and bandwidth. For example, the ISO/MPEG and ITU standardization bodies have recently jointly established the new AVC/H.264 video coding standard.

In such a wide range of applications scenarios, there is the need to adapt the video processing in general, and in particular video coding/decoding, to the restrictions imposed by both the applications themselves and the terminal devices. This problem is even more important for portable and battery-supplied devices, in which low-power considerations are important limiting constraints. Examples of such application requirements are currently found in 3G mobile phones, CMOS cameras and tele-assistance technologies for elderly/disabled people.

Therefore, the development of new power-efficient encoding algorithms and architectures suitable for mobile and battery-supplied devices is fundamental to enabling the widespread deployment of multimedia applications on portable and mobile video platforms. This special issue is focused on the design and development of embedded systems for portable and mobile video platforms. Topics of interest cover all aspects of this type of embedded system, including, not only algorithms, architectures, and specific SoC design methods, but also more technological aspects related to wireless-channels, power-efficient optimizations and implementations, such as encoding strategies, data flow optimizations, special coprocessors, arithmetic units, and electronic circuits.

Papers suitable for publication in this special issue must describe high-quality, original, unpublished research.

Prospective authors are invited to submit manuscripts on topics including but not limited to:

- Power-efficient algorithms and architectures for motion estimation, discrete transforms (e.g., SA-DCT, WT), integer transforms, and entropy coding
- Architectural paradigms for portable multimedia systems
- Low-power techniques and circuits, memory, and data flow optimizations for video coding
- Adaptive algorithms and generic configurable architectures for exploiting intrinsic characteristics of image sequences and video devices
- Aspects specifically important for portable and mobile video platforms, such as video transcoding, video processing in the compressed domain, and error resilience (e.g., MDC)
- Ultra-low-power embedded systems for video processing and coding
- Heterogeneous architectures, multithreading, MP-SoC, NoC implementations
- Design space exploration tools, performance evaluation tools, coding efficiency and complexity analysis tools for video coding in embedded systems

Authors should follow the EURASIP JES manuscript format described at <http://www.hindawi.com/journals/es/>. Prospective authors should submit an electronic copy of their complete manuscript through the EURASIP JES manuscript tracking system at <http://www.mstracking.com/es/>, according to the following timetable:

Manuscript Due	June 1, 2006
Acceptance Notification	October 1, 2006
Final Manuscript Due	January 1, 2007
Publication Date	2nd Quarter, 2007



GUEST EDITORS:

Leonel Sousa, INESC-ID, IST, Universidade Técnica de Lisboa, 1000-029 Lisboa, Portugal; las@inesc-id.pt

Noel O'Connor, School of Electronic Engineering, Dublin City University, Glasnevin, Dublin 9, Ireland; noel.oconnor@eeng.dcu.ie

Marco Mattavelli, Signal Processing Laboratory, Ecole Polytechnique Fédérale de Lausanne (EPFL), 1015 Lausanne, Switzerland; marco.mattavelli@epfl.ch

Antonio Nunez, IUMA, Universidad de Las Palmas de Gran Canaria, 35017 Las Palmas de Gran Canaria, Spain; nunez@iuma.ulpgc.es



NEWS RELEASE

Nominations Invited for the Institute of Acoustics

2006 A B Wood Medal

The Institute of Acoustics, the UK's leading professional body for those working in acoustics, noise and vibration, is inviting nominations for its prestigious A B Wood Medal for the year 2006.

The A B Wood Medal and prize is presented to an individual, usually under the age of 35, for distinguished contributions to the application of underwater acoustics. The award is made annually, in even numbered years to a person from Europe and in odd numbered years to someone from the USA/Canada. The 2005 Medal was awarded to Dr A Thode from the USA for his innovative, interdisciplinary research in ocean and marine mammal acoustics.

Nominations should consist of the candidate's CV, clearly identifying peer reviewed publications, and a letter of endorsement from the nominator identifying the contribution the candidate has made to underwater acoustics. In addition, there should be a further reference from a person involved in underwater acoustics and not closely associated with the candidate. Nominees should be citizens of a European Union country for the 2006 Medal. Nominations should be marked confidential and addressed to the President of the Institute of Acoustics at 77A St Peter's Street, St. Albans, Herts, AL1 3BN. The deadline for receipt of nominations is **15 October 2005**.

Dr Tony Jones, President of the Institute of Acoustics, comments, "A B Wood was a modest man who took delight in helping his younger colleagues. It is therefore appropriate that this prestigious award should be designed to recognise the contributions of young acousticians."

Further information and an nomination form can be found on the Institute's website at www.ioa.org.uk.

A B Wood

Albert Beaumont Wood was born in Yorkshire in 1890 and graduated from Manchester University in 1912. He became one of the first two research scientists at the Admiralty to

work on antisubmarine defence. He designed the first directional hydrophone and was well known for the many contributions he made to the science of underwater acoustics and for the help he gave to younger colleagues. The medal was instituted after his death by his many friends on both sides of the Atlantic and was administered by the Institute of Physics until the formation of the Institute of Acoustics in 1974.

PRESS CONTACT

Judy Edrich

Publicity & Information Manager, Institute of Acoustics
Tel: 01727 848195; E-mail: judy.edrich@ioa.org.uk

EDITORS NOTES


The Institute of Acoustics is the UK's professional body for those working in acoustics, noise and vibration. It was formed in 1974 from the amalgamation of the Acoustics Group of the Institute of Physics and the British Acoustical Society (a daughter society of the Institution of Mechanical Engineers). The Institute of Acoustics is a nominated body of the Engineering Council, offering registration at Chartered and Incorporated Engineer levels.

The Institute has some 2500 members from a rich diversity of backgrounds, with engineers, scientists, educators, lawyers, occupational hygienists, architects and environmental health officers among their number. This multidisciplinary culture provides a productive environment for cross-fertilisation of ideas and initiatives. The range of interests of members within the world of acoustics is equally wide, embracing such aspects as aerodynamics, architectural acoustics, building acoustics, electroacoustics, engineering dynamics, noise and vibration, hearing, speech, underwater acoustics, together with a variety of environmental aspects. The lively nature of the Institute is demonstrated by the breadth of its learned society programmes.

For more information please visit our site at www.ioa.org.uk.

HIGH-FIDELITY MULTICHANNEL AUDIO CODING

Dai Tracy Yang, Chris Kyriakakis, and C.-C. Jay Kuo



This invaluable monograph addresses the specific needs of audio-engineering students and researchers who are either learning about the topic or using it as a reference book on multichannel audio compression. This book covers a wide range of knowledge on perceptual audio coding, from basic digital signal processing and data compression techniques to advanced audio coding standards and innovative coding tools. It is the only book available on the market that solely focuses on the principles of high-quality audio codec design for multichannel sound sources.

This book includes three parts. The first part covers the basic topics on audio compression, such as quantization, entropy coding, psychoacoustic model, and sound quality assessment. The second part of the book highlights the current most prevalent low-bit-rate high-performance audio coding standards—MPEG-4 audio. More space is given to the audio standards that are capable of supporting multichannel signals, that is, MPEG advanced audio coding (AAC), including the original MPEG-2 AAC technology, additional MPEG-4 toolsets, and the most recent aacPlus standard. The third part of this book introduces several innovative multichannel audio coding tools, which have been demonstrated to further improve the coding performance and expand the available functionalities of MPEG AAC, and is more suitable for graduate students and researchers in the advanced level.


Dai Tracy Yang is currently Postdoctoral Research Fellow, Chris Kyriakakis is Associated Professor, and C.-C. Jay Kuo is Professor, all affiliated with the Integrated Media Systems Center (IMSC) at the University of Southern California.

For more information and online orders please visit: <http://www.hindawi.com/books/spc/volume-1/>
For any inquiries on how to order this title please contact books.orders@hindawi.com

The EURASIP Book Series on Signal Processing and Communications publishes monographs, edited volumes, and textbooks on Signal Processing and Communications. For more information about the series please visit: <http://hindawi.com/books/spc/about.html>

GENOMIC SIGNAL PROCESSING AND STATISTICS

Edited by: Edward R. Dougherty, Ilya Shmulevich, Jie Chen, and Z. Jane Wang



Recent advances in genomic studies have stimulated synergetic research and development in many cross-disciplinary areas. Genomic data, especially the recent large-scale microarray gene expression data, represents enormous challenges for signal processing and statistics in processing these vast data to reveal the complex biological functionality. This perspective naturally leads to a new field, genomic signal processing (GSP), which studies the processing of genomic signals by integrating the theory of signal processing and statistics. Written by an international, interdisciplinary team of authors, this invaluable edited volume is accessible to students just entering this emergent field, and to researchers, both in academia and industry, in the fields of molecular biology, engineering, statistics, and signal processing. The book provides tutorial-level overviews and addresses the specific needs of genomic signal processing students and researchers as a reference book.

The book aims to address current genomic challenges by exploiting potential synergies between genomics, signal processing, and statistics, with special emphasis on signal processing and statistical tools for structural and functional understanding of genomic data. The book is partitioned into three parts. In part I, a brief history of genomic research and a background introduction from both biological and signal-processing/statistical perspectives are provided so that readers can easily follow the material presented in the rest of the book. In part II, overviews of state-of-the-art techniques are provided. We start with a chapter on sequence analysis, and follow with chapters on feature selection, clustering, and classification of microarray data. The next three chapters discuss the modeling, analysis, and simulation of biological regulatory networks, especially gene regulatory networks based on Boolean and Bayesian approaches. The next two chapters treat visualization and compression of gene data, and supercomputer implementation of genomic signal processing systems. Part II concludes with two chapters on systems biology and medical implications of genomic research. Finally, part III discusses the future trends in genomic signal processing and statistics research.

For more information and online orders please visit: <http://www.hindawi.com/books/spc/volume-2/>
For any inquiries on how to order this title please contact books.orders@hindawi.com

The EURASIP Book Series on Signal Processing and Communications publishes monographs, edited volumes, and textbooks on Signal Processing and Communications. For more information about the series please visit: <http://hindawi.com/books/spc/about.html>